



ZAP by  
Checkmarx

# ZAP Scanning Report

Sites: <https://www.youtube.com> <https://youtube.com> <https://www.bolt.com> <https://bolt.com>  
<https://haveibeenpwned.com>

Generated on Mon, 16 Jun 2025 15:07:10

ZAP Version: 2.16.1

ZAP by [Checkmarx](#)

## Summary of Alerts

Risk Level	Number of Alerts
High	1
Medium	8
Low	8
Informational	10
False Positives:	0

## Summary of Sequences

For each step: result (Pass/Fail) - risk (of highest alert(s) for the step, if any).

## Alerts

Name	Risk Level	Number of Instances
<a href="#">SQL Injection - SQLite</a>	High	2
<a href="#">Absence of Anti-CSRF Tokens</a>	Medium	2
<a href="#">CSP: Failure to Define Directive with No Fallback</a>	Medium	3
<a href="#">CSP: Wildcard Directive</a>	Medium	3
<a href="#">CSP: script-src unsafe-inline</a>	Medium	3
<a href="#">CSP: style-src unsafe-inline</a>	Medium	951
<a href="#">Content Security Policy (CSP) Header Not Set</a>	Medium	2
<a href="#">Cross-Domain Misconfiguration</a>	Medium	6
<a href="#">XSLT Injection</a>	Medium	2
<a href="#">CSP: Notices</a>	Low	949
<a href="#">Cookie with SameSite Attribute None</a>	Low	19
<a href="#">Cookie without SameSite Attribute</a>	Low	11
<a href="#">Cross-Domain JavaScript Source File Inclusion</a>	Low	40
<a href="#">Information Disclosure - Debug Error Messages</a>	Low	2
<a href="#">Server Leaks Version Information via "Server" HTTP Response Header Field</a>	Low	4
<a href="#">Strict-Transport-Security Header Not Set</a>	Low	1
<a href="#">Timestamp Disclosure - Unix</a>	Low	13
<a href="#">Charset Mismatch</a>	Informational	1
<a href="#">Information Disclosure - Sensitive Information in URL</a>	Informational	23
<a href="#">Information Disclosure - Suspicious Comments</a>	Informational	1839
<a href="#">Loosely Scoped Cookie</a>	Informational	3
<a href="#">Modern Web Application</a>	Informational	947
<a href="#">Re-examine Cache-control Directives</a>	Informational	952
<a href="#">Retrieved from Cache</a>	Informational	45
<a href="#">Session Management Response Identified</a>	Informational	18
<a href="#">User Agent Fuzzer</a>	Informational	21480

**Alert Detail**

High	SQL Injection - SQLite
Description	SQL injection may be possible.
URL	<a href="https://haveibeenpwned.com/Images/Logos/1Password_LogoLight.svg?v=XkBm2ucG374VIX0dq_JDwP6eOx9sI7czpi49eT2QzU">https://haveibeenpwned.com/Images/Logos/1Password_LogoLight.svg?v=XkBm2ucG374VIX0dq_JDwP6eOx9sI7czpi49eT2QzU</a>
Method	GET
Parameter	v
Attack	case randomblob(1000000) when not null then 1 else 1 end
Evidence	The query time is controllable using parameter value [case randomblob(1000000) when not null then 1 else 1 end ], which caused the request to take [703] milliseconds, parameter value [case randomblob(10000000) when not null then 1 else 1 end ], which caused the request to take [838] milliseconds, when the original unmodified query with value [XkBm2ucG374VIX0dq_JDwP6eOx9sI7czpi49eT2QzU] took [58] milliseconds.
Other Info	The query time is controllable using parameter value [case randomblob(1000000) when not null then 1 else 1 end ], which caused the request to take [703] milliseconds, parameter value [case randomblob(10000000) when not null then 1 else 1 end ], which caused the request to take [838] milliseconds, when the original unmodified query with value [XkBm2ucG374VIX0dq_JDwP6eOx9sI7czpi49eT2QzU] took [58] milliseconds.
URL	<a href="https://haveibeenpwned.com/js/bundle/bundle.js?v=x0cyZYYKQGxJh2YCc7SU5n9SBVLb0xMmSOw8BT4IryA">https://haveibeenpwned.com/js/bundle/bundle.js?v=x0cyZYYKQGxJh2YCc7SU5n9SBVLb0xMmSOw8BT4IryA</a>
Method	GET
Parameter	v
Attack	case randomblob(10000000) when not null then 1 else 1 end
Evidence	The query time is controllable using parameter value [case randomblob(10000000) when not null then 1 else 1 end ], which caused the request to take [635] milliseconds, parameter value [case randomblob(100000000) when not null then 1 else 1 end ], which caused the request to take [1,109] milliseconds, when the original unmodified query with value [x0cyZYYKQGxJh2YCc7SU5n9SBVLb0xMmSOw8BT4IryA] took [180] milliseconds.
Other Info	The query time is controllable using parameter value [case randomblob(10000000) when not null then 1 else 1 end ], which caused the request to take [635] milliseconds, parameter value [case randomblob(100000000) when not null then 1 else 1 end ], which caused the request to take [1,109] milliseconds, when the original unmodified query with value [x0cyZYYKQGxJh2YCc7SU5n9SBVLb0xMmSOw8BT4IryA] took [180] milliseconds.
Instances	2
Solution	<p>Do not trust client side input, even if there is client side validation in place.</p> <p>In general, type check all data on the server side.</p> <p>If the application uses JDBC, use PreparedStatement or CallableStatement, with parameters passed by '?'.</p> <p>If the application uses ASP, use ADO Command Objects with strong type checking and parameterized queries.</p> <p>If database Stored Procedures can be used, use them.</p> <p>Do *not* concatenate strings into queries in the stored procedure, or use 'exec', 'exec immediate', or equivalent functionality!</p> <p>Do not create dynamic SQL queries using simple string concatenation.</p> <p>Escape all data received from the client.</p> <p>Apply an 'allow list' of allowed characters, or a 'deny list' of disallowed characters in user input.</p> <p>Apply the principle of least privilege by using the least privileged database user possible.</p> <p>In particular, avoid using the 'sa' or 'db-owner' database users. This does not eliminate SQL injection, but minimizes its impact.</p> <p>Grant the minimum database access that is necessary for the application.</p>
Reference	<a href="https://cheatsheetseries.owasp.org/cheatsheets/SQL_Injection_Prevention_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/SQL_Injection_Prevention_Cheat_Sheet.html</a>
CWE Id	<a href="#">89</a>
WASC Id	19
Plugin Id	<a href="#">40024</a>

	<p>No Anti-CSRF tokens were found in a HTML submission form.</p> <p>A cross-site request forgery is an attack that involves forcing a victim to send an HTTP request to a target destination without their knowledge or intent in order to perform an action as the victim. The underlying cause is application functionality using predictable URL/form actions in a repeatable way. The nature of the attack is that CSRF exploits the trust that a web site has for a user. By contrast, cross-site scripting (XSS) exploits the trust that a user has for a web site. Like XSS, CSRF attacks are not necessarily cross-site, but they can be. Cross-site request forgery is also known as CSRF, XSRF, one-click attack, session riding, confused deputy, and sea surf.</p>
Description	<p>CSRF attacks are effective in a number of situations, including:</p> <ul style="list-style-type: none"> <li>* The victim has an active session on the target site.</li> <li>* The victim is authenticated via HTTP auth on the target site.</li> <li>* The victim is on the same local network as the target site.</li> </ul> <p>CSRF has primarily been used to perform an action against a target site using the victim's privileges, but recent techniques have been discovered to disclose information by gaining access to the response. The risk of information disclosure is dramatically increased when the target site is vulnerable to XSS, because XSS can be used as a platform for CSRF, allowing the attack to operate within the bounds of the same-origin policy.</p>
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	
Attack	
Evidence	<form method="post" novalidate="novalidate" id="pwnedSearch" action="/">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken] was found in the following HTML form: [Form 1: "apiEndpoint" "emailInput" ].
URL	<a href="https://haveibeenpwned.com/Account/">https://haveibeenpwned.com/Account/</a>
Method	GET
Parameter	
Attack	
Evidence	<form method="post" novalidate="novalidate" id="pwnedSearch" action="/">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken] was found in the following HTML form: [Form 1: "apiEndpoint" "emailInput" ].
Instances	2
Solution	<p>Phase: Architecture and Design</p> <p>Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.</p> <p>For example, use anti-CSRF packages such as the OWASP CSRFGuard.</p> <p>Phase: Implementation</p> <p>Ensure that your application is free of cross-site scripting issues, because most CSRF defenses can be bypassed using attacker-controlled script.</p> <p>Phase: Architecture and Design</p> <p>Generate a unique nonce for each form, place the nonce into the form, and verify the nonce upon receipt of the form. Be sure that the nonce is not predictable (CWE-330).</p> <p>Note that this can be bypassed using XSS.</p> <p>Identify especially dangerous operations. When the user performs a dangerous operation, send a separate confirmation request to ensure that the user intended to perform that operation.</p> <p>Note that this can be bypassed using XSS.</p> <p>Use the ESAPI Session Management control.</p> <p>This control includes a component for CSRF.</p> <p>Do not use the GET method for any request that triggers a state change.</p> <p>Phase: Implementation</p> <p>Check the HTTP Referer header to see if the request originated from an expected page. This could break legitimate functionality, because users or proxies may have disabled sending the Referer for privacy reasons.</p>

Reference	<a href="https://cheatsheetseries.owasp.org/cheatsheets/Cross-Site_Request_Forgery_Prevention_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/Cross-Site_Request_Forgery_Prevention_Cheat_Sheet.html</a> <a href="https://cwe.mitre.org/data/definitions/352.html">https://cwe.mitre.org/data/definitions/352.html</a>
CWE Id	<a href="#">352</a>
WASC Id	9
Plugin Id	<a href="#">10202</a>
<b>Medium</b>	<b>CSP: Failure to Define Directive with No Fallback</b>
Description	The Content Security Policy fails to define one of the directives that has no fallback. Missing/excluding them is the same as allowing anything.
URL	<a href="https://www.bolt.com/">https://www.bolt.com/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	require-trusted-types-for 'script'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	require-trusted-types-for 'script';report-uri /cspreport
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
Instances	3
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	<a href="https://www.w3.org/TR/CSP/">https://www.w3.org/TR/CSP/</a> <a href="https://caniuse.com/#search=content+security+policy">https://caniuse.com/#search=content+security+policy</a> <a href="https://content-security-policy.com/">https://content-security-policy.com/</a> <a href="https://github.com/HtmlUnit/htmlunit-csp">https://github.com/HtmlUnit/htmlunit-csp</a> <a href="https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources">https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10055</a>

<b>Medium</b>	<b>CSP: Wildcard Directive</b>
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	<a href="https://www.bolt.com/">https://www.bolt.com/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	Content-Security-Policy

Attack	
Evidence	require-trusted-types-for 'script'
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	require-trusted-types-for 'script';report-uri /cspreport
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
Instances	3
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	<a href="https://www.w3.org/TR/CSP/">https://www.w3.org/TR/CSP/</a> <a href="https://caniuse.com/#search=content+security+policy">https://caniuse.com/#search=content+security+policy</a> <a href="https://content-security-policy.com/">https://content-security-policy.com/</a> <a href="https://github.com/HtmlUnit/htmlunit-csp">https://github.com/HtmlUnit/htmlunit-csp</a> <a href="https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources">https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10055</a>

Medium	<b>CSP: script-src unsafe-inline</b>
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	<a href="https://www.bolt.com/">https://www.bolt.com/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	require-trusted-types-for 'script'
Other Info	script-src includes unsafe-inline.
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	require-trusted-types-for 'script';report-uri /cspreport
Other Info	script-src includes unsafe-inline.
Instances	3
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	<a href="https://www.w3.org/TR/CSP/">https://www.w3.org/TR/CSP/</a> <a href="https://caniuse.com/#search=content+security+policy">https://caniuse.com/#search=content+security+policy</a> <a href="https://content-security-policy.com/">https://content-security-policy.com/</a> <a href="https://github.com/HtmlUnit/htmlunit-csp">https://github.com/HtmlUnit/htmlunit-csp</a> <a href="https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources">https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources</a>
CWE Id	<a href="#">693</a>
WASC Id	15

Plugin Id	<a href="#">10055</a>
Medium	<b>CSP: style-src unsafe-inline</b>
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-lu+QB34PY1oqrPmllGdYqcPn' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/About">https://haveibeenpwned.com/About</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WApKKTQJLOgr+16u4ml8nMJV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Account">https://haveibeenpwned.com/Account</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ymlwrN2mN2SNvsP65lx15U5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/API/V3">https://haveibeenpwned.com/API/V3</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-3l7wZ2bqGdO+fqWr8DjP1epu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/API/v3">https://haveibeenpwned.com/API/v3</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-sd4W4YSXDzuaxzSY3G6jzZ/E' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/000webhost">https://haveibeenpwned.com/Breach/000webhost</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-yUnGyvzrG5fYIGphliCW6Kr' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/123RF">https://haveibeenpwned.com/Breach/123RF</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-p+SdjFEHMGx21xJqM2iefgL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/126">https://haveibeenpwned.com/Breach/126</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-DYTslwGXpLclVRTN98/Krua' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/1713">https://haveibeenpwned.com/Breach/1713</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Utv68WH5o5qgnQo2rqXp7UGU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/17Media">https://haveibeenpwned.com/Breach/17Media</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-dujVay0yQcLILWYxL0bccLK7' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/1win">https://haveibeenpwned.com/Breach/1win</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-sZZQnVav8yIVy6ColSRcaV/G' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/2844Breaches">https://haveibeenpwned.com/Breach/2844Breaches</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-FEa2x41VyAJIRX3l9x0HJXmd' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/2fast4u">https://haveibeenpwned.com/Breach/2fast4u</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-GCplBRO9qC4TfwINdNpI88GO' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/500px">https://haveibeenpwned.com/Breach/500px</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QlaPjJrJR/XIRLR4oYJVQ+K' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/7k7k">https://haveibeenpwned.com/Breach/7k7k</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-GD8dolw7pFdUOI2oCGggD0ka' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/8fit">https://haveibeenpwned.com/Breach/8fit</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-wf666a4FHB7WVdSTu9U14RW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/8tracks">https://haveibeenpwned.com/Breach/8tracks</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-hRzZUNp3wBdXVTlkj6ieLe' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/9Lives">https://haveibeenpwned.com/Breach/9Lives</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-u09+/6yPe34TSelCJRkFbI4f' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia">https://haveibeenpwned.com/Breach/Abandonia</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-y8YSMgQZX/DtIAS6K1UeOr' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia2022">https://haveibeenpwned.com/Breach/Abandonia2022</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-uq5su7aj8q2BzuUKGXQvq2Yb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ABFRL">https://haveibeenpwned.com/Breach/ABFRL</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-u0CdpcBzDuqw7TzLBk/XaF/Y' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AbuseWithUs">https://haveibeenpwned.com/Breach/AbuseWithUs</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-1zBUzAxRSnb+4A/Km+o77hnB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AcneOrg">https://haveibeenpwned.com/Breach/AcneOrg</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-PN9PZgbWSjDWtkQBhOFi/1D' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Activision">https://haveibeenpwned.com/Breach/Activision</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce- <b>aGRimYgli4yhSveOS1BVE8I</b> ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ActMobile">https://haveibeenpwned.com/Breach/ActMobile</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce- <b>cQtDy275Aboo5HRPNNRMD9xj</b> ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Acuity">https://haveibeenpwned.com/Breach/Acuity</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce- <b>W2ylOMeJyVfBsUjNqPxFo5</b> ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Adapt">https://haveibeenpwned.com/Breach/Adapt</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QFfyx1tAL9WA AJorXrCYwJb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Adecco">https://haveibeenpwned.com/Breach/Adecco</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-SP92LYrAykKzkufLjHow9tzU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Adobe">https://haveibeenpwned.com/Breach/Adobe</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-tvoAS0KV15YmEP4yzZNw+ux2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AdoptMeTradingValues">https://haveibeenpwned.com/Breach/AdoptMeTradingValues</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-v5GjuWedXuy5qhcDManBzgji' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AdultFanFiction">https://haveibeenpwned.com/Breach/AdultFanFiction</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-aJcJR28dMtI80TjSI4PJBCg4' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder">https://haveibeenpwned.com/Breach/AdultFriendFinder</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-BekQeoN/6UurcGG2oMneDIQf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder2016">https://haveibeenpwned.com/Breach/AdultFriendFinder2016</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ytq47Sko/dC/eHfm8S8FExai' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AdvanceAutoParts">https://haveibeenpwned.com/Breach/AdvanceAutoParts</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-lNimyVREO+pwBOejFlCjsO6' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AerServ">https://haveibeenpwned.com/Breach/AerServ</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-OQiLWDIKU7oo2DzuO6egIz/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AgusiQTorrents">https://haveibeenpwned.com/Breach/AgusiQTorrents</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-n2CGEqd/zT0o0buecgFwUCYr' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AhaShare">https://haveibeenpwned.com/Breach/AhaShare</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-t0XyVUisd4UDNw9aKLU83ZIX' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Aimware">https://haveibeenpwned.com/Breach/Aimware</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9/tvAA73s9F23PRIGTuzp+RR' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Aipai">https://haveibeenpwned.com/Breach/Aipai</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-g1/ZBoOtwnmpj8r0F8xOfzCA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AlType">https://haveibeenpwned.com/Breach/AlType</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-R9glpyZ5b8dV+LQcqUCQ6thC' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Ajam">https://haveibeenpwned.com/Breach/Ajam</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-P9gGy8prGJj086z3Gk6xXaP1' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AKP">https://haveibeenpwned.com/Breach/AKP</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+lZhPmpcsTVxoM4UI5r9TcPM' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AlienStealerLogs">https://haveibeenpwned.com/Breach/AlienStealerLogs</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-uioRSyfoyz8Os6cEIOXQg3NS' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AllegedATT">https://haveibeenpwned.com/Breach/AllegedATT</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-6qlHQxwt/uSsD1CLr9SHod8vO' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AlpineReplay">https://haveibeenpwned.com/Breach/AlpineReplay</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-xgQndTRT4cLwPeNBxqr1jb0s' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Altenen">https://haveibeenpwned.com/Breach/Altenen</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-rO7eTNIP8TfZaVSVsJG3DaVi' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AmartFurniture">https://haveibeenpwned.com/Breach/AmartFurniture</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-vlVt1r9TK3dgYYtODXNmKj/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Ancestry">https://haveibeenpwned.com/Breach/Ancestry</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-uaEV5f+pbmrdUV0YhTpB6wou' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AndroidForums">https://haveibeenpwned.com/Breach/AndroidForums</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2XNanaLh0RnMrLmnG1L2+aK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AndroidLista">https://haveibeenpwned.com/Breach/AndroidLista</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ti9BT02qhB1wzzFk2yG/yax' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AnimalJam">https://haveibeenpwned.com/Breach/AnimalJam</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-3Rx8NlpeSxQG1/l8hFVzBmMd' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AnimeGame">https://haveibeenpwned.com/Breach/AnimeGame</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-wCZMIWBjOnJhNLe8of8rl0' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AnimeLeague">https://haveibeenpwned.com/Breach/AnimeLeague</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-khYErcg2gmFCajgiwhk2FQlp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AnimePlanet">https://haveibeenpwned.com/Breach/AnimePlanet</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-fNIBhlaOa2xw0nce7fjI17+L' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Animoto">https://haveibeenpwned.com/Breach/Animoto</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-O8wYjDUyrFikPTRf7gKrgljB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AntiPublic">https://haveibeenpwned.com/Breach/AntiPublic</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-bxTdvStD1yg9mSCmGnzljooq' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ApexSMS">https://haveibeenpwned.com/Breach/ApexSMS</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8iqZ+9pDRzD9eTGMwzxTv8ru' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/APKTW">https://haveibeenpwned.com/Breach/APKTW</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Qy/IUH8f4xmPtnfDntyVFV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Apollo">https://haveibeenpwned.com/Breach/Apollo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nlkpZ4FPLLpLctJbJTHQNhrq' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Appartoo">https://haveibeenpwned.com/Breach/Appartoo</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-vhj46OdQ37tuGKEtWHGWLc6S' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Appen">https://haveibeenpwned.com/Breach/Appen</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-yHatZwmnYLeQYYm9UXFDIFxo' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Aptoide">https://haveibeenpwned.com/Breach/Aptoide</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-jgWUNc8otnT6cQPbkqwBUkRg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ArmorGames">https://haveibeenpwned.com/Breach/ArmorGames</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Ji3SW9SGnOXS6cpuh02r3n4q' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ArmyForceOnline">https://haveibeenpwned.com/Breach/ArmyForceOnline</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-7//G1xMwYuGduJ7/K/OPA4jQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Artsy">https://haveibeenpwned.com/Breach/Artsy</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-oJZW/rhfNwm1u13gW9ZL9OAD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Artvalue">https://haveibeenpwned.com/Breach/Artvalue</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mdlBqHAAB4q/Ewt+bGjo1dNG' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AshleyMadison">https://haveibeenpwned.com/Breach/AshleyMadison</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-UBGNPL91velJQw0BGY1WjOs/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Astoria">https://haveibeenpwned.com/Breach/Astoria</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-UyFy7PZhrW+TdHK0O1Lhdt4' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AstroPID">https://haveibeenpwned.com/Breach/AstroPID</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-oXlUqsOk8n3fPShHxw9/VZwa' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Atemos">https://haveibeenpwned.com/Breach/Atemos</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9Z2sVlydCNJIOy92/Zwi6qHB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/AtlasQuantum">https://haveibeenpwned.com/Breach/AtlasQuantum</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-J/TSqhUisQsKd3O2DcCGWoQX cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Atmeltomo">https://haveibeenpwned.com/Breach/Atmeltomo</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-JYmF0uuxdRP7NR5nyw4ejHiU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Audi">https://haveibeenpwned.com/Breach/Audi</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-YdSUx2JfYa00JfcUi1F0LnX' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Autocentrum">https://haveibeenpwned.com/Breach/Autocentrum</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-wteJ4ktZwwqXr5wqFkW9irGf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Autotrader">https://haveibeenpwned.com/Breach/Autotrader</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-UlKwUXKwUOZhFe+b3yh/1z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Avast">https://haveibeenpwned.com/Breach/Avast</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-pCYiHQeztkbDP6ofbDUHL/t' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Avito">https://haveibeenpwned.com/Breach/Avito</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KKtR3koVei1xzeP/qDgYw+MQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Awo">https://haveibeenpwned.com/Breach/Awo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-HiaaF3/pnYxZn5sEXCZZjxPz' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/B2BUSABusinesses">https://haveibeenpwned.com/Breach/B2BUSABusinesses</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-hZQ+9D6PGQ6qLCoDb+ITCn2z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BabyNames">https://haveibeenpwned.com/Breach/BabyNames</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-o/sCRGose1GoHAJvs7y7MD6x' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Badoo">https://haveibeenpwned.com/Breach/Badoo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-bm0PPv5RUM4BTdV3nld+ctD9' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BannerBit">https://haveibeenpwned.com/Breach/BannerBit</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-gBWS5zGTV2SL9YBk+xY/gP+3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Banorte">https://haveibeenpwned.com/Breach/Banorte</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8gC5fmYJEEt5s3r8Q6oZsQwA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BattlefieldHeroes">https://haveibeenpwned.com/Breach/BattlefieldHeroes</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-0Sagiw1PmBhwS4k8ME6YdISF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Battlefy">https://haveibeenpwned.com/Breach/Battlefy</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-wtRBEQ/+XJJQsKMTvCkCkeP' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BeautifulPeople">https://haveibeenpwned.com/Breach/BeautifulPeople</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-4PQsUAwMlqjrE5jsWbfVhg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Bell">https://haveibeenpwned.com/Breach/Bell</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ZIKQ4QaouWz9sGfxIGDAQE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Bell2017">https://haveibeenpwned.com/Breach/Bell2017</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-vzJYDsyRyFSDyE/ZpoJM9TM' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Benchmark">https://haveibeenpwned.com/Breach/Benchmark</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-vDjH9DwjlcGd5ur+LHzDYx' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Bestialitysextaboo">https://haveibeenpwned.com/Breach/Bestialitysextaboo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+VpmindMkLG1dm71gqB2Geb+' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Bhinneka">https://haveibeenpwned.com/Breach/Bhinneka</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Gf5loBmEQLAhf+ypK28Q+5CS' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/bigbasket">https://haveibeenpwned.com/Breach/bigbasket</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-GI1Coi3ZRXy3m2ifsnt5ju2z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BigMoneyJobs">https://haveibeenpwned.com/Breach/BigMoneyJobs</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-lluCsBYvSlyRq3ymqxH2A0he' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BinWeevils">https://haveibeenpwned.com/Breach/BinWeevils</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2IMMadSzFhZMi6UsNx+E/mEU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BiohackMe">https://haveibeenpwned.com/Breach/BiohackMe</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-i82qqlVT3lyTyNyO1xw8buVl' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BitcoinTalk">https://haveibeenpwned.com/Breach/BitcoinTalk</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-zBX\9GQojllsq1yCqDW/RR/8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Bitly">https://haveibeenpwned.com/Breach/Bitly</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-vepwGn/7NYwS0\N5R0TJCeuO' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BitTorrent">https://haveibeenpwned.com/Breach/BitTorrent</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-K/kVMx4p6Ccj4q9vCGzm300F' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BitView">https://haveibeenpwned.com/Breach/BitView</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-jq67RtJFdTBxOxmFJVwYU0pu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BlackBerryFans">https://haveibeenpwned.com/Breach/BlackBerryFans</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-ya+rV4D66H1MdZx8U4Bi1nI6' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BlackHatWorld">https://haveibeenpwned.com/Breach/BlackHatWorld</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-tissnxE+Mo1X2WV49wuYPrY' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BlackSpigotMC">https://haveibeenpwned.com/Breach/BlackSpigotMC</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-YVhUW7iyorrxLYuB9hTwOKyf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BlankMediaGames">https://haveibeenpwned.com/Breach/BlankMediaGames</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-jmFi4trnjwFHDS76BfLbqjfB5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BleachAnime">https://haveibeenpwned.com/Breach/BleachAnime</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-sYWISbD1t5XCQEug/FVZbn' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BloomsToday">https://haveibeenpwned.com/Breach/BloomsToday</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+Flu1ufV0CZcr0L1zpn1sYo' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BlueSnapRepack">https://haveibeenpwned.com/Breach/BlueSnapRepack</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-iiDlq0z2LnKKUtzqzegzEbDnp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/b0At">https://haveibeenpwned.com/Breach/b0At</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-RnLqhwJgyyT0I8htzrYL1jfq' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Bolt">https://haveibeenpwned.com/Breach/Bolt</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-xYfPhZZZV2YWtnloceXGIRbO' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BombujEu">https://haveibeenpwned.com/Breach/BombujEu</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-tEcBA4AwOoStMxCEokvSmip' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Bonobos">https://haveibeenpwned.com/Breach/Bonobos</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-D6G4SOQcbHHo3uMsW0IbQ4b' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Bookchor">https://haveibeenpwned.com/Breach/Bookchor</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-zgZeB1L2o2FFF66RKkKY6oxr' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BookCrossing">https://haveibeenpwned.com/Breach/BookCrossing</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-J1iX7MwhrhZING2HX2JMqWf4' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Bookmate">https://haveibeenpwned.com/Breach/Bookmate</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-0H5f4t5cbLxkgdAY0MECVnLF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BotOfLegends">https://haveibeenpwned.com/Breach/BotOfLegends</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2ZgkSK4fSh+xGKUHubFaMrGb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Boulanger">https://haveibeenpwned.com/Breach/Boulanger</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-GyJoOlranki+4k+H8ik7ZaQb8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BourseDesVols">https://haveibeenpwned.com/Breach/BourseDesVols</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-Vo0kdNPdJge0Xscu/BNRJeWn' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Boxee">https://haveibeenpwned.com/Breach/Boxee</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-79yqgPL0SixmlLopWIGm1Vly' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BrandNewTube">https://haveibeenpwned.com/Breach/BrandNewTube</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9L8isWCuniFU1K6lpXLLXqZo' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Brazzers">https://haveibeenpwned.com/Breach/Brazzers</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-CgEd8LSmzzQPe38sFowKx0fA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BreachForums">https://haveibeenpwned.com/Breach/BreachForums</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-pQzt5CGI3Hrtf+fxhIK2P0pe' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BreachForumsClone">https://haveibeenpwned.com/Breach/BreachForumsClone</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-7ho40NWJ/sPKgc0oirHF4kdS' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BTCAlpha">https://haveibeenpwned.com/Breach/BTCAlpha</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WY6Jw+fbZa+TnAHyhTEAdN80' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BTCE">https://haveibeenpwned.com/Breach/BTCE</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-l9uIKO/2rbRfQUbgEPHMs6yL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BtoBet">https://haveibeenpwned.com/Breach/BtoBet</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-dY/RRGLI+0yeGus7Zp0L0GbB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BTSec">https://haveibeenpwned.com/Breach/BTSec</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KRVQ1eRyvomZ+tfejfngTurC' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BudTrader">https://haveibeenpwned.com/Breach/BudTrader</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-zLzLAS8LrCXCb7QN98HEIS' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Bukalapak">https://haveibeenpwned.com/Breach/Bukalapak</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Mq6+YMeOWKt9486lC25fwtGa' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency">https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-wSa43nrlvDoOq+cbWTkYyBY' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BusinessAcumen">https://haveibeenpwned.com/Breach/BusinessAcumen</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-4THliut5dJ6cCaVyFJkMHarF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/BVD">https://haveibeenpwned.com/Breach/BVD</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-PYJWWSe/nTO3l1xaLJ8ZBbq3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CafeMom">https://haveibeenpwned.com/Breach/CafeMom</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Yp4E3a9xdzeRw7RFjDuFAmXY' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CafePress">https://haveibeenpwned.com/Breach/CafePress</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-osdv2vON8kQiZ+2m65yBhGq4' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CannabisForum">https://haveibeenpwned.com/Breach/CannabisForum</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-AQWFcxOpLFcS4JFcUODBvOLC' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Canva">https://haveibeenpwned.com/Breach/Canva</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KdErXLoewW/KcuEktBjP7nbmD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CapitalEconomics">https://haveibeenpwned.com/Breach/CapitalEconomics</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-DYsvMoP/Xqk9J9zl8JqP4sJy' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafia">https://haveibeenpwned.com/Breach/CardingMafia</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-G6zQwZ8YPyQu/3NozMb4Jf/H' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafiaDec2021">https://haveibeenpwned.com/Breach/CardingMafiaDec2021</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2BsFrKV7jbAm+OR6WVCMlpe' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CashCrade">https://haveibeenpwned.com/Breach/CashCrade</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-TZ2VvhWzCCMyJ9tKdgCEgdH2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Catho">https://haveibeenpwned.com/Breach/Catho</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-PdrptS5/+auuKzTILHMINdP2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CDEK">https://haveibeenpwned.com/Breach/CDEK</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-1Z7kBK4si6SuUU/abFp7RpTM' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CDProjektRed">https://haveibeenpwned.com/Breach/CDProjektRed</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-RfH1qR8ZpaJ/rZSaxlWMrYE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CentralTickets">https://haveibeenpwned.com/Breach/CentralTickets</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ojYHbz98nAQ6Z/SqSmT7znAH' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CERTPolandPhish">https://haveibeenpwned.com/Breach/CERTPolandPhish</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mbApwCGNiISGSVWLtD26REAs' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Chatbooks">https://haveibeenpwned.com/Breach/Chatbooks</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-LW3jslj5E/X7bLag4ZquRQB2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CheapAssGamer">https://haveibeenpwned.com/Breach/CheapAssGamer</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2cFX5P+G3zU064BddCXKstRw' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Chegg">https://haveibeenpwned.com/Breach/Chegg</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Wou9nRD0UVyIZ4YoFzOygBKS' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Chess">https://haveibeenpwned.com/Breach/Chess</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-D4GmFG/WCrGN+OGnczVPprJ3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Chowbus">https://haveibeenpwned.com/Breach/Chowbus</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-UmRqM25mG243fjEPAbViKSUs' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ChrisLeong">https://haveibeenpwned.com/Breach/ChrisLeong</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-zNr6y2JXcOZrJ3yjiPQ8jRO2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Cit0day">https://haveibeenpwned.com/Breach/Cit0day</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-el5sPuv18kuX6e1G6vY0iJml' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CityBee">https://haveibeenpwned.com/Breach/CityBee</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+4eFl0D1DqZynpLm3f2oxd46' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CityJerks">https://haveibeenpwned.com/Breach/CityJerks</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-XZs+rq9R9ZKj2W8XD+UHtHxo' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CivilOnline">https://haveibeenpwned.com/Breach/CivilOnline</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QR0T/Jn2cJzHdzWazfrib7qW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ClashOfKings">https://haveibeenpwned.com/Breach/ClashOfKings</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-SER4pKec6eQ+CNvnPsnTheMh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ClearVoiceSurveys">https://haveibeenpwned.com/Breach/ClearVoiceSurveys</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-1DZCgaLb+O24vM2aWls1Qq4y' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ClickASnap">https://haveibeenpwned.com/Breach/ClickASnap</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-S+VFVT8tKch8lq22nYXZfp7' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ClixSense">https://haveibeenpwned.com/Breach/ClixSense</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-iWXU+N7LdpBRYGt1bPNvt7H' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CloudPets">https://haveibeenpwned.com/Breach/CloudPets</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-GXsGaC66FX6yJ7Mf8xjFj2cp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewritten">https://haveibeenpwned.com/Breach/ClubPenguinRewritten</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-myXTef4awE2RhdF524UZ7Wu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019">https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-pctzAYotcqwC1G63TzwBXs1' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Coachella">https://haveibeenpwned.com/Breach/Coachella</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-kSm5HB50ml8jF9+4IA3hrdh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Cocosity">https://haveibeenpwned.com/Breach/Cocosity</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-6tcVH4fEi196lcqRfcQ7O86' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Coinmama">https://haveibeenpwned.com/Breach/Coinmama</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8mGV179NK9EBd9H41h4P1n3d' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CoinMarketCap">https://haveibeenpwned.com/Breach/CoinMarketCap</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-4n2LhwEhP4relg9KcqVPUayt' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CoinTracker">https://haveibeenpwned.com/Breach/CoinTracker</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-I9a+0PdPiZQzypKdOVGrPdh+' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Collection1">https://haveibeenpwned.com/Breach/Collection1</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2R1gfI5tdlyKzk+Deu05PN5F' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ColoCrossing">https://haveibeenpwned.com/Breach/ColoCrossing</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-BXRiuBHFZlHrNeZkDA cwdR+E' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ColorDating">https://haveibeenpwned.com/Breach/ColorDating</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-YCbRG7ep1PDOeeUyPBOWr2oE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Comcast">https://haveibeenpwned.com/Breach/Comcast</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-cWnOUz1R5Yi8BkLvcfOV79xI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/COMELEC">https://haveibeenpwned.com/Breach/COMELEC</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-NHoAiLS17isJ2yg9/xDP0be' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CondoCom">https://haveibeenpwned.com/Breach/CondoCom</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mGSKhTKPNSKHjTGieyCV7rXD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Convex">https://haveibeenpwned.com/Breach/Convex</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-P7Y7kv2B/yq+v0zl40djqvys' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CouponMomAndArmorGames">https://haveibeenpwned.com/Breach/CouponMomAndArmorGames</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WKa+OPPeYMnMiAmnYFVAX/zp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CrackCommunity">https://haveibeenpwned.com/Breach/CrackCommunity</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-cPYxbhdVwjXwuaY/V56qpHS' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CrackedTO">https://haveibeenpwned.com/Breach/CrackedTO</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9c0yYsXbH+F/ZiT+GDE7x67Q' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CrackingForum">https://haveibeenpwned.com/Breach/CrackingForum</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-V5kIIOLQh5KD4255uRPAsC1G' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CraftRise">https://haveibeenpwned.com/Breach/CraftRise</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-T4BdLGUEkIpCtytH7DG7AyL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Creative">https://haveibeenpwned.com/Breach/Creative</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Ce5YJ6562tT6ssPBH5VHLgvB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin">https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-FzoIxEykWJrqwfWw4QhmmUy' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CrossFire">https://haveibeenpwned.com/Breach/CrossFire</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-hC54JsozVutM70YTyD1Gg/bD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CTARS">https://haveibeenpwned.com/Breach/CTARS</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-pPUthEUQwQozAS6854xPfU8z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CutoutPro">https://haveibeenpwned.com/Breach/CutoutPro</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-uYHNRVoMvp/aJBkV5HhHzoYM' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/CyberServe">https://haveibeenpwned.com/Breach/CyberServe</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-sJEgOMiq4lbzYu8w2d1H7ud+' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/D3scene">https://haveibeenpwned.com/Breach/D3scene</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-b6duEC6l9YIL47rMErdTLfyK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DaFont">https://haveibeenpwned.com/Breach/DaFont</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QBptwyOZLhxXeUn/q+p7EmR5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Dailymotion">https://haveibeenpwned.com/Breach/Dailymotion</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-g+OKJqfvgoTID3ZXgP/cwU1' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DailyObjects">https://haveibeenpwned.com/Breach/DailyObjects</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-CM0gTw6dOGIUelp+dxM08Jx7' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DailyQuiz">https://haveibeenpwned.com/Breach/DailyQuiz</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-O8jBJV3oI1eSujaWb014W2Bf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Dangdang">https://haveibeenpwned.com/Breach/Dangdang</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-iLS8nCvBZRX1TZfPpApQKuQ6' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DaniWeb">https://haveibeenpwned.com/Breach/DaniWeb</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-cdr8NXxFTBM82fyelI1+3i/R' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DataAndLeads">https://haveibeenpwned.com/Breach/DataAndLeads</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QODsHOSWgf6fEhRRSuY12gF/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DataCamp">https://haveibeenpwned.com/Breach/DataCamp</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-iGfhsssec0ySNAod1kHzI344b' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DataEnrichment">https://haveibeenpwned.com/Breach/DataEnrichment</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-D6bln/sYTfeGILGN0yq5nA6z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DateHotBrunettes">https://haveibeenpwned.com/Breach/DateHotBrunettes</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-1JdV+J9dFrUU3YNogw7/7dQV cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DatPiff">https://haveibeenpwned.com/Breach/DatPiff</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-k2QbdKZSLyPbYXV+6U+xazC' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Dave">https://haveibeenpwned.com/Breach/Dave</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-MMLp4ndkyyGl+aVOjkLX+RU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/db8151dd">https://haveibeenpwned.com/Breach/db8151dd</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-z2Kw7w1C6sDx5DfhgWLAhax' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/dBforums">https://haveibeenpwned.com/Breach/dBforums</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-L/1IZ3gPs7KKsrWVY2VveO' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DCHealth">https://haveibeenpwned.com/Breach/DCHealth</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-wUlgaGc9qiPtKNCXhEURV2R' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DDO">https://haveibeenpwned.com/Breach/DDO</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-qZCWNJeResdRHe4yEv7aalh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DecoratingTheHouse">https://haveibeenpwned.com/Breach/DecoratingTheHouse</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-NxuSZpu+waoVaMi8g1zGe4X' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Deezer">https://haveibeenpwned.com/Breach/Deezer</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Vcp8kizRj45LJQ5NYoj3w/GF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DemandScience">https://haveibeenpwned.com/Breach/DemandScience</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-3bchlutX9kthNd6JlyfrxMN's' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DemonForums">https://haveibeenpwned.com/Breach/DemonForums</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-6sjYpaC7KqhGpocYTqBplve' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DennisKirk">https://haveibeenpwned.com/Breach/DennisKirk</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-LIbPt08zHDc6VczGshNqUc8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Descomplica">https://haveibeenpwned.com/Breach/Descomplica</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QZayPVLR7x3dBj+i+vs6G65b' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DevilTorrents">https://haveibeenpwned.com/Breach/DevilTorrents</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-BArBP0Hc0Ljs0tCVa19G9nV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/devkitPro">https://haveibeenpwned.com/Breach/devkitPro</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-nTfIAKPi9wjaSaHWmcErjuH' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DietCom">https://haveibeenpwned.com/Breach/DietCom</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-0cejFi0OA/Y0+dk2eTNuKypD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/digiDirect">https://haveibeenpwned.com/Breach/digiDirect</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-/x+uiWyrJysGzDejrekgXceV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Digimon">https://haveibeenpwned.com/Breach/Digimon</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-NfZeFFW3R65b2JdcSpWw5mra' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DiskUnion">https://haveibeenpwned.com/Breach/DiskUnion</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-fhHEld3aoMK/IGT+6INYOOUE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ Disqus">https://haveibeenpwned.com/Breach/ Disqus</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-VD+GWi5rK80JUZUV2iQiS9h' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DivXSubTitles">https://haveibeenpwned.com/Breach/DivXSubTitles</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-fMzRfersVzg2vkdB+X5hjLEj' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DLH">https://haveibeenpwned.com/Breach/DLH</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-EkkdWhqhlhSkiQL0powMLKu3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Dodonew">https://haveibeenpwned.com/Breach/Dodonew</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-6Vjth1K1kKhaElmXIMKRpHy0' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Dominoes">https://haveibeenpwned.com/Breach/Dominoes</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-CXaJNGE0mjPQmC/D9gZ4XyaP' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DominoesIndia">https://haveibeenpwned.com/Breach/DominoesIndia</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8x70Z6uA+/TGOFf2l15uWaO2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Doomworld">https://haveibeenpwned.com/Breach/Doomworld</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Qw2Qr5nzZUj3UwzKPvsotkyu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DoorDash">https://haveibeenpwned.com/Breach/DoorDash</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-NGj2NicRczQP9ys6SA5dHEO!' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Dota2">https://haveibeenpwned.com/Breach/Dota2</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-CZ7BNcZ0evCThUOQWh7csJf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Doxbin">https://haveibeenpwned.com/Breach/Doxbin</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-gbL8jRzm2NYCDFt2XtM+Xgz' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinScrape">https://haveibeenpwned.com/Breach/DoxbinScrape</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KUZvO5gef/ja6g1i/VeJQuuG' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinTOoDA">https://haveibeenpwned.com/Breach/DoxbinTOoDA</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-fAgRmYisUztYY2qKYKr0cJQH' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DragonNest">https://haveibeenpwned.com/Breach/DragonNest</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-GIGZ2RFym/TJts03mj1OP/2P' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DriveSure">https://haveibeenpwned.com/Breach/DriveSure</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ZS9BVfcVNpl5PmA8LtvGEYws' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Drizly">https://haveibeenpwned.com/Breach/Drizly</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-NcDvsr5VMISFWVNjys8cj2o' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Dropbox">https://haveibeenpwned.com/Breach/Dropbox</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-8j3oXuLWjHM2Bxrr4lOknQ7Q' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Dubsmash">https://haveibeenpwned.com/Breach/Dubsmash</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-TwZq+ftONjXpxNjiYWt+vb9' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DucksUnlimited">https://haveibeenpwned.com/Breach/DucksUnlimited</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-N3jAU+tWfFukWDuTv8WiuV3h' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DuelingNetwork">https://haveibeenpwned.com/Breach/DuelingNetwork</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-pQx0RqQSDBFu5YcfHbkqgVkJ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Dunzo">https://haveibeenpwned.com/Breach/Dunzo</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-+UrAyaPq+SjawrU94XWXSky' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Duolingo">https://haveibeenpwned.com/Breach/Duolingo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-oKRV/S3pxpPvnIIY7IB1/eEQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Duowan">https://haveibeenpwned.com/Breach/Duowan</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QychYjCqaLqgBdgBnmP2Vhg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/DVDShopCH">https://haveibeenpwned.com/Breach/DVDShopCH</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2Hj/PHDPmrW43156DEST32QI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Dymocks">https://haveibeenpwned.com/Breach/Dymocks</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-/JQi+3nLTCIGpamXsIDcvHNi' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Earth">https://haveibeenpwned.com/Breach/Earth</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-98fUA59YPm6T3jwc+DzmMFWW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Eatigo">https://haveibeenpwned.com/Breach/Eatigo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-/ePgX1PvshOMW62qhr6mge9K' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/EatStreet">https://haveibeenpwned.com/Breach/EatStreet</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-MwjbsqltfRjDBDS1q5dzTiqB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ECB">https://haveibeenpwned.com/Breach/ECB</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-onQaUPSDj4epA2aXs8TZ/t0h' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ECCIE">https://haveibeenpwned.com/Breach/ECCIE</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-gO/nSHAJJeiu6h75L9747DWf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Edmodo">https://haveibeenpwned.com/Breach/Edmodo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-o7wwDA5NvaS9QdcMuQF71+8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Elance">https://haveibeenpwned.com/Breach/Elance</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-cqIwb2B52v9DuUDBQ/AEL4Z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Elanic">https://haveibeenpwned.com/Breach/Elanic</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-xGSi6XFhqlZGTQ0xp2EfG2TW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads">https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-H5TL0ZLx9ZQGYft8njm+dExl' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Emotet">https://haveibeenpwned.com/Breach/Emotet</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Pxd2qTzZQ2i2AKIOkk6QE6o' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Emuparadise">https://haveibeenpwned.com/Breach/Emuparadise</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+Vnn7mMRCxjC9xrIw5cRVQnQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/EPal">https://haveibeenpwned.com/Breach/EPal</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-BJ6lDnnfhO+IMXOPpUPZWIB1' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/EpicBot">https://haveibeenpwned.com/Breach/EpicBot</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9GwtZhQbGXpufyaKu2dh8h96' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/EpicGames">https://haveibeenpwned.com/Breach/EpicGames</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-J4lxlk/SkwtzGRruLGmPNkUi' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/EpicNPC">https://haveibeenpwned.com/Breach/EpicNPC</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-GbGKf8E2rA7zJAVYCeYhk9lt' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Epik">https://haveibeenpwned.com/Breach/Epik</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-bdF5lATdEhQogosh3fxmiMv+' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Eroticy">https://haveibeenpwned.com/Breach/Eroticy</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-lisup8CCIAr28LJqDYjLTnZB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Eskimi">https://haveibeenpwned.com/Breach/Eskimi</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-OdnPybMgGI1XxXwmZIKNwAni' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/EstanteVirtual">https://haveibeenpwned.com/Breach/EstanteVirtual</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-/MAIZgc+RhzItqHabdiECsR2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Estonia">https://haveibeenpwned.com/Breach/Estonia</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-WAdV9cl8cRhyBPW1wmHPsu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/eThekwiniMunicipality">https://haveibeenpwned.com/Breach/eThekwiniMunicipality</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-PCev0yr3a8ZQZ3tSt0oTeUwE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Ethereum">https://haveibeenpwned.com/Breach/Ethereum</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ugOVfE/pdArjf8UKV86xri0V' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/EuropaJobs">https://haveibeenpwned.com/Breach/EuropaJobs</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-eMOasKplV8AXzENL6tp60M/P' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Evermotion">https://haveibeenpwned.com/Breach/Evermotion</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-kMkMkPHag/IOGTgxiVR5YBRH' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/EverybodyEdits">https://haveibeenpwned.com/Breach/EverybodyEdits</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-BVzF5+ws4zY3NQYZsWfaAcdm' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Evite">https://haveibeenpwned.com/Breach/Evite</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-0SUNXD9+fVwSQ6wkvOxeCwtQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Evony">https://haveibeenpwned.com/Breach/Evony</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Mc9dAMJ7tWap/2lXppCwBbD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Exactis">https://haveibeenpwned.com/Breach/Exactis</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-P5XLKKwmt0J0libglG3YRJib' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Experian">https://haveibeenpwned.com/Breach/Experian</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8gbSsd/Qq1tkU5cT++hB6EV8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Experian2020">https://haveibeenpwned.com/Breach/Experian2020</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-kAWJ2Gb0IRnwfWwMt6Du1g0' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ExploitIn">https://haveibeenpwned.com/Breach/ExploitIn</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-qDxuyddeTU1ztwgQ7eOkcxC9' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalent">https://haveibeenpwned.com/Breach/ExploreTalent</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-PwjDNb8o6E2BGXL6LXstg8Y5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalentAug2024">https://haveibeenpwned.com/Breach/ExploreTalentAug2024</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-T2OQIZPVrHZThuL38MOltoV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Exvagos">https://haveibeenpwned.com/Breach/Exvagos</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-A2auxUV9L/VISusgnnjheB1' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Eye4Fraud">https://haveibeenpwned.com/Breach/Eye4Fraud</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9MRYpdLgQcGFcbvIFinOfsM' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/EyeEm">https://haveibeenpwned.com/Breach/EyeEm</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-W6370ZQdJETjbLRf/Q3hm8e0' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Facebook">https://haveibeenpwned.com/Breach/Facebook</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-vRQc4K7Q1WtoDyqiUHZQJcRY' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/FacebookMarketplace">https://haveibeenpwned.com/Breach/FacebookMarketplace</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-dvcFwNMsm9eKIWrXJ12sM9A' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Facepunch">https://haveibeenpwned.com/Breach/Facepunch</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-VH5NCtfyBw8qnhMowhQ6IU5z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/FaceUP">https://haveibeenpwned.com/Breach/FaceUP</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-TixVqNkN+mXpkAQ0FRbvOg2x' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Factual">https://haveibeenpwned.com/Breach/Factual</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-4HCK8CfWqzMnMKeHMwwzX/63' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/FairVoteCanada">https://haveibeenpwned.com/Breach/FairVoteCanada</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-0ULxI4piDIS459TYWAvDb4e6' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Famm">https://haveibeenpwned.com/Breach/Famm</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mAEfu5nddWJrrf5XsRT4NeAU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Fanpass">https://haveibeenpwned.com/Breach/Fanpass</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-7E+ejmPHMc6J9gowP0REJdu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/FantasyFootballHub">https://haveibeenpwned.com/Breach/FantasyFootballHub</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-v086E/cH6GNDpVIOHGkNBcbq' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/FashionFantasyGame">https://haveibeenpwned.com/Breach/FashionFantasyGame</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-AHMMxHSkG8DV1l6pTdY39Veu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/FFR">https://haveibeenpwned.com/Breach/FFR</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-gvOhtrNVRPCqr+SlrNaQBRop' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/FFShrine">https://haveibeenpwned.com/Breach/FFShrine</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-s+pFVYEAoql6B0SBHetWg2rH' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Filmain">https://haveibeenpwned.com/Breach/Filmain</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Tn/Bczbp7XMzz/M0cpHpDGL9' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Finsure">https://haveibeenpwned.com/Breach/Finsure</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nEVJdua0GhwYerVceUKo8UKJ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Finsure">https://haveibeenpwned.com/Breach/Finsure</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-AHmjvQT39yHZH3GzcXQsBZhX' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Fitmart">https://haveibeenpwned.com/Breach/Fitmart</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-AHmjvQT39yHZH3GzcXQsBZhX' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Flashback">https://haveibeenpwned.com/Breach/Flashback</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-on7UXDtDcu6liGGZnITFp3x5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution">https://haveibeenpwned.com/Breach/FlashFlashRevolution</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2yX21nHr/rSWovLCL2NINDBI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution2019">https://haveibeenpwned.com/Breach/FlashFlashRevolution2019</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-hDU5OZPQHSbmWKfh5fYDl0LX' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/FlatEarthDave">https://haveibeenpwned.com/Breach/FlatEarthDave</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-T0bbYSHL3XCh5p8s71q6Ljv' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/FlexBooker">https://haveibeenpwned.com/Breach/FlexBooker</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-h9gzslwOqAa0hwg0SsP/1tiF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Fling">https://haveibeenpwned.com/Breach/Fling</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-LYP28VkPCg6f7P4pJPioVE58' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/FlipaClip">https://haveibeenpwned.com/Breach/FlipaClip</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ux9iUfGgWUf1T/yeJbYyZ+vI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Flipkart">https://haveibeenpwned.com/Breach/Flipkart</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WRlUVNAQd+l/c2s9SdF8/D/M' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/FLVS">https://haveibeenpwned.com/Breach/FLVS</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-8IGGrXbUEWQ3QHOAc2XmcURK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Foodora">https://haveibeenpwned.com/Breach/Foodora</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-iNutm9BnRTAp8iKq6zXzlAoN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Forbes">https://haveibeenpwned.com/Breach/Forbes</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-kJpU7Gcusx/VPUel+MnzBnyE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ForumCommunity">https://haveibeenpwned.com/Breach/ForumCommunity</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-s3ljpvgbalbko3+uBKqJbYUt' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Fotolog">https://haveibeenpwned.com/Breach/Fotolog</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-nrQHadhq5Qydt5QiNL/fX7PQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/FoxyBingo">https://haveibeenpwned.com/Breach/FoxyBingo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-5t3ZEgaxz7FZNTEfFCIAkV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/FrameAndOptic">https://haveibeenpwned.com/Breach/FrameAndOptic</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-xcyB9+0OL4xExureNh3UDxS' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/FreedomHostingII">https://haveibeenpwned.com/Breach/FreedomHostingII</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-T84V9wMYrAU1XFrg8Tx/NT' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/FreeMobile">https://haveibeenpwned.com/Breach/FreeMobile</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-LNcY0IkI86itu52asD2e6ReQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/FrenchCitizens">https://haveibeenpwned.com/Breach/FrenchCitizens</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WxfT7AVN2df2QTH6+Dx+tEj+' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/FreshMenu">https://haveibeenpwned.com/Breach/FreshMenu</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-G8Tom++pBOQWXeANUFXUpRt9' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Fridae">https://haveibeenpwned.com/Breach/Fridae</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-fJQKhREXxcBkV7QDY2y8vbNq' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Funimation">https://haveibeenpwned.com/Breach/Funimation</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-5aASNZ8WudcYDVLXHRuYH5g2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/FunnyGames">https://haveibeenpwned.com/Breach/FunnyGames</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Jg8jxWFi4BiW/LiYx4fegZL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/FurAffinity">https://haveibeenpwned.com/Breach/FurAffinity</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-i/nOdGb8fgVfCFa5x+a72nli' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Gaadi">https://haveibeenpwned.com/Breach/Gaadi</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-jSmYwG6xGrZhV04\3TeVHz' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Gab">https://haveibeenpwned.com/Breach/Gab</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-PFYEEifjzUwVeTRq4MT1jGkC' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GamerzPlanet">https://haveibeenpwned.com/Breach/GamerzPlanet</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-O8OjQ6GeW+GHOp84fY0o2GQn' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GameSalad">https://haveibeenpwned.com/Breach/GameSalad</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QgZTsh6m4hmODR1ERzNQbaoA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GamesBox">https://haveibeenpwned.com/Breach/GamesBox</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Pwoa5cyO1jxya2rjTnx/TcBt' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GameSprite">https://haveibeenpwned.com/Breach/GameSprite</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-4PajweTH2glrr9kfpL4zdOXG' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GameTuts">https://haveibeenpwned.com/Breach/GameTuts</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-umnG5PWtRFfhMMDOrwDxThEg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GameVN">https://haveibeenpwned.com/Breach/GameVN</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-N2h1QaPygJ8ebsaEguP1RDb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Gamigo">https://haveibeenpwned.com/Breach/Gamigo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-FeL2V2WT2iplg3r5oAGKi32b' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GamingMonk">https://haveibeenpwned.com/Breach/GamingMonk</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-72a2coS2+na3WkVwGBKTQaV4' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GateHub">https://haveibeenpwned.com/Breach/GateHub</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-iTcGcFtAflU6dg2LYzlmd9Oxe' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Gawker">https://haveibeenpwned.com/Breach/Gawker</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ttKdnhL3mK5OelDIMys818x8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GeekedIn">https://haveibeenpwned.com/Breach/GeekedIn</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QaAOi3JuF9XyS/cURO9hZxA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Gemini">https://haveibeenpwned.com/Breach/Gemini</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-bjE1hMAtkiy7Hmaz4jZ4YpAI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Gemplex">https://haveibeenpwned.com/Breach/Gemplex</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-rkS3FRIDjjvt9z51jkhSISb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GenesisMarket">https://haveibeenpwned.com/Breach/GenesisMarket</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-i+ebQWXoejHVEPsXJaBP6lg2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GeniusU">https://haveibeenpwned.com/Breach/GeniusU</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ld8mG9Y1QJaqZecsMJO4YCO/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GermanDonerKebab">https://haveibeenpwned.com/Breach/GermanDonerKebab</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-Z8QrbLuvOmY8hYJfJ3YocL5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GetRevengeOnYourEx">https://haveibeenpwned.com/Breach/GetRevengeOnYourEx</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-/NdAMVnXJvraO4zQYlu+mp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Gett">https://haveibeenpwned.com/Breach/Gett</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-pFKXSakQwq3NRd8iw6yAkBEy' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GFAN">https://haveibeenpwned.com/Breach/GFAN</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-qB+k5EoCS7C3h53dlpvoLyc2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GGCorp">https://haveibeenpwned.com/Breach/GGCorp</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-Ht+PcUXucqFT3tjaG9MsgJxT' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GiantTiger">https://haveibeenpwned.com/Breach/GiantTiger</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-sfjW2LfY/zZ8jROXLoVXeP0/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GiveSendGo">https://haveibeenpwned.com/Breach/GiveSendGo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-l8DEdi6RouBBIRXER4+oJbvC' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GLAMIRA">https://haveibeenpwned.com/Breach/GLAMIRA</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-zAZ+04Wj1jSop0YjY/7lcOFr' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Glofox">https://haveibeenpwned.com/Breach/Glofox</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-fmWNcvhZrdxhHy5tEhQ8Yjh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GoGames">https://haveibeenpwned.com/Breach/GoGames</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-wPftb7ir5Wchcs7M05LQ6/R8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GoldSilver">https://haveibeenpwned.com/Breach/GoldSilver</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-uCBJTatERr5Vg/70PBPkrZ1A' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GoNinja">https://haveibeenpwned.com/Breach/GoNinja</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9tfXF DzdS0eElf4Yz8OcsSRd' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/gPotato">https://haveibeenpwned.com/Breach/gPotato</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-rSiH3pczvY7EyQ9Q2SNzFcut' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GPSUnderground">https://haveibeenpwned.com/Breach/GPSUnderground</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-oEArksLrTIQ8GXjq7CU3Bh5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Gravatar">https://haveibeenpwned.com/Breach/Gravatar</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-UOKTaJ+VDu3pHp/9LwlV/ZH' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GSM-Hosting">https://haveibeenpwned.com/Breach/GSM-Hosting</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-RmFrzLgPHnkRo+a+40tWHGLB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GTAGaming">https://haveibeenpwned.com/Breach/GTAGaming</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-Z3DeC5ri8WUf7ATYger9hcLV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GunAuction">https://haveibeenpwned.com/Breach/GunAuction</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-EU4ykVB9NGvmZE1wH2DOVynV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/GunsDotCom">https://haveibeenpwned.com/Breach/GunsDotCom</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-z/t5anZcSupSNOkh+WPT195z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Guntrader">https://haveibeenpwned.com/Breach/Guntrader</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-bDbGJ/wlzxbaqvuD8+Gk/kaB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Habibs">https://haveibeenpwned.com/Breach/Habibs</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-7tctlsjT1XF89g4d+FbxFl' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/HackForums">https://haveibeenpwned.com/Breach/HackForums</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-FO2XM/a17IT19/mH1W9A9PoN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/HackingTeam">https://haveibeenpwned.com/Breach/HackingTeam</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-7juqaSRdZahRMZ7ZMsz6lqc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Hakko">https://haveibeenpwned.com/Breach/Hakko</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-lxjrPU/WBjgM2VANESIqT8hb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/HalloweenSpot">https://haveibeenpwned.com/Breach/HalloweenSpot</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-dFUzofhq2c+alzKfdsNrPKSs' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Hathway">https://haveibeenpwned.com/Breach/Hathway</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-svNgF3OUpbzrm2h7j/kX8lg63' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Hautelook">https://haveibeenpwned.com/Breach/Hautelook</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ypCMoTPEXUe9mY6t7ulhQaR' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Havenly">https://haveibeenpwned.com/Breach/Havenly</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-LyrAh2XECMzKit3Mt5DO5PRQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/HDBFinancialServices">https://haveibeenpwned.com/Breach/HDBFinancialServices</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-kYRkNYNZ7jK8me9tL0SERjhg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/HealthNowNetworks">https://haveibeenpwned.com/Breach/HealthNowNetworks</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-GzifdcJsWnpE8oDLSE6PXV/Qc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/HeatGames">https://haveibeenpwned.com/Breach/HeatGames</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-42EZcDwtIEC1NDRT4vLCbdr' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Hemmakvall">https://haveibeenpwned.com/Breach/Hemmakvall</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-a96kClpNht6lBlgOiR9BkZbd' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Hemmelig">https://haveibeenpwned.com/Breach/Hemmelig</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-s29ZvSL/Rp/x+d4M4PL3NL2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfGaia">https://haveibeenpwned.com/Breach/HeroesOfGaia</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-3Ngj9nv01aBD8b4FSza7DX' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfNewerth">https://haveibeenpwned.com/Breach/HeroesOfNewerth</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-p6Y4qNDddGh1hSZ362gga7MX' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/HIAPK">https://haveibeenpwned.com/Breach/HIAPK</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+0GqFB47lyvczGspaGMprg0m' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Hjedd">https://haveibeenpwned.com/Breach/Hjedd</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-KDsKkOtJ0ggMwjHs3cdNtXUb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/HTLV">https://haveibeenpwned.com/Breach/HTLV</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-wjSSYalNcCMq/eO6+01wwGyh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/HomeChef">https://haveibeenpwned.com/Breach/HomeChef</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-aQpEfSW+JaJaJ6dCTYtHkU8Z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/HongFire">https://haveibeenpwned.com/Breach/HongFire</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-BAHwzsGP44rdMj7MF1yxAUX cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/HookersNL">https://haveibeenpwned.com/Breach/HookersNL</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-YaJybMIWYfBpn9jVTfWgPHVA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Hopamedia">https://haveibeenpwned.com/Breach/Hopamedia</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ig3nOyEjwuhAmZTr/HL7BC2j' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Horselsle">https://haveibeenpwned.com/Breach/Horselsle</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-5sHOnlFoH+BgBY04xJBVMdry' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/HotTopic">https://haveibeenpwned.com/Breach/HotTopic</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-wDPY1TvfqJ9spDxwM8BzeUh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/HoundDawgs">https://haveibeenpwned.com/Breach/HoundDawgs</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-Tmf0ll33MI+fgkC3v3q2+/Rp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Houzz">https://haveibeenpwned.com/Breach/Houzz</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-JkxevmhfZ12n5y8zMcrEcJ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/HTCMania">https://haveibeenpwned.com/Breach/HTCMania</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QoIpDnUQbSXPvDC+/Q+vJodd' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/HTHStudios">https://haveibeenpwned.com/Breach/HTHStudios</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-FAG3foZOwB5dN7rxZVgMU9bp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Hub4Tech">https://haveibeenpwned.com/Breach/Hub4Tech</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-uFNCBn0gjK+i0hiWJkAqTwSP' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/HuntStand">https://haveibeenowned.com/Breach/HuntStand</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-yIENbNQ5R7LVDEykJ6tQH5xZ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/Hurb">https://haveibeenowned.com/Breach/Hurb</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-AoB7klVhBDTlreBPAKG+o' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/HuskyOwners">https://haveibeenowned.com/Breach/HuskyOwners</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-lHdBHu2oAJF+v6z8uLxEfYA5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/IDCGames">https://haveibeenowned.com/Breach/IDCGames</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-06wC/olucB6+wJl0MebA7V cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/iDressup">https://haveibeenowned.com/Breach/iDressup</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ZzkmyJWQrdhDztJIDzgUkIPF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/iDTech">https://haveibeenowned.com/Breach/iDTech</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-MTIEBBByMolamZ9mjM0Mc4yLp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/IGF">https://haveibeenowned.com/Breach/IGF</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-W2NfbH4GKmkIGq7UF6fcGF0a' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/IIMJobs">https://haveibeenowned.com/Breach/IIMJobs</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-4vStnQ90WA3EGgUdzV3G6pQe' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ILikeCheats">https://haveibeenpwned.com/Breach/ILikeCheats</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-4tplxCuLSmx2tiFyWVSLCF0c' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Imavex">https://haveibeenpwned.com/Breach/Imavex</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-s/50MDPu0W1Bv2Bhd5pQnKA7' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/iMenu360">https://haveibeenpwned.com/Breach/iMenu360</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-dVtqK3La6oJdTNQFVGjHN7DX' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/iMesh">https://haveibeenpwned.com/Breach/iMesh</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-pzDg0x0mlYbBKG0wokZYVAM' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/imgur">https://haveibeenpwned.com/Breach/imgur</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-50RLBeGwbO6v4QQopOY3JgmU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/IndiaMART">https://haveibeenpwned.com/Breach/IndiaMART</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QJskQzIIIGjQJIVDdYr2aOGF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/IndianRailways">https://haveibeenpwned.com/Breach/IndianRailways</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-rINVTaUG+TRiolNiA8k5x0DA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/IndiHome">https://haveibeenpwned.com/Breach/IndiHome</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-XtOWjtOlu/hhz/dlwUO/DgA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/InflateVids">https://haveibeenpwned.com/Breach/InflateVids</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-NdR1JqFzN1jDYnGz2bo/Gv+k' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Insanely">https://haveibeenpwned.com/Breach/Insanely</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-1wmx+U2zgEQyEjeoBs8YMG2B' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/InstantCheckmate">https://haveibeenpwned.com/Breach/InstantCheckmate</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-gv+QYogbhHcPV61Kd+0sVtJO' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile">https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-J9kQXV3XwSOcy47wp2CD9Ya' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Intelimost">https://haveibeenpwned.com/Breach/Intelimost</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-sSwmul7a/A1QHTxriVVtWmaK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/InternetArchive">https://haveibeenpwned.com/Breach/InternetArchive</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-i4ZBW0OQG+5zRjrX0+XWmJaW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Interpals">https://haveibeenpwned.com/Breach/Interpals</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-TfnyiSb1SWrx3IFwJ7c5Zlsy' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/iPmart">https://haveibeenpwned.com/Breach/iPmart</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-VVx/w2tCXlqVnXx8eNx3NJmf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ixigo">https://haveibeenpwned.com/Breach/ixigo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-vpf2pKYIEjdlnHyQy0gqSec' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/James">https://haveibeenpwned.com/Breach/James</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-reCTzo/jO0xW0WJBjfLDNHix' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/JamTangan">https://haveibeenpwned.com/Breach/JamTangan</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-d6TdNJJfxHftU5jsN8mAQG4' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/JD">https://haveibeenpwned.com/Breach/JD</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-K6c8mcTkny6Lmkiod1CPrep0' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/JDGroup">https://haveibeenpwned.com/Breach/JDGroup</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-qaVsUyJm9iwGsQMLGw5kA/z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Jefit">https://haveibeenpwned.com/Breach/Jefit</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9f+OJL34VaRD0yDGt9yGc9Pr' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/JobAndTalent">https://haveibeenpwned.com/Breach/JobAndTalent</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-TlN0dmqcxGrGrohK7miPYW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/JobStreet">https://haveibeenpwned.com/Breach/JobStreet</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-+F+KNtk0tb3Je+/Na9lc1nZy' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Jobzone">https://haveibeenpwned.com/Breach/Jobzone</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-IYD/AvPABEgZeeDwVw9rekQT' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/JoomArt">https://haveibeenpwned.com/Breach/JoomArt</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-7kC906y0bwQy0rKXgUOckC3L' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/JoyGames">https://haveibeenpwned.com/Breach/JoyGames</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-f552LbeJTJpTlfEmqO8R0ewa' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/JukinMedia">https://haveibeenpwned.com/Breach/JukinMedia</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-QiwlEU167/Fp5l5myxTTE81' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/JustDate">https://haveibeenpwned.com/Breach/JustDate</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-VzV/ngyLpaSutgFDlxAMMZ1' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Kaneva">https://haveibeenpwned.com/Breach/Kaneva</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-LCNU6l5okPg1QI2wIDrCuB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/KasperskyClub">https://haveibeenpwned.com/Breach/KasperskyClub</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-6AjJPoMYGDJjMbqzPvBFE7Lb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/KayoMoe">https://haveibeenpwned.com/Breach/KayoMoe</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-O2xAkH1fkOXaBwlbjoyGcPz' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Kickstarter">https://haveibeenpwned.com/Breach/Kickstarter</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-EpCN+H2/5gPzZCrwUOu8AYi' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Kimsufi">https://haveibeenpwned.com/Breach/Kimsufi</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-0w8Eewj+5wj/U3Q61GH8dfA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/KitchenPal">https://haveibeenpwned.com/Breach/KitchenPal</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+agg4vPkFOCn86taYgn4I74' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/KiwiFarms">https://haveibeenpwned.com/Breach/KiwiFarms</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-VKxIm6Cjfn6LAVghwulCf3ej' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/KMRU">https://haveibeenpwned.com/Breach/KMRU</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ee7D5su5EOw3xYTZFUM1DFio' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/KnownCircle">https://haveibeenpwned.com/Breach/KnownCircle</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-REd6BXNWBFcqYlzrj6uwZAj' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Knuddels">https://haveibeenpwned.com/Breach/Knuddels</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-PsD1/cYm5gn6xRy3jHokaJXw' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/KodiFoundation">https://haveibeenpwned.com/Breach/KodiFoundation</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-1N2t/xXy9jPUCqm7TDeoLOp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/KomplettFritid">https://haveibeenpwned.com/Breach/KomplettFritid</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-/IPQbsaL8gJS0niyPad450qu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Kreditplus">https://haveibeenpwned.com/Breach/Kreditplus</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-gmeq79KyhGJ/NrN+4EWoxHxV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Ladies">https://haveibeenpwned.com/Breach/Ladies</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-z5b4Fa2iJxgcwztgrNo6a3s3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LandAirSea">https://haveibeenpwned.com/Breach/LandAirSea</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-sk9jJytz4ayPl2X105foPRX cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Lanwar">https://haveibeenpwned.com/Breach/Lanwar</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-BpPF2i2z/rtHsWVXHXHWQs/w' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LaPosteMobile">https://haveibeenpwned.com/Breach/LaPosteMobile</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-G/m+HCOW/wdky/XMhipOjPTG' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Lastfm">https://haveibeenpwned.com/Breach/Lastfm</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nE5Ag3Ze6geR/6nA5Vl6JKe4' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Lazada">https://haveibeenpwned.com/Breach/Lazada</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-6lSmQsvbGWbukqBtSKNRscu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LBB">https://haveibeenpwned.com/Breach/LBB</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-LV4MpEXJN1B5UCF+kdExyR3I' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LDLC">https://haveibeenpwned.com/Breach/LDLC</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nANAiOIAw2Td24uPbUqVhPsR' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LeadHunter">https://haveibeenpwned.com/Breach/LeadHunter</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-fJgauVXI/P0wS4GcPcNtgAf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LeagueOfLegends">https://haveibeenpwned.com/Breach/LeagueOfLegends</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-YPdVZlLzC8VaSgYglD6ueXz' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LeakedReality">https://haveibeenpwned.com/Breach/LeakedReality</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-upWI3QNSFSnRMcj9LT2ZuFKu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LeCooSportif">https://haveibeenpwned.com/Breach/LeCooSportif</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-g0/6BjG98vpzSycXwwAE5JN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Ledger">https://haveibeenpwned.com/Breach/Ledger</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Ps8uB1TyFT8tX13du89ht9ZO' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Leet">https://haveibeenpwned.com/Breach/Leet</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-pX+9X4H0jo4YLZpYJr4E7JMY' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LegendasTV">https://haveibeenpwned.com/Breach/LegendasTV</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-MkSrycgq7U0ip9jzBH5fBNc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LeSlipFrancais">https://haveibeenpwned.com/Breach/LeSlipFrancais</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-i0UVbrh0kU4UI2doVIDXf0A' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Lexipol">https://haveibeenpwned.com/Breach/Lexipol</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-6eFh4Z9/AC160p5cbqDuBuY/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Life360">https://haveibeenpwned.com/Breach/Life360</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-zKduT/YYP/M1qhtoahDFLbST' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Lifebear">https://haveibeenpwned.com/Breach/Lifebear</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ZhEFLoDV4dq11v89zNaj3W' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Lifeboat">https://haveibeenpwned.com/Breach/Lifeboat</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nLfBRpyufix4+bRmFxEDulZ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LightsHope">https://haveibeenpwned.com/Breach/LightsHope</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-l4ugLxeX/Uw3yofFjr3xYYIe' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Liker">https://haveibeenpwned.com/Breach/Liker</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-qyGzHEBGWlpsB23745z3zsHU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LimeVPN">https://haveibeenpwned.com/Breach/LimeVPN</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-HR5+hEay6y8mjzbMiCi03kOx' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LinkedIn">https://haveibeenpwned.com/Breach/LinkedIn</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-m32qYf0Nv0DaRBiMANpzTiWd' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape">https://haveibeenpwned.com/Breach/LinkedInScrape</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-6+BgbLDts31A0CeVmXLZZ0C8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape2023">https://haveibeenpwned.com/Breach/LinkedInScrape2023</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-J2es8jVwNGdshcF0YrUXwfZ cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LinuxForums">https://haveibeenpwned.com/Breach/LinuxForums</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-hLHt6XfrqJDTQTc3Ly+tKthE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LinuxMint">https://haveibeenpwned.com/Breach/LinuxMint</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-eySgJ0VPvgYaQWfzMxDIuyd' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LittleMonsters">https://haveibeenpwned.com/Breach/LittleMonsters</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Ckn9FhVlazslnT2+RFxBidDF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LiveAuctioneers">https://haveibeenpwned.com/Breach/LiveAuctioneers</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-lwosdgASj2AxSz++ad5sRIV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGKvlz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LiveJournal">https://haveibeenpwned.com/Breach/LiveJournal</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-73a/lyXSr72Bx9nbQY9gyXtn' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGKvlz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Lipure">https://haveibeenpwned.com/Breach/Lipure</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-uNxwlLfD0NZOp91hrKhbKHdwP' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGKvlz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LizardSquad">https://haveibeenpwned.com/Breach/LizardSquad</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8lvszo/x5Y7HxiqwyTY7RCVV cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGKvlz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Locally">https://haveibeenpwned.com/Breach/Locally</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-RXLxwH/oPZa/+TQDE5nK+DDg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Lolteam">https://haveibeenpwned.com/Breach/Lolteam</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Dhz0LaU2Y7k4uV80Fis242DG' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Lookbook">https://haveibeenpwned.com/Breach/Lookbook</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-0xk0RLcxIzV3duVTxPs08gsK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Lookiero">https://haveibeenpwned.com/Breach/Lookiero</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2SzpTi6MgYubWmbjGDN5/Ui' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LOTR">https://haveibeenpwned.com/Breach/LOTR</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-Yv//OAbSE92CQw1pPaJSBYz' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LoungeBoard">https://haveibeenpwned.com/Breach/LoungeBoard</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mku/5Bj61Yy8/OPnY4LFTv7e' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LuLu">https://haveibeenpwned.com/Breach/LuLu</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-YK7SJNdbqJyW+sSUDTfp3m6' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/LuminPDF">https://haveibeenpwned.com/Breach/LuminPDF</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-E1ceoCqxRPN6B9T+srC1N3hL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Luxottica">https://haveibeenpwned.com/Breach/Luxottica</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-R7jEodDafm2UGKF7XOJsgWSe' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/LyricsMania">https://haveibeenowned.com/Breach/LyricsMania</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mo5NSu1gB9uVs5fD/7inFvsW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/Mac-Torrents">https://haveibeenowned.com/Breach/Mac-Torrents</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-UT975q7ps+l0mqq7lbN+bUXZ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/MacForums">https://haveibeenowned.com/Breach/MacForums</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-zGJ+kjVIRDVzX4m50IXoToZ5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/MacGeneration">https://haveibeenowned.com/Breach/MacGeneration</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-815ivMtbLzAF4HhuUxmgLMye' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MagicDuel">https://haveibeenpwned.com/Breach/MagicDuel</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Ayl7hMTUrNK78vsGZEbUISyc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MailRu">https://haveibeenpwned.com/Breach/MailRu</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-SI9J7LIBViqrJtexpPSA+jwo' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MajorGeeks">https://haveibeenpwned.com/Breach/MajorGeeks</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-YFs1lYzVao/5ghp/FZZV7hQu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MalindoAir">https://haveibeenpwned.com/Breach/MalindoAir</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-aBd7MmJqg5F3KgjwOOq1RPQf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MailCZ">https://haveibeenpwned.com/Breach/MailCZ</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-XrqOGqLSXK0f3G0nSLfhn5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Malwarebytes">https://haveibeenpwned.com/Breach/Malwarebytes</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-kRehIH/YXuPpEhza/kW3FNtw' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MangaDex">https://haveibeenpwned.com/Breach/MangaDex</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ywFQgNUpJ7p1uAJi00yr/Dk/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MangaFox">https://haveibeenpwned.com/Breach/MangaFox</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-63ah4IJxaZ55akksmC8YJuF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Mangatoon">https://haveibeenpwned.com/Breach/Mangatoon</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-IQLe3CCjynFFwNd+w98tFas' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MangaTraders">https://haveibeenpwned.com/Breach/MangaTraders</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8GvKP3BSIF6Eoh3IUWM/SBL3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ManipulatedCaiman">https://haveibeenpwned.com/Breach/ManipulatedCaiman</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-RhN7FqGrculOOY2tuP3NSJh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Mappery">https://haveibeenpwned.com/Breach/Mappery</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-bzhBSY7V2tNuVEi/gXLmJ8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/MarketMoveis">https://haveibeenowned.com/Breach/MarketMoveis</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-uzXFj7freg5gwUyr+7OF0WeP' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/Mashable">https://haveibeenowned.com/Breach/Mashable</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-epi32nQCH02MBW/bzFoW3lqf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/MastercardPricelessSpecials">https://haveibeenowned.com/Breach/MastercardPricelessSpecials</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nih/MUTNfd8Qe6QkpTkTHKgZ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/MasterDeeds">https://haveibeenowned.com/Breach/MasterDeeds</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-t3UTNKCYiT8pvTxYDWHChyp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Mate1">https://haveibeenpwned.com/Breach/Mate1</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9yOPURxI5Or/008ICu7NFUOf cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Mathway">https://haveibeenpwned.com/Breach/Mathway</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nMjo5Ovn8/WLKugyfFZw3z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MC2Data">https://haveibeenpwned.com/Breach/MC2Data</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-l40rAmd+6BPo1MgkRjVSve/C cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MCBans">https://haveibeenpwned.com/Breach/MCBans</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-HQezvrLh6Aztcsmr+GXxuSaK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenowned.com havebeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenowned.com api.pwnedpasswords.com stage-api.havebeenowned.com api.havebeenowned.com havebeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/MDPI">https://haveibeenowned.com/Breach/MDPI</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-EXKIUV1bnysVxSlpQuKhXnQf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenowned.com havebeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenowned.com api.pwnedpasswords.com stage-api.havebeenowned.com api.havebeenowned.com havebeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/MechoDownload">https://haveibeenowned.com/Breach/MechoDownload</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-5Ohi8X3T44fp39W6fg5njTeR' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenowned.com havebeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenowned.com api.pwnedpasswords.com stage-api.havebeenowned.com api.havebeenowned.com havebeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/MediaWorks">https://haveibeenowned.com/Breach/MediaWorks</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-YUz+LmwNr5A3ILL8D9yl2Vt' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenowned.com havebeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenowned.com api.pwnedpasswords.com stage-api.havebeenowned.com api.havebeenowned.com havebeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/MeetMindful">https://haveibeenowned.com/Breach/MeetMindful</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-cB4VvT5/mRtqTAWMCrHt4mVM' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MemeChat">https://haveibeenpwned.com/Breach/MemeChat</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-w1RRcN9JU99E184kyeGX8e' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MEO">https://haveibeenpwned.com/Breach/MEO</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+OojYx9Wn7qHk5fk0Scv+iiX' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MGM">https://haveibeenpwned.com/Breach/MGM</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-4PzeF1yMQ5lcVHYuFIgIgFSw' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MGM2022Update">https://haveibeenpwned.com/Breach/MGM2022Update</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-sjv2n8Tt6Kw8TRxKpRvoQn6K' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MindJolt">https://haveibeenpwned.com/Breach/MindJolt</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-TceMnqoe9cohsgq4jKpJtd8p' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum">https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-rJrBXf/7Pwy/Tuu2rSc+VpqB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftWorldMap">https://haveibeenpwned.com/Breach/MinecraftWorldMap</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-fAEksLd5VadYcMqxfRKg0ZaE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Minefield">https://haveibeenpwned.com/Breach/Minefield</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-1VJDFY13S9VsS0RCIsWHkcVA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Minehut">https://haveibeenpwned.com/Breach/Minehut</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-p6GJhpNS62OxsCxJ2CJVBCy' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Minted">https://haveibeenpwned.com/Breach/Minted</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8dUwtCAOtMZlpLK2hs/nRSYp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MMGFusion">https://haveibeenpwned.com/Breach/MMGFusion</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-cRWBUyNEkF2hcEFDKMPQcyGR' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MobiFriends">https://haveibeenpwned.com/Breach/MobiFriends</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-WFR5+PwoygNProX8Wy2WWzI6' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MoDaCo">https://haveibeenpwned.com/Breach/MoDaCo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-UICuUOeC+FClSCYc6R8eQO+8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ModernBusinessSolutions">https://haveibeenpwned.com/Breach/ModernBusinessSolutions</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WDcBAEQjqqqA19EQIYIKDF2H+' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MoneyBookers">https://haveibeenpwned.com/Breach/MoneyBookers</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-v/9PT8PAGQdBE8T3h7LHlppg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Moneycontrol">https://haveibeenpwned.com/Breach/Moneycontrol</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-I6NsDf0CqeXFvebEOyErxs4g' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MoreleNet">https://haveibeenpwned.com/Breach/MoreleNet</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-B7PaZen/5fJLbBt6r2bw8p4h' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MortalOnline">https://haveibeenpwned.com/Breach/MortalOnline</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-EhmZJLdThscQno3n3T+PDEgg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MovieBoxPro">https://haveibeenpwned.com/Breach/MovieBoxPro</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-N5Ox+WByxDvDUN3K0BHmchqX' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MovieForums">https://haveibeenpwned.com/Breach/MovieForums</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-hBeBAkz4saYT7wVcKH+8TDS' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MPGH">https://haveibeenpwned.com/Breach/MPGH</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-aaVQWHvAVZyl/C84UtmB59Pp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MrExcel">https://haveibeenpwned.com/Breach/MrExcel</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-GNuRBdCIBaS0Qyp50UP77ruq' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MrGreenGaming">https://haveibeenpwned.com/Breach/MrGreenGaming</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Ed/w666DBXMKw5dhafdfKf5oQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MSI">https://haveibeenpwned.com/Breach/MSI</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-w6Oshl35M+pIMowGJUxaeUF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/mSpy">https://haveibeenpwned.com/Breach/mSpy</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-C/wiUz4LwJwGUxo9B1QAZzkT' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/mSpy2024">https://haveibeenpwned.com/Breach/mSpy2024</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Rbyf4OSE9bk/CARGNNOKSTkX' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Muah">https://haveibeenpwned.com/Breach/Muah</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-OJOnnFqO+hNGPQwrL5BLudc8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MultiplayerIt">https://haveibeenpwned.com/Breach/MultiplayerIt</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-roXjTv841jeVR6DgjEu+hAD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MuslimDirectory">https://haveibeenpwned.com/Breach/MuslimDirectory</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-tJrfyPoHtC7LDuCM5++Z8G+v cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MuslimMatch">https://haveibeenpwned.com/Breach/MuslimMatch</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-OzfaRXTshl9hRwBIJkwEgNA9' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MyFHA">https://haveibeenpwned.com/Breach/MyFHA</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+2Q+zeKVqXp5Rw+qf64IVG7' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MyFitnessPal">https://haveibeenpwned.com/Breach/MyFitnessPal</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-jytt8XKdN9yz9uZgxE4rXKc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MyHeritage">https://haveibeenpwned.com/Breach/MyHeritage</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-tljsQpubGsZ5o5lyrqmAy0f2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MyPertamina">https://haveibeenpwned.com/Breach/MyPertamina</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-G8B/9CuVjQ3vzbZkL82QLgoV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/myRepoSpace">https://haveibeenpwned.com/Breach/myRepoSpace</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-VKjz59L1SvBrMI06YvZc5ncY' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MySpace">https://haveibeenpwned.com/Breach/MySpace</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-tvJ7Yf7D3bjjXpGm7CfyX2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/MyVidster">https://haveibeenpwned.com/Breach/MyVidster</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-SGaidVujrUZ3xJpaUzCZtDa' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/NamelessMalware">https://haveibeenpwned.com/Breach/NamelessMalware</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-FwV1ELEW72z8V8jl2KrGhzA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/NapsGear">https://haveibeenpwned.com/Breach/NapsGear</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-n0Y1NOFTrvuqtfyERe7XKOIA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/NationalPublicData">https://haveibeenpwned.com/Breach/NationalPublicData</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-BsTw5jmCFd9j5jVOYiCWkm9a' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/NaughtyAmerica">https://haveibeenpwned.com/Breach/NaughtyAmerica</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-LLAkjuOZsUeNpEGM+C5YLNMS' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/NazApi">https://haveibeenpwned.com/Breach/NazApi</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-sSNqvHKsPhyktERqTPz6VERZ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/NeimanMarcus">https://haveibeenpwned.com/Breach/NeimanMarcus</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KIFsD5ww9nu9E+fMHwYm6oyu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/NemoWeb">https://haveibeenpwned.com/Breach/NemoWeb</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-c/9CQtkRa0sk2bhBtZMB/GPg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Neopets">https://haveibeenpwned.com/Breach/Neopets</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-b/t50Lt6U8IGDwSTeqM7Cz1Y' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/NetEase">https://haveibeenpwned.com/Breach/NetEase</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-cU5R4jOTm649F0WC9OqkM3ab' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Neteller">https://haveibeenpwned.com/Breach/Neteller</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-3FyNg0KlutDO85i+tQWpeqV2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/NetGalley">https://haveibeenpwned.com/Breach/NetGalley</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-hSVH2tEdarW++pLa7z6j3Kly' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Netlog">https://haveibeenpwned.com/Breach/Netlog</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nBff/L6Jz608xitutlKmeJz8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/NetProspx">https://haveibeenpwned.com/Breach/NetProspx</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-TXmbLjD5V1Cd2SWeipwuGls' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Netshoes">https://haveibeenpwned.com/Breach/Netshoes</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-A6xmFNdowDUHn0VY70FDGMZr' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/NextGenUpdate">https://haveibeenpwned.com/Breach/NextGenUpdate</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-gL57Vv6KD5rFyONdee9x3eL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/NexusMods">https://haveibeenpwned.com/Breach/NexusMods</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-jcwwYd6mbx2Za0o7qpTFdFGw' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Nihonomaru">https://haveibeenpwned.com/Breach/Nihonomaru</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Dtk3blsW5JZmXh0+fJ8PTt7G' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Nitro">https://haveibeenpwned.com/Breach/Nitro</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nQNB+Atsv9cvh/MqPvEjbgl' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Nival">https://haveibeenpwned.com/Breach/Nival</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-ZQWUvdmGdBBYoDZsEKI7n/Kb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/NonNudeGirls">https://haveibeenpwned.com/Breach/NonNudeGirls</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-C7yfAwfagzq0ZFWhMf8L2Yxm' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/NotAcxiom">https://haveibeenpwned.com/Breach/NotAcxiom</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-AZK803jw1MyqZG5VT0lxvTYf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/NotSOCRadar">https://haveibeenpwned.com/Breach/NotSOCRadar</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-aAcUsCmXt4bf3jgZuSg86Dt' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Nulled">https://haveibeenpwned.com/Breach/Nulled</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-0wg3TGpMar7YeHVnrYXJY1P' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/NulledCH">https://haveibeenpwned.com/Breach/NulledCH</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-0tMRR468fZIKCTmCEOlkUzx6' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/NurseryCam">https://haveibeenpwned.com/Breach/NurseryCam</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-FxI6JHwaPiAxVQEw3QOldOAn' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/NVIDIA">https://haveibeenpwned.com/Breach/NVIDIA</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-dMRm/Gf0FDLgCFEfsr76qw0Y' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers">https://haveibeenpwned.com/Breach/OGUsers</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-bTbJDS8UCTO6EMjR03TaEFV cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2020">https://haveibeenpwned.com/Breach/OGUsers2020</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-YZUstwUU/J12CPVUdOpppwR/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2021">https://haveibeenpwned.com/Breach/OGUsers2021</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-4GUZ90d5xoz+EcbL/d3tXYvb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2022">https://haveibeenpwned.com/Breach/OGUsers2022</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-qEhOad2fRtlJmDfyI51eo6Ge' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/OMGPOP">https://haveibeenpwned.com/Breach/OMGPOP</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-4iOzlcBJSwDAyv+U50H/PTTh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/OnlinerSpambot">https://haveibeenowned.com/Breach/OnlinerSpambot</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Ph70OzoQtolkVIG+6BhyjAf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/OnlineTrade">https://haveibeenowned.com/Breach/OnlineTrade</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-PLImju8yQXgBWDQd1xo+J2sf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/OnRPG">https://haveibeenowned.com/Breach/OnRPG</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-LV84wcLqKDn4bkR9t7I4zNp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/Onverse">https://haveibeenowned.com/Breach/Onverse</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-8ZRcg01g8LNAN2Tk5V49w7W' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/OpenCSGO">https://haveibeenpwned.com/Breach/OpenCSGO</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8Q6but/YS47D9KOZfQ/MwJqE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/OpenSubtitles">https://haveibeenpwned.com/Breach/OpenSubtitles</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-fxSgCVvT9ob8VL7hE6pMEviN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame">https://haveibeenpwned.com/Breach/OperationEndgame</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Eyb0ZeqhOxHP/XhG5LNhZSL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame2">https://haveibeenpwned.com/Breach/OperationEndgame2</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-fAs9DNeSq35r8WbOdcC/EhK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/OrangeRomania">https://haveibeenpwned.com/Breach/OrangeRomania</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QaJwnRjuXT1mbWq00Mlo46Q' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/OrderSnapp">https://haveibeenpwned.com/Breach/OrderSnapp</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-o8kreryQj2bMw4j7rUDp6pok' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma">https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2FVRSAr4KPmSHXsVKS7rB0pW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Otelier">https://haveibeenpwned.com/Breach/Otelier</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-antvk8+c4rjE3YPDrf89v1p' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/OVH">https://haveibeenpwned.com/Breach/OVH</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-kN4GuQGJ2bpzUs5uuKdMAe9b' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/OwnedCore">https://haveibeenpwned.com/Breach/OwnedCore</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-eySE1samMRAdzfZ3R8ixOGE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Oxfam">https://haveibeenpwned.com/Breach/Oxfam</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2iWonNS4/OHHoOMSzqNdCxXP' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PaddyPower">https://haveibeenpwned.com/Breach/PaddyPower</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-C0SB8ouMSUCF50KIKURgo8WZ cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Pampling">https://haveibeenpwned.com/Breach/Pampling</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nxGL9rBt0F/oli7NEbo9VM8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Pandabuy">https://haveibeenpwned.com/Breach/Pandabuy</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-SzZU/J8hwkq44XwL0AigQcsh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ParagonCheats">https://haveibeenpwned.com/Breach/ParagonCheats</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-56g/34Qrou0lkRxo01NEMPV9' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Parapa">https://haveibeenpwned.com/Breach/Parapa</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-eaHQgQK1fsp0PxdA6UILh7a' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ParkMobile">https://haveibeenpwned.com/Breach/ParkMobile</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-VGgSQf0LPRo8QQW8oGCRkvN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Patreon">https://haveibeenpwned.com/Breach/Patreon</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ujneqq/8CS51lZcpF3rFswlz' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PayAsUGym">https://haveibeenpwned.com/Breach/PayAsUGym</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ul3VfnXDF6i0nRK1CE1YzrHY' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PayHere">https://haveibeenpwned.com/Breach/PayHere</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-4QqlRDtoYhuNEIOQQ6aAWAhE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PaySystemTech">https://haveibeenpwned.com/Breach/PaySystemTech</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-u3BOt1BHAMgoJCiJ9il068oX' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Paytm">https://haveibeenpwned.com/Breach/Paytm</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-qEQkeHEoXR5jJ449fP6gu8Vi' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/pcTattletale">https://haveibeenpwned.com/Breach/pcTattletale</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-yjuspGfnGmwEOCZf/AexGsE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PDL">https://haveibeenpwned.com/Breach/PDL</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-0XqnFX8DA1iajXL1BEMj9Bcc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Peatix">https://haveibeenpwned.com/Breach/Peatix</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Ww8+0R4DahXmTsv03sa4X4Q' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Pemblanc">https://haveibeenpwned.com/Breach/Pemblanc</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KTznJnTr3GTFLKqLgdAU5KhL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PeoplesEnergy">https://haveibeenpwned.com/Breach/PeoplesEnergy</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KZwTTdWy+NAht6Rs5V7NhJKi' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PetFlow">https://haveibeenpwned.com/Breach/PetFlow</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-8XqvapEYV41Xa9XFtP11BjLw' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Phoenix">https://haveibeenpwned.com/Breach/Phoenix</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Ge6difzlBEXPhlFP8KRQVpfE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PhoneHouse">https://haveibeenpwned.com/Breach/PhoneHouse</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-APt79Xz5UGgnOEJCNSTAPVVB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PHPFreaks">https://haveibeenpwned.com/Breach/PHPFreaks</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-TSD7ZbiNnw8UVj5lOyVteMs' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PipingRock">https://haveibeenpwned.com/Breach/PipingRock</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-ADuIxFOLJxdPmh+JfGSgC0omE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PixelFederation">https://haveibeenpwned.com/Breach/PixelFederation</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-A92kFfNs0v5FZLeumfxQf9q' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Pixlr">https://haveibeenpwned.com/Breach/Pixlr</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nV1mRmp4rEWoTEPstH5qb7hi' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/piZap">https://haveibeenpwned.com/Breach/piZap</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-oTKZ8kHobdcqlkizNJ1IHYSV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PlanetCalypso">https://haveibeenpwned.com/Breach/PlanetCalypso</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-0GD/9oZwhvFbzljI7132f9d+' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/PlanetIce">https://haveibeenowned.com/Breach/PlanetIce</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-BEbiNUq5l9ff97J8aQELN4Hi' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/Playbook">https://haveibeenowned.com/Breach/Playbook</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-CVWMx3ouFoL3yHefjJBfJ7px' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/PlayCyberGames">https://haveibeenowned.com/Breach/PlayCyberGames</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8gFLwlUYIO7TUzlUbT0n+3Y' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/Playgar">https://haveibeenowned.com/Breach/Playgar</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-sZ7qZ6AQ2wi/794WMooRYIAK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Plex">https://haveibeenpwned.com/Breach/Plex</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-zpuH8NbRLfhQsbaCmt9Ugi7D' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PlutoTV">https://haveibeenpwned.com/Breach/PlutoTV</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-4lUffRVe5fuK1eXncWkle2Dc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PoinCampus">https://haveibeenpwned.com/Breach/PoinCampus</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8UO5jkhSJMG8woMHN5mlGNOJ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Pokecip">https://haveibeenpwned.com/Breach/Pokecip</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-Uofwpzfn/mlrXI+JmBV/6wCu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PokemonCreed">https://haveibeenpwned.com/Breach/PokemonCreed</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-dgUlbmtn2VxzAMr+4zoYGja' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PokemonNegro">https://haveibeenpwned.com/Breach/PokemonNegro</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Xp26YRqUjlxbslWggvV4hRcz' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PoliceOne">https://haveibeenpwned.com/Breach/PoliceOne</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-qVP8WiXGERdRtOEo1qKP0rQQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PolishCredentials">https://haveibeenpwned.com/Breach/PolishCredentials</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-AvdurzgJdgspkuJisdgRTSYP' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Poshmark">https://haveibeenpwned.com/Breach/Poshmark</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-G/qxODD4YINSep93LQytYvUS' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Powerbot">https://haveibeenpwned.com/Breach/Powerbot</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QC4D2rHqNzM2eJhO1geH5Dx9' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PPCGeeks">https://haveibeenpwned.com/Breach/PPCGeeks</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-zdgADA3UnU0PmiVIYrKUW4Ur' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PreenMe">https://haveibeenpwned.com/Breach/PreenMe</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-HFpBDhXISD/ZDsiye4MQfyBz' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ProctorU">https://haveibeenpwned.com/Breach/ProctorU</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-HxBvkBqplqlRCipxEVYq1a' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ProgrammingForums">https://haveibeenpwned.com/Breach/ProgrammingForums</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8kmvm+sQZ6blS1ikLU6zPfOF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Promo">https://haveibeenpwned.com/Breach/Promo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Yaok7M/t1DJJuDqVlgrsVOD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Promofarma">https://haveibeenpwned.com/Breach/Promofarma</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-UvXbE2hHmX6AK9qLqNRi0fxl' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PropTiger">https://haveibeenpwned.com/Breach/PropTiger</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Nc3HuNOZ+sqXKsPxGAX/yuP/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Protamps">https://haveibeenpwned.com/Breach/Protamps</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-XsdGYzvpwKwQnQqEDuR5e5TX cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PS3Hax">https://haveibeenpwned.com/Breach/PS3Hax</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-s9O21jcj6uV9ir9WL5wCJBxb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PSPISO">https://haveibeenpwned.com/Breach/PSPISO</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-dFRT/FRWclyUgb4Q7AzVEDrg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/PSXScene">https://haveibeenpwned.com/Breach/PSXScene</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-uPS/r/6kWmxWfdanOxsE1uq' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Qakbot">https://haveibeenpwned.com/Breach/Qakbot</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KZ0ov2o082Tm1XLRYP2XqD9V' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/QatarNationalBank">https://haveibeenpwned.com/Breach/QatarNationalBank</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-C+QjskGIUa3+0xKZOnPHjcrN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/QIP">https://haveibeenpwned.com/Breach/QIP</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-EBCaJmBkJAjUXUYUEu0nYpK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Qraved">https://haveibeenpwned.com/Breach/Qraved</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Q7P66gAeQhDCW/88PICZh9Cm' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/QuantumBooter">https://haveibeenpwned.com/Breach/QuantumBooter</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Wj4UtTGwCkIE95kn4cA5xLCL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/QuestionPro">https://haveibeenpwned.com/Breach/QuestionPro</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-c+Qy9K73rvcw/NEAAxiOMT5q' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Quidd">https://haveibeenpwned.com/Breach/Quidd</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-R1JbYmGDawdlix/nnr+xaFfN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/QuinStreet">https://haveibeenpwned.com/Breach/QuinStreet</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-kukwPToNELa5/LYyqDMTM8h' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/R2-2017">https://haveibeenpwned.com/Breach/R2-2017</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2CYnZUzfbPnPnGFKgSGKv2jVN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/R2Games">https://haveibeenpwned.com/Breach/R2Games</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-63BRUTDPEB1+tY+jbFxQoFp3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/RaidForums">https://haveibeenpwned.com/Breach/RaidForums</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-eqRPLjcCjBCVLCOcPsnGRQLI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/RailYatri">https://haveibeenpwned.com/Breach/RailYatri</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nJfwKKVK3jhCZdbRb/+Ni+YB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Rambler">https://haveibeenpwned.com/Breach/Rambler</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-DUe1gsLANh0ODv9QLcg8utqt' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Rankwatch">https://haveibeenpwned.com/Breach/Rankwatch</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-YrZebxUJbcRyV7J2frWHGOOh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Raychat">https://haveibeenpwned.com/Breach/Raychat</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-ySyAd4Lv8Uf00fsZCJG536W' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/RbxRocks">https://haveibeenpwned.com/Breach/RbxRocks</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-JwRHXAfleY6TqfMaCSiTJ18' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ReadNovel">https://haveibeenpwned.com/Breach/ReadNovel</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WXS2zHRljVNT71xov0zeXv7U' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/RealDudesInc">https://haveibeenpwned.com/Breach/RealDudesInc</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-JRrySPiNswUztJMgyZ02JUyc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/RealEstateMogul">https://haveibeenpwned.com/Breach/RealEstateMogul</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-F+y2epaVt/BOL4cN6ozHS/KT cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/RedDoor">https://haveibeenpwned.com/Breach/RedDoor</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-P6rjAo2jToNf0Lt0YnJ4uwoz' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/RedLineStealer">https://haveibeenpwned.com/Breach/RedLineStealer</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-DY2Drf4YpOAlld5E5r9quAUT' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Reincubate">https://haveibeenpwned.com/Breach/Reincubate</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-f9dS1b5jq4S9zCAmfCPMKOA4' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/RentoMojo">https://haveibeenpwned.com/Breach/RentoMojo</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-kHuU3haBHDYx5VsRQbHYloPg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas">https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+Me+jvZteH3Css/F49DCzCH' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/RetinaX">https://haveibeenpwned.com/Breach/RetinaX</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-aci0P9Wx9ps+kBVI8Dby56nk' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Reverb-Nation">https://haveibeenpwned.com/Breach/Reverb-Nation</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-0MtXkRfFxjVP0XYfxBA8ggfV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Rightbiz">https://haveibeenpwned.com/Breach/Rightbiz</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-gk/pxdML1sMQmRhLrvbdwrst' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/RiverCityMedia">https://haveibeenpwned.com/Breach/RiverCityMedia</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-cQD8T41mMo9DAPgg2abtJgwR' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Robinhood">https://haveibeenpwned.com/Breach/Robinhood</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-kwH5bhSJBf1ImHv3jUma3Qzz' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Roblox">https://haveibeenpwned.com/Breach/Roblox</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-b1fv5ZSarSyW81cVbPSidUv/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference">https://haveibeenpwned.com/Breach/RobloxDeveloperConference</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-mbzKCbVhWZ/BTJD01dYStXH0' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024">https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8PooxEn8qAaTiMMOsLfvp0zw' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Roll20">https://haveibeenpwned.com/Breach/Roll20</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-dZuj8LUi0h9J2YxaSbDv5g18' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Romwe">https://haveibeenpwned.com/Breach/Romwe</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-sJMX6QO70aH0LDrmvpmq+uE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/RosebuttbBoard">https://haveibeenpwned.com/Breach/RosebuttbBoard</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-NC4WjXryQC/gge/Y9a9FJbx6' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/RoyalEnfield">https://haveibeenowned.com/Breach/RoyalEnfield</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Fex66F2ygBRjijqmAlbtM3p2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/RussianAmerica">https://haveibeenowned.com/Breach/RussianAmerica</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2wQPCeLXYLHog86mEW9Ffrhp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/SalvadoranCitizens">https://haveibeenowned.com/Breach/SalvadoranCitizens</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-3M0s76PAtAS1OW7/0HYTzNet' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/SamsungGermany">https://haveibeenowned.com/Breach/SamsungGermany</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-R+NmxUygEhFkgDqjViq8DRp8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SaverSpy">https://haveibeenpwned.com/Breach/SaverSpy</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-HNLiUkJN85jekoJhaszwVs' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList">https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-iuX4hcXgB5K1E7Awc4nRCMX6' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Scentbird">https://haveibeenpwned.com/Breach/Scentbird</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-FcFiRzKnqkii58Ms4XDr/G8G' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/schenkYOU">https://haveibeenpwned.com/Breach/schenkYOU</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-3ecv1qPf0osGVLdZCZ+aK5A7' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Scholastic">https://haveibeenpwned.com/Breach/Scholastic</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2pQrCYiEyEF3sXwt5EOgagtX' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SchoolDistrict42">https://haveibeenpwned.com/Breach/SchoolDistrict42</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-LQVWuKonrUgcCA2R9pl3ta+8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Seedpeer">https://haveibeenpwned.com/Breach/Seedpeer</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ROtSzbyfKYjpLB6JFPBzGKzu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SeniorDating">https://haveibeenpwned.com/Breach/SeniorDating</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-YRXJIMxGKqROjMfdcloeGMch' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Sephora">https://haveibeenpwned.com/Breach/Sephora</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-1r7jf1KVz1125Guk05it8D' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ServerPact">https://haveibeenpwned.com/Breach/ServerPact</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-XoHXRjAn4/ucn2Mib9lPDxW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SevenRooms">https://haveibeenpwned.com/Breach/SevenRooms</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-VyQFbrf32lkPeX53LEZTtqkN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Shadi">https://haveibeenpwned.com/Breach/Shadi</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-RaOD8vJbV78ko4y2rNNalfb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Shadow">https://haveibeenpwned.com/Breach/Shadow</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-i1X6K3azmXAQLcsEVCb3r+SD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ShareThis">https://haveibeenpwned.com/Breach/ShareThis</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-/s4KX5MOieG6Da9R0/n9qjyV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SHEIN">https://haveibeenpwned.com/Breach/SHEIN</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ZFvnIWTFWKOducfVNQqjh1Ef' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Shitexpress">https://haveibeenpwned.com/Breach/Shitexpress</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-QRbQM65frqQ59pIYY10efsK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ShockGore">https://haveibeenpwned.com/Breach/ShockGore</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-G/ddXLeoT5Qi7pfkmaVM7D' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ShoeZone">https://haveibeenpwned.com/Breach/ShoeZone</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-R3k+yhGtG3XFxB7n8Zfp3O8r' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ShopBack">https://haveibeenpwned.com/Breach/ShopBack</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QMb6pNasawQy1zxzezprlRN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ShopperPlus">https://haveibeenpwned.com/Breach/ShopperPlus</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-yP3HPUwzfXgfJeoFS+DdQKan' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ShortEdition">https://haveibeenpwned.com/Breach/ShortEdition</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-rzmFyMMjVar+sHZmzoQsuGgL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Shotbow">https://haveibeenpwned.com/Breach/Shotbow</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-wGwKK3A+qVwbZCo0h0QzhCA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SIAE">https://haveibeenpwned.com/Breach/SIAE</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2QQEKmfOqk1MpUwACRcE71RZ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SirHurt">https://haveibeenpwned.com/Breach/SirHurt</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-WmzWAoldZmgEuwS/SF/lbq21' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SitePoint">https://haveibeenpwned.com/Breach/SitePoint</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-FM7RmXtzi+vCLYV0DsMTDnM2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SkTorrent">https://haveibeenpwned.com/Breach/SkTorrent</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ndKJ2FoB6vp5T56Vs99DLirK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Slickwraps">https://haveibeenpwned.com/Breach/Slickwraps</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8lhpoJoZ4BV0StSro1P7lZrnj' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SlideTeam">https://haveibeenpwned.com/Breach/SlideTeam</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-lnhmfzNgUEmi+N3TlQmaX90a' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Smogon">https://haveibeenpwned.com/Breach/Smogon</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-33y8D3Zpo3Y2Wb2BH1oiMtIO' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Snail">https://haveibeenpwned.com/Breach/Snail</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-pIGy4s0KI/sjCrmH9qVG9WOW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Snapchat">https://haveibeenpwned.com/Breach/Snapchat</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ScBjD4zJtT4wb9UjGhYUL6YE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SoarGames">https://haveibeenpwned.com/Breach/SoarGames</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-avEpz99/LcLckyec0u/d45F' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SocialEngineered">https://haveibeenpwned.com/Breach/SocialEngineered</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9sKj4VTUWpkZ/rBBja7hnvJ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Solomid">https://haveibeenpwned.com/Breach/Solomid</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-84TDEHLC9l2AHNy7rGV3igTj' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Sonicbids">https://haveibeenpwned.com/Breach/Sonicbids</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-M2ze4E5NOxPh9stzyRisMXff' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Sony">https://haveibeenpwned.com/Breach/Sony</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-x8toLfBivARMi6ffM5Oju7U' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Soundwave">https://haveibeenpwned.com/Breach/Soundwave</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-REgSRc2wd1i58tqubHjTGFxF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SpecialKSpamList">https://haveibeenpwned.com/Breach/SpecialKSpamList</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-XzP6JvA7eO4t0/+fdrcW7DUM' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Speedio">https://haveibeenpwned.com/Breach/Speedio</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ubeHT8OTxCrpFq8UzykckaVf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Sphero">https://haveibeenpwned.com/Breach/Sphero</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-B76AlbltI4fe/7kx+82yufzs' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Spiro">https://haveibeenpwned.com/Breach/Spiro</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-xBUTxbX4cIUIBp8NSb54y9ON' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Sport2000">https://haveibeenpwned.com/Breach/Sport2000</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2Hfsok4kCHMKvl/nV/dbj6E' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Sputable">https://haveibeenpwned.com/Breach/Sputable</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mfWbW2uQdb5cy+0GAU2/8EgO' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SprashivaiRu">https://haveibeenpwned.com/Breach/SprashivaiRu</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-t1CRsTLtwJz7qMdN1dFskjrt' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SpyOne">https://haveibeenpwned.com/Breach/SpyOne</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-pFdUK2IX3jtYG2XUwb+bjSri' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Spyic">https://haveibeenpwned.com/Breach/Spyic</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nlkDbbANBhN69JakWxcd/hUD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Spytech">https://haveibeenpwned.com/Breach/Spytech</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-CozdUZ4lfcMvqq95DLbP+8Ni' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SpyX">https://haveibeenpwned.com/Breach/SpyX</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-cuYB61w+q5TYQ34tC0l4pfvA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Spyzie">https://haveibeenpwned.com/Breach/Spyzie</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+C8IJVnjmY9Lfsgz3N02iLBV cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/StalkerOnline">https://haveibeenpwned.com/Breach/StalkerOnline</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Aw4oz6Uh5Y2AWCEHzFaUaA6!' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Staminus">https://haveibeenpwned.com/Breach/Staminus</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WFrNWFcn5eNMQKZFxFzFDCCpm' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/StarNet">https://haveibeenpwned.com/Breach/StarNet</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-Aurl/83rrzs6e1lajAXnbJd' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Start">https://haveibeenpwned.com/Breach/Start</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-imlFKZccAg7J2TqsfAT4L87V' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/StarTribune">https://haveibeenpwned.com/Breach/StarTribune</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Wp4ualDPLyP+f5TsLzGf3jMR' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/StealerLogs.Jan2025">https://haveibeenpwned.com/Breach/StealerLogs.Jan2025</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-n536lCxPBJVAkK8aR2S2zcST' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SterKinekor">https://haveibeenpwned.com/Breach/SterKinekor</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-T1MzMD7/6jH2wYL9bElp0f8J' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/StockX">https://haveibeenpwned.com/Breach/StockX</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-HJHB86sickoyu+t15eOgebtb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Storeny">https://haveibeenpwned.com/Breach/Storeny</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ki734mGtKlmEmHLzZmK+sf2N' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/StoryBird">https://haveibeenpwned.com/Breach/StoryBird</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-tV83DeqQJWAIBZQsYA9Y5Ne/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Straffic">https://haveibeenpwned.com/Breach/Straffic</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-CrjP9cHi+r6MbZNYOVPrJeAV cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Stratfor">https://haveibeenpwned.com/Breach/Stratfor</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-TSdJhxOKCeSmTzaErHWoQui' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/StreamCraft">https://haveibeenpwned.com/Breach/StreamCraft</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-zVctDCIZla6WRoaLXlOfRkd' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/StreetEasy">https://haveibeenpwned.com/Breach/StreetEasy</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KZ4aC\Nw6eVm0WUfbobh3+q8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Stripchat">https://haveibeenpwned.com/Breach/Stripchat</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-68h+9XJvxauDfJCzrZtXZ5f cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/StrongholdKingdoms">https://haveibeenpwned.com/Breach/StrongholdKingdoms</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-0D0lbea96k4LZMgRMqlK6p+1 cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SubaGames">https://haveibeenpwned.com/Breach/SubaGames</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-eE2JDMF5jhZh6ZPlpFuNLxU cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SumoTorrent">https://haveibeenpwned.com/Breach/SumoTorrent</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QfhWmUrZeYcntpKygqTR3z7f cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SundryFiles">https://haveibeenpwned.com/Breach/SundryFiles</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-x/JuUZHIM6p/JoWwfP82Hf7O' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SuperDraft">https://haveibeenpwned.com/Breach/SuperDraft</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ZLAxRWstnHfkkl0Z7VUDpDH' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN">https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-/cpyq/NtOSY+QTHa2wRcLEfC' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SurveyLama">https://haveibeenpwned.com/Breach/SurveyLama</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-4P5QiYCUP2ujWtFUh8aUsgpS' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SvenskaMagic">https://haveibeenpwned.com/Breach/SvenskaMagic</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-uNgemRCdbCVgKwabEOnirTye' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SweClockers">https://haveibeenpwned.com/Breach/SweClockers</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-w0EbY946UX4ZrVDJ/HKn5ltN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Switch">https://haveibeenpwned.com/Breach/Switch</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-wz+vxbhLe9ZFVdL+967S8NN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/SwordFantasy">https://haveibeenpwned.com/Breach/SwordFantasy</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QVdfQj6UjkQFR9oxwmXQFKdT' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Swl">https://haveibeenpwned.com/Breach/Swl</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-sRliwB1l5fK+xy+5Ld3Q1biK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/T2">https://haveibeenpwned.com/Breach/T2</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-x1KtMg4APf9qmiSXdW7SQuTJ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TaiLieu">https://haveibeenpwned.com/Breach/TaiLieu</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-DeKoCnKYqooin2Gs9hJVNxhn' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Tamodo">https://haveibeenpwned.com/Breach/Tamodo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mcrqad5UuNo73y2sTof5APAP' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Tangerine">https://haveibeenpwned.com/Breach/Tangerine</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-XV9jTEgpeQpuyk38Zm6NIWsd' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Taobao">https://haveibeenpwned.com/Breach/Taobao</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-H+r58Q3DI5iy2U02TyFEs5Bk' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TAPAirPortugal">https://haveibeenpwned.com/Breach/TAPAirPortugal</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-vjzmx0RbECPlU1j+PwG8eXSU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Tappware">https://haveibeenpwned.com/Breach/Tappware</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-7rRqrMmr1KnpQZG5bXNgPn/k' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Taringa">https://haveibeenpwned.com/Breach/Taringa</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-242fm5yis7OQwdPXnhVHpWbc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Technic">https://haveibeenpwned.com/Breach/Technic</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-1WwTH5CJ+HX/8HxDnb93bba' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Teespring">https://haveibeenpwned.com/Breach/Teespring</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Ha/LqDf3JhsCtvk/8g1IBxRl' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TehetsegKapu">https://haveibeenpwned.com/Breach/TehetsegKapu</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-109A49SmWjyyU8E/UBgV/ViA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TelegramCombolists">https://haveibeenpwned.com/Breach/TelegramCombolists</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-d1ePFjjr0H+XUEmFgL/tm4pT' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TelegramStealerLogs">https://haveibeenpwned.com/Breach/TelegramStealerLogs</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ILTy5eJC5pos8kSwwQ8k3l8s' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Teracod">https://haveibeenpwned.com/Breach/Teracod</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2kiTsKBglf+qS3yl/Xe1oK0X' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Terravision">https://haveibeenpwned.com/Breach/Terravision</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-myyyT1NiRU9KF8gG5hcYYtpU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Tesco">https://haveibeenpwned.com/Breach/Tesco</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-RINBsYbhh2DqjZS3DdoC9LRo' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TGBUS">https://haveibeenpwned.com/Breach/TGBUS</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KxqprQiYYphaMFqCj0o5k9ZR' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TheCandidBoard">https://haveibeenpwned.com/Breach/TheCandidBoard</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Gw5OK8RQ+mME17OgSDVm2O4Q' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TheClubPenguinExperience">https://haveibeenpwned.com/Breach/TheClubPenguinExperience</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-m7n7YM6TaiiNqA/NxvP1jewh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TheFappening">https://haveibeenpwned.com/Breach/TheFappening</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-JUhnf7EZoxLAH5mzduVLNhAN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TheFlyOnTheWall">https://haveibeenpwned.com/Breach/TheFlyOnTheWall</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+FjHvJg3b5bHBACkPmlRokfh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TheGradCafe">https://haveibeenpwned.com/Breach/TheGradCafe</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-n8KE3no6qs5GPu/7uue7ull8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TheHeritageFoundation">https://haveibeenpwned.com/Breach/TheHeritageFoundation</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-hpR18SW5ldPeo1yQ7fge+lzi' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ThePostMillennial">https://haveibeenpwned.com/Breach/ThePostMillennial</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-0j5fq/e9EETsTVFBp4UWE/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TheRealWorld">https://haveibeenpwned.com/Breach/TheRealWorld</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-xN+I0rXftrF7PmBRz99b4rJ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Thermomix">https://haveibeenpwned.com/Breach/Thermomix</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-R7VzBvHgAtIBMCg7+yGCI/g' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TheTVDB">https://haveibeenpwned.com/Breach/TheTVDB</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-DiNYYH5+dPw6Kifkv4HxXuAm' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Thingiverse">https://haveibeenpwned.com/Breach/Thingiverse</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-bhqzmRVhZBCRHX1Bb0rh42L' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ThisHabboForum">https://haveibeenpwned.com/Breach/ThisHabboForum</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WkUguHHCfCIMJ2zp2aEZYYNQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Tianya">https://haveibeenpwned.com/Breach/Tianya</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-K9nQzn9e0l38hV+jxu2TkJgm' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Tibber">https://haveibeenpwned.com/Breach/Tibber</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-COhxiJ4pcLtPiBlafWLWWjmN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Ticketcounter">https://haveibeenpwned.com/Breach/Ticketcounter</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-XF++9dkn5h9JB2M0Rh8yTpc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Ticketek">https://haveibeenpwned.com/Breach/Ticketek</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-sFIEPxRsRtyBsudjqecVd2zu5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Ticketfly">https://haveibeenpwned.com/Breach/Ticketfly</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KskQEYZoyUCsTQk6Fg2Brs3t' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Tigo">https://haveibeenpwned.com/Breach/Tigo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-NuOpU72rMMhmVBoy+XPYryjV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TNAFix">https://haveibeenpwned.com/Breach/TNAFix</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-2VEAmn8YBY/kY+IrrHOjPfCc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Tokopedia">https://haveibeenpwned.com/Breach/Tokopedia</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QTtcGevcEyc5S9+VbBhIE+Mm' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ToonDoo">https://haveibeenpwned.com/Breach/ToonDoo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mPqwzTgwW6JLBHcL6hvqxUF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TorrentInvites">https://haveibeenpwned.com/Breach/TorrentInvites</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-lv8g1PxJTWfdHaAlbRCPMlg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Toumei">https://haveibeenpwned.com/Breach/Toumei</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-PNncjPjJNyACdHckf0VKmuOO' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Tout">https://haveibeenpwned.com/Breach/Tout</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-6WolgZm8iT+gv/pNtBpDpTaL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Tracki">https://haveibeenpwned.com/Breach/Tracki</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-atlKpL7nTALculRsYLcrpIG8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Tracki">https://haveibeenpwned.com/Breach/Tracki</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-GcvuJwf5XCjNZmGDKaghNVaR' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TRAj">https://haveibeenpwned.com/Breach/TRAj</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-BMjQ5zwf/aGYlfWYUZHIpaf cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Travelio">https://haveibeenpwned.com/Breach/Travelio</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Ltu/RIfmyAie3y8BJDX4MGm' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TravelOK">https://haveibeenpwned.com/Breach/TravelOK</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ucUcRUwxFj5s4tl0PNwf2NRT' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Trello">https://haveibeenpwned.com/Breach/Trello</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-3dJkey8vgQIB0gMW2SeiyZuZ cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TrikSpamBotnet">https://haveibeenpwned.com/Breach/TrikSpamBotnet</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-u3rYpWEFqjZwGacKPbTbL2pF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Trillian">https://haveibeenpwned.com/Breach/Trillian</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-RZPgZ38tn0mioAaTX4zxxyQb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TroyHuntMailchimpList">https://haveibeenpwned.com/Breach/TroyHuntMailchimpList</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-IUXFbZ8MliuU78Nyiq+L05sJ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TruckersMP">https://haveibeenpwned.com/Breach/TruckersMP</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nt7x81fQnEkh8gtV1vO7MAQP' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TrueFire">https://haveibeenpwned.com/Breach/TrueFire</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-xr339QqhEW4pfN0DpiRXygYI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TruthFinder">https://haveibeenpwned.com/Breach/TruthFinder</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-IH6ffZOrN978AIW4Ofy423q' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Tumblr">https://haveibeenpwned.com/Breach/Tumblr</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-/W9ODj65KK9Fpd2PAyB8U7Z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/TunedGlobal">https://haveibeenpwned.com/Breach/TunedGlobal</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-dXK7C39JMJtxGJ+hIQtMeZYB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Tunngle">https://haveibeenpwned.com/Breach/Tunngle</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-vA8SqaWt+WI5PEJ3nrh1KkRc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Twitter">https://haveibeenpwned.com/Breach/Twitter</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-PcbkcVbjYGemicMFraftEV7obH' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Twitter200M">https://haveibeenpwned.com/Breach/Twitter200M</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-okiKfKGGVmFOCToQeb0kNjeq' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Ualabee">https://haveibeenpwned.com/Breach/Ualabee</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-oBygDxHMr9ArGfdti++f5kcp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Ubook">https://haveibeenpwned.com/Breach/Ubook</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-fZ6Ze5qhZJrc1GbZlchakeW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/UC">https://haveibeenpwned.com/Breach/UC</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-sRLHNRpt6M5ZfyioMnL5ScpJ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Uiggy">https://haveibeenpwned.com/Breach/Uiggy</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-u6eJ66vzQ8c7UAVk/6vTp3xb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Ulmon">https://haveibeenpwned.com/Breach/Ulmon</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-7xfwrNtR0EU0CyIIhg+tVb39' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/UnderworldEmpire">https://haveibeenpwned.com/Breach/UnderworldEmpire</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-lklq3K+kgF12HnQlHf3eDi/E' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/UnicoCampania">https://haveibeenpwned.com/Breach/UnicoCampania</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-6fsUi/SfrtLPejnAiQKwfSCSz' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Universarium">https://haveibeenpwned.com/Breach/Universarium</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+o7P0Z/tOGqqATJWs1txP276' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/UnrealEngine">https://haveibeenpwned.com/Breach/UnrealEngine</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-IJJPukg9F4fU2v0a/oR9snwW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Upstox">https://haveibeenpwned.com/Breach/Upstox</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-nbgNVjSbiKtCxrG9XQBvtYEJ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/UtahGunExchange">https://haveibeenpwned.com/Breach/UtahGunExchange</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-4G2BER+Fe93TgsPZxVI+CUeH' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/uTorrent">https://haveibeenpwned.com/Breach/uTorrent</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WoSlf2inmMJy5cfBIHomMTg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/uuu9">https://haveibeenpwned.com/Breach/uuu9</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-GG8EMqJQeyiTh3clsXRpC/S' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Vakinha">https://haveibeenpwned.com/Breach/Vakinha</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-8Ew+ZhLJi+pFYu3xY+M51DJn' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Vastaamo">https://haveibeenpwned.com/Breach/Vastaamo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-bPmNWDSDDQqtWLvueNJ/VwRT2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/VBulletin">https://haveibeenpwned.com/Breach/VBulletin</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Jq4IxIR6R2GBV70JQmYXKYaG' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Vedantu">https://haveibeenpwned.com/Breach/Vedantu</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Egpd9+b33UCaLQDI97NGaq83' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/VerificationsIO">https://haveibeenpwned.com/Breach/VerificationsIO</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-mPDZmbMj7Bn0SFcj5e70Nq94' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Verified">https://haveibeenpwned.com/Breach/Verified</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-xUoME+DiQlrrCxYbXPZ2Ge2o' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Vermillion">https://haveibeenpwned.com/Breach/Vermillion</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-BJJq/S/D3EPa71kSk6d2uwqQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Vianet">https://haveibeenpwned.com/Breach/Vianet</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-PmVUlrxh35E1nXqiuszlwlA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/VictoryPhones">https://haveibeenpwned.com/Breach/VictoryPhones</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-0JmVTsLWrhbwxQ4s1Vm1VeYp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ViewFines">https://haveibeenpwned.com/Breach/ViewFines</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-t9kV3y/xd4WheN45arOuv+d' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/VimeWorld">https://haveibeenpwned.com/Breach/VimeWorld</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Vg9iqePUFX5pmjpxgVD/Rwk' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/VINs">https://haveibeenpwned.com/Breach/VINs</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-oWJYqC+yA9WwOe5+4pF4DEw' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/VivaAir">https://haveibeenpwned.com/Breach/VivaAir</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-bA2cKDf1GYLc6QFrYZnmD7CV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/VK">https://haveibeenpwned.com/Breach/VK</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9ZaFVcWzkVLVsbjOX8L89wIT' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/VNG">https://haveibeenpwned.com/Breach/VNG</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-N1i1Et8mfl6f6EysMLcHgf+y' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Vodafone">https://haveibeenpwned.com/Breach/Vodafone</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-HU99egsgG1oMehxD6NtWX7f1' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/VoidTO">https://haveibeenpwned.com/Breach/VoidTO</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-ZseCqpK9LmS8WhlcuHF9NbNR' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/VTech">https://haveibeenpwned.com/Breach/VTech</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-3jSJRD5a74bN0XH/viFeseg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/VTightGel">https://haveibeenpwned.com/Breach/VTightGel</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-RwfEoMt30g3YLnCohVHa0oOo' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Wakanim">https://haveibeenpwned.com/Breach/Wakanim</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-OTD8znol4BDRSexsoMV8gPLn' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Wanelo">https://haveibeenpwned.com/Breach/Wanelo</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-ds1tblqUzmxZOncdUbD5mLT' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Warframe">https://haveibeenpwned.com/Breach/Warframe</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-tJZnV3edJU7wdP+TcL07XnOO' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/WarInc">https://haveibeenpwned.com/Breach/WarInc</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-50AJZXClmXJrPVGw1EdlqeZ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Warmane">https://haveibeenpwned.com/Breach/Warmane</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mL3fbP6NL6PFh7lLzdjw7lL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard">https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-65+VH/KdTf2u5vSlpf0y44LB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Wattpad">https://haveibeenpwned.com/Breach/Wattpad</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9lx9rfjDhXp4X2mfefJ1RATI7' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/WedMeGood">https://haveibeenpwned.com/Breach/WedMeGood</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-MfuTq+D6WSrwZ2czSv6aY2pq' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Weee">https://haveibeenpwned.com/Breach/Weee</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9U53wWViqZ+qO7IJVgUavEw63' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/WeHeartIt">https://haveibeenpwned.com/Breach/WeHeartIt</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-NX0mkQ7PKTuTUISSsYkG0lX6' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/WeLeakInfo">https://haveibeenpwned.com/Breach/WeLeakInfo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-j6EiOwqxeBBszn5ky0dpAMwq' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Welhof">https://haveibeenpwned.com/Breach/Welhof</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-6nzPjGpJiuVqhnahcrkYv6HL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Wendys">https://haveibeenpwned.com/Breach/Wendys</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Jwc/qU6bvdtWzku5Ah+3yq88' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Whitepages">https://haveibeenpwned.com/Breach/Whitepages</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-NkNetNorYopdU+LgYqkJctqm' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/WhiteRoom">https://haveibeenpwned.com/Breach/WhiteRoom</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-A6RCw2TgCGg3yj2V5xskD6OG' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/WHMCS">https://haveibeenpwned.com/Breach/WHMCS</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WFYQzbZHueznds8hcRHRFCmW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/WienerBuchereien">https://haveibeenpwned.com/Breach/WienerBuchereien</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Gkc3lr6Ea1LBtBcNzNsug2i' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/WifeLovers">https://haveibeenpwned.com/Breach/WifeLovers</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-pxLL7RtZAnNEuZ4zn/cjTDY3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/WIIUISO">https://haveibeenpwned.com/Breach/WIIUISO</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ktoINQINj2zpB4J2LFRwxCGG' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/WildStar">https://haveibeenpwned.com/Breach/WildStar</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-br9fe0wOsxuHW3dB2O3TWm8a' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Win7Vista">https://haveibeenpwned.com/Breach/Win7Vista</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KXBibo36V2Jqf1dlHvomAM0N' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/WiredBucks">https://haveibeenpwned.com/Breach/WiredBucks</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-ojXQ4ajf+fPDP1syk9A8TtJE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone">https://haveibeenpwned.com/Breach/Wishbone</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-18ZiyL45ci/XFB1vKPyp+WNP' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone2020">https://haveibeenpwned.com/Breach/Wishbone2020</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-W7bgfM05HCVeOmgCwssFOWW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/WiziShop">https://haveibeenpwned.com/Breach/WiziShop</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-HMf02RPrvW+JZ18blOT5Gr' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Wongnai">https://haveibeenpwned.com/Breach/Wongnai</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-G8v2a8fMZNURDPF7GgXS7n6p' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/WoTLabs">https://haveibeenpwned.com/Breach/WoTLabs</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-5owP96enmvk1D8B+fK&J52+' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/WPSandbox">https://haveibeenpwned.com/Breach/WPSandbox</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-TfpPUZARn8WiaB5+cV0PdbNc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/WPT">https://haveibeenpwned.com/Breach/WPT</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-y7QhGiaq1he+IWPNQ2QET8bN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/xat">https://haveibeenpwned.com/Breach/xat</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-evDndnYZLfaxM1xmLv23Y0QN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Xbox-Scene">https://haveibeenpwned.com/Breach/Xbox-Scene</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-0uUZxjLTlrdmDISSzsviHYIN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Xbox360ISO">https://haveibeenpwned.com/Breach/Xbox360ISO</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KZn8lVbVBvKsjzNObJslZB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/xHamster">https://haveibeenpwned.com/Breach/xHamster</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-r3ed8vez6UVYFL8D0vmX4bs' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Xiaomi">https://haveibeenpwned.com/Breach/Xiaomi</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-4B7+Col3huWXHW77CeVBCagD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/XKCD">https://haveibeenpwned.com/Breach/XKCD</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-xsuCjEAtLiX4ahuvZWjtPxL8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/XPGameSaves">https://haveibeenpwned.com/Breach/XPGameSaves</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-4WCfmbvUI9s3R5/mK+sZvbl' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/XSplit">https://haveibeenpwned.com/Breach/XSplit</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2yVhg+rAoFLr6MPHIjhUG4q9' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Yahoo">https://haveibeenpwned.com/Breach/Yahoo</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-AWseu4sUCmpDPu14kfkgZxkb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Yam">https://haveibeenpwned.com/Breach/Yam</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-iXHQepUdIdnfOGfKmsLoYOBb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Yandex">https://haveibeenpwned.com/Breach/Yandex</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-q31YMXka5W4j9uZvhQzflGvm' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Yatra">https://haveibeenpwned.com/Breach/Yatra</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-rTBOgHHkm1qw/7uV1Q76ANxy' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Yonema">https://haveibeenpwned.com/Breach/Yonema</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-xAReN1zuE7GRSG3fKO/3qBg3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/YoteprestoCom">https://haveibeenpwned.com/Breach/YoteprestoCom</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-R38eOl0IJ/GxZBgNmCEw+PJ8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Youku">https://haveibeenpwned.com/Breach/Youku</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-FvDPNZe3RCdntEdsVqF5mYAB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/YoungLivingEssentialOils">https://haveibeenpwned.com/Breach/YoungLivingEssentialOils</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-qb3jzQabKBz5C+5uXQH1U1/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/YouNow">https://haveibeenpwned.com/Breach/YouNow</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-WjzIbuon5ztjopZPxHxbZzI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/YouPom">https://haveibeenpwned.com/Breach/YouPom</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-hUGmvFGPGG3nQajoVILsq3c' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Youthmanual">https://haveibeenpwned.com/Breach/Youthmanual</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-RWBBLB2InfGYeqfud0bgvDFn' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/YouveBeenScraped">https://haveibeenpwned.com/Breach/YouveBeenScraped</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-XBqO+18Z7pSB1bt8ESBhxoa' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Zacks">https://haveibeenpwned.com/Breach/Zacks</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-U9kJjymf66hwHVijmkkhAj7L' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenowned.com havebeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenowned.com api.pwnedpasswords.com stage-api.havebeenowned.com api.havebeenowned.com havebeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/Zacks2024">https://haveibeenowned.com/Breach/Zacks2024</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-EYT88T7ij99ddWAeXtjOllaU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenowned.com havebeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenowned.com api.pwnedpasswords.com stage-api.havebeenowned.com api.havebeenowned.com havebeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/ZadigVoltaire">https://haveibeenowned.com/Breach/ZadigVoltaire</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2wyXGdd7I4oP9Hpda3YaplGQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenowned.com havebeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenowned.com api.pwnedpasswords.com stage-api.havebeenowned.com api.havebeenowned.com havebeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/ZAPHosting">https://haveibeenowned.com/Breach/ZAPHosting</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-fyuzNxbfZBXZqGy0Zgi9wjSI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenowned.com havebeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenowned.com api.pwnedpasswords.com stage-api.havebeenowned.com api.havebeenowned.com havebeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenowned.com/Breach/Zhenai">https://haveibeenowned.com/Breach/Zhenai</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-joMUkwKgrPnShJemEkatpU8a' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/ZLib">https://haveibeenpwned.com/Breach/ZLib</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-uesVi9aNizcVLeP5rZQwgVKo' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Zomato">https://haveibeenpwned.com/Breach/Zomato</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-PLRJKKI1uHF7HplE/ceKt6C' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Zoomcar">https://haveibeenpwned.com/Breach/Zoomcar</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9aS2ZaLe//qjHaOoYjVMVjqW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk">https://haveibeenpwned.com/Breach/Zoosk</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-Ft7Mcwdaz1LR4IIIB/LwaCpU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk2020">https://haveibeenpwned.com/Breach/Zoosk2020</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-JFnS4hODVKpjW+NAdTnWGTYI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Zooville">https://haveibeenpwned.com/Breach/Zooville</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-iJ5CmyWkBrifXC3q4+fZIoL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Zooville">https://haveibeenpwned.com/Breach/Zooville</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KXwEd67nPFTUBnQjqQD9E0IL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Zurich">https://haveibeenpwned.com/Breach/Zurich</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KXwEd67nPFTUBnQjqQD9E0IL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Breach/Zynga">https://haveibeenpwned.com/Breach/Zynga</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-BSuSsHYKQ+LvA2LCUiH+bvZ cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn">https://haveibeenpwned.com/Dashboard/SignIn</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-TpLPJVg+Mzx4LhvOWtCDjFe1' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QtxVR3JUTaXD6XFWptxUCIAe' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-uECU1Xty+qmckjH1B9PhR1D' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	content-security-policy

Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-g+MnkBf1BuV/v1ApTcv8VMc6' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Fsv7eLuwr4MLTjFWhAAmisqu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Z5kAoFGDF7afQFkXziXWtqw' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8G7dA2SyWNNHZJsaAUbMB4p' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce

Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-r1GGt7pZzf2IxRwEHdvwPDKf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvlz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-VhsMf8VoMtQ6hZNUsrOokRy' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvlz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfFze3ZX</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-rhRDdRj9QLT5wEeAGSfxk+6o' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvlz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfFze3ZX%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfFze3ZX%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfFze3ZX</a>
Method	GET
Parameter	content-security-policy
Attack	

	default-src 'none';script-src 'self' 'nonce-byNkPQ1hh+X4Hjux6rdqYaP' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcz6Hwe</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-gO5zLzN74rVL/1GWbwc0Lp0e' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcz6Hwe</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-FekGzT38aYIEEQCVkOPPPQMJu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-R2+Xb/KWOCLauzfP0dNDxGh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.

URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-6QkWuxALDTP7PjS8pCQ+vC cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-r5qv2D4CzQ+OKepeKdTtCP6d' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-hUACN3A8STFAFqMgTH6hFDFx' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-i0HK5VT0L9bq2YK624FbPOy3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-AKcnea4lp5mq8stXAMUt2NKJ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-kl20lcCDYreHXMSMfhbGk8D9' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mCThu3VgcaEKdyGU4DeRsubt' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.

URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-5xEpm/w0jt3ROEr8yQx4+zbx' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-7H3IVDsVL4zqk6MKEGRFwI8+' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-OGWo47MpObsVx5sBvhxsOk3Y' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlFze3ZX</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-cBWBzMSEKdBLuJwIMBQi/zwg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce

Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-hltsyffwRpoXngnAIXs9N6a5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-UeRllnjEY/dl7sYtuJam2VHF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-04PHWDU8fRsw+zKKlhQjy85' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-ls5exZGPaTWzoAy9C54e6ii' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KMhXr+AWRP9RsxaL9xxVReL1' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Donate">https://haveibeenpwned.com/Donate</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mFiCVA1ShhSewmYSokDFt/3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/DPA">https://haveibeenpwned.com/DPA</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Rsf1Tojy1MiRG4fxUHF6Mp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Dpa">https://haveibeenpwned.com/Dpa</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-zITV8fn3UXkmxQMFcD8tCYuw' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/FAQs">https://haveibeenpwned.com/FAQs</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-fwOgV7Es32Xr/EiZByNxEc1P' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/NotifyMe">https://haveibeenpwned.com/NotifyMe</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QzHZwlP1Tsdu2ZOFZj6e0D16' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C">https://haveibeenpwned.com/NotifyMe%5C</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Co07CPo3Yg1zcvgGdPnJQJa' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-Z8kNyGe5xQtazg0laXPk6X3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-DzRiashq4/b/ZtD0wEpHJn0d' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/OptOut">https://haveibeenpwned.com/OptOut</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-vdQYW6HP9JWsXY/+LoyYwl6K' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-meMtsY0HDV5NMA/msqKsDacg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Passwords">https://haveibeenpwned.com/Passwords</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-iUmZmOSiex2KIIAY+GOX7Miw' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Passwords%5C">https://haveibeenpwned.com/Passwords%5C</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-3zB9ShYjBNexxCTIDfkCFCC4' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ptZwF0ZmixGLru0Uj9bCM5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-R5ZU2qepp8sFzYI9OatTN03L' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/PwnedWebsites">https://haveibeenpwned.com/PwnedWebsites</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-yZeMVj84OrgBbrBODd3ej41D' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Subscription">https://haveibeenpwned.com/Subscription</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ZeoNlou74O8ARYY+ia2t/FOs' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/TermsOfUse">https://haveibeenpwned.com/TermsOfUse</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-PVxdSBXaR4j1VBVaBrxUW5ea' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/UnifiedSearch/">https://haveibeenpwned.com/UnifiedSearch/</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-M1VnK0eaxBdzPpteJXxyUBwY' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Unsubscribe/">https://haveibeenpwned.com/Unsubscribe/</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-588j6W/s08qJUoJQXR+eq4RD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/unsubscribe/">https://haveibeenpwned.com/unsubscribe/</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-qExN4lsQgEJTi/MRACFy2QL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/Verify/">https://haveibeenpwned.com/Verify/</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-/sJQp+AOV7aByARooWWOVlrc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://haveibeenpwned.com/verify/">https://haveibeenpwned.com/verify/</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-IEAMugPO5g7enVGs+6OBzeOk' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	style-src includes unsafe-inline.
URL	<a href="https://www.bolt.com/">https://www.bolt.com/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests

Other Info	style-src includes unsafe-inline.
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	require-trusted-types-for 'script'
Other Info	style-src includes unsafe-inline.
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	require-trusted-types-for 'script';report-uri /cspreport
Other Info	style-src includes unsafe-inline.
Instances	951
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	<a href="https://www.w3.org/TR/CSP/">https://www.w3.org/TR/CSP/</a> <a href="https://caniuse.com/#search=content+security+policy">https://caniuse.com/#search=content+security+policy</a> <a href="https://content-security-policy.com/">https://content-security-policy.com/</a> <a href="https://github.com/HtmlUnit/htmlunit-csp">https://github.com/HtmlUnit/htmlunit-csp</a> <a href="https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources">https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10055</a>

Medium	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	<a href="https://haveibeenpwned.com/account/">https://haveibeenpwned.com/account/</a>
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	POST
Parameter	
Attack	
Evidence	
Other Info	
Instances	2
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
Reference	<a href="https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy">https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy</a> <a href="https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html</a> <a href="https://www.w3.org/TR/CSP/">https://www.w3.org/TR/CSP/</a> <a href="https://w3c.github.io/webappsec-csp/">https://w3c.github.io/webappsec-csp/</a> <a href="https://web.dev/articles/csp">https://web.dev/articles/csp</a> <a href="https://caniuse.com/#feat=contentsecuritypolicy">https://caniuse.com/#feat=contentsecuritypolicy</a> <a href="https://content-security-policy.com/">https://content-security-policy.com/</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10038</a>

Medium	Cross-Domain Misconfiguration
Description	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
URL	<a href="https://haveibeenpwned.com/api/v3/breach/Adobe">https://haveibeenpwned.com/api/v3/breach/Adobe</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	<a href="https://haveibeenpwned.com/api/v3/breaches">https://haveibeenpwned.com/api/v3/breaches</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	<a href="https://haveibeenpwned.com/api/v3/breaches?Domain=adobe.com">https://haveibeenpwned.com/api/v3/breaches?Domain=adobe.com</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	<a href="https://haveibeenpwned.com/api/v3/breaches?IsSpamList=true">https://haveibeenpwned.com/api/v3/breaches?IsSpamList=true</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	<a href="https://haveibeenpwned.com/api/v3/latestbreach">https://haveibeenpwned.com/api/v3/latestbreach</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	<a href="https://www.bolt.com/">https://www.bolt.com/</a>
Method	GET
Parameter	
Attack	

Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
Instances	6
Solution	Ensure that sensitive data is not available in an unauthenticated manner (using IP address white-listing, for instance). Configure the "Access-Control-Allow-Origin" HTTP header to a more restrictive set of domains, or remove all CORS headers entirely, to allow the web browser to enforce the Same Origin Policy (SOP) in a more restrictive manner.
Reference	<a href="https://vulncat.fortify.com/en/detail?id=desc.config.dotnet.html5_overly_permissive_cors_policy">https://vulncat.fortify.com/en/detail?id=desc.config.dotnet.html5_overly_permissive_cors_policy</a>
CWE Id	<a href="#">264</a>
WASC Id	14
Plugin Id	<a href="#">10098</a>

Medium	XSLT Injection
Description	Injection using XSL transformations may be possible, and may allow an attacker to read system information, read and write files, or execute arbitrary code.
URL	<a href="https://haveibeenpwned.com/api/v3/breaches?IsSpamList=%3Cxsl%3Avalue-of+select%3D%22system-property%28%27xsl%3Avendor%27%29%22%2F%3E">https://haveibeenpwned.com/api/v3/breaches?IsSpamList=%3Cxsl%3Avalue-of+select%3D%22system-property%28%27xsl%3Avendor%27%29%22%2F%3E</a>
Method	GET
Parameter	IsSpamList
Attack	<xsl:value-of select="system-property('xsl:vendor')"/>
Evidence	Microsoft
Other Info	The XSLT processor vendor name "Microsoft" was returned after an injection request.
URL	<a href="https://haveibeenpwned.com/Breach?breach=%3Cxsl%3Avalue-of+select%3D%22system-property%28%27xsl%3Avendor%27%29%22%2F%3E">https://haveibeenpwned.com/Breach?breach=%3Cxsl%3Avalue-of+select%3D%22system-property%28%27xsl%3Avendor%27%29%22%2F%3E</a>
Method	GET
Parameter	breach
Attack	<xsl:value-of select="system-property('xsl:vendor')"/>
Evidence	Microsoft
Other Info	The XSLT processor vendor name "Microsoft" was returned after an injection request.
Instances	2
Solution	Sanitize and analyze every user input coming from any client-side.
Reference	<a href="https://www.contextis.com/blog/xslt-server-side-injection-attacks">https://www.contextis.com/blog/xslt-server-side-injection-attacks</a>
CWE Id	<a href="#">91</a>
WASC Id	23
Plugin Id	<a href="#">90017</a>

Low	CSP: Notices
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-lu+QB34PY1oqrPmllGdYqcPn' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/About">https://haveibeenpwned.com/About</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WApKKTQJLOgr+16u4ml8nMJV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Account/">https://haveibeenpwned.com/Account/</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ymlwrN2mN2SNVsP65lxd15U5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/API/v3">https://haveibeenpwned.com/API/v3</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-3l7wZ2bqGdO+fqWr8DjP1epu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/API/v3">https://haveibeenpwned.com/API/v3</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-sd4W4YSXDzuazxSY3G6jzZ/E' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/000webhost">https://haveibeenpwned.com/Breach/000webhost</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-yUnGyvzrG5fYlIGphliCW6K' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/123RF">https://haveibeenpwned.com/Breach/123RF</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-p+SdjFEHMGx21xJqM2iefgL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/126">https://haveibeenpwned.com/Breach/126</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-DYTslwGXpLclvRTN98/Krua' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/17173">https://haveibeenpwned.com/Breach/17173</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-Utv68WH5o5qgnQo2rqXp7UGU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/17Media">https://haveibeenpwned.com/Breach/17Media</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-dujVay0yQcLILWYxL0bccLK7' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/1win">https://haveibeenpwned.com/Breach/1win</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-sZZQnVav8yIVy6ColSRcaV/G' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/2844Breaches">https://haveibeenpwned.com/Breach/2844Breaches</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-FEa2x41VyAJIRX3I9x0HJXmd' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/2fast4u">https://haveibeenpwned.com/Breach/2fast4u</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-GCplBRO9qC4TtwNdNpl88GO' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/500px">https://haveibeenpwned.com/Breach/500px</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QlaPjJrjR/XIRLR4oYJVQ+K' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/7k7k">https://haveibeenpwned.com/Breach/7k7k</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-GD8dolw7pFdUOI2oCGggD0ka' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/8fit">https://haveibeenpwned.com/Breach/8fit</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-wf666a4FHB7WVvdSTu9U14RW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/8tracks">https://haveibeenpwned.com/Breach/8tracks</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-hRzZUNp3wBdXVTlkj6ieLe' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/9Lives">https://haveibeenpwned.com/Breach/9Lives</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-u09+/6yPe34TSelCJRkFbl4f' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia">https://haveibeenpwned.com/Breach/Abandonia</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-y8YSmGQZX/DtIAS6K1UeOr' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia2022">https://haveibeenpwned.com/Breach/Abandonia2022</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-uq5su7aj8q2BzuUKGXQvq2Yb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ABFRL">https://haveibeenpwned.com/Breach/ABFRL</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-u0CdpcBzDuqw7TzLBk/XaF/Y' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AbuseWithUs">https://haveibeenpwned.com/Breach/AbuseWithUs</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-1zBUzAxRSnb+4A/Km+o77hnB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AcneOrg">https://haveibeenpwned.com/Breach/AcneOrg</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-PN9PZgbWSjDWtkQBhOFi/1D' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Activision">https://haveibeenpwned.com/Breach/Activision</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-raGRImYgli4yhSveOS1BVE8l' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ActMobile">https://haveibeenpwned.com/Breach/ActMobile</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-cQtDy275Aboo5HRPNNRMD9xj' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Acuity">https://haveibeenpwned.com/Breach/Acuity</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-W2ylOMeJyVfBvSujNqPxFox5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Adapt">https://haveibeenpwned.com/Breach/Adapt</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QFfyx1tAL9WAAjlorXrCYwJb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Adecco">https://haveibeenpwned.com/Breach/Adecco</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-SP92LYrAykKzkufLjHow9tzU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Adobe">https://haveibeenpwned.com/Breach/Adobe</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-tvoAS0KVl5YmEP4yzZNw+ux2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AdoptMeTradingValues">https://haveibeenpwned.com/Breach/AdoptMeTradingValues</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-v5GjuWedXuy5qhcDManBzgji' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AdultFanFiction">https://haveibeenpwned.com/Breach/AdultFanFiction</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-aJcJR28dMtI80TJSI4PJBeG4' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder">https://haveibeenpwned.com/Breach/AdultFriendFinder</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-BeKQeoN/6UurcGG2oMneDIQf cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder2016">https://haveibeenpwned.com/Breach/AdultFriendFinder2016</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-ytq47Sko/dC/eHfm8S8FEXai' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AdvanceAutoParts">https://haveibeenpwned.com/Breach/AdvanceAutoParts</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-INImyVREO+pwBOejFlCJsO6' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AerServ">https://haveibeenpwned.com/Breach/AerServ</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-OQjLWDIKU7oo2DzuO6egjz/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AgusiQTorrents">https://haveibeenpwned.com/Breach/AgusiQTorrents</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-n2CGEqd/zT0o0buecgFwUCYr' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AhaShare">https://haveibeenpwned.com/Breach/AhaShare</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-t0XyVUjsd4UDNw9aKLU83ZIX cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Aimware">https://haveibeenpwned.com/Breach/Aimware</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9/tvAA73s9F23PRIGTuzp+RR' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Aipai">https://haveibeenpwned.com/Breach/Aipai</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-g1/ZBoOtwmpj8r0F8xOfzCA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AIType">https://haveibeenpwned.com/Breach/AIType</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-R9glpyZ5b8dV+LQcqUCQ6thC' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Ajam">https://haveibeenpwned.com/Breach/Ajam</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-P9gGy8prGJ086z3Gk6xXaP1' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AKP">https://haveibeenpwned.com/Breach/AKP</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+lZHpmPcsTVxoM4UI5r9TcPM' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AlienStealerLogs">https://haveibeenpwned.com/Breach/AlienStealerLogs</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-uioRSyfoyz8Os6cEIOXQg3NS' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AllegedATT">https://haveibeenpwned.com/Breach/AllegedATT</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-6qHQxwt/uSsD1Clr9SHod8vO' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AlpineReplay">https://haveibeenpwned.com/Breach/AlpineReplay</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-xgQndTRT4cLwPeNBxqr1jb0s' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Altenen">https://haveibeenpwned.com/Breach/Altenen</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-rO7eTNIP8TfZaVSVsJG3DaVi' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AmartFurniture">https://haveibeenpwned.com/Breach/AmartFurniture</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-vlVlr9TK3dgYYtODXNmKj' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Ancestry">https://haveibeenpwned.com/Breach/Ancestry</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-uaEV5f+pbmrdUV0YhTpB6wou' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AndroidForums">https://haveibeenpwned.com/Breach/AndroidForums</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-2XNanaLh0RnMrLmnG1L2+aK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AndroidLista">https://haveibeenpwned.com/Breach/AndroidLista</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ti9BT02qhB1wzzFk2yG/yax' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AnimalJam">https://haveibeenpwned.com/Breach/AnimalJam</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-3Rx8NlpeSxQG1/l8hFVzBmMd' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AnimeGame">https://haveibeenpwned.com/Breach/AnimeGame</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-wCZMIWBjIOnJhNLe8of8rl0' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Anime_league">https://haveibeenpwned.com/Breach/Anime_league</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-khYErCg2gmFCajgiwhk2FQlp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AnimePlanet">https://haveibeenpwned.com/Breach/AnimePlanet</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-fNIBhlaOa2xw0nce7fjl7+L' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Animoto">https://haveibeenpwned.com/Breach/Animoto</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-O8wYjDUyrFikPTRf7gKrgljB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AntiPublic">https://haveibeenpwned.com/Breach/AntiPublic</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-bxDvStD1yg9mSCmGnzljooq' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ApexSMS">https://haveibeenpwned.com/Breach/ApexSMS</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-8iqZ+9pDRzD9eTGMwzxTv8ru' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/APKTW">https://haveibeenpwned.com/Breach/APKTW</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Qy/lUH8f4xmPtnfDntryVFV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Apollo">https://haveibeenpwned.com/Breach/Apollo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nlkpZ4FPLLpLctJbJTHQNhrq' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Appartoo">https://haveibeenpwned.com/Breach/Appartoo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-vhj46OdQ37tuGKEtWHGWLC6S' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Appen">https://haveibeenpwned.com/Breach/Appen</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-yHatZwmnYLeQYYm9UXFDIFxo' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Aptoide">https://haveibeenpwned.com/Breach/Aptoide</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-jgWUNc8otnT6cQPbkqwBUkRg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ArmorGames">https://haveibeenpwned.com/Breach/ArmorGames</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Ji3SW9SGnOXS6cpuh02r3n4q' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ArmyForceOnline">https://haveibeenpwned.com/Breach/ArmyForceOnline</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-7//G1xMwYuGdUj7/K/OPA4jQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Artsy">https://haveibeenpwned.com/Breach/Artsy</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-oJZW/rhfNwm1u13gW9ZL9OAD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Artvalue">https://haveibeenpwned.com/Breach/Artvalue</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mdlBqHAAB4q/Ewt+bGjo1dNG' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AshleyMadison">https://haveibeenpwned.com/Breach/AshleyMadison</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-UBGNPL91velJQw0BGY1WjOs/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Astoria">https://haveibeenpwned.com/Breach/Astoria</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-UyFy7PZhrW+TdHK0O1Lhd4' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AstroPID">https://haveibeenpwned.com/Breach/AstroPID</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-oXlUqsOk8n3fPShHxw9/VZwa' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Atemos">https://haveibeenpwned.com/Breach/Atemos</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9Z2sVlydCNJIOy92/Zwi6qHB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/AtlasQuantum">https://haveibeenpwned.com/Breach/AtlasQuantum</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-J/TSqhUisQsKd3O2DcCGWoQX' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Atmeltomo">https://haveibeenpwned.com/Breach/Atmeltomo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-JYmF0uuxdRP7NR5nyw4ejHiU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Audi">https://haveibeenpwned.com/Breach/Audi</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-YdSUx2JfYa00JflcUi1F0LnX cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Autocentrum">https://haveibeenpwned.com/Breach/Autocentrum</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-wteJ4ktZwwqXr5wqFkW9irGf cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Autotrader">https://haveibeenpwned.com/Breach/Autotrader</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-UIKwUXKwUOZhvFe+b3yh/1z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Avast">https://haveibeenpwned.com/Breach/Avast</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-pCPYiHQeztkbDP6ofbDUHL/t' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Avito">https://haveibeenpwned.com/Breach/Avito</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-KKtR3koVe1xzeP/qDgYw+MQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Awo">https://haveibeenpwned.com/Breach/Awo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-HiaaF3/pnYxZn5sEXCZZjxPz' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/B2BUSABusinesses">https://haveibeenpwned.com/Breach/B2BUSABusinesses</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-hZQ+9D6PGQ6qLCoDb+ITCn2z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BabyNames">https://haveibeenpwned.com/Breach/BabyNames</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-o/sCRGose1GoHAJvs7y7MD6x' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Badoo">https://haveibeenpwned.com/Breach/Badoo</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-bm0PPV6RUM4BTdV3nld+ctD9' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BannerBit">https://haveibeenpwned.com/Breach/BannerBit</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-gBWS5zGTV2SL9YBk+xY/gP+3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Banorte">https://haveibeenpwned.com/Breach/Banorte</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8gC5fmYJEEt5s3r8Q6oZsQwA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BattlefieldHeroes">https://haveibeenpwned.com/Breach/BattlefieldHeroes</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-0Sagiw1PrmBhwS4k8ME6YdlSF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Battlefy">https://haveibeenpwned.com/Breach/Battlefy</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-wtRBEQ/+XJJQsKMTvCkCkeP' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BeautifulPeople">https://haveibeenpwned.com/Breach/BeautifulPeople</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-4PQsUAwMlqjrE5jisWbfVhq' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Bell">https://haveibeenpwned.com/Breach/Bell</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ZIKQ4QaouWz9sGffxIGDAQE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Bell2017">https://haveibeenpwned.com/Breach/Bell2017</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-vzJYDsryFSDyE/ZpoJM9TM' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Benchmark">https://haveibeenpwned.com/Breach/Benchmark</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-vDjH9DwjlcGd5ur+LHzDYx' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Bestialitysextaboo">https://haveibeenpwned.com/Breach/Bestialitysextaboo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+VpmindMkLG1dm71gqB2Geb+' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Bhinneka">https://haveibeenpwned.com/Breach/Bhinneka</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Gf5loBmEQLAhf+ypK28Q+5CS' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/bigbasket">https://haveibeenpwned.com/Breach/bigbasket</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-G1Coi3ZRxy3m2ifsn5ju2z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BigMoneyJobs">https://haveibeenpwned.com/Breach/BigMoneyJobs</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-lluCsBYvSlyRq3ymqxH2A0ne' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BinWeevils">https://haveibeenpwned.com/Breach/BinWeevils</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2IMMadSzFhZM6UsNx+E/mEU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BiohackMe">https://haveibeenpwned.com/Breach/BiohackMe</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-i82qqlVT3lyTyNyO1xw8buVI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BitcoinTalk">https://haveibeenpwned.com/Breach/BitcoinTalk</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-zBX9GQojllsq1yCqDW/RR/8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Bitly">https://haveibeenpwned.com/Breach/Bitly</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-vepwGn/7NYwS0MN5R0TJCeuO' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BitTorrent">https://haveibeenpwned.com/Breach/BitTorrent</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-K/kVMx4p6Ccj4q9vCGzm300F' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BitView">https://haveibeenpwned.com/Breach/BitView</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-jq67RtJFdTBxOxmFJVwYU0pu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BlackBerryFans">https://haveibeenpwned.com/Breach/BlackBerryFans</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ya+rV4D66H1MdZx8U4Bi1nI6' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BlackHatWorld">https://haveibeenpwned.com/Breach/BlackHatWorld</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-tissnxE+Mo1X2WV49wuYPrY' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BlackSpigotMC">https://haveibeenpwned.com/Breach/BlackSpigotMC</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-YVhUW7iyorrxlYuB9hTwOKyf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BlankMediaGames">https://haveibeenpwned.com/Breach/BlankMediaGames</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-jmFi4tnjwFHDS76BfLbqifB5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BleachAnime">https://haveibeenpwned.com/Breach/BleachAnime</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-sYWISbD1vt5XCQEug/FVZlbN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BloomsToday">https://haveibeenpwned.com/Breach/BloomsToday</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-+FlIu1ufV0CZcr0L1zpn1sYo' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGKvlz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BlueSnapRegpack">https://haveibeenpwned.com/Breach/BlueSnapRegpack</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-iiDlq0z2LnKKUTqzegzEbDnp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGKvlz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/boAt">https://haveibeenpwned.com/Breach/boAt</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-RnLqhwJgyyTOI8htzrYL1jfq' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGKvlz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Bolt">https://haveibeenpwned.com/Breach/Bolt</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-xYfPnZZZV2YWtnloceXGIRbO' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGKvlz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BomjuEu">https://haveibeenpwned.com/Breach/BomjuEu</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-tEcbA4AwOoStMxCEokvSmip' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Bonobos">https://haveibeenpwned.com/Breach/Bonobos</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-D6G4SOQcbHlHo3uMsW0lbQ4b/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Bookchor">https://haveibeenpwned.com/Breach/Bookchor</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-zgZeB1L2o2FFF66RKKKY6oxr' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BookCrossing">https://haveibeenpwned.com/Breach/BookCrossing</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-J1iX7MwhrhZING2HX2JMqWf4' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Bookmate">https://haveibeenpwned.com/Breach/Bookmate</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-0H5f4t5cbLxkgdAY0MECVnLF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BotOfLegends">https://haveibeenpwned.com/Breach/BotOfLegends</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2ZgkSK4fSh+xGKUHubFaMrGb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Boulanger">https://haveibeenpwned.com/Breach/Boulanger</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-GyJoOlraki+4k+H8ik7ZaQb8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BourseDesVols">https://haveibeenpwned.com/Breach/BourseDesVols</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Vo0kdNPdJge0Xscu/BNRJeWn' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Boxee">https://haveibeenpwned.com/Breach/Boxee</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-79yqgPL0SixmlLopWIGm1Vly' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BrandNewTube">https://haveibeenpwned.com/Breach/BrandNewTube</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9L8isWCuniFU1K6lpXLLXqZo' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Brazzers">https://haveibeenpwned.com/Breach/Brazzers</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-CgEd8LSmzzZQPe38sFowKx0fA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BreachForums">https://haveibeenpwned.com/Breach/BreachForums</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-pQzt5CGI3HrtfxhIK2P0pe' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BreachForumsClone">https://haveibeenpwned.com/Breach/BreachForumsClone</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-7ho40NWJ/sPKgc0oirHF4kdS' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BTCAlpha">https://haveibeenpwned.com/Breach/BTCAlpha</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WY6Jw+fbZa+TnAHyhTEAdN80' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BTCE">https://haveibeenpwned.com/Breach/BTCE</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-l9uIKO/2rbRfQUbgEPHMs6yL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BtoBet">https://haveibeenpwned.com/Breach/BtoBet</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-dY/RRGLI+0yeGus7Zp0L0GbB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BTSec">https://haveibeenpwned.com/Breach/BTSec</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-KRVQ1eRyvomZ+tfefngTurC cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BudTrader">https://haveibeenpwned.com/Breach/BudTrader</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-zLzLAS8rCXCb7QN98HEIIS' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Bukalapak">https://haveibeenpwned.com/Breach/Bukalapak</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Mq6+YMeOWKt9486IC25fwtGa' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency">https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-wSa43nrMDoOq+cbWTkYyBY' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BusinessAcumen">https://haveibeenpwned.com/Breach/BusinessAcumen</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-4THliut5dJ6cCaVyFJkMHarF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/BVD">https://haveibeenpwned.com/Breach/BVD</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-PYJWWSe/nTO3l1xaLJ8ZBbq3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CafeMom">https://haveibeenpwned.com/Breach/CafeMom</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Yp4E3a9xdzeRw7RFjDuFAmXY' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CafePress">https://haveibeenpwned.com/Breach/CafePress</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-osdv2vON8kQiZ+2m65yBhGq4' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CannabisForum">https://haveibeenpwned.com/Breach/CannabisForum</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-AQWFcxOpLFoS4JFcUODBVOLC' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Canva">https://haveibeenpwned.com/Breach/Canva</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KdErXLoewV/KcuEktBjP7nbmD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CapitalEconomics">https://haveibeenpwned.com/Breach/CapitalEconomics</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-DYsvMoP/Xqk9J9zl8JqP4sJy' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafia">https://haveibeenpwned.com/Breach/CardingMafia</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-G6zCwZ8YPyQu/3NozMb4Jf/H' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafiaDec2021">https://haveibeenpwned.com/Breach/CardingMafiaDec2021</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-2BsFrKV7jbAm+OR6WVCMlpe' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenowned.com havebeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenowned.com api.pwnedpasswords.com stage-api.havebeenowned.com api.havebeenowned.com havebeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenowned.com/Breach/CashCrake">https://haveibeenowned.com/Breach/CashCrake</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-TZ2VhWzCCMyJ9tKdgCEgdH2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenowned.com havebeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenowned.com api.pwnedpasswords.com stage-api.havebeenowned.com api.havebeenowned.com havebeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenowned.com/Breach/Catho">https://haveibeenowned.com/Breach/Catho</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-PdptS5/+auuKzTILHMNdP2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenowned.com havebeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenowned.com api.pwnedpasswords.com stage-api.havebeenowned.com api.havebeenowned.com havebeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenowned.com/Breach/CDEK">https://haveibeenowned.com/Breach/CDEK</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-1Z7kBK4si6SuUU/abFp7RpTM' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenowned.com havebeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenowned.com api.pwnedpasswords.com stage-api.havebeenowned.com api.havebeenowned.com havebeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenowned.com/Breach/CDProjektRed">https://haveibeenowned.com/Breach/CDProjektRed</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-RfH1q9R8ZpaJ/rZSaxlWMrYE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CentralTickets">https://haveibeenpwned.com/Breach/CentralTickets</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ojYHbz98nAQ6Z/SqSmT7znAH' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CERTPolandPhish">https://haveibeenpwned.com/Breach/CERTPolandPhish</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mbApwCGNliSGSVWLtD26REAs' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Chatbooks">https://haveibeenpwned.com/Breach/Chatbooks</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-LW3jslj5E/X7bLag4ZquRQB2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CheapAssGamer">https://haveibeenpwned.com/Breach/CheapAssGamer</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-2cFX5P+G3zU064BddCXKstRw cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Chegg">https://haveibeenpwned.com/Breach/Chegg</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Wou9nRD0UVyIZ4YoFzOygBKS' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Chess">https://haveibeenpwned.com/Breach/Chess</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-D4GmFG/WCrGN+OGnczVPprJ3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Chowbus">https://haveibeenpwned.com/Breach/Chowbus</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-UmRqM25mG243fjEPAbViKSUs' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ChrisLeong">https://haveibeenpwned.com/Breach/ChrisLeong</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-zNr6y2JXcOZrJ3yjiPQ8jRO2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Cit0day">https://haveibeenpwned.com/Breach/Cit0day</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-el5sPuv18kuX6e1G6vY0JmL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CityBee">https://haveibeenpwned.com/Breach/CityBee</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+4eFl0D1DqZynpLm3f2oxd46' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CityJerks">https://haveibeenpwned.com/Breach/CityJerks</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-XZs+rq9R9ZKj2W8XD+UHtHxo' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CivilOnline">https://haveibeenpwned.com/Breach/CivilOnline</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-QR0T/Jn2cJzHdzWazfrib7qW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ClashOfKings">https://haveibeenpwned.com/Breach/ClashOfKings</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-SER4pKec6eQ+CnvnPsnTneMh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ClearVoiceSurveys">https://haveibeenpwned.com/Breach/ClearVoiceSurveys</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-1DZCgaLb+O24vM2aWls1Qq4y' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ClickASnap">https://haveibeenpwned.com/Breach/ClickASnap</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-S+VFVT8tKch8lq22nYXZfp7' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ClixSense">https://haveibeenpwned.com/Breach/ClixSense</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-iWXU+N7LdpBRYGt1bPNvtI7H' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CloudPets">https://haveibeenpwned.com/Breach/CloudPets</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-GXsGaC66FX6yJ7Mf8xjFj2cp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewritten">https://haveibeenpwned.com/Breach/ClubPenguinRewritten</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ryXTef4awE2RhdF524UZ7Wu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019">https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-pctzAYotcqwClbG63TzwBXs1' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Coachella">https://haveibeenpwned.com/Breach/Coachella</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-kSmssHB50ml8jF9+4IA3hrdh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Cocospy">https://haveibeenpwned.com/Breach/Cocospy</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-6tcVH4fEi196lcqRfcQ7O86' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Coinmama">https://haveibeenpwned.com/Breach/Coinmama</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8mGVi79NK9EBd9H41h4P1n3d' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CoinMarketCap">https://haveibeenpwned.com/Breach/CoinMarketCap</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-4n2LhwEhP4relg9KcqVPUayt' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CoinTracker">https://haveibeenpwned.com/Breach/CoinTracker</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-l9a+0PdPiZQzvpKdOVGrPdh+' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Collection1">https://haveibeenpwned.com/Breach/Collection1</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2R1gf5tdlyKzk+Deu05PN5F' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ColoCrossing">https://haveibeenpwned.com/Breach/ColoCrossing</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-BXRiuBHFIHNeZkDACwdR+E' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ColorDating">https://haveibeenpwned.com/Breach/ColorDating</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-YCbRG7ep1PDOeeUyPBOWr2oE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Comcast">https://haveibeenpwned.com/Breach/Comcast</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-cWnOUz1R5Yi8BkLvcfOV79xI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/COMELEC">https://haveibeenpwned.com/Breach/COMELEC</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-NHoAiLS17isJ2ygm9/xDP0be' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CondoCom">https://haveibeenpwned.com/Breach/CondoCom</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mGSKhTKPNSKHjTGieyCV7rXD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Convex">https://haveibeenpwned.com/Breach/Convex</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-P7Y7kv2B/yq+v0zl40djgws' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CouponMomAndArmorGames">https://haveibeenpwned.com/Breach/CouponMomAndArmorGames</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-WKa+OPPeYMNMiAmnYFVAX/zp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CrackCommunity">https://haveibeenpwned.com/Breach/CrackCommunity</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-cPYxbhdVwjXlwaY/V56qpHS' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CrackedTO">https://haveibeenpwned.com/Breach/CrackedTO</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9c0yYsXbH+F/ZT+GDE7x67Q' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CrackingForum">https://haveibeenpwned.com/Breach/CrackingForum</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-V5kIOLQh5KD4255uRPAsC1G' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CraftRise">https://haveibeenpwned.com/Breach/CraftRise</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-T4BdLGUEkIpCtytHZlDG7AyL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Creative">https://haveibeenpwned.com/Breach/Creative</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Ce5YJ6562tT6ssPBH5VHLgvB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin">https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-FzoILEYkwJrqwfWw4QhmmUy' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CrossFire">https://haveibeenpwned.com/Breach/CrossFire</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-hC54JsozVutM70YTyD1Gg/bD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CTARS">https://haveibeenpwned.com/Breach/CTARS</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-pPUthEUQwQozAS6854xPfU8z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CutoutPro">https://haveibeenpwned.com/Breach/CutoutPro</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-uYHNRVoMvp/aJBkV5HhHzoYM' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/CyberSene">https://haveibeenpwned.com/Breach/CyberSene</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-sJEgOMiq4lbzYu8w2d1H7ud+' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/D3scene">https://haveibeenpwned.com/Breach/D3scene</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-b6duEC6l9YIL47rMErdTLfyK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DaFont">https://haveibeenpwned.com/Breach/DaFont</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-QBptwyOZLhxXeUn/q+p7EmR5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Dailymotion">https://haveibeenpwned.com/Breach/Dailymotion</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-g+OKJqfvgoFTID3ZXgP/cwU1' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DailyObjects">https://haveibeenpwned.com/Breach/DailyObjects</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-CM0gTw6dOGIUelp+dxM08Jx7' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DailyQuiz">https://haveibeenpwned.com/Breach/DailyQuiz</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-O8jBJv3o1eSujaWb014W2Bf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Dangdang">https://haveibeenpwned.com/Breach/Dangdang</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-iLS8nCVBZRX1TzPpApQKuQ6' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DaniWeb">https://haveibeenpwned.com/Breach/DaniWeb</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-cdr8NXxFTBM82fyel1+3i/R' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DataAndLeads">https://haveibeenpwned.com/Breach/DataAndLeads</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QODsHOSWgf6fEhRRSuYI2gF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DataCamp">https://haveibeenpwned.com/Breach/DataCamp</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-iGhssec0ySNAod1kHz344b' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DataEnrichment">https://haveibeenpwned.com/Breach/DataEnrichment</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-D6bln/sYTfeGiLGN0yq5nA6z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DateHotBrunettes">https://haveibeenpwned.com/Breach/DateHotBrunettes</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-1JdV+J9dFrUU3YNogw7/7dQV cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DatPiff">https://haveibeenpwned.com/Breach/DatPiff</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-k2QbdKZSLyPbYXV+6U+xaZVC' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Dave">https://haveibeenpwned.com/Breach/Dave</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-MMLp4ndkvyyGl+aVOjkLX+RU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/db8151dd">https://haveibeenpwned.com/Breach/db8151dd</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-z2Kw7w1C6sDx5DfhgWLAhax' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/dBforums">https://haveibeenpwned.com/Breach/dBforums</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-L/1IZ3gPs7KKsrWlyM2VveO' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DCHealth">https://haveibeenpwned.com/Breach/DCHealth</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-wUlgaGc9qiPtkNCXhEUrV2R' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DDO">https://haveibeenpwned.com/Breach/DDO</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-qZCWNJeResdRHe4yEwy7aalh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DecoratingTheHouse">https://haveibeenpwned.com/Breach/DecoratingTheHouse</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-NxuSZIpu+waoVaMi8g1zGe4X cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Deezer">https://haveibeenpwned.com/Breach/Deezer</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Vcp8kizRj45LJQ5NYoj3w/GF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DemandScience">https://haveibeenpwned.com/Breach/DemandScience</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-3bchlutX9kthNd6JlyfrxMN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DemonForums">https://haveibeenpwned.com/Breach/DemonForums</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-6sjYpaC7KqhGpocYTqBpvec' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DennisKirk">https://haveibeenpwned.com/Breach/DennisKirk</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-LIbPt08zHDc6VczGshNqUc8r' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Descomplica">https://haveibeenpwned.com/Breach/Descomplica</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QZayPVLR7x3dBj+i+vs6G65b' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DevilTorrents">https://haveibeenpwned.com/Breach/DevilTorrents</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-BArBVP0Hc0Ljs0tCva19G9nV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/devkitPro">https://haveibeenpwned.com/Breach/devkitPro</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nTfIAKPi9wjSaHWmcErjuH' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DietCom">https://haveibeenpwned.com/Breach/DietCom</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-0cejFi0OA/Y0+dk2eTNuKypD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/digiDirect">https://haveibeenpwned.com/Breach/digiDirect</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-/x+uiWyrJysGzDejrekgXceV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Digimon">https://haveibeenpwned.com/Breach/Digimon</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-NfZeffW3R65b2JdcSpWw5mra' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DiskUnion">https://haveibeenpwned.com/Breach/DiskUnion</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-fhHEld3aoMK/IGT+6INYOOUE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Disqus">https://haveibeenpwned.com/Breach/Disqus</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-VD+GWi5rK80JUZUV2iQriS9h' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DivXSubTitles">https://haveibeenpwned.com/Breach/DivXSubTitles</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-fMzRfersVzg2VkdB+X5hjLEj' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DLH">https://haveibeenpwned.com/Breach/DLH</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-EkkdWhqhlhSkiQL0powMLKu3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Dodonew">https://haveibeenpwned.com/Breach/Dodonew</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-6Vjh1K1kKhaElmXiMKRpHy0' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Dominoes">https://haveibeenpwned.com/Breach/Dominoes</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-CXaJNGE0mjPQmC/D9gZ4XyaP' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DominosIndia">https://haveibeenpwned.com/Breach/DominosIndia</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8x70Z6uA+/TGOFf2l15uWaO2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Doomworld">https://haveibeenpwned.com/Breach/Doomworld</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Qw2Qr5nzZUj3UwzKPvsotkyu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DoorDash">https://haveibeenpwned.com/Breach/DoorDash</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-NGj2NicRczQP9ys6SA5dHEOI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Dota2">https://haveibeenpwned.com/Breach/Dota2</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-CZ7BNcZ0evCTrJIOQWh7csJf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Doxbin">https://haveibeenpwned.com/Breach/Doxbin</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-gbL8jRzm2NYCDFt2XtM+Xgz' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinScrape">https://haveibeenpwned.com/Breach/DoxbinScrape</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KUzvO5gef/ja6g1i/VeJQuuG' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinTOoDA">https://haveibeenpwned.com/Breach/DoxbinTOoDA</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-fAgRmYisUztYY2qKYKr0cJQH' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DragonNest">https://haveibeenpwned.com/Breach/DragonNest</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-GIGZ2RFym/TJts03mj1OPV2P' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DriveSure">https://haveibeenpwned.com/Breach/DriveSure</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ZS9BVfcVNpl5PmA8LtvGEYws' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Drizly">https://haveibeenpwned.com/Breach/Drizly</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-NcDvsr5VMISFWVNjys8cj2o' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Dropbox">https://haveibeenpwned.com/Breach/Dropbox</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8j3oXuLWjHM2Bxrr4lOknQ7Q' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Dubsmash">https://haveibeenpwned.com/Breach/Dubsmash</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-TwZq+ftONjXpxNjiYWt+vb9' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DucksUnlimited">https://haveibeenpwned.com/Breach/DucksUnlimited</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-N3jAU+tWfFukWDuTv8WiuV3h' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DuelingNetwork">https://haveibeenpwned.com/Breach/DuelingNetwork</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-pQx0RqQSDBFu5YcfHbkqgVkJ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Dunzo">https://haveibeenpwned.com/Breach/Dunzo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+UrAyaPq+SjawrU94XWXSky' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Duolingo">https://haveibeenpwned.com/Breach/Duolingo</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-oKRV/S3pXpPvnIY7IB1/eEQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Duowan">https://haveibeenpwned.com/Breach/Duowan</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QychYjCqaLqgBdgvBnmP2Vhg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/DVDShopCH">https://haveibeenpwned.com/Breach/DVDShopCH</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2Hj/PHDPmrW43156DEST32Ql' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Dymocks">https://haveibeenpwned.com/Breach/Dymocks</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-/JQi+3nLTCIGpamXsIDcvHNi' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Earth2">https://haveibeenpwned.com/Breach/Earth2</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-98fUA59YPm6T3jwc+DzmMFWW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Eatigo">https://haveibeenpwned.com/Breach/Eatigo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-/ePgxEVshOMW62qhr6mge9K' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/EatStreet">https://haveibeenpwned.com/Breach/EatStreet</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-MwjbsqltfRjDBSD1q5dzTiqB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ECB">https://haveibeenpwned.com/Breach/ECB</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-onQaUPSdj4epA2aXs8TZ/t0h' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ECCIE">https://haveibeenpwned.com/Breach/ECCIE</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-gO/nSHAJJeiu6h75L9747DWf cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Edmodo">https://haveibeenpwned.com/Breach/Edmodo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-o7wwDA5NvaS9QdcMuQF71+8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Elance">https://haveibeenpwned.com/Breach/Elance</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-cq2lwB2B52v9DuUDBQ/AEL4Z cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Elanic">https://haveibeenpwned.com/Breach/Elanic</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-xGSi6XFhqlZGTQ0xp2EfG2TW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads">https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-H5TL0ZuX9ZQGYt8njm+dExI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Emotet">https://haveibeenpwned.com/Breach/Emotet</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Pxd2qTzZ7Q2i2AKIOkk6QE6o' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Emuparadise">https://haveibeenpwned.com/Breach/Emuparadise</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+Vnn7mMRCxjC9xrlw5cRVQnQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/EPal">https://haveibeenpwned.com/Breach/EPal</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-BJ6DnnfhO+IMXDPPUPZWIB1' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/EpicBot">https://haveibeenpwned.com/Breach/EpicBot</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-9GwtZnQbGXpufyaKu2dh8h96' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/EpicGames">https://haveibeenpwned.com/Breach/EpicGames</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-J4IxIk/SkwtzGRruLGmPNkUI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/EpicNPC">https://haveibeenpwned.com/Breach/EpicNPC</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-GbGKf8E2rA7zJAVYCeYhk9lt' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Epik">https://haveibeenpwned.com/Breach/Epik</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-bdF5lATdEhQogosh3fxmiMv+' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Eroticy">https://haveibeenpwned.com/Breach/Eroticy</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-lisup8CCIAr28LlqDYjLTnZ8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Eskimi">https://haveibeenpwned.com/Breach/Eskimi</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-OdnPybMgGI1XxXwmZIKNwAni' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/EstanteVirtual">https://haveibeenpwned.com/Breach/EstanteVirtual</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-/MAIZgc+RhztqHabdiECsR2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Estonia">https://haveibeenpwned.com/Breach/Estonia</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WAdV9cl8cRhyBPW1wmHPSu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/eThekwiMunicipality">https://haveibeenpwned.com/Breach/eThekwiMunicipality</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-PCev0yr3a8ZQZ3tSt0oTeUWE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Ethereum">https://haveibeenpwned.com/Breach/Ethereum</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ugOVfE/pdArjf8UKV86xri0V' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/EuropaJobs">https://haveibeenpwned.com/Breach/EuropaJobs</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-eMOasKplV8AxzENL6tp60M/P' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Evermotion">https://haveibeenpwned.com/Breach/Evermotion</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-kMkMkPHag/IOGTgxVR5YBRH' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/EverybodyEdits">https://haveibeenpwned.com/Breach/EverybodyEdits</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-BVzF5+ws4zY3NQYZsWfaAcdm' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Evite">https://haveibeenpwned.com/Breach/Evite</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-0SUNXD9+fVwSQ6wkvOxeCwtQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Evony">https://haveibeenpwned.com/Breach/Evony</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Mc9dAMJ7tWap/2IXppCwBbD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Exantis">https://haveibeenpwned.com/Breach/Exantis</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-P5XLKkwmt0J0libglG3YRJib' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Experian">https://haveibeenpwned.com/Breach/Experian</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-8gbSsd/Qq1tkU5cT++hB6EV8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Experian2020">https://haveibeenpwned.com/Breach/Experian2020</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-kAWJ2Gb0IRw/WWMT6Du1g0' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ExploitIn">https://haveibeenpwned.com/Breach/ExploitIn</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-qDxuyddeTU1ztwgQ7eOkcxC9' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalent">https://haveibeenpwned.com/Breach/ExploreTalent</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-PwjDNb8o6E2BGXL6LXstg8Y5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalentAug2024">https://haveibeenpwned.com/Breach/ExploreTalentAug2024</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-T2OQIZPVErHZThuL38M0ltoV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Exvagos">https://haveibeenpwned.com/Breach/Exvagos</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-A2auxUV9L/VISusgnnjheB1' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Eye4Fraud">https://haveibeenpwned.com/Breach/Eye4Fraud</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9MRYpdLgQcGFcbvIFinOfsM' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/EyeEm">https://haveibeenpwned.com/Breach/EyeEm</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-W6370ZQdJETjbLRf/Q3hm8e0' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Facebook">https://haveibeenpwned.com/Breach/Facebook</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-vrQc4K7Q1WtoDyqiUHZQJcRY' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/FacebookMarketplace">https://haveibeenpwned.com/Breach/FacebookMarketplace</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-dvcFwNMsm9eKIWrkJ12sM9A' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Facepunch">https://haveibeenpwned.com/Breach/Facepunch</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-VH5NCtfYBw8qnhMowhQ6IU5z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/FaceUP">https://haveibeenpwned.com/Breach/FaceUP</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-TixVqNkN+mXpkAQ0FRbvOg2x' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Factual">https://haveibeenpwned.com/Breach/Factual</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-4HCK8CfWqzMnMKeHMwwzX/63' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/FairVoteCanada">https://haveibeenpwned.com/Breach/FairVoteCanada</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-0ULxI4piDIS459TYWAvgDb4e6' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Famm">https://haveibeenpwned.com/Breach/Famm</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mAEfu5nddWJrf5XsRT4NeAU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Fanpass">https://haveibeenpwned.com/Breach/Fanpass</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-7E+ejmPHMc6J9gowP0/REJdu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/FantasyFootballHub">https://haveibeenpwned.com/Breach/FantasyFootballHub</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-v086E/cH6GNDpVIOHGkNBcbq' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/FashionFantasyGame">https://haveibeenpwned.com/Breach/FashionFantasyGame</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-AHMMxHSkG8DV1l6pTdY39Veu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/FFR">https://haveibeenpwned.com/Breach/FFR</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-gvOhtrNV/RPcq+SlrNaQBRop' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/FFShrine">https://haveibeenpwned.com/Breach/FFShrine</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-s+pFVYEAoql6B0SBHetWg2rH' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Filmain">https://haveibeenpwned.com/Breach/Filmain</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-Tn/Bczbp7XMzz/M0cpHpDGL9' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Finsure">https://haveibeenpwned.com/Breach/Finsure</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nEVJdua0GhwYerVceUKo8UKJ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Fitmart">https://haveibeenpwned.com/Breach/Fitmart</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-AHmjvQT39yHZH3GzcXQsBZhX cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Flashback">https://haveibeenpwned.com/Breach/Flashback</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-on7UXDtDcu6iGGZnITFp3x5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution">https://haveibeenpwned.com/Breach/FlashFlashRevolution</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-2yX21nHr/rSWovCL2NINDBI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution2019">https://haveibeenpwned.com/Breach/FlashFlashRevolution2019</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-hDU5OZPQHSbmWKfh5fYDt0LX cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/FlatEarthDave">https://haveibeenpwned.com/Breach/FlatEarthDave</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-T0bbYSHL3XCh5p8s71q6LjIV cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/FlexBooker">https://haveibeenpwned.com/Breach/FlexBooker</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-h9gzslwOqAa0hwg0SsP/1tiF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Fling">https://haveibeenpwned.com/Breach/Fling</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-LYP28VkPCg6f7P4pJPioVE58' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/FlipaClip">https://haveibeenpwned.com/Breach/FlipaClip</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ux9iUfGgWUf1T/yeJbYyZ+v' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Flipkart">https://haveibeenpwned.com/Breach/Flipkart</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WRlUVNAQd+l/c2s9SdF8/D/M' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/FLVS">https://haveibeenpwned.com/Breach/FLVS</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8IGGrXbUEWQ3QHOAc2XmcURK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Foodora">https://haveibeenpwned.com/Breach/Foodora</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-iNutm9BnRTAp8iKq6zXzlAoN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Forbes">https://haveibeenpwned.com/Breach/Forbes</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-kJpU7Gcusx/VPUel+MnzBnyE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ForumCommunity">https://haveibeenpwned.com/Breach/ForumCommunity</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-s3jvpgbalbko3+uBKqJbYUt' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Fotolog">https://haveibeenpwned.com/Breach/Fotolog</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nRHdq5Qydt5QiNL/fx7PQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/FoxyBingo">https://haveibeenpwned.com/Breach/FoxyBingo</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-5t3ZEgaxz7FZNTEfFCIAkVl' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/FrameAndOptic">https://haveibeenpwned.com/Breach/FrameAndOptic</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-xcyB9+0OL4xExureNh3UDXsZ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/FreedomHostingII">https://haveibeenpwned.com/Breach/FreedomHostingII</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-T84V9wMYrAU1XFrg8Txf/NT' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/FreeMobile">https://haveibeenpwned.com/Breach/FreeMobile</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-LNcY0IkI86itu52asD2e6ReQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/FrenchCitizens">https://haveibeenpwned.com/Breach/FrenchCitizens</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-WxfT7AVN2df2QTH6+Dx+tEj+' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/FreshMenu">https://haveibeenpwned.com/Breach/FreshMenu</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-G8Tom++pBOQWXeANUFXUpRt9' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Fridae">https://haveibeenpwned.com/Breach/Fridae</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-fJQKhREXXcBkV7QDY2y8vbNq' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Funimation">https://haveibeenpwned.com/Breach/Funimation</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-5aASNZ8WudcYDLXHRuYH5g2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/FunnyGames">https://haveibeenpwned.com/Breach/FunnyGames</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-Jg8jxWFiWLiYx4fegZL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/FurAffinity">https://haveibeenpwned.com/Breach/FurAffinity</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-i/nOdGb8fgVfcFa5x+a72nl' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Gaadi">https://haveibeenpwned.com/Breach/Gaadi</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-jSmYwG6xGrZhV04v3TeV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Gab">https://haveibeenpwned.com/Breach/Gab</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-PFYEEifjzUwVeTRq4MT1jGkC' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GamerzPlanet">https://haveibeenpwned.com/Breach/GamerzPlanet</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-O8OjQ6GeW+GHOOp84fY0o2GQn' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GameSalad">https://haveibeenpwned.com/Breach/GameSalad</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QgZTsh6m4hmODR1ERzNQbaoA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GamesBox">https://haveibeenpwned.com/Breach/GamesBox</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Pwoa5cyO1jxya2rjTnx/TcBt' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GameSprite">https://haveibeenpwned.com/Breach/GameSprite</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-4PajweTH2glrr9kfpL4zdOXG' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GameTuts">https://haveibeenpwned.com/Breach/GameTuts</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-umnG5PWtRFfhMMDOrwDxThEg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GameVN">https://haveibeenpwned.com/Breach/GameVN</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-N2h1QaPygJ8ebsaEguP1RDb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Gamigo">https://haveibeenpwned.com/Breach/Gamigo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-FeL2V2WT2iplg3r5oAGKi32b' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GamingMonk">https://haveibeenpwned.com/Breach/GamingMonk</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-72a2coS2+na3WkVwGBKTQaV4' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GateHub">https://haveibeenpwned.com/Breach/GateHub</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-iTcGcFtAfU6dg2LYzImd9Oxe' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Gawker">https://haveibeenpwned.com/Breach/Gawker</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ttKdnhL3mK5OelDIMys818x8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GeekedIn">https://haveibeenpwned.com/Breach/GeekedIn</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QaAOi3JuF9XiysCtURO9hZxA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Gemini">https://haveibeenpwned.com/Breach/Gemini</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-bjE1hMAtkiy7Hmaz4jZ4YpAI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Gimplex">https://haveibeenpwned.com/Breach/Gimplex</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-rkS3FRIDjvt9z5l1jkhSISb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GenesisMarket">https://haveibeenpwned.com/Breach/GenesisMarket</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-i+ebQWXoejHVEPsXJaBP6lg2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GeniusU">https://haveibeenpwned.com/Breach/GeniusU</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ld8mG9Y1QJaqZecsMJO4YC0/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GermanDonerKebab">https://haveibeenpwned.com/Breach/GermanDonerKebab</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Z8QrbLuvOmY8hYJfJ3YocL5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GetRevengeOnYourEx">https://haveibeenpwned.com/Breach/GetRevengeOnYourEx</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-/NdAMVnXJvraO4zQYIu+mp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Get">https://haveibeenpwned.com/Breach/Get</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-pFKXSAkQwq3NRd8iw6yAkBEy' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GFAN">https://haveibeenpwned.com/Breach/GFAN</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-qB+k5EoCS7C3h53dlpv0Lyc2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GGCorp">https://haveibeenpwned.com/Breach/GGCorp</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Ht+PcUXucqFT3tjaG9MsgJxT' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GiantTiger">https://haveibeenpwned.com/Breach/GiantTiger</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-sfjW2LfY/zZ8jROXLoVXeP0/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GiveSendGo">https://haveibeenpwned.com/Breach/GiveSendGo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-l8DEdI6RouBBIRXR4+oJbvC' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GLAMIRA">https://haveibeenpwned.com/Breach/GLAMIRA</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-zAZ+04Wj1jSop0YjY/7lcOfR' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Glofox">https://haveibeenpwned.com/Breach/Glofox</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-fmWNcvhZrdxhHy5vtEhQ8Yjh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GoGames">https://haveibeenpwned.com/Breach/GoGames</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-wPftb7i5Wchcs7M05LQ6/R8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GoldSilver">https://haveibeenpwned.com/Breach/GoldSilver</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-uCBJTatERr5Vg/70PBPKrZ1A' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GoNinja">https://haveibeenpwned.com/Breach/GoNinja</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9tfXF DzdS0eElf4Yz8OcsSRd' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/gPotato">https://haveibeenpwned.com/Breach/gPotato</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-rSiH3pczvY7EyQ9Q2SNzFc ut' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GPSUnderground">https://haveibeenpwned.com/Breach/GPSUnderground</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-oEArksLrTIQ8GXjqj7CU3Bh5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Gravatar">https://haveibeenpwned.com/Breach/Gravatar</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-UOKTaJ+VDu3pHp/9LwlV/ZH' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GSMHosting">https://haveibeenpwned.com/Breach/GSMHosting</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-RmFrzLgPHnkRo+a+40tWHGLB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GTAGaming">https://haveibeenpwned.com/Breach/GTAGaming</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Z3DeC5ri8WUf7ATYger9hcLV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GunAuction">https://haveibeenpwned.com/Breach/GunAuction</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-EU4ykVB9NGvmZE1wH2DOVynV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/GunsDotCom">https://haveibeenpwned.com/Breach/GunsDotCom</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-z/t5anZcSupSNOkh+WPT195z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Guntrader">https://haveibeenpwned.com/Breach/Guntrader</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-bDbGJ/wlzxbaqvuD8+Gk/kaB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Habibs">https://haveibeenpwned.com/Breach/Habibs</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-7ttctlsjT1XF89g4d+FbxFl' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/HackForums">https://haveibeenpwned.com/Breach/HackForums</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-FO2XM/a17iT19/mH1W9A9PoN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/HackingTeam">https://haveibeenpwned.com/Breach/HackingTeam</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-7luquaSRdZahRMZ7ZMsz6lqc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Hakko">https://haveibeenpwned.com/Breach/Hakko</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-lxjrPU/WBJgM2VANESIqT8hb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/HalloweenSpot">https://haveibeenpwned.com/Breach/HalloweenSpot</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-dFUzofhq2c+alzKfdsNrPKSs' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Hathway">https://haveibeenpwned.com/Breach/Hathway</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-sVNgF3OUpbzr2h7j/kX8lg63' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Hautelook">https://haveibeenpwned.com/Breach/Hautelook</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ypCMoTPEXUje9mY6t7ulhQaR' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Havenly">https://haveibeenpwned.com/Breach/Havenly</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-LyrAh2XECMzKit3Mt5DO5PRQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/HDBFinancialServices">https://haveibeenpwned.com/Breach/HDBFinancialServices</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-kYRkNYNZ7jK8me9tL0SERjhg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/HealthNowNetworks">https://haveibeenpwned.com/Breach/HealthNowNetworks</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-GzfdcJsWnpE8oDLSE6PXV/Qc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/HeatGames">https://haveibeenpwned.com/Breach/HeatGames</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-42EZcDwtIEC1NDRT4vLCbdr' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Hemmakvall">https://haveibeenpwned.com/Breach/Hemmakvall</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-a96kClpNht6IBlgOiR9BkZbd' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Hemmelig">https://haveibeenpwned.com/Breach/Hemmelig</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-s29ZvSL/Rp/x+d4M4PL3NL2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfGaia">https://haveibeenpwned.com/Breach/HeroesOfGaia</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-3Ngf9nv01aBD8b4FSza7DXr' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfNewerth">https://haveibeenpwned.com/Breach/HeroesOfNewerth</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-p6Y4qNDddGh1hSZ362gga7MX cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/HIAPK">https://haveibeenpwned.com/Breach/HIAPK</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+0GqFB47lyvczGspaGMprg0m' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Hjedd">https://haveibeenpwned.com/Breach/Hjedd</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KDsKkOtJ0qgMwjHs3cdNtXUb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/HTLV">https://haveibeenpwned.com/Breach/HTLV</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-wjSSYalNcCMq/eO6+01wwGyh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/HomeChef">https://haveibeenpwned.com/Breach/HomeChef</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-aQpEfSW+JaJaJ6dCTYTtHkU8Z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/HongFire">https://haveibeenpwned.com/Breach/HongFire</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-BAHwvsGP44rdMj7MF1yxAUX' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/HookersNL">https://haveibeenpwned.com/Breach/HookersNL</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-YajybMIWYfBpn9jVTWgPHVA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Hopamedia">https://haveibeenpwned.com/Breach/Hopamedia</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-ig3nOyEjwuhAmZTr/HL7BC2j' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Horselsle">https://haveibeenpwned.com/Breach/Horselsle</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-5sHOnlFoH+BgBY04xJBVMdry' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/HotTopic">https://haveibeenpwned.com/Breach/HotTopic</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-wDPY1TvjqJ9spDxwM8BzeUh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/HoundDawgs">https://haveibeenpwned.com/Breach/HoundDawgs</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Tmf0lI33MI+f9kC3v3q2+/Rp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Houzz">https://haveibeenpwned.com/Breach/Houzz</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-JkxevrmhfzS12n5y8zMcrEcJ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/HTCMania">https://haveibeenpwned.com/Breach/HTCMania</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QoIpDnUQbSXpVDC+/Q+vUodd' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/HTHStudios">https://haveibeenpwned.com/Breach/HTHStudios</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-FAG3foZOwB5dN7rxZVgMU9bp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Hub4Tech">https://haveibeenpwned.com/Breach/Hub4Tech</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-uFNCBn0gjK+i0hiWJkAqTwSP' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/HuntStand">https://haveibeenpwned.com/Breach/HuntStand</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-yIENbNQ5R7LVDEykJ6tQH5xZ cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Hurb">https://haveibeenpwned.com/Breach/Hurb</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-AoB7klMhBDTlreBPAKG+or' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/HuskyOwners">https://haveibeenpwned.com/Breach/HuskyOwners</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-lHdBHU2oAJF+v6z8uLxEDYa5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/IDCGames">https://haveibeenpwned.com/Breach/IDCGames</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-06wC/olucB6+wMI0MebA7V cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/iDressup">https://haveibeenpwned.com/Breach/iDressup</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-ZzkmyJWQrdhDztJIDzgUkIPF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/iDTech">https://haveibeenpwned.com/Breach/iDTech</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-MTIEBByMolamZ9mjM0Mc4yLp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/IGF">https://haveibeenpwned.com/Breach/IGF</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-W2NfbH4GKmkIGq7UF6fcGF0a' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/IIMJobs">https://haveibeenpwned.com/Breach/IIMJobs</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-4vStnQ90WA3EGgUdzV3G6pQe' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ILikeCheats">https://haveibeenpwned.com/Breach/ILikeCheats</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-4tplxCuLSmx2tiFyWVSLCF0c' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/lmavex">https://haveibeenpwned.com/Breach/lmavex</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-s/50MDPu0W1Bv2Bhd5pQnKA7' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/iMenu360">https://haveibeenpwned.com/Breach/iMenu360</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-dVtqK3La6oJdTNQFVGjHN7DX' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/iMesh">https://haveibeenpwned.com/Breach/iMesh</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-pzDg0x0mlYbBKG0wokZYVAM' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/imgur">https://haveibeenpwned.com/Breach/imgur</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-50RLBeGwbO6v4QQopOY3JgmU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/IndiaMART">https://haveibeenpwned.com/Breach/IndiaMART</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QJskQzllGjQJIVDdYr2aOGF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/IndianRailways">https://haveibeenpwned.com/Breach/IndianRailways</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-rINVtaUG+TRiolNiA8k5x0DA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/IndiHome">https://haveibeenpwned.com/Breach/IndiHome</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-X+OWjtOlu/hhz/dlwcoU/DgA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/InflateVids">https://haveibeenpwned.com/Breach/InflateVids</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-NdR1JqFzN1jDYnGz2bo/Gv+k' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Insanely">https://haveibeenpwned.com/Breach/Insanely</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-1wmx+U2zgEQyEjeoBs8YMG2B' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/InstantCheckmate">https://haveibeenpwned.com/Breach/InstantCheckmate</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-gv+QYogbhHcPV61Kd+0sVtJO' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile">https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-J9kQXV3XwSOcy47wp2CD9Ya' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Intelimost">https://haveibeenpwned.com/Breach/Intelimost</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-sSwmul7a/A1QHTxriVVtWmaK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/InternetArchive">https://haveibeenpwned.com/Breach/InternetArchive</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-i4ZBW0QG+5zRjrX0+XWmJaW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Interpals">https://haveibeenpwned.com/Breach/Interpals</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-TfnyiSb1SWrx3IFwJ7c5Zsy' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/iPmart">https://haveibeenpwned.com/Breach/iPmart</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-VVx/w2tCXlqVnXx8eNx3NJmf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ixigo">https://haveibeenpwned.com/Breach/ixigo</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-vpf2pKYIEjdlvnHyQy0gqSec' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/James">https://haveibeenpwned.com/Breach/James</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-reCTzo/jO0xW0WJBjfLDNHixX cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/JamTangan">https://haveibeenpwned.com/Breach/JamTangan</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-d6TdNJJfxHftU5jsN8mAQG4' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/JD">https://haveibeenpwned.com/Breach/JD</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-K6c8mcTkny6Lmkiod1CPrep0' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/JDGroup">https://haveibeenpwned.com/Breach/JDGroup</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-qaVsUyJm9iwGzQMLGw5kA/z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Jefit">https://haveibeenpwned.com/Breach/Jefit</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9f+OJL34VaRD0yDGt9yGc9Pr' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/JobAndTalent">https://haveibeenpwned.com/Breach/JobAndTalent</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Tl/N0dmqcxzGrGrohK7miPYW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/JobStreet">https://haveibeenpwned.com/Breach/JobStreet</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+F+KNtk0tb3Je+/Na9lc1nZy' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Jobzone">https://haveibeenpwned.com/Breach/Jobzone</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-1YD/AvPABEgZeeDwVw9rekQT' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/JoomArt">https://haveibeenpwned.com/Breach/JoomArt</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-7kC906y0bwQy0rKXgUOckC3L' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/JoyGames">https://haveibeenpwned.com/Breach/JoyGames</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-f552LbeJTJpTlfEmqO8R0ewa' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/JukinMedia">https://haveibeenpwned.com/Breach/JukinMedia</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QiwIEU167/Fp5l5myxTTE81' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/JustDate">https://haveibeenpwned.com/Breach/JustDate</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-VzV/ngyLpaSutgFDlxAMMZ1' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Kaneva">https://haveibeenpwned.com/Breach/Kaneva</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-LCNtu6l5okPg1QI2wIDrCuB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/KasperskyClub">https://haveibeenpwned.com/Breach/KasperskyClub</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-6AjPoMYGDJjMbqzPvBFE7Lb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/KayoMoe">https://haveibeenpwned.com/Breach/KayoMoe</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-O2xAkH1fk0XaBwlbjoyGcPz' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Kickstarter">https://haveibeenpwned.com/Breach/Kickstarter</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-EpCN+H2/5gPzzCrwUOu8AYiI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Kimsufi">https://haveibeenpwned.com/Breach/Kimsufi</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-0w8Eewj+5wj/U3Q61GH8dfA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/KitchenPal">https://haveibeenpwned.com/Breach/KitchenPal</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+agg4vPkFOCn86taYgnC4l74' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/KiwiFarms">https://haveibeenpwned.com/Breach/KiwiFarms</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-VKxIm6CjfnLAVghwulCf3ej' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/KMRU">https://haveibeenpwned.com/Breach/KMRU</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-ee7D5su5EOw3xYTZFUM1DFio' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/KnownCircle">https://haveibeenpwned.com/Breach/KnownCircle</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-REd6BXNWBFcqYlIzrj6uwZAj' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Knuddels">https://haveibeenpwned.com/Breach/Knuddels</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-PsD1/cYm5gn6xRy3jHokaJXw' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/KodiFoundation">https://haveibeenpwned.com/Breach/KodiFoundation</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-1N2t/xYj9jPUCqm7TDeoLp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/KomplettFritid">https://haveibeenpwned.com/Breach/KomplettFritid</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-/IPQbsaL8gJS0niyPad450qu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Kreditplus">https://haveibeenpwned.com/Breach/Kreditplus</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-gmeq79KyhGJ/NrN+4EWoxHxV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Ladies">https://haveibeenpwned.com/Breach/Ladies</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-z5b4Fa2iJxgcwztgrNo6a3s3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LandAirSea">https://haveibeenpwned.com/Breach/LandAirSea</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-sk9jlytz4ayPl2X105foPRX cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Lanwar">https://haveibeenpwned.com/Breach/Lanwar</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-BpPF2i2z/rHsWVXHXHWQs/w' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LaPosteMobile">https://haveibeenpwned.com/Breach/LaPosteMobile</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-G/m+HCOW/wdky/XMhipOjPTG' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Lastfm">https://haveibeenpwned.com/Breach/Lastfm</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nE5Ag3Ze6geR/6nA5VI6JKe4' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Lazada">https://haveibeenpwned.com/Breach/Lazada</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-6ISmQsvrbGWbukqBtSKNRscu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LBB">https://haveibeenpwned.com/Breach/LBB</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-LV4MpEXJN1B5UCF+kdExyR3I' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LDLC">https://haveibeenpwned.com/Breach/LDLC</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nANAI0IAw2Td24uPbUqVhPsR' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LeadHunter">https://haveibeenpwned.com/Breach/LeadHunter</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-fJgauVXI/P0wS4GcPcNtgAv' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LeagueOfLegends">https://haveibeenpwned.com/Breach/LeagueOfLegends</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-YPdVZ1LzC8VaSgYgID6ueXz' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LeakedReality">https://haveibeenpwned.com/Breach/LeakedReality</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-upWI3QNSFSnRMcj9LT2ZuFKU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LeCoqSportif">https://haveibeenpwned.com/Breach/LeCoqSportif</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-g0/6BjG98vpzSycXwwAE5JN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Ledger">https://haveibeenpwned.com/Breach/Ledger</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Ps8uB1TyFT8tX13du89ht9ZO' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Leet">https://haveibeenpwned.com/Breach/Leet</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-pX+9X4H0jo4YLZpYJr4E7JMY' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LegendasTV">https://haveibeenpwned.com/Breach/LegendasTV</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-MkSrycgq7U0ip9jzBH5fBNc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LeSlipFrancais">https://haveibeenpwned.com/Breach/LeSlipFrancais</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-i0Uvbrh0kU4UI2doVIDXf0A' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Lexipol">https://haveibeenpwned.com/Breach/Lexipol</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-6eFh4Z9/AC160p5cbqDuBuY/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Life360">https://haveibeenpwned.com/Breach/Life360</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-zKduT/YYP/M1qtoahDFLbST' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Lifebear">https://haveibeenpwned.com/Breach/Lifebear</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-ZhEFLoDV4dq11v89zNaj3W' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Lifeboat">https://haveibeenpwned.com/Breach/Lifeboat</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nLfbRpyufix4+bRmFxEDuIZ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LightsHope">https://haveibeenpwned.com/Breach/LightsHope</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-l4ugLxeX/Uw3yoffFjr3xYYle' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Liker">https://haveibeenpwned.com/Breach/Liker</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-qyGzHEBGWlpsB23745z3zsHU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LimeVPN">https://haveibeenpwned.com/Breach/LimeVPN</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-HR5+hEay6y8mqjbMiCi03kOx' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LinkedIn">https://haveibeenpwned.com/Breach/LinkedIn</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-m32qYf0Nv0DaRBiMANpzTiWd' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape">https://haveibeenpwned.com/Breach/LinkedInScrape</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-6+BgbLDts31A0CeVmXlZZ0C8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape2023">https://haveibeenpwned.com/Breach/LinkedInScrape2023</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-J2es8jVwNGdshcF0YrUXwqfZ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LinuxForums">https://haveibeenpwned.com/Breach/LinuxForums</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-hLHt6XfrqJDTQTc3Ly+tKthE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LinuxMint">https://haveibeenpwned.com/Breach/LinuxMint</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-eySgj0VPvgYaQWfzMxDTluyd' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LittleMonsters">https://haveibeenpwned.com/Breach/LittleMonsters</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Ckn9FhViazslnT2+RFxBidDF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LiveAuctioneers">https://haveibeenpwned.com/Breach/LiveAuctioneers</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-lwsodgASj2AxSz++ad5sRmV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LiveJournal">https://haveibeenpwned.com/Breach/LiveJournal</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-73a/lyXSr72Bx9nbQY9gyXtn' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Livpure">https://haveibeenpwned.com/Breach/Livpure</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-uNxwLfD0NZOp91hrKhbKHdwP' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LizardSquad">https://haveibeenpwned.com/Breach/LizardSquad</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8Ivszo/x5Y7HxiqwyTY7RCVV cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Locally">https://haveibeenpwned.com/Breach/Locally</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-RXLwH/oPZa/+TQDE5nK+DDg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Lolzteam">https://haveibeenpwned.com/Breach/Lolzteam</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-Dhz0LaU2Y7k4uV80Fis242DG' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Lookbook">https://haveibeenpwned.com/Breach/Lookbook</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-0xk0RLcxlzV3duVTxPs08gsK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Lookiero">https://haveibeenpwned.com/Breach/Lookiero</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2SzpTi6VgYubWmbjGDN5/UI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LOTR">https://haveibeenpwned.com/Breach/LOTR</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Yv/OAbSE92CQw1pPajSBYZ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LoungeBoard">https://haveibeenpwned.com/Breach/LoungeBoard</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-mku/5Bj61Yy8/OPnY4LFTv7e' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LuLu">https://haveibeenpwned.com/Breach/LuLu</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-YK7SJNdbqJyW+sSUDTfp3m6' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LuminPDF">https://haveibeenpwned.com/Breach/LuminPDF</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-E1ceoCqxRPN6B9T+srC1N3hL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Luxottica">https://haveibeenpwned.com/Breach/Luxottica</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-R7jEodDafm2UGKF7XOJsgWSe' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/LyricsMania">https://haveibeenpwned.com/Breach/LyricsMania</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-mo5NSu1gB9uVs5fD/7inFvsW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenowned.com/Breach/Mac-Torrents">https://haveibeenowned.com/Breach/Mac-Torrents</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-UT975q7ps+l0mqq7lbN+bUXZ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenowned.com/Breach/MacForums">https://haveibeenowned.com/Breach/MacForums</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-zGJ+kjVIRDVzX4m50IxToZ5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenowned.com/Breach/MacGeneration">https://haveibeenowned.com/Breach/MacGeneration</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-815ivMtbLzAF4HhuUxmgLMye' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenowned.com/Breach/MagicDuel">https://haveibeenowned.com/Breach/MagicDuel</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-Ayl7hMTUrNK78vsGZEbUISyc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MailRu">https://haveibeenpwned.com/Breach/MailRu</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-SI9J7LIBViqrJtexpPSA+jwo' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MajorGeeks">https://haveibeenpwned.com/Breach/MajorGeeks</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-YFs1lYzVao/5ghp/FZZV7hQu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MalindoAir">https://haveibeenpwned.com/Breach/MalindoAir</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-aBd7MmJqg5F3KgjwOOq1RPQf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MallCZ">https://haveibeenpwned.com/Breach/MallCZ</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-XrqOGqLSXK0f3G0nSLfhn5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Malwarebytes">https://haveibeenpwned.com/Breach/Malwarebytes</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-kRehlH/YXuPpEhza/kW3FNltw' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MangaDex">https://haveibeenpwned.com/Breach/MangaDex</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ywFQgNUpJ7p1uAji00yr/Dk/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MangaFox">https://haveibeenpwned.com/Breach/MangaFox</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-63ah4lJxaZ55akksmC8YJuiF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Mangatoon">https://haveibeenpwned.com/Breach/Mangatoon</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-IQILe3CCjynFFwNd+w98tFas' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MangaTraders">https://haveibeenpwned.com/Breach/MangaTraders</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8GvKP3BSIF6Eoh3IUWM/SBL3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ManipulatedCaiman">https://haveibeenpwned.com/Breach/ManipulatedCaiman</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-RhN7FqGrcuOOY2tuP3NSJh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Mappery">https://haveibeenpwned.com/Breach/Mappery</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-bzhBSY7v2tNuVEi/gXLMJ8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MarketMoveis">https://haveibeenpwned.com/Breach/MarketMoveis</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-uzXFj7freg5gwUyr+7OF0WeP' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Mashable">https://haveibeenpwned.com/Breach/Mashable</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-epi32nQCH02MBW/bzFoW3lqf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MastercardPricelessSpecials">https://haveibeenpwned.com/Breach/MastercardPricelessSpecials</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nih/MUTNfd8Qe6QkpTkTHKgZ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MasterDeeds">https://haveibeenpwned.com/Breach/MasterDeeds</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-t3UTNKCYiIT8pvTxYDWHChyp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Mate1">https://haveibeenpwned.com/Breach/Mate1</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-9yOPURxI5Or/008ICu7NFUOf cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Mathway">https://haveibeenpwned.com/Breach/Mathway</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nMjo5Ovn8/WLKugyfFZw3z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MC2Data">https://haveibeenpwned.com/Breach/MC2Data</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-l40rAmd+6BPo1MgkRjVSve/C' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MCBans">https://haveibeenpwned.com/Breach/MCBans</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-HQezvrLh6Aztcsmr+GXXuSaK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MDPI">https://haveibeenpwned.com/Breach/MDPI</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-EXKIUv1bnysVxSlpQuKhXnQf cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MechoDownload">https://haveibeenpwned.com/Breach/MechoDownload</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-5Ohi8X3T44fp39W6fg5njTeR' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MediaWorks">https://haveibeenpwned.com/Breach/MediaWorks</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-YUz+LmvNr5A3ILL8D9yl2Vt' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MeetMindful">https://haveibeenpwned.com/Breach/MeetMindful</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-cB4VvT5/mRtqTAWMCrHt4mVM' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MemeChat">https://haveibeenpwned.com/Breach/MemeChat</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-w1RRcN9JlU99E184kyeGXv8e' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MEO">https://haveibeenpwned.com/Breach/MEO</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+OojYx9Wn7qlHk5fk0Scv+iiX cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MGM">https://haveibeenpwned.com/Breach/MGM</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-4PzeF1yMQ5lcVHYuFIIGlxFSw' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MGM2022Update">https://haveibeenpwned.com/Breach/MGM2022Update</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-sjv2n8Tt6Kw8TRxKpRvoQn6K' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MindJolt">https://haveibeenpwned.com/Breach/MindJolt</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-TceMnqoe9cohsgg4jKpJtd8p' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum">https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-rJrBXf/7Pwy/Tuu2rSc+VpqB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftWorldMap">https://haveibeenpwned.com/Breach/MinecraftWorldMap</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-fAEksLd5VadYcMqxfrKg0ZaE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Minefield">https://haveibeenpwned.com/Breach/Minefield</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-1VJDfYI3S9Vs0RCIsWHkcVA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Minehut">https://haveibeenpwned.com/Breach/Minehut</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-p6GJhpNS62OxsCxJ2CJVBCSy' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Minted">https://haveibeenpwned.com/Breach/Minted</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8dUwtCAOtMZlpLK2hs/nRSYp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MMGFusion">https://haveibeenpwned.com/Breach/MMGFusion</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-cRWBUyNEkF2hcEFDKMPQcyGR' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MobiFriends">https://haveibeenpwned.com/Breach/MobiFriends</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WFR5+PwoygNProX8WY2WWzI6' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MoDaCo">https://haveibeenpwned.com/Breach/MoDaCo</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-UICuUOeC+FCtSCYc6R8eQO+8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ModernBusinessSolutions">https://haveibeenpwned.com/Breach/ModernBusinessSolutions</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WDcBAEQjqqA19EQIYIKDF2H+' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MoneyBookers">https://haveibeenpwned.com/Breach/MoneyBookers</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-v/9PT8PAGQdBEB8T3h7LHlpg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Moneycontrol">https://haveibeenpwned.com/Breach/Moneycontrol</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-l6NsDf0CqeXFvebEOyErxs4g' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MoreleNet">https://haveibeenpwned.com/Breach/MoreleNet</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-B7PaZen/5fJLbBt6r2bw8p4h' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MortalOnline">https://haveibeenpwned.com/Breach/MortalOnline</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-EhmZJLdThscQno3n3T+PDEgg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MovieBoxPro">https://haveibeenpwned.com/Breach/MovieBoxPro</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-N5Ox+WByxDvDUN3K0BHmchqX' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MovieForums">https://haveibeenpwned.com/Breach/MovieForums</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-hBeBAkz4saYT7wVcKH+8TDS' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MPGH">https://haveibeenpwned.com/Breach/MPGH</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-aaVQWHvAVZyl/C84UtmB59Pp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MrExcel">https://haveibeenpwned.com/Breach/MrExcel</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-GNuRBdCfBaS0Qyp50UP77ruq' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MrGreenGaming">https://haveibeenpwned.com/Breach/MrGreenGaming</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Ed/w666DBXMKw5dhafdfK5oQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MSI">https://haveibeenpwned.com/Breach/MSI</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-w6Oshl35M+pIMowGJuxaeUF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/mSpy">https://haveibeenpwned.com/Breach/mSpy</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-C/wiUz4LwJwGUxo9B1QAZzkT cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/mSpy2024">https://haveibeenpwned.com/Breach/mSpy2024</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Rbyf4OSE9bk/CARGNNOKSTkX cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Muah">https://haveibeenpwned.com/Breach/Muah</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-OJOnnFqO+hNGPQwrL5BLudc8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MultiplayerIT">https://haveibeenpwned.com/Breach/MultiplayerIT</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-rroXjTv841jeVR6DgjEu+hAD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MuslimDirectory">https://haveibeenpwned.com/Breach/MuslimDirectory</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-tJrfyPoHtC7LDuCM5++Z8G+v cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MuslimMatch">https://haveibeenpwned.com/Breach/MuslimMatch</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-OzfaRXTshl9hRwBIJkwEgNA9' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MyFHA">https://haveibeenpwned.com/Breach/MyFHA</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+2Q+zeKVqXp5Rw+qf64IVG7' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MyFitnessPal">https://haveibeenpwned.com/Breach/MyFitnessPal</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-jytt8XKdN9yz9uZgvE4rXKc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MyHeritage">https://haveibeenpwned.com/Breach/MyHeritage</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-tIjsQpubGzsZ5o5lyrqmAy0f2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MyPertamina">https://haveibeenpwned.com/Breach/MyPertamina</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-G8B/9CuVjQ3vzbZkL82QLgoV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/myRepoSpace">https://haveibeenpwned.com/Breach/myRepoSpace</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-VKjz59L1SvBrMI06YvZc5ncY' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MySpace">https://haveibeenpwned.com/Breach/MySpace</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-tvJ7Yf7D3bjjXpGm7CfyX12' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/MyVidster">https://haveibeenpwned.com/Breach/MyVidster</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-SGaidVujrUZ3xJpaUzCZtDa' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/NamelessMalware">https://haveibeenpwned.com/Breach/NamelessMalware</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-FwV1ELEW72z8V8jl2KrGhzA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/NapsGear">https://haveibeenpwned.com/Breach/NapsGear</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-n0Y1NOFTruqtfyERe7XKOIA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/NationalPublicData">https://haveibeenpwned.com/Breach/NationalPublicData</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-BsTw5jmCFd9j5jOYiCWkm9a' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/NaughtyAmerica">https://haveibeenpwned.com/Breach/NaughtyAmerica</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-LLAkjuOZsUeNpEGM+C5YLNMS' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/NazApi">https://haveibeenpwned.com/Breach/NazApi</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-sSNqHKsPhyktERqTPz6VERZ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/NeimanMarcus">https://haveibeenpwned.com/Breach/NeimanMarcus</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KIFsD5ww9nu9E+fMHwYm6oyu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/NemoWeb">https://haveibeenpwned.com/Breach/NemoWeb</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-c/9CQtkRa0sk2bhBtZMB/GPg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Neopets">https://haveibeenpwned.com/Breach/Neopets</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-b/t50Lt6U8lGDwSTeqM7Cz1Y' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/NetEase">https://haveibeenpwned.com/Breach/NetEase</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-cU5R4jOTm649F0WC9OqkM3ab' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Neteller">https://haveibeenpwned.com/Breach/Neteller</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-3FyNgoKlutDO85i+tQWpeqV2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/NetGalley">https://haveibeenpwned.com/Breach/NetGalley</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-hSvH2tEdarW++pLa7z6j3Kly' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Netlog">https://haveibeenpwned.com/Breach/Netlog</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-nBff/L6Jz608xitutlKmeJz8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/NetProspx">https://haveibeenpwned.com/Breach/NetProspx</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-TXjbLjD5V1Cd2SwipwuGls' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Netshoes">https://haveibeenpwned.com/Breach/Netshoes</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-A6xmFNdowDUHn0VY70FDGMZ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/NextGenUpdate">https://haveibeenpwned.com/Breach/NextGenUpdate</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-gL57Vv6KD5rFyONde9x3eL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/NexusMods">https://haveibeenpwned.com/Breach/NexusMods</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-jcwYd6mbx2Za0o7qoTFdFGw cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Nihonomaru">https://haveibeenpwned.com/Breach/Nihonomaru</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Dtk3blsW5JZmXh0+fJ8PTt7G' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Nitro">https://haveibeenpwned.com/Breach/Nitro</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nQNB+Atsv9cvh/MqPVEjbqCL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Nival">https://haveibeenpwned.com/Breach/Nival</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ZCwUvdmGdBBYoDZsEKI7n/Kb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/NonNudeGirls">https://haveibeenpwned.com/Breach/NonNudeGirls</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-C7yfAwfagzq0ZFWhMf8L2Yxm' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/NotAcxiom">https://haveibeenpwned.com/Breach/NotAcxiom</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-AZK803jw1MyqZG5VT0lxvTYf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/NotSOCRadar">https://haveibeenpwned.com/Breach/NotSOCRadar</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-aAcUsCmXt4bf3jgZuSg86Dt' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Nulled">https://haveibeenpwned.com/Breach/Nulled</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-0wg3TGpMar7YeHVnrvYXJY1P' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/NulledCH">https://haveibeenpwned.com/Breach/NulledCH</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-otMRR468fZIKCTmCEOkUzx6' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/NurseryCam">https://haveibeenpwned.com/Breach/NurseryCam</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-FxI6JHwaPiaxVQEw3QOldOAn' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/NVIDIA">https://haveibeenpwned.com/Breach/NVIDIA</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-dMRm/Gf0FDLgCFEfsr76qw0Y' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers">https://haveibeenpwned.com/Breach/OGUsers</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-bTbJDS8UCTO6EMjR03TaEFv cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2020">https://haveibeenpwned.com/Breach/OGUsers2020</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-YZUstwUU/J12CPVUdOpppwR' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2021">https://haveibeenpwned.com/Breach/OGUsers2021</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-4GUZ90d5xoz+EcbL/d3tXYvb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2022">https://haveibeenpwned.com/Breach/OGUsers2022</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-qEhOad2fRtlJmDfyI51eo6Ge' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/OMGPOP">https://haveibeenpwned.com/Breach/OMGPOP</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-4iOzlcBJSwDAyv+U50H/PTTh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/OnlinerSpambot">https://haveibeenpwned.com/Breach/OnlinerSpambot</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-Ph70OzoQitolkVIG+6BhyjAf cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/OnlineTrade">https://haveibeenpwned.com/Breach/OnlineTrade</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-PLImju8yQXgBWDQd1xo+J2sf cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/OnRPG">https://haveibeenpwned.com/Breach/OnRPG</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-LV84wcLqKDn4bkRr9t7I4zNp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Onverse">https://haveibeenpwned.com/Breach/Onverse</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8ZRcg01g8LNAN2TKc5V49w7W' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/OpenCSGO">https://haveibeenpwned.com/Breach/OpenCSGO</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-8Q6but/YS47D9KOZtQ/MwJqE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/OpenSubtitles">https://haveibeenpwned.com/Breach/OpenSubtitles</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-fxSgCViT9ob8VL7hE6pMEViN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame">https://haveibeenpwned.com/Breach/OperationEndgame</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Eyb0ZeqhOxHP/XhG5LNhZlSL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame2">https://haveibeenpwned.com/Breach/OperationEndgame2</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-fAs9DNeSq35r8WbOdcC/EhK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/OrangeRomania">https://haveibeenpwned.com/Breach/OrangeRomania</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-QajJwnrRjuXT1mbWq00Mlo46Q' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/OrderSnapp">https://haveibeenpwned.com/Breach/OrderSnapp</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-o8kreryQj2bMw4j7rUDp6pok' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma">https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2FVRSAr4KPrmSHXsVKS7rB0pW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Otelier">https://haveibeenpwned.com/Breach/Otelier</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-antvk8+c4rjE3YPDruf89v1p' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/OVH">https://haveibeenpwned.com/Breach/OVH</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-kN4GuQGJ2bpzUs5uuKdMAe9b' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/OwnedCore">https://haveibeenpwned.com/Breach/OwnedCore</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-eySE1samMRAdfzfZ3R8ixOGE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Oxfam">https://haveibeenpwned.com/Breach/Oxfam</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2iWonNS4/OHHoOMSzqNdCxXP' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PaddyPower">https://haveibeenpwned.com/Breach/PaddyPower</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-C0SB8ouMSUCF50KIKURgo8WZ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Pampling">https://haveibeenpwned.com/Breach/Pampling</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-nxGL9rBt0F/oli7NEXbo9VM8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Pandabuy">https://haveibeenpwned.com/Breach/Pandabuy</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-SzZU/J8hwkq44XwL0AigQcsh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ParagonCheats">https://haveibeenpwned.com/Breach/ParagonCheats</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-56g/34Qrou0IkRxo01NEMPV9' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Parapa">https://haveibeenpwned.com/Breach/Parapa</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-eAHQgQK1fsp0PxdA6UILh7a' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ParkMobile">https://haveibeenpwned.com/Breach/ParkMobile</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-VGgSQf0LPRo8QQW8oGCRkvN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Patreon">https://haveibeenpwned.com/Breach/Patreon</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ujneqq/8CS51lZcpF3rFswlz' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PayAsUGym">https://haveibeenpwned.com/Breach/PayAsUGym</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ul3VfnXDF6i0nRK1CE1YzrHY' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PayHere">https://haveibeenpwned.com/Breach/PayHere</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-4QqlRDtoYhuNEIOQO6aAWAhE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PaySystemTech">https://haveibeenpwned.com/Breach/PaySystemTech</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-u3BOt1BHAmg0JClJ9i068oX cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Paytm">https://haveibeenpwned.com/Breach/Paytm</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-qEQkeHEoXR5jJ449fP6gu8Vi' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/pcTattletale">https://haveibeenpwned.com/Breach/pcTattletale</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-yjuspGfnGmwEOCZf/AexGsE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PDL">https://haveibeenpwned.com/Breach/PDL</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-0XqnFX8DA1iajXL1BEMj9Bcc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Peatix">https://haveibeenpwned.com/Breach/Peatix</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-Ww8+0R4DahXmTsv03sa4X4Q' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Pemblanc">https://haveibeenpwned.com/Breach/Pemblanc</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KTzmJnTr3GTFLKqLgdAU5KhL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PeoplesEnergy">https://haveibeenpwned.com/Breach/PeoplesEnergy</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KZwTTdWy+NAht6Rs5V7NhJKi' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PetFlow">https://haveibeenpwned.com/Breach/PetFlow</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8XqvapEYV41Xa9XFtP11BjLw' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Phoenix">https://haveibeenpwned.com/Breach/Phoenix</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-Ge6difzIBEXPhlFP8KRQVpfE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PhoneHouse">https://haveibeenpwned.com/Breach/PhoneHouse</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-APt79Xz5UGgnOEJCNSTAPVVB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PHPFreaks">https://haveibeenpwned.com/Breach/PHPFreaks</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-TSD7ZjbiNhw8UVj5lOyVteMs' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PipingRock">https://haveibeenpwned.com/Breach/PipingRock</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ADuiFOLJxdPmh+JfGSgC0omE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PixelFederation">https://haveibeenpwned.com/Breach/PixelFederation</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-A92kFfNs0v5FZ\LeumfxQf9q' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Pixlr">https://haveibeenpwned.com/Breach/Pixlr</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nV1mRmp4rEWoTEPstH5qb7hi' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/piZap">https://haveibeenpwned.com/Breach/piZap</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-oTKZ8kHobdcqlkizNJ1IHYSV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PlanetCalypso">https://haveibeenpwned.com/Breach/PlanetCalypso</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-0GD/9oZwhvFbzJl7132f9d+' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PlanetIce">https://haveibeenpwned.com/Breach/PlanetIce</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-BEbiNUq5l9ff97J8aQELN4Hi' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Playbook">https://haveibeenpwned.com/Breach/Playbook</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-CVWMx3ouFoL3yHefjJBfJ7px' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PlayCyberGames">https://haveibeenpwned.com/Breach/PlayCyberGames</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8gLwluYIO7TUzljbUbT0n+3Y' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Playgar">https://haveibeenpwned.com/Breach/Playgar</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-sZ7qZ6AQ2wi/794WMooRYIAK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Plex">https://haveibeenpwned.com/Breach/Plex</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-zpuH8NbRLfhQsbaCmt9Ugi7D' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PlutoTV">https://haveibeenpwned.com/Breach/PlutoTV</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-4lUtfRVe5fuK1eXncWkle2Dc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PoinCampus">https://haveibeenpwned.com/Breach/PoinCampus</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8UO5jkhSJMG8woMHN5mlGNOJ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Pokecip">https://haveibeenpwned.com/Breach/Pokecip</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Uofwpzfn/mlrXI+JmBV/6wCu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PokemonCreed">https://haveibeenpwned.com/Breach/PokemonCreed</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-dgUbmtn2VxzAMr+4zoYGja' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PokemonNegro">https://haveibeenpwned.com/Breach/PokemonNegro</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Xp26YRqUlxbsIWggnV4hRcz' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PoliceOne">https://haveibeenpwned.com/Breach/PoliceOne</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-qVP8WiXGErDRtOEo1qKP0rQQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PolishCredentials">https://haveibeenpwned.com/Breach/PolishCredentials</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-AvdurzgJdgspkuJisdgRTSYP' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Poshmark">https://haveibeenpwned.com/Breach/Poshmark</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-G/qxODD4YINSep93LQytYUUS' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Powerbot">https://haveibeenpwned.com/Breach/Powerbot</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QC4D2rHqNzM2eJhO1geH5Dx9' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PPCGeeks">https://haveibeenpwned.com/Breach/PPCGeeks</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-zdgADA3UhU0PmiVIYrKUW4Ur' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PreenMe">https://haveibeenpwned.com/Breach/PreenMe</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-HFpBDhXSD/ZDsiye4MQfyBz' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ProctorU">https://haveibeenpwned.com/Breach/ProctorU</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-HxRBvkBqlqlRCipxEVYq1a' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ProgrammingForums">https://haveibeenpwned.com/Breach/ProgrammingForums</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8kmvm+sQZ6blS1ikLU6zPfOF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Promo">https://haveibeenpwned.com/Breach/Promo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Yaok7M/t1DJJuDqVlgrsVOD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Promofarma">https://haveibeenpwned.com/Breach/Promofarma</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-UvXbE2hHmX6AK9qLqNRi0fxl' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PropTiger">https://haveibeenpwned.com/Breach/PropTiger</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-Nc3HuNOZ+sqXKsPxGAX/yuP/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Protemp">https://haveibeenpwned.com/Breach/Protemp</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-XsdGYzvpwKwQnQqEDuR5e5TX cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PS3Hax">https://haveibeenpwned.com/Breach/PS3Hax</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-s9O21jcj6uV9ir9WL5wCJBxb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PSPISO">https://haveibeenpwned.com/Breach/PSPISO</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-dFRFT/FRWclyUgb4Q7AzVEdrg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/PSXScene">https://haveibeenpwned.com/Breach/PSXScene</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-uPS/r/6kWmwxFwdanOxsE1uq' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Qakbot">https://haveibeenpwned.com/Breach/Qakbot</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KZ0ov2o082Tm1XLRYP2XqD9V cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/QatarNationalBank">https://haveibeenpwned.com/Breach/QatarNationalBank</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-C+QjskGlJa3+0xKZOnPHjcrN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/QIP">https://haveibeenpwned.com/Breach/QIP</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-EBCaJmBkJGAjUXUYUEu0nYpK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Qraved">https://haveibeenpwned.com/Breach/Qraved</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-Q7P66gAeQhDCW/88PICZk9Cm' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/QuantumBooter">https://haveibeenpwned.com/Breach/QuantumBooter</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Wj4UtTGwCkIE95kn4cA5xLCL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/QuestionPro">https://haveibeenpwned.com/Breach/QuestionPro</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-c+Qy9K73rvcw/NEAAxiOMT5q' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Quidd">https://haveibeenpwned.com/Breach/Quidd</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-R1JbYmGDawdlix/nnr+xaFn' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/QuinStreet">https://haveibeenpwned.com/Breach/QuinStreet</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-kukwPToNELa5/LYyqDMTM8h' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/R2-2017">https://haveibeenpwned.com/Breach/R2-2017</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2CYnZUzfbPnPnGFKgSGKv2jVN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/R2Games">https://haveibeenpwned.com/Breach/R2Games</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-63BRUTDPEB1+tY+jbFxQoFp3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/RaidForums">https://haveibeenpwned.com/Breach/RaidForums</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-eqRPLjcCjBCVLCOCpsnGRQLI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/RailYatri">https://haveibeenpwned.com/Breach/RailYatri</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-nJfwKKVkJ3jhCZdbRb/+Ni+YB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Rambler">https://haveibeenpwned.com/Breach/Rambler</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-DUe1gsLANh0OD9QLcg8utqt' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Rankwatch">https://haveibeenpwned.com/Breach/Rankwatch</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-YrZebxUJbcRyV7J2frWHGOH' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Raychat">https://haveibeenpwned.com/Breach/Raychat</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ySyAd4Lvh8Uf00fsZCJG536W' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/RbxRocks">https://haveibeenpwned.com/Breach/RbxRocks</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-JwRIHXAfIeY6TqfMaCSiTJ18' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ReadNovel">https://haveibeenpwned.com/Breach/ReadNovel</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WXS2zHRljVNT71xov0zeXV7U' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/RealDudesInc">https://haveibeenpwned.com/Breach/RealDudesInc</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-JRySPiNswUztJMgyZ02JUyc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/RealEstateMogul">https://haveibeenpwned.com/Breach/RealEstateMogul</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-F+y2epaVt/BOL4cN6ozHS/KT' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/RedDoorz">https://haveibeenpwned.com/Breach/RedDoorz</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-P6rjAo2jToNf0Lt0YnJ4uwoz' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/RedLineStealer">https://haveibeenpwned.com/Breach/RedLineStealer</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-DY2Drjf4YpOAlId5E5r9quAUT' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Reincubate">https://haveibeenpwned.com/Breach/Reincubate</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-f9dSlb5jq4S9zCAmfCPMKOA4' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/RentoMojo">https://haveibeenpwned.com/Breach/RentoMojo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-kHuU3haBHDYx5VsRQbHYloPg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas">https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-+Me+jvZteH3Css/vF49DCzCH' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/RetinaX">https://haveibeenpwned.com/Breach/RetinaX</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-aci0P9Wx9ps+kBVI8Dby56nk' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Reverb-Nation">https://haveibeenpwned.com/Breach/Reverb-Nation</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-0MtXkRfFxjVP0XYfxBA8ggfV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Rightbiz">https://haveibeenpwned.com/Breach/Rightbiz</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-gk/pxdML1sMQmRhLrvbdwrst' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/RiverCityMedia">https://haveibeenpwned.com/Breach/RiverCityMedia</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-cQD8T41mMo9DAPgg2abtJgwR' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Robinhood">https://haveibeenpwned.com/Breach/Robinhood</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-kwlH5bhSJBf1lmH3jUma3Qzz' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Roblox">https://haveibeenpwned.com/Breach/Roblox</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-b1fv5ZSarSyW81cVbPSidUV/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference">https://haveibeenpwned.com/Breach/RobloxDeveloperConference</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mbzKCbVhWZ/BTJD01dYStXH0' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024">https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-8PooxEn8qAaTIMmOsLfp0zw' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Roll20">https://haveibeenpwned.com/Breach/Roll20</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-dZuj8LUi0h9J2YxaSbDv5g18' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Romwe">https://haveibeenpwned.com/Breach/Romwe</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-sJMX6QO70aH0LDrmvpma+uE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/RosebutBoard">https://haveibeenpwned.com/Breach/RosebutBoard</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-NC4WjXryQC/gge/Y9a9FJbx6' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/RoyalEnfield">https://haveibeenpwned.com/Breach/RoyalEnfield</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-Fex66F2ygBRyiqmAlbtM3p2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/RussianAmerica">https://haveibeenpwned.com/Breach/RussianAmerica</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2wQPCEcXYLHog86mEW9Ffrhp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SalvadoranCitizens">https://haveibeenpwned.com/Breach/SalvadoranCitizens</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-3M0s76PAtAS1OW7/0HYTzNet' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SamsungGermany">https://haveibeenpwned.com/Breach/SamsungGermany</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-R+NmxUygEhFkgDqjViq8DRp8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SaverSpy">https://haveibeenpwned.com/Breach/SaverSpy</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-HNLIUkLjN85jekoJhaszwVs' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList">https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-iuX4hcXgB5K1E7Awc4nRCMX6' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Scentbird">https://haveibeenpwned.com/Breach/Scentbird</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-FcFiRzKnqkii58Ms4XDr/G8G' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/schenkYOU">https://haveibeenpwned.com/Breach/schenkYOU</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-3ecv1qPf0osGVLdZCZ+aK5A7' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Scholastic">https://haveibeenpwned.com/Breach/Scholastic</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-2pQrCYiEyEF3sXwt5EOgagtX cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SchoolDistrict42">https://haveibeenpwned.com/Breach/SchoolDistrict42</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-LQVWuKonrUgcCA2R9pl3ta+8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Seedpeer">https://haveibeenpwned.com/Breach/Seedpeer</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ROtSzbyfKYjpLB6JFPBzGKzu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SeniorDating">https://haveibeenpwned.com/Breach/SeniorDating</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-YRXJMxGKqROjMfdcloeGMchg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Sephora">https://haveibeenpwned.com/Breach/Sephora</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-1r97Jlf1KVz1125Guk05it8D' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ServerPact">https://haveibeenpwned.com/Breach/ServerPact</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-XoHXRYjAn4/ucn2Mib9IPDxW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SevenRooms">https://haveibeenpwned.com/Breach/SevenRooms</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-VyQFbf32IkPeX53LEZTtqkN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Shadi">https://haveibeenpwned.com/Breach/Shadi</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-RaOD8wbV78ko4y2rNNallfb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Shadow">https://haveibeenpwned.com/Breach/Shadow</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-i1X6K3azmXAQLcsEVCb3r+SD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ShareThis">https://haveibeenpwned.com/Breach/ShareThis</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-/s4KX5MOieG6Da9R0/n9qjyV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SHEIN">https://haveibeenpwned.com/Breach/SHEIN</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ZFvnIWTFWKOducfVNQjh1Ef' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Shitexpress">https://haveibeenpwned.com/Breach/Shitexpress</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QRbQM65frqQ59plYY10efsK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ShockGore">https://haveibeenpwned.com/Breach/ShockGore</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-G/ddXLeoT5Qi77pfpkmaVM7D' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ShoeZone">https://haveibeenpwned.com/Breach/ShoeZone</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-R3k+yhGtG3XFxB7n8Zfp3O8r' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ShopBack">https://haveibeenpwned.com/Breach/ShopBack</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QMb6pNasawQy1zxzezprlRN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ShopperPlus">https://haveibeenpwned.com/Breach/ShopperPlus</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-yP3HPUwzfXgfJeoFS+DdQKan' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ShortEdition">https://haveibeenpwned.com/Breach/ShortEdition</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-rzmFyMMjVar+sHZmzoQsuGgL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Shotbow">https://haveibeenpwned.com/Breach/Shotbow</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-wGwKk3A+qVwbZCo0h0QzhCA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SIAE">https://haveibeenpwned.com/Breach/SIAE</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2QQEKmfOqk1MpUwACRcE71RZ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SirHurt">https://haveibeenpwned.com/Breach/SirHurt</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WmzWAoldZmgEuwS/SF/lbq21' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SitePoint">https://haveibeenpwned.com/Breach/SitePoint</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-FM7RmXtzi+vCLYV0DsMTDnM2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SkTorrent">https://haveibeenpwned.com/Breach/SkTorrent</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ndKJ2FoB6vp5T56Vs99DLirK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Slickwraps">https://haveibeenpwned.com/Breach/Slickwraps</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8lhPJ0Z4BV0StSro1P7lZrn' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SlideTeam">https://haveibeenpwned.com/Breach/SlideTeam</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-InhmfzNgUEmi+N3TIQmaX90a' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Smogon">https://haveibeenpwned.com/Breach/Smogon</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-33y8D3Zpo3Y2Wb2BH1oiMtIO' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Snail">https://haveibeenpwned.com/Breach/Snail</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-pIGy4s0KI/sjCrmH9qVG9WOW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Snapchat">https://haveibeenpwned.com/Breach/Snapchat</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ScBjD4zJtT4wb9UjGhYUL6YE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SoarGames">https://haveibeenpwned.com/Breach/SoarGames</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-avEpz99/LcLckyyec0u/d45F' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SocialEngineered">https://haveibeenpwned.com/Breach/SocialEngineered</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-9sKj4VTUWpkZ/rBBja7hnyj7' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenowned.com/Breach/Solomid">https://haveibeenowned.com/Breach/Solomid</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-84TDEHLC9l2AHNy7rGV3igTj' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenowned.com/Breach/Sonicbids">https://haveibeenowned.com/Breach/Sonicbids</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-M2ze4E5NOxPH9stzyRisMXff' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenowned.com/Breach/Sony">https://haveibeenowned.com/Breach/Sony</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-x8toLfBivARMi6fFm5Ojuy7U' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenowned.com haveibeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenowned.com api.pwnedpasswords.com stage-api.haveibeenowned.com api.haveibeenowned.com haveibeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenowned.com/Breach/Soundwave">https://haveibeenowned.com/Breach/Soundwave</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-REgSRc2wd1i58tqubHjTGFxF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SpecialKSpamList">https://haveibeenpwned.com/Breach/SpecialKSpamList</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-XzP6JvA7eO4t0/+fdrcW7DUM' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Speedio">https://haveibeenpwned.com/Breach/Speedio</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ubeHT8OTxCrpFq8UzykckaVf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Sphero">https://haveibeenpwned.com/Breach/Sphero</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-B76Alblt4fe/7kx+82yufzs' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Spirol">https://haveibeenpwned.com/Breach/Spirol</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-xBUTXbX4cIUIBp8NSb54y9ON' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Sport2000">https://haveibeenpwned.com/Breach/Sport2000</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2Hfsok4kCHMKvlvNv/dbj6E' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Spoutible">https://haveibeenpwned.com/Breach/Spoutible</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mfVbW2uQdb5cy+0GAU2/8EgO' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SprashivaiRu">https://haveibeenpwned.com/Breach/SprashivaiRu</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-t1CRsLTwJz7qMdN1dFskjt' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SpyFone">https://haveibeenpwned.com/Breach/SpyFone</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-pFdUK2IX3jtYG2XUwb+bjSri' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Spyic">https://haveibeenpwned.com/Breach/Spyic</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nlkDbbANBhN69JakWxcd/hUD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Spytech">https://haveibeenpwned.com/Breach/Spytech</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-CozdUZ4IfcMvqq95DLbP+8Ni' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SpyX">https://haveibeenpwned.com/Breach/SpyX</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-cuYB61w+q5TYQ34tC0l4pfvA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Spyzie">https://haveibeenpwned.com/Breach/Spyzie</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-+C8JVnjmY9Lfsgz3N02iLBV cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/StalkerOnline">https://haveibeenpwned.com/Breach/StalkerOnline</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Aw4oz6Uh5Y2AWCEHzaFuaA6!' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Staminus">https://haveibeenpwned.com/Breach/Staminus</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WFrNWFcnn5eNMQKZFxZFDCpm' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/StarNet">https://haveibeenpwned.com/Breach/StarNet</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Aurl/83rrzs6e1lajAXnbJd' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Start">https://haveibeenpwned.com/Breach/Start</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-imlFKZccAg7J2TqsfAT4L87V cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/StarTribune">https://haveibeenpwned.com/Breach/StarTribune</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Wp4ualDPLyP+f5TsLzGf3jMR' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/StealerLogsJan2025">https://haveibeenpwned.com/Breach/StealerLogsJan2025</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-n536lCxPBJVAkK8aR2S2zcST cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SterKinekor">https://haveibeenpwned.com/Breach/SterKinekor</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-T1MzMD7/6jH2wYL9bElp0f8J' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/StockX">https://haveibeenpwned.com/Breach/StockX</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-HJHB86sickoyu+t15eOgebtb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Storeny">https://haveibeenpwned.com/Breach/Storeny</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ki734mGtKlmEmHLzZmK+sf2N' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/StoryBird">https://haveibeenpwned.com/Breach/StoryBird</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-tV83DeqQJWAIBZQsYA9Y5Ne/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Traffic">https://haveibeenpwned.com/Breach/Traffic</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-CrjP9cHi+r6MbZNYOVPhJeAv' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Stratfor">https://haveibeenpwned.com/Breach/Stratfor</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-TSdJhxOKceSmTzaErHWoQjui' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/StreamCraft">https://haveibeenpwned.com/Breach/StreamCraft</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-zVctDCIZla6WRoaLXIOfRkd' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/StreetEasy">https://haveibeenpwned.com/Breach/StreetEasy</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KZ4aCNw6eVmoWUfbobh3+q8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Stripchat">https://haveibeenpwned.com/Breach/Stripchat</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-68h+9XJvxauDfJCzrZtXZ5f' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/StrongholdKingdoms">https://haveibeenpwned.com/Breach/StrongholdKingdoms</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-0D0lbea96k4LZMgRMqlK6p+1' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SubaGames">https://haveibeenpwned.com/Breach/SubaGames</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-eE2JDMF5jhZh6ZPlpFuNLxU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SumoTorrent">https://haveibeenpwned.com/Breach/SumoTorrent</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QfhWmUrZeYcntpKygqTR3z7f' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SundryFiles">https://haveibeenpwned.com/Breach/SundryFiles</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-x/JuUZHIM6p/JoWwfP82Hf7O' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SuperDraft">https://haveibeenpwned.com/Breach/SuperDraft</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-ZLAxRWstnHfKkILOZ7VUDpDH' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SuperVPN GeckoVPN">https://haveibeenpwned.com/Breach/SuperVPN GeckoVPN</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-/cpyq/NtOSY+QTHa2wRcLEfC' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SurveyLama">https://haveibeenpwned.com/Breach/SurveyLama</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-4P5QiYCUP2ujWtFUh8aUsgpS' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SvenskaMagic">https://haveibeenpwned.com/Breach/SvenskaMagic</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-uNqemRCdbCVgKwabEOnirTye' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/SweClockers">https://haveibeenpwned.com/Breach/SweClockers</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-w0EbY946UX4ZrVDJ/HKn5ltN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIdeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenowned.com havebeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenowned.com api.pwnedpasswords.com stage-api.havebeenowned.com api.havebeenowned.com havebeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenowned.com/Breach/Switch">https://haveibeenowned.com/Breach/Switch</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-wz+vxbhLe9ZFVdL+967S8NN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIdeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenowned.com havebeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenowned.com api.pwnedpasswords.com stage-api.havebeenowned.com api.havebeenowned.com havebeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenowned.com/Breach/SwordFantasy">https://haveibeenowned.com/Breach/SwordFantasy</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QVdfQj6UjkQFR9oxwmXQFKdT' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIdeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenowned.com havebeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenowned.com api.pwnedpasswords.com stage-api.havebeenowned.com api.havebeenowned.com havebeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenowned.com/Breach/Swl">https://haveibeenowned.com/Breach/Swl</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-sRiwB1l5fk+xy+5Ld3Q1biK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIdeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenowned.com havebeenowned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenowned.com api.pwnedpasswords.com stage-api.havebeenowned.com api.havebeenowned.com havebeenowned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenowned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenowned.com/Breach/T2">https://haveibeenowned.com/Breach/T2</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-x1KtMg4APf9qmiSXdW7SQuTJ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TaiLieu">https://haveibeenpwned.com/Breach/TaiLieu</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-DeKoChNKYqooIn2Gs9hJVNxhn' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Tamodo">https://haveibeenpwned.com/Breach/Tamodo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mcrqad5UVNo73y2sTof5APAP' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Tangerine">https://haveibeenpwned.com/Breach/Tangerine</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-XV9jTEgePQpuyk38Zm6NIWsd' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Taobao">https://haveibeenpwned.com/Breach/Taobao</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-H+r58Q3DI5iy2UJ02TyFEs5BK' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TAPAirPortugal">https://haveibeenpwned.com/Breach/TAPAirPortugal</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-vjzmx0RbECPlU1j+PwG8eXSU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Tappware">https://haveibeenpwned.com/Breach/Tappware</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-7rRqrMmr1KnpQZG5bXNgPn/k' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Taringa">https://haveibeenpwned.com/Breach/Taringa</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-242fm5yis7OCwdPXnhVHpWbc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Technic">https://haveibeenpwned.com/Breach/Technic</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-1WwTH5CJ+HX8HxKdn93bba' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Teespring">https://haveibeenpwned.com/Breach/Teespring</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Ha/LqDf3JhsCtvk/8g1IBxRl' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TehetsegKapu">https://haveibeenpwned.com/Breach/TehetsegKapu</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-109A49SmWjyyU8E/UBgV/ViA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TelegramCombolists">https://haveibeenpwned.com/Breach/TelegramCombolists</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-d1ePFjjr0H+XUEmFgL/tn4pT' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TelegramStealerLogs">https://haveibeenpwned.com/Breach/TelegramStealerLogs</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-ILTy5eJC5pos8kSwwQ8k3l8s' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Teracod">https://haveibeenpwned.com/Breach/Teracod</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2kiTsKBglf+qS3yl/Xe1oK0X' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Terravision">https://haveibeenpwned.com/Breach/Terravision</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-myyyT1NIRU9KF8gG5hcYYtpU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Tesco">https://haveibeenpwned.com/Breach/Tesco</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-RINBsYbhh2DqjZS3DdoC9LRo' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TGBUS">https://haveibeenpwned.com/Breach/TGBUS</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-KxqprQiYYphaMFqCj0o5k9ZR' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TheCandidBoard">https://haveibeenpwned.com/Breach/TheCandidBoard</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Gw5OK8RQ+mME17OgSDVm2O4Q' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TheClubPenguinExperience">https://haveibeenpwned.com/Breach/TheClubPenguinExperience</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-m7n7YM6TaiiNqA/NxvP1jewh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TheFappening">https://haveibeenpwned.com/Breach/TheFappening</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-JUhnf7EZoxLAH5mzduVLNhAN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TheFlyOnTheWall">https://haveibeenpwned.com/Breach/TheFlyOnTheWall</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-+FjHvJg3b5bHBACkPmLRokfh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TheGradCafe">https://haveibeenpwned.com/Breach/TheGradCafe</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-n8KE3no6qs5GPu/7uue7ull8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TheHeritageFoundation">https://haveibeenpwned.com/Breach/TheHeritageFoundation</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-hpR18SW5ldPeo1yQ7fge+lzi' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ThePostMillennial">https://haveibeenpwned.com/Breach/ThePostMillennial</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-0j5fq/e9EETsTVFBp4UWE/l' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TheRealWorld">https://haveibeenpwned.com/Breach/TheRealWorld</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-xN+l0rXftrF7PmBRz99b4rJ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Thermomix">https://haveibeenpwned.com/Breach/Thermomix</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-R7VzBvHgAtlBMCg7+yGCI/g' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TheTVDB">https://haveibeenpwned.com/Breach/TheTVDB</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-DiNYYH5+dPw6Kifkv4HxXuAm' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Thingiverse">https://haveibeenpwned.com/Breach/Thingiverse</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-bhqzmRVhZlBCRHx1Bb0rh42L' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ThisHabboForum">https://haveibeenpwned.com/Breach/ThisHabboForum</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-WkUguHHOfCIMJ2zp2aEZYYNQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Tianya">https://haveibeenpwned.com/Breach/Tianya</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-K9nQzn9e0l38hV+jxu2TkJgm' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Tibber">https://haveibeenpwned.com/Breach/Tibber</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-COhxiJ4pcLtPiBlafWLWWjmN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Ticketcounter">https://haveibeenpwned.com/Breach/Ticketcounter</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-XF++9dkn5h9JB2M0Rh8yTapc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Ticketek">https://haveibeenpwned.com/Breach/Ticketek</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-sFIEPxRsRtyBsudjqecVd2zu5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Ticketfly">https://haveibeenpwned.com/Breach/Ticketfly</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KskQEYZoyUCsTQk6Fg2Brs3t' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Tigo">https://haveibeenpwned.com/Breach/Tigo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-NuOpU72rMMnmVBoy+XPYnjV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TNAFLix">https://haveibeenpwned.com/Breach/TNAFLix</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2VEAmn8YBY/kY+IrHOjPfCc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Tokopedia">https://haveibeenpwned.com/Breach/Tokopedia</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-QTtcGevcEyc5S9+VbBhIE+Mm' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ToonDoo">https://haveibeenpwned.com/Breach/ToonDoo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mPqwzTgwV6JLVBHcL6hvqxUF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TorrentInvites">https://haveibeenpwned.com/Breach/TorrentInvites</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-lv8g1PxJTwfdHaAlbRCPMlg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Toumei">https://haveibeenpwned.com/Breach/Toumei</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-PNncjPjJNyACdHckf0VKmuOO' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Tout">https://haveibeenpwned.com/Breach/Tout</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-6WolgZm8iT+gv/pNtBpDpTaL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Tracki">https://haveibeenpwned.com/Breach/Tracki</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-atlKpL7nTALculRsYLcrpIG8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Traderie">https://haveibeenpwned.com/Breach/Traderie</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-GcvJwf5XQjNZmGDKaghNVaR' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TRA1">https://haveibeenpwned.com/Breach/TRA1</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-BMjQ5zwf/aGYlfWYUZHlpaf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Travelio">https://haveibeenpwned.com/Breach/Travelio</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-Ltu/RlfmyAie3y8BJDX4MGWM' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TravelOK">https://haveibeenpwned.com/Breach/TravelOK</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ucUcRUwxFj5s4tl0PNwf2NRT' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Trello">https://haveibeenpwned.com/Breach/Trello</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-3dJkey8vgQlB0gMW2SeiyZuZ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TrikSpamBotnet">https://haveibeenpwned.com/Breach/TrikSpamBotnet</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-u3rYpWEFqjZwGacKPbTbL2pF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Trillian">https://haveibeenpwned.com/Breach/Trillian</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-RZPgZ38tn0mioAaTX4zxyQb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TroyHuntMailchimpList">https://haveibeenpwned.com/Breach/TroyHuntMailchimpList</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-IUXFbz8MliuU78Nyiq+L05sJ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TruckersMP">https://haveibeenpwned.com/Breach/TruckersMP</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nt7x81fQnEkh8gtV1O7MAQP' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TrueFire">https://haveibeenpwned.com/Breach/TrueFire</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-xr339QqhEW4pfN0DpiRXygYI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TruthFinder">https://haveibeenpwned.com/Breach/TruthFinder</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-IH6ffZOrN978IAIW4Ofy423q' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Tumblr">https://haveibeenpwned.com/Breach/Tumblr</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-/W9ODj65KK9Fpdi2PAyB8U7Z' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/TunedGlobal">https://haveibeenpwned.com/Breach/TunedGlobal</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-dXK7C39JMJtxGJ+hIQtMeZYB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Tunngle">https://haveibeenpwned.com/Breach/Tunngle</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-vASqaWt+WI5PEJ3nrh1KkRc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Twitter">https://haveibeenpwned.com/Breach/Twitter</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-PcbkcVbjYGemcMFrafEV7obH' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Twitter200M">https://haveibeenpwned.com/Breach/Twitter200M</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-okiKfKGGVmFOCToQeb0kNjeq' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Ualabee">https://haveibeenpwned.com/Breach/Ualabee</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-oBygDxHMr9ArGfdti++f5kcp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Ubook">https://haveibeenpwned.com/Breach/Ubook</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-fZ6Ze5qhZJrc1GbZlchakeW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/UC">https://haveibeenpwned.com/Breach/UC</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-sRLHNRpt6M5ZfyioMnL5ScpJ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Uiggy">https://haveibeenpwned.com/Breach/Uiggy</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-u6eJ66vzQ8c7UAVk/6vTp3xb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Ulmon">https://haveibeenpwned.com/Breach/Ulmon</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-7xfwrNtR0EU0Cyllhg+tVb39' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/UnderworldEmpire">https://haveibeenpwned.com/Breach/UnderworldEmpire</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-lklq3K+kgF12HnQlHf3eDi/E' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/UnicoCampania">https://haveibeenpwned.com/Breach/UnicoCampania</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-6fsUi/SfrLPejnAiQKwfSCSz' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Universarium">https://haveibeenpwned.com/Breach/Universarium</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-+o7P0Z/tOGqqATJWs1txP276' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/UnrealEngine">https://haveibeenpwned.com/Breach/UnrealEngine</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-IJJPukg9F4fU2v0a/oR9snwW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Upstox">https://haveibeenpwned.com/Breach/Upstox</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-nbgNVjSbiKtCxrg9XQBvtYEJ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/UtahGunExchange">https://haveibeenpwned.com/Breach/UtahGunExchange</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-4G2BER+Fe93TgsPZxVI+CUeH' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/uTorrent">https://haveibeenpwned.com/Breach/uTorrent</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WoSlf2innMJu5cfBIhOmMTg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/uuu9">https://haveibeenpwned.com/Breach/uuu9</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-GG8EMqJQeyiTh3clsfxRpC/S' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Vakinha">https://haveibeenpwned.com/Breach/Vakinha</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8EwtZhLJi+pFYu3xY+M51DJn' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Vastaamo">https://haveibeenpwned.com/Breach/Vastaamo</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-bPmNWDSDQqtWLueNJ/VwRT2' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/VBulletin">https://haveibeenpwned.com/Breach/VBulletin</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Jq4IxiR6R2GBV70JQmYXKYaG' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Vedantu">https://haveibeenpwned.com/Breach/Vedantu</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Egpd9+b33UCaLQDI97NGaq83' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/VerificationsIO">https://haveibeenpwned.com/Breach/VerificationsIO</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mPDZmbMj7Bn0SFcj5e70Nq94' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Verified">https://haveibeenpwned.com/Breach/Verified</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-xUoME+DiQlrrCxYbXPZ2Ge2o' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Vermillion">https://haveibeenpwned.com/Breach/Vermillion</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-BJJqS/D3EPa71kSk6d2uwqQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Vianet">https://haveibeenpwned.com/Breach/Vianet</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-PmVUlrxh35E1nXqjuszlwlA' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/VictoryPhones">https://haveibeenpwned.com/Breach/VictoryPhones</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-0JmVTsLWrhbwxQ4s1Vm1VeYp' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ViewFines">https://haveibeenpwned.com/Breach/ViewFines</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-t9kV3y/xd4WheN45arOuv+d' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/VimeWorld">https://haveibeenpwned.com/Breach/VimeWorld</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Vg9iqePUFX5pmjpxgVD/Rwk' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/VINs">https://haveibeenpwned.com/Breach/VINs</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-oWJYqC+yA9WwOe5+4pF4DEW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/VivaAir">https://haveibeenpwned.com/Breach/VivaAir</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-bA2cKDf1GYLc6QFrYZhmD7CV' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/VK">https://haveibeenpwned.com/Breach/VK</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-9ZaFVcWzkVLVsbjO8L89wT' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/VNG">https://haveibeenpwned.com/Breach/VNG</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-N1i1Et8mflf6EysMLcHgf+y' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Vodafone">https://haveibeenpwned.com/Breach/Vodafone</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-HU99egsgG1oMehxD6NtWX7f1' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/VoidTO">https://haveibeenpwned.com/Breach/VoidTO</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ZseCqpK9LmS8WhlcuHF9NbNR' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/VTech">https://haveibeenpwned.com/Breach/VTech</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-3jSjRD5a74bN0XH/viFesegj' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/VTightGel">https://haveibeenpwned.com/Breach/VTightGel</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-RwfEoMt30g3YLnCohVla0oOo' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Wakanim">https://haveibeenpwned.com/Breach/Wakanim</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-OTD8znol4BDRSexsoMV8gPLN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Wanelo">https://haveibeenpwned.com/Breach/Wanelo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ds1tblqUzmxZOncdUbD5mLT' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Warframe">https://haveibeenpwned.com/Breach/Warframe</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-tJZnV3edJU7wdP+TcL07XnOO' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/WarInc">https://haveibeenpwned.com/Breach/WarInc</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-50AJZXClmXJrPVGw1EdlqeZ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Warmane">https://haveibeenpwned.com/Breach/Warmane</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mL3fbP6NL6PFh7ILzdjw7IL1' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard">https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-65+VH/KdTf2u5vSlpf0y44LB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Wattpad">https://haveibeenpwned.com/Breach/Wattpad</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-9lx9rfjDhXp4X2mefJ1RATI7' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/WedMeGood">https://haveibeenpwned.com/Breach/WedMeGood</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-MfuTq+D6WSrwZ2czSv6aY2pq' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Weee">https://haveibeenpwned.com/Breach/Weee</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9U53wWiqZ+qO7IJVgUavEw63' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/WeHeartIt">https://haveibeenpwned.com/Breach/WeHeartIt</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-NX0mkQ7PKTuTUISSsYkG0IX6' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/WeLeakInfo">https://haveibeenpwned.com/Breach/WeLeakInfo</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-j6EiOwqxeBBszn5ky0dpAMlwq' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Welhof">https://haveibeenpwned.com/Breach/Welhof</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-6nzPjGpJiuVqhnahcrkYv6HL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Wendys">https://haveibeenpwned.com/Breach/Wendys</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Jwc/qJ6bvdtWzku5Ah+3yq88' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Whitepages">https://haveibeenpwned.com/Breach/Whitepages</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-NkNetNorYopdU+LgYqKJctqm' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/WhiteRoom">https://haveibeenpwned.com/Breach/WhiteRoom</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-A6ROw2TgCGg3yj2V5xskD6OG' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/WHMCS">https://haveibeenpwned.com/Breach/WHMCS</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WFYQzbZHUEznds8hcRHRFCmW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/WienerBuchereien">https://haveibeenpwned.com/Breach/WienerBuchereien</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Gkc3lr6Ea1LBtBcNzNsug2i' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/WifeLovers">https://haveibeenpwned.com/Breach/WifeLovers</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-pxLL7RtZAnNEuZ4zn/cjTDY3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/WIIUISO">https://haveibeenpwned.com/Breach/WIIUISO</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-ktoINQINj2zpB4J2LFRwxCGG' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/WildStar">https://haveibeenpwned.com/Breach/WildStar</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-br9fe0wOxsuHW3dB2O3TWm8a' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Win7Vista">https://haveibeenpwned.com/Breach/Win7Vista</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KXBibo36V2Jqf1dlHvomAM0N' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/WiredBucks">https://haveibeenpwned.com/Breach/WiredBucks</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ojXQ4ajF+fPDP1syk9A8TtJE' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone">https://haveibeenpwned.com/Breach/Wishbone</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-18ZiyL45ci/XFB1\KPyP+WNP' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com api.haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone2020">https://haveibeenpwned.com/Breach/Wishbone2020</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-W7bgfM05HCVeOmgCwssFOWW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/WiziShop">https://haveibeenpwned.com/Breach/WiziShop</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-HMf02RPrvw+JZ18blOT5Grj' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Wongnai">https://haveibeenpwned.com/Breach/Wongnai</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-G8v2a8fMZNRDPF7GgXS7n6p' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/WoTLabs">https://haveibeenpwned.com/Breach/WoTLabs</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-5owpP96enmvk1D8B+fK&J52+' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/WPSandbox">https://haveibeenpwned.com/Breach/WPSandbox</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-TfpPUZARn8WiaB5+cV0PdbNc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/WPT">https://haveibeenpwned.com/Breach/WPT</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-y7QhGiaq1he+IWPNQ2QET8bN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/xat">https://haveibeenpwned.com/Breach/xat</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-evDndnYZLfaxM1xmLv23Y0QN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Xbox-Scene">https://haveibeenpwned.com/Breach/Xbox-Scene</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-0uUZxjLTlrdmDISSzsviHYIN' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Xbox360ISO">https://haveibeenpwned.com/Breach/Xbox360ISO</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KZn8lVbVsKsjzNObJslZB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/xHamster">https://haveibeenpwned.com/Breach/xHamster</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-rR3ed8vez6UVYFL8D0vmX4bs' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Xiaomi">https://haveibeenpwned.com/Breach/Xiaomi</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-4B7+Col3huWXHW77CeVBCagD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/XKCD">https://haveibeenpwned.com/Breach/XKCD</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-xsuCjEAtLiX4ahuvZWjtPxL8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/XPGameSaves">https://haveibeenpwned.com/Breach/XPGameSaves</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-4WCfmbvUI9s3R5/mK+sZtVbl' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/XSplit">https://haveibeenpwned.com/Breach/XSplit</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2yVhg+rAoFLr6MPHIjhUG4q9' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Yahoo">https://haveibeenpwned.com/Breach/Yahoo</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-AWseu4sUCmpDPu14kfkgZxkb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Yam">https://haveibeenpwned.com/Breach/Yam</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-iXHQepUdidnfOGfKmsLoYOBb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Yandex">https://haveibeenpwned.com/Breach/Yandex</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-q31YMXka5W4j9uZvhQzfGvm' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Yatra">https://haveibeenpwned.com/Breach/Yatra</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-rTBOgHHkm1qw/7uV1Q76ANxy' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Yonema">https://haveibeenpwned.com/Breach/Yonema</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-xAReN1zuE7GRSG3fKO/3qBg3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/YoteprestoCom">https://haveibeenpwned.com/Breach/YoteprestoCom</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-R38eOj0J/GxZBgNmCEw+PJ8' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Youku">https://haveibeenpwned.com/Breach/Youku</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-FvDPNZe3RCdntEdsVqF5mYAB' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/YoungLivingEssentialOils">https://haveibeenpwned.com/Breach/YoungLivingEssentialOils</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-qb3jiQabKBz5C+5uXQH1U1/' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/YouNow">https://haveibeenpwned.com/Breach/YouNow</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-WjzIbuon5ztjopZPxHxbZzI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/YouPom">https://haveibeenpwned.com/Breach/YouPom</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-hUGmvFGPGG3nQajoVILsq3c' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Youthmanual">https://haveibeenpwned.com/Breach/Youthmanual</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-RWBBLB2lnfGYeqfud0bgvDFn' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/YouveBeenScaped">https://haveibeenpwned.com/Breach/YouveBeenScaped</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-XBqO+18Z7pSB1bt8ESBhxoa' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Zacks">https://haveibeenpwned.com/Breach/Zacks</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-U9kJyjmff66hwHMjmkhAj7L' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Zacks2024">https://haveibeenpwned.com/Breach/Zacks2024</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-EYT88T7ij99ddWAeXtjOllaU' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ZadigVoltaire">https://haveibeenpwned.com/Breach/ZadigVoltaire</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-2vyXGdd7I4oP9Hpda3YaplGQ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ZAPHosting">https://haveibeenpwned.com/Breach/ZAPHosting</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-fyuzNxbfZBXZqGy0Zgi9wjSI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Zhenai">https://haveibeenpwned.com/Breach/Zhenai</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-joMUkwKgrPnShJemEkatpU8a' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/ZLib">https://haveibeenpwned.com/Breach/ZLib</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-uesVi9aNzcvLeP5rZQwgVKo' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Zomato">https://haveibeenpwned.com/Breach/Zomato</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-PLRJKKI1uHF7HplE/ceKt6Cj' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Zoomcar">https://haveibeenpwned.com/Breach/Zoomcar</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-9aS2ZaLe//qjHaOoYjVMVjqW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk">https://haveibeenpwned.com/Breach/Zoosk</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Ft7Mcwdaz1LR4IIIB/LwaCpIJ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk2020">https://haveibeenpwned.com/Breach/Zoosk2020</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-JFnS4hODVKpjW+NAdTnWGTYI' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Zooville">https://haveibeenpwned.com/Breach/Zooville</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-iJ5CmyWkBrifXC3q4+fZloL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Zurich">https://haveibeenpwned.com/Breach/Zurich</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KXwEd7nPFTUBnQjqQD9E0IL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Breach/Zynga">https://haveibeenpwned.com/Breach/Zynga</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-BSuSsHYKQ+LvA2LCUiH+bvZ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn">https://haveibeenpwned.com/Dashboard/SignIn</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-TpLPJVg+Mzx4LhvOWtCDjFe1' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QtxVR3JUTaXD6XFWptxUCIAe' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-uECU1Xty+qmckjH1B9vPhR1D' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-g+MnkBf1BuV/v1ApTcv8VMc6' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	content-security-policy

Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Fsv7eLuw4MLTjFWhAAMisqu' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Z5kAoFGDF7afQFkXziXWtqw' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-8G7dA2SyWNNHZJsaAUbMB4p' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-r1GGt7pZzf2IxRwEHdxvPDKf' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce

Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-VhsMf8VoMtQ6hZNUsirOokRy' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfze3ZX</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-rhRDrRj9QLT5wEAGSfxk+6o' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfze3ZX%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfze3ZX%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfze3ZX</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-byNkPQ1hh+Xj4Hjux6rdqYaP' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-gO5zLzN74rVL/1Gwbc0Lp0e' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIdeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-FekGzT38aYIEEQCVkOPPQMju' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIdeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-R2+Xb/KWOCLauzfzP0dNDxGh' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIdeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-6QkWuxALDTP7PjS8pCQ+vC' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIdeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce

Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-r5qv2D4CzQ+OKepeKdTtCP6d' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-hUACN3A8STFAFqMgTH6hFDFx' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-i0HK5VT0L9bq2YK624FbPOy3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvLz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-AKcnea4lp5mq8stXAMUt2NIKJ' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-kl20lCDYreHXMSMfhbGk8D9' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mCTnu3VgcaEKdyGU4DeRsubt' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-5xEpm/w0jt3ROEr8yQx4+zbx' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF</a>

Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-7H3lVDsVL4zqk6MKEGRFwI8+' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws5alvzC">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws5alvzC</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-OGWo47MpObsVx5sBvhxsOk3Y' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlifZe3ZX">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlifZe3ZX</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-cBWBzMSEKdBLuJwIMBQi/zwg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-hltsyffwRpoXngnAIx9N6a5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive

URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-UeRlnjEY/dl7sYtJam2VHF' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-04PHWvDU8fRsw+zKKlhQjy85' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKifEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKifEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ls5exZGPaTWzoAy9C54e6ii' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-KMhX+AWRP9RsxaL9xxVReL1' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce

Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Donate">https://haveibeenpwned.com/Donate</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-mFiCVA1ShhSewmYSoKDFt/3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/DPA">https://haveibeenpwned.com/DPA</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Rsf1Tojy1MiRG4fxUHFi6Mpb' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Dpa">https://haveibeenpwned.com/Dpa</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-zITv8fn3UXxmxQMFcD8tCYuw' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/FAQs">https://haveibeenpwned.com/FAQs</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-fwOgV7Es32Xr/EiZByNxEc1P' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/NotifyMe">https://haveibeenpwned.com/NotifyMe</a>

Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-QzHZwlp1TsdU2ZOFZj6e0D16' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C">https://haveibeenpwned.com/NotifyMe%5C</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-CoO7CPo3Yg1zcvgpGdPnJQJa' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-Z8kNyGe5xQttagz0laXPk6X3' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-DzRiashq4/b/ZtD0wEpHJn0d' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/OptOut">https://haveibeenpwned.com/OptOut</a>
Method	GET

Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-vdQYW6HP9JWsXY/+LoyYwI6K' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-meMtsY0HDV5NMA/msqKsDacg' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Passwords">https://haveibeenpwned.com/Passwords</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-iUmZmOSiex2KIIAY+GOX7MiW' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Passwords%5C">https://haveibeenpwned.com/Passwords%5C</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-3zB9ShYjBNexxCTIDfkCFCC4' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGVkvIz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>
Method	GET

Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ptZ7wF0ZmixGLru0Uj9bCM5' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-R5ZU2qepp8sFzYI9OatTN03L' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/PwnedWebsites">https://haveibeenpwned.com/PwnedWebsites</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-yZeMVj84OrgBbrBODd3ej41D' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Subscriptions">https://haveibeenpwned.com/Subscriptions</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-ZeoNlou74O8ARYY+ia2t/F0s' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.havebeenpwned.com havebeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.havebeenpwned.com api.pwnedpasswords.com stage-api.havebeenpwned.com api.havebeenpwned.com havebeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.havebeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/TermsOfUse">https://haveibeenpwned.com/TermsOfUse</a>
Method	GET
Parameter	content-security-policy

Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-PVxdSBXaR4j1VBVaBrxUW5ea' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/UnifiedSearch/">https://haveibeenpwned.com/UnifiedSearch/</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-M1VnK0eaxBdzPptejXxyUBwY' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Unsubscribe/">https://haveibeenpwned.com/Unsubscribe/</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-588j6W/s08qlUOjQXR+eq4RD' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/unsubscribe/">https://haveibeenpwned.com/unsubscribe/</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-qExN4lsQgEJTi/MRACfy2QL' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/Verify/">https://haveibeenpwned.com/Verify/</a>
Method	GET
Parameter	content-security-policy
Attack	

Evidence	default-src 'none';script-src 'self' 'nonce-/sJQp+AOV7aByARooWWOVlc' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://haveibeenpwned.com/verify/">https://haveibeenpwned.com/verify/</a>
Method	GET
Parameter	content-security-policy
Attack	
Evidence	default-src 'none';script-src 'self' 'nonce-IEAMugPO5g7enVGs+6OBzeOk' cdnjs.cloudflare.com az416426.vo.msecnd.net ajax.cloudflare.com challenges.cloudflare.com static.cloudflareinsights.com *.monitor.azure.com *.applicationinsights.io 'sha256-8FjCYsNIDeaGMMoJ8foeQH/amGvklz6Yh0clxkQpAg=';style-src 'self' 'unsafe-inline' cdnjs.cloudflare.com api.fontshare.com;img-src 'self' translate.google.com logos.haveibeenpwned.com haveibeenpwned.com cdnjs.cloudflare.com data:;frame-src challenges.cloudflare.com;font-src 'self' cdnjs.cloudflare.com cdn.fontshare.com fonts.scalar.com;connect-src 'self' stage.haveibeenpwned.com api.pwnedpasswords.com stage-api.haveibeenpwned.com api.haveibeenpwned.com haveibeenpwned.com dc.services.visualstudio.com *.in.applicationinsights.azure.com *.monitor.azure.com www.google.com translate.googleapis.com;base-uri 'self';child-src challenges.cloudflare.com;form-action 'self' www.paypal.com billing.stripe.com checkout.stripe.com billing.haveibeenpwned.com;frame-ancestors 'none';manifest-src 'self';worker-src 'self';upgrade-insecure-requests;report-uri https://troyhunt.report-uri.com/r/d/csp/enforce
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	require-trusted-types-for 'script';report-uri /cspreport
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
Instances	949
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	<a href="https://www.w3.org/TR/CSP/">https://www.w3.org/TR/CSP/</a> <a href="https://caniuse.com/#search=content+security+policy">https://caniuse.com/#search=content+security+policy</a> <a href="https://content-security-policy.com/">https://content-security-policy.com/</a> <a href="https://github.com/HtmlUnit/htmlunit-csp">https://github.com/HtmlUnit/htmlunit-csp</a> <a href="https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources">https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10055</a>

Low	Cookie with SameSite Attribute None
Description	A cookie has been set with its SameSite attribute set to "none", which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	__cf_bm
Attack	
Evidence	Set-Cookie: __cf_bm
Other Info	
URL	<a href="https://haveibeenpwned.com/Account/">https://haveibeenpwned.com/Account/</a>
Method	GET
Parameter	ARRAffinitySameSite
Attack	
Evidence	Set-Cookie: ARRAffinitySameSite

Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard">https://haveibeenpwned.com/Dashboard</a>
Method	GET
Parameter	ARRAffinitySameSite
Attack	
Evidence	Set-Cookie: ARRAffinitySameSite
Other Info	
URL	<a href="https://haveibeenpwned.com/DPA">https://haveibeenpwned.com/DPA</a>
Method	GET
Parameter	ARRAffinitySameSite
Attack	
Evidence	Set-Cookie: ARRAffinitySameSite
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>
Method	GET
Parameter	ARRAffinitySameSite
Attack	
Evidence	Set-Cookie: ARRAffinitySameSite
Other Info	
URL	<a href="https://haveibeenpwned.com/robots.txt">https://haveibeenpwned.com/robots.txt</a>
Method	GET
Parameter	__cf_bm
Attack	
Evidence	Set-Cookie: __cf_bm
Other Info	
URL	<a href="https://haveibeenpwned.com/sitemap.xml">https://haveibeenpwned.com/sitemap.xml</a>
Method	GET
Parameter	__cf_bm
Attack	
Evidence	Set-Cookie: __cf_bm
Other Info	
URL	<a href="https://haveibeenpwned.com/sitemap.xml">https://haveibeenpwned.com/sitemap.xml</a>
Method	GET
Parameter	ARRAffinitySameSite
Attack	
Evidence	Set-Cookie: ARRAffinitySameSite
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription">https://haveibeenpwned.com/Subscription</a>
Method	GET
Parameter	ARRAffinitySameSite
Attack	
Evidence	Set-Cookie: ARRAffinitySameSite
Other Info	
URL	<a href="https://haveibeenpwned.com/TermsOfUse">https://haveibeenpwned.com/TermsOfUse</a>
Method	GET
Parameter	ARRAffinitySameSite
Attack	
Evidence	Set-Cookie: ARRAffinitySameSite
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch/">https://haveibeenpwned.com/UnifiedSearch/</a>

Method	GET
Parameter	ARRAffinitySameSite
Attack	
Evidence	Set-Cookie: ARRAffinitySameSite
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe/">https://haveibeenpwned.com/Unsubscribe/</a>
Method	GET
Parameter	ARRAffinitySameSite
Attack	
Evidence	Set-Cookie: ARRAffinitySameSite
Other Info	
URL	<a href="https://haveibeenpwned.com/verify/">https://haveibeenpwned.com/verify/</a>
Method	GET
Parameter	ARRAffinitySameSite
Attack	
Evidence	Set-Cookie: ARRAffinitySameSite
Other Info	
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	__Secure-ROLLOUT_TOKEN
Attack	
Evidence	Set-Cookie: __Secure-ROLLOUT_TOKEN
Other Info	
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	VISITOR_INFO1_LIVE
Attack	
Evidence	Set-Cookie: VISITOR_INFO1_LIVE
Other Info	
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	VISITOR_PRIVACY_METADATA
Attack	
Evidence	Set-Cookie: VISITOR_PRIVACY_METADATA
Other Info	
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	YSC
Attack	
Evidence	Set-Cookie: YSC
Other Info	
URL	<a href="https://youtube.com">https://youtube.com</a>
Method	GET
Parameter	YSC
Attack	
Evidence	Set-Cookie: YSC
Other Info	
URL	<a href="https://youtube.com/">https://youtube.com/</a>
Method	GET

Parameter	YSC
Attack	
Evidence	Set-Cookie: YSC
Other Info	
Instances	19
Solution	Ensure that the SameSite attribute is set to either 'lax' or ideally 'strict' for all cookies.
Reference	<a href="https://tools.ietf.org/html/draft-ietf-httpbis-cookie-same-site">https://tools.ietf.org/html/draft-ietf-httpbis-cookie-same-site</a>
CWE Id	<a href="#">1275</a>
WASC Id	13
Plugin Id	<a href="#">10054</a>

Low	Cookie without SameSite Attribute
Description	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
URL	<a href="https://haveibeenpwned.com/Account/">https://haveibeenpwned.com/Account/</a>
Method	GET
Parameter	ARRAffinity
Attack	
Evidence	Set-Cookie: ARRAffinity
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard">https://haveibeenpwned.com/Dashboard</a>
Method	GET
Parameter	ARRAffinity
Attack	
Evidence	Set-Cookie: ARRAffinity
Other Info	
URL	<a href="https://haveibeenpwned.com/DPA">https://haveibeenpwned.com/DPA</a>
Method	GET
Parameter	ARRAffinity
Attack	
Evidence	Set-Cookie: ARRAffinity
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>
Method	GET
Parameter	ARRAffinity
Attack	
Evidence	Set-Cookie: ARRAffinity
Other Info	
URL	<a href="https://haveibeenpwned.com/sitemap.xml">https://haveibeenpwned.com/sitemap.xml</a>
Method	GET
Parameter	ARRAffinity
Attack	
Evidence	Set-Cookie: ARRAffinity
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription">https://haveibeenpwned.com/Subscription</a>
Method	GET
Parameter	ARRAffinity
Attack	
Evidence	Set-Cookie: ARRAffinity
Other Info	

URL	<a href="https://haveibeenpwned.com/TermsOfUse">https://haveibeenpwned.com/TermsOfUse</a>
Method	GET
Parameter	ARRAffinity
Attack	
Evidence	Set-Cookie: ARRAffinity
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch/">https://haveibeenpwned.com/UnifiedSearch/</a>
Method	GET
Parameter	ARRAffinity
Attack	
Evidence	Set-Cookie: ARRAffinity
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe/">https://haveibeenpwned.com/Unsubscribe/</a>
Method	GET
Parameter	ARRAffinity
Attack	
Evidence	Set-Cookie: ARRAffinity
Other Info	
URL	<a href="https://haveibeenpwned.com/verify/">https://haveibeenpwned.com/verify/</a>
Method	GET
Parameter	ARRAffinity
Attack	
Evidence	Set-Cookie: ARRAffinity
Other Info	
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	GPS
Attack	
Evidence	Set-Cookie: GPS
Other Info	
Instances	11
Solution	Ensure that the SameSite attribute is set to either 'lax' or ideally 'strict' for all cookies.
Reference	<a href="https://tools.ietf.org/html/draft-ietf-httpbis-cookie-same-site">https://tools.ietf.org/html/draft-ietf-httpbis-cookie-same-site</a>
CWE Id	<a href="#">1275</a>
WASC Id	13
Plugin Id	<a href="#">10054</a>

Low	Cross-Domain JavaScript Source File Inclusion
Description	The page includes one or more script files from a third-party domain.
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	<a href="https://challenges.cloudflare.com/turnstile/v0/api.js">https://challenges.cloudflare.com/turnstile/v0/api.js</a>
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="lu&#x2B;QB34PY1oqPmllGdYqcPn"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Account/">https://haveibeenpwned.com/Account/</a>
Method	GET
Parameter	<a href="https://challenges.cloudflare.com/turnstile/v0/api.js">https://challenges.cloudflare.com/turnstile/v0/api.js</a>
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="ymlwrN2mN2SNvsP65lx15U5"></script>

Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn">https://haveibeenpwned.com/Dashboard/SignIn</a>
Method	GET
Parameter	https://challenges.cloudflare.com/turnstile/v0/api.js
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="TpLPJVg#x2B;Mzx4LhvOWtCDjFe1"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl</a>
Method	GET
Parameter	https://challenges.cloudflare.com/turnstile/v0/api.js
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="QtxVR3JUTaXD6XFWptxUCIAe"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard</a>
Method	GET
Parameter	https://challenges.cloudflare.com/turnstile/v0/api.js
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="uECU1Xty#x2B;qmckjH1B9vPhR1D"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	https://challenges.cloudflare.com/turnstile/v0/api.js
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="g#x2B;MnkBf1BuV/v1ApTcv8VMc6"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	https://challenges.cloudflare.com/turnstile/v0/api.js
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="Fsv7eLuwr4MLTjFWhAAmisqu"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	https://challenges.cloudflare.com/turnstile/v0/api.js
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="Z5kAoFGDF7afQFkXziXWtqw"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF</a>

Method	GET
Parameter	<a href="https://challenges.cloudflare.com/turnstile/v0/api.js">https://challenges.cloudflare.com/turnstile/v0/api.js</a>
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="8G7dA2SyWNNHIZJsaAUbMB4p"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	<a href="https://challenges.cloudflare.com/turnstile/v0/api.js">https://challenges.cloudflare.com/turnstile/v0/api.js</a>
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="r1GGt7pZzf2lxRwEHdVxPDKP"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	<a href="https://challenges.cloudflare.com/turnstile/v0/api.js">https://challenges.cloudflare.com/turnstile/v0/api.js</a>
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="VhsMf8VoMtQ6hZNUsirOokRy"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	<a href="https://challenges.cloudflare.com/turnstile/v0/api.js">https://challenges.cloudflare.com/turnstile/v0/api.js</a>
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="rhRDdRj9QLT5wEeAGSfxk&#x2B;6o"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	<a href="https://challenges.cloudflare.com/turnstile/v0/api.js">https://challenges.cloudflare.com/turnstile/v0/api.js</a>
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="byNkPQ1hh&#x2B;X4Hjux6rdqYaP"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	<a href="https://challenges.cloudflare.com/turnstile/v0/api.js">https://challenges.cloudflare.com/turnstile/v0/api.js</a>
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="gO5zLzN74rVL/1GWbwc0Lp0e"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>

Method	GET
Parameter	<a href="https://challenges.cloudflare.com/turnstile/v0/api.js">https://challenges.cloudflare.com/turnstile/v0/api.js</a>
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="FekGzT38aYIEEQCVkOPPQMju"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	<a href="https://challenges.cloudflare.com/turnstile/v0/api.js">https://challenges.cloudflare.com/turnstile/v0/api.js</a>
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="R2&#x2B;Xb/KWOCLauzfzP0dNDxGh"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	<a href="https://challenges.cloudflare.com/turnstile/v0/api.js">https://challenges.cloudflare.com/turnstile/v0/api.js</a>
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="6QkWuvxALDTP7PjS8pCQ&#x2B;\u00c7"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	<a href="https://challenges.cloudflare.com/turnstile/v0/api.js">https://challenges.cloudflare.com/turnstile/v0/api.js</a>
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="r5qv2D4CzQ&#x2B;OKepeKdTtCP6d"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	<a href="https://challenges.cloudflare.com/turnstile/v0/api.js">https://challenges.cloudflare.com/turnstile/v0/api.js</a>
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="hUACN3A8STFAFqMgTH6hFDFx"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	<a href="https://challenges.cloudflare.com/turnstile/v0/api.js">https://challenges.cloudflare.com/turnstile/v0/api.js</a>
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="i0HK5VT0L9bq2YK624FbPOy3"></script>
Other Info	

URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	<a href="https://challenges.cloudflare.com/turnstile/v0/api.js">https://challenges.cloudflare.com/turnstile/v0/api.js</a>
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="AKcnea4lp5mq8stXAMUt2NKJ"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	<a href="https://challenges.cloudflare.com/turnstile/v0/api.js">https://challenges.cloudflare.com/turnstile/v0/api.js</a>
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="kl20lcCDYrehXMSMfhbGk8D9"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	<a href="https://challenges.cloudflare.com/turnstile/v0/api.js">https://challenges.cloudflare.com/turnstile/v0/api.js</a>
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="mCTnu3VgcaEKdyGU4DeRsubt"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard</a>
Method	GET
Parameter	<a href="https://challenges.cloudflare.com/turnstile/v0/api.js">https://challenges.cloudflare.com/turnstile/v0/api.js</a>
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="5xEpm/w0jt3ROEr8yQx4&#x2B;zbx"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKqFF">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKqFF</a>
Method	GET
Parameter	<a href="https://challenges.cloudflare.com/turnstile/v0/api.js">https://challenges.cloudflare.com/turnstile/v0/api.js</a>
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="7H3lVDsVL4zqk6MKEGRFwl&#x2B;"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	<a href="https://challenges.cloudflare.com/turnstile/v0/api.js">https://challenges.cloudflare.com/turnstile/v0/api.js</a>
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="OGWo47MpObsVx5sBvhxsOk3Y"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlFze3ZX</a>
Method	GET
Parameter	<a href="https://challenges.cloudflare.com/turnstile/v0/api.js">https://challenges.cloudflare.com/turnstile/v0/api.js</a>

Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="cBWBzMSEKdBLuJwMBQi/zwg"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	https://challenges.cloudflare.com/turnstile/v0/api.js
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="hltsyffwRpoxngnAIxs9N6a5"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	https://challenges.cloudflare.com/turnstile/v0/api.js
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="UeRInjEY/dl7sYtuJam2VHF"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	https://challenges.cloudflare.com/turnstile/v0/api.js
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="04PHWvDU8fRsw&x2B;zKKlhQjy85"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	https://challenges.cloudflare.com/turnstile/v0/api.js
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="ls5exZGPaTWzoAy9C54e6iiA"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	https://challenges.cloudflare.com/turnstile/v0/api.js
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="KMhX&x2B;AWRP9RsxaL9xxVReL1"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe">https://haveibeenpwned.com/NotifyMe</a>
Method	GET
Parameter	https://challenges.cloudflare.com/turnstile/v0/api.js
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="QzHZwp1Tsdu2ZOFZj6e0D16"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C">https://haveibeenpwned.com/NotifyMe%5C</a>
Method	GET
Parameter	https://challenges.cloudflare.com/turnstile/v0/api.js
Attack	

Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="CoO7CPo3Yg1zcvpgGdPnJQJa"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	https://challenges.cloudflare.com/turnstile/v0/api.js
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="Z8kNyGe5xQttazg0laXPk6X3"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	https://challenges.cloudflare.com/turnstile/v0/api.js
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="DzRiaShq4/b/ZtD0wEpHJn0d"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut">https://haveibeenpwned.com/OptOut</a>
Method	GET
Parameter	https://challenges.cloudflare.com/turnstile/v0/api.js
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="vdQYW6HP9JWsXY/%2B;LoyYwl6K"></script>
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	https://challenges.cloudflare.com/turnstile/v0/api.js
Attack	
Evidence	<script src="https://challenges.cloudflare.com/turnstile/v0/api.js" async defer nonce="meMtsY0HDV5NMA/msqKsDacg"></script>
Other Info	
URL	<a href="https://www.bolt.com/">https://www.bolt.com/</a>
Method	GET
Parameter	//fast.wistia.net/assets/external/E-v1.js
Attack	
Evidence	<script src="//fast.wistia.net/assets/external/E-v1.js" async=""></script>
Other Info	
URL	<a href="https://www.bolt.com/">https://www.bolt.com/</a>
Method	GET
Parameter	https://www.googleoptimize.com/optimize.js?id=OPT-PX6QR24
Attack	
Evidence	<script async="" src="https://www.googleoptimize.com/optimize.js?id=OPT-PX6QR24"></script>
Other Info	
Instances	40
Solution	Ensure JavaScript source files are loaded from only trusted sources, and the sources can't be controlled by end users of the application.
Reference	
CWE Id	<a href="#">829</a>
WASC Id	15
Plugin Id	<a href="#">10017</a>
Low	<b>Information Disclosure - Debug Error Messages</b>
Description	The response appeared to contain common error messages returned by platforms such as ASP.NET, and Web-servers such as IIS and Apache. You can configure the list of common debug messages.

URL	<a href="https://haveibeenpwned.com/api/v3/breaches">https://haveibeenpwned.com/api/v3/breaches</a>
Method	GET
Parameter	
Attack	
Evidence	under construction
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RbxRocks">https://haveibeenpwned.com/Breach/RbxRocks</a>
Method	GET
Parameter	
Attack	
Evidence	under construction
Other Info	
Instances	2
Solution	Disable debugging messages before pushing to production.
Reference	
CWE Id	<a href="#">1295</a>
WASC Id	13
Plugin Id	<a href="#">10023</a>

Low	Server Leaks Version Information via "Server" HTTP Response Header Field
Description	The web/application server is leaking version information via the "Server" HTTP response header. Access to such information may facilitate attackers identifying other vulnerabilities your web/application server is subject to.
URL	<a href="https://bolt.com">https://bolt.com</a>
Method	GET
Parameter	
Attack	
Evidence	AmazonS3
Other Info	
URL	<a href="https://bolt.com/">https://bolt.com/</a>
Method	GET
Parameter	
Attack	
Evidence	AmazonS3
Other Info	
URL	<a href="https://bolt.com/robots.txt">https://bolt.com/robots.txt</a>
Method	GET
Parameter	
Attack	
Evidence	AmazonS3
Other Info	
URL	<a href="https://bolt.com/sitemap.xml">https://bolt.com/sitemap.xml</a>
Method	GET
Parameter	
Attack	
Evidence	AmazonS3
Other Info	
Instances	4
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.

Reference	<a href="https://httpd.apache.org/docs/current/mod/core.html#servertokens">https://httpd.apache.org/docs/current/mod/core.html#servertokens</a> <a href="https://learn.microsoft.com/en-us/previous-versions/msp-n-p/ff648552(v=pandp.10)">https://learn.microsoft.com/en-us/previous-versions/msp-n-p/ff648552(v=pandp.10)</a> <a href="https://www.troyhunt.com/shhh-dont-let-your-response-headers/">https://www.troyhunt.com/shhh-dont-let-your-response-headers/</a>
CWE Id	<a href="#">497</a>
WASC Id	13
Plugin Id	<a href="#">10036</a>

<b>Low</b>	<b>Strict-Transport-Security Header Not Set</b>
Description	HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server declares that complying user agents (such as a web browser) are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS/SSL). HSTS is an IETF standards track protocol and is specified in RFC 6797.
URL	<a href="https://youtube.com/robots.txt">https://youtube.com/robots.txt</a>
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
Instances	1
Solution	Ensure that your web server, application server, load balancer, etc. is configured to enforce Strict-Transport-Security.
Reference	<a href="https://cheatsheetseries.owasp.org/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html</a> <a href="https://owasp.org/www-community/Security_Headers">https://owasp.org/www-community/Security_Headers</a> <a href="https://en.wikipedia.org/wiki/HTTP_Strict_Transport_Security">https://en.wikipedia.org/wiki/HTTP_Strict_Transport_Security</a> <a href="https://caniuse.com/stricttransportsecurity">https://caniuse.com/stricttransportsecurity</a> <a href="https://datatracker.ietf.org/doc/html/rfc6797">https://datatracker.ietf.org/doc/html/rfc6797</a>
CWE Id	<a href="#">319</a>
WASC Id	15
Plugin Id	<a href="#">10035</a>

<b>Low</b>	<b>Timestamp Disclosure - Unix</b>
Description	A timestamp was disclosed by the application/web server. - Unix
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	Set-Cookie
Attack	
Evidence	1750059579
Other Info	1750059579, which evaluates to: 2025-06-16 13:09:39.
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	Set-Cookie
Attack	
Evidence	1750059584
Other Info	1750059584, which evaluates to: 2025-06-16 13:09:44.
URL	<a href="https://haveibeenpwned.com/account/">https://haveibeenpwned.com/account/</a>
Method	GET
Parameter	
Attack	
Evidence	1750059584
Other Info	1750059584, which evaluates to: 2025-06-16 13:09:44.
URL	<a href="https://haveibeenpwned.com/api/v3/breaches">https://haveibeenpwned.com/api/v3/breaches</a>
Method	GET
Parameter	
Attack	
Evidence	1846544734

Other Info	1846544734, which evaluates to: 2028-07-07 06:35:34.
URL	<a href="https://haveibeenpwned.com/Breach/GunsDotCom">https://haveibeenpwned.com/Breach/GunsDotCom</a>
Method	GET
Parameter	
Attack	
Evidence	1846544734
Other Info	1846544734, which evaluates to: 2028-07-07 06:35:34.
URL	<a href="https://haveibeenpwned.com/Images/Maps/CloudflareMap.svg?v=24vAsJEadaoQQjiw3HEFs6V4RgEGtJrtf8tOBeetE68">https://haveibeenpwned.com/Images/Maps/CloudflareMap.svg?v=24vAsJEadaoQQjiw3HEFs6V4RgEGtJrtf8tOBeetE68</a>
Method	GET
Parameter	
Attack	
Evidence	1576280301
Other Info	1576280301, which evaluates to: 2019-12-14 05:08:21.
URL	<a href="https://haveibeenpwned.com/Images/Maps/CloudflareMap.svg?v=24vAsJEadaoQQjiw3HEFs6V4RgEGtJrtf8tOBeetE68">https://haveibeenpwned.com/Images/Maps/CloudflareMap.svg?v=24vAsJEadaoQQjiw3HEFs6V4RgEGtJrtf8tOBeetE68</a>
Method	GET
Parameter	
Attack	
Evidence	1837439536
Other Info	1837439536, which evaluates to: 2028-03-23 21:22:16.
URL	<a href="https://haveibeenpwned.com/robots.txt">https://haveibeenpwned.com/robots.txt</a>
Method	GET
Parameter	Set-Cookie
Attack	
Evidence	1750059584
Other Info	1750059584, which evaluates to: 2025-06-16 13:09:44.
URL	<a href="https://haveibeenpwned.com/sitemap.xml">https://haveibeenpwned.com/sitemap.xml</a>
Method	GET
Parameter	Set-Cookie
Attack	
Evidence	1750059584
Other Info	1750059584, which evaluates to: 2025-06-16 13:09:44.
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	
Attack	
Evidence	1750060585
Other Info	1750060585, which evaluates to: 2025-06-16 13:26:25.
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	
Attack	
Evidence	1750061056
Other Info	1750061056, which evaluates to: 2025-06-16 13:34:16.
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	
Attack	
Evidence	1750066597
Other Info	1750066597, which evaluates to: 2025-06-16 15:06:37.
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>

Method	POST
Parameter	
Attack	
Evidence	1750059585
Other Info	1750059585, which evaluates to: 2025-06-16 13:09:45.
Instances	13
Solution	Manually confirm that the timestamp data is not sensitive, and that the data cannot be aggregated to disclose exploitable patterns.
Reference	<a href="https://cwe.mitre.org/data/definitions/200.html">https://cwe.mitre.org/data/definitions/200.html</a>
CWE Id	<a href="#">497</a>
WASC Id	13
Plugin Id	<a href="#">10096</a>

Informational	Charset Mismatch
Description	<p>This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set.</p> <p>An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.</p>
URL	<a href="https://haveibeenpwned.com/feed/breaches/">https://haveibeenpwned.com/feed/breaches/</a>
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [utf-8] and [utf-16] do not match.
Instances	1
Solution	Force UTF-8 for all text content in both the HTTP header and meta tags in HTML or encoding declarations in XML.
Reference	<a href="https://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection">https://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection</a>
CWE Id	<a href="#">436</a>
WASC Id	15
Plugin Id	<a href="#">90011</a>

Informational	Information Disclosure - Sensitive Information in URL
Description	The request appeared to contain sensitive information leaked in the URL. This can violate PCI and most organizational compliance policies. You can configure the list of strings for this check to add or remove values specific to your environment.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl</a>
Method	GET
Parameter	AccountCheck.Account
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard</a>
Method	GET
Parameter	AccountCheck.Account
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard</a>
Method	GET

Parameter	AccountCheck.Account
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	AccountCheck.Account
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	AccountCheck.Account
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	AccountCheck.Account
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	AccountCheck.Account
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	AccountCheck.Account
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlfze3ZX</a>
Method	GET
Parameter	AccountCheck.Account
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).

URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	AccountCheck.Account
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	AccountCheck.Account
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	AccountCheck.Account
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	AccountCheck.Account
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	AccountCheck.Account
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	AccountCheck.Account
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	AccountCheck.Account
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).

Method	GET
Parameter	AccountCheck.Account
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	AccountCheck.Account
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	AccountCheck.Account
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	AccountCheck.Account
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	AccountCheck.Account
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	NotifyEmail
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).
URL	<a href="https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	NotifyEmail
Attack	

Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).
URL	<a href="https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	NotifyEmail
Attack	
Evidence	foo-bar@example.com
Other Info	The URL contains email address(es).
Instances	23
Solution	Do not pass sensitive information in URLs.
Reference	
CWE Id	<a href="#">598</a>
WASC Id	13
Plugin Id	<a href="#">10024</a>

Informational	Information Disclosure - Suspicious Comments
Description	The response appears to contain suspicious comments which may help an attacker.
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/About">https://haveibeenpwned.com/About</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Account/">https://haveibeenpwned.com/Account/</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/API/v3">https://haveibeenpwned.com/API/v3</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/000webhost">https://haveibeenpwned.com/Breach/000webhost</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/123RF">https://haveibeenpwned.com/Breach/123RF</a>

Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/126">https://haveibeenpwned.com/Breach/126</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/17173">https://haveibeenpwned.com/Breach/17173</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/17Media">https://haveibeenpwned.com/Breach/17Media</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/1win">https://haveibeenpwned.com/Breach/1win</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/2844Breaches">https://haveibeenpwned.com/Breach/2844Breaches</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/2fast4u">https://haveibeenpwned.com/Breach/2fast4u</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/500px">https://haveibeenpwned.com/Breach/500px</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/7k7k">https://haveibeenpwned.com/Breach/7k7k</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/8fit">https://haveibeenpwned.com/Breach/8fit</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/8tracks">https://haveibeenpwned.com/Breach/8tracks</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/9lives">https://haveibeenpwned.com/Breach/9lives</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia">https://haveibeenpwned.com/Breach/Abandonia</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia2022">https://haveibeenpwned.com/Breach/Abandonia2022</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ABFRL">https://haveibeenpwned.com/Breach/ABFRL</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AbuseWithUs">https://haveibeenpwned.com/Breach/AbuseWithUs</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AcneOrg">https://haveibeenpwned.com/Breach/AcneOrg</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Activision">https://haveibeenpwned.com/Breach/Activision</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ActMobile">https://haveibeenpwned.com/Breach/ActMobile</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Acuity">https://haveibeenpwned.com/Breach/Acuity</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Adapt">https://haveibeenpwned.com/Breach/Adapt</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Adecco">https://haveibeenpwned.com/Breach/Adecco</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Adobe">https://haveibeenpwned.com/Breach/Adobe</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AdoptMeTradingValues">https://haveibeenpwned.com/Breach/AdoptMeTradingValues</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AdultFanFiction">https://haveibeenpwned.com/Breach/AdultFanFiction</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder">https://haveibeenpwned.com/Breach/AdultFriendFinder</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder2016">https://haveibeenpwned.com/Breach/AdultFriendFinder2016</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AdvanceAutoParts">https://haveibeenpwned.com/Breach/AdvanceAutoParts</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AerServ">https://haveibeenpwned.com/Breach/AerServ</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AgusiQTorrents">https://haveibeenpwned.com/Breach/AgusiQTorrents</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AhaShare">https://haveibeenpwned.com/Breach/AhaShare</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Aimware">https://haveibeenpwned.com/Breach/Aimware</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Aipai">https://haveibeenpwned.com/Breach/Aipai</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AlType">https://haveibeenpwned.com/Breach/AlType</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Ajam">https://haveibeenpwned.com/Breach/Ajam</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AKP">https://haveibeenpwned.com/Breach/AKP</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AlienStealerLogs">https://haveibeenpwned.com/Breach/AlienStealerLogs</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AllegedATT">https://haveibeenpwned.com/Breach/AllegedATT</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AlpineReplay">https://haveibeenpwned.com/Breach/AlpineReplay</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Altenen">https://haveibeenpwned.com/Breach/Altenen</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AmartFurniture">https://haveibeenpwned.com/Breach/AmartFurniture</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Ancestry">https://haveibeenpwned.com/Breach/Ancestry</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AndroidForums">https://haveibeenpwned.com/Breach/AndroidForums</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AndroidLista">https://haveibeenpwned.com/Breach/AndroidLista</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AnimalJam">https://haveibeenpwned.com/Breach/AnimalJam</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AnimeGame">https://haveibeenpwned.com/Breach/AnimeGame</a>
Method	GET
Parameter	

Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AnimeLeague">https://haveibeenpwned.com/Breach/AnimeLeague</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AnimePlanet">https://haveibeenpwned.com/Breach/AnimePlanet</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Animoto">https://haveibeenpwned.com/Breach/Animoto</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AntiPublic">https://haveibeenpwned.com/Breach/AntiPublic</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ApexSMS">https://haveibeenpwned.com/Breach/ApexSMS</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/APKTW">https://haveibeenpwned.com/Breach/APKTW</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Apollo">https://haveibeenpwned.com/Breach/Apollo</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Apptoo">https://haveibeenpwned.com/Breach/Apptoo</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Appen">https://haveibeenpwned.com/Breach/Appen</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Aptoide">https://haveibeenpwned.com/Breach/Aptoide</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ArmorGames">https://haveibeenpwned.com/Breach/ArmorGames</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ArmyForceOnline">https://haveibeenpwned.com/Breach/ArmyForceOnline</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Artsy">https://haveibeenpwned.com/Breach/Artsy</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Artvalue">https://haveibeenpwned.com/Breach/Artvalue</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AshleyMadison">https://haveibeenpwned.com/Breach/AshleyMadison</a>
Method	GET
Parameter	

Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Astoria">https://haveibeenpwned.com/Breach/Astoria</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AstroPID">https://haveibeenpwned.com/Breach/AstroPID</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Atemos">https://haveibeenpwned.com/Breach/Atemos</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AtlasQuantum">https://haveibeenpwned.com/Breach/AtlasQuantum</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Atmeltom0">https://haveibeenpwned.com/Breach/Atmeltom0</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Audi">https://haveibeenpwned.com/Breach/Audi</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Autocentrum">https://haveibeenpwned.com/Breach/Autocentrum</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Autotrader">https://haveibeenpwned.com/Breach/Autotrader</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Avast">https://haveibeenpwned.com/Breach/Avast</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Avito">https://haveibeenpwned.com/Breach/Avito</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Awo">https://haveibeenpwned.com/Breach/Awo</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/B2BUSABusinesses">https://haveibeenpwned.com/Breach/B2BUSABusinesses</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BabyNames">https://haveibeenpwned.com/Breach/BabyNames</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Badoo">https://haveibeenpwned.com/Breach/Badoo</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BannerBit">https://haveibeenpwned.com/Breach/BannerBit</a>
Method	GET
Parameter	

Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Banorte">https://haveibeenpwned.com/Breach/Banorte</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BattlefieldHeroes">https://haveibeenpwned.com/Breach/BattlefieldHeroes</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Battlefy">https://haveibeenpwned.com/Breach/Battlefy</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BeautifulPeople">https://haveibeenpwned.com/Breach/BeautifulPeople</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Bell">https://haveibeenpwned.com/Breach/Bell</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Bell2017">https://haveibeenpwned.com/Breach/Bell2017</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Benchmark">https://haveibeenpwned.com/Breach/Benchmark</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/Bestialitysextaboo">https://haveibeenpwned.com/Breach/Bestialitysextaboo</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Bhinneka">https://haveibeenpwned.com/Breach/Bhinneka</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/bigbasket">https://haveibeenpwned.com/Breach/bigbasket</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BigMoneyJobs">https://haveibeenpwned.com/Breach/BigMoneyJobs</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BinWeevils">https://haveibeenpwned.com/Breach/BinWeevils</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BiohackMe">https://haveibeenpwned.com/Breach/BiohackMe</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BitcoinTalk">https://haveibeenpwned.com/Breach/BitcoinTalk</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Bitly">https://haveibeenpwned.com/Breach/Bitly</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BitTorrent">https://haveibeenpwned.com/Breach/BitTorrent</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BitView">https://haveibeenpwned.com/Breach/BitView</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BlackBerryFans">https://haveibeenpwned.com/Breach/BlackBerryFans</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BlackHatWorld">https://haveibeenpwned.com/Breach/BlackHatWorld</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BlackSpigotMC">https://haveibeenpwned.com/Breach/BlackSpigotMC</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BlankMediaGames">https://haveibeenpwned.com/Breach/BlankMediaGames</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BleachAnime">https://haveibeenpwned.com/Breach/BleachAnime</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BloomsToday">https://haveibeenpwned.com/Breach/BloomsToday</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BlueSnapRegpack">https://haveibeenpwned.com/Breach/BlueSnapRegpack</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/boAt">https://haveibeenpwned.com/Breach/boAt</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Bolt">https://haveibeenpwned.com/Breach/Bolt</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Bombujeu">https://haveibeenpwned.com/Breach/Bombujeu</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Bonobos">https://haveibeenpwned.com/Breach/Bonobos</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Bookchor">https://haveibeenpwned.com/Breach/Bookchor</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BookCrossing">https://haveibeenpwned.com/Breach/BookCrossing</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Bookmate">https://haveibeenpwned.com/Breach/Bookmate</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BotOfLegends">https://haveibeenpwned.com/Breach/BotOfLegends</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Boulanger">https://haveibeenpwned.com/Breach/Boulanger</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BourseDesVols">https://haveibeenpwned.com/Breach/BourseDesVols</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Boxee">https://haveibeenpwned.com/Breach/Boxee</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BrandNewTube">https://haveibeenpwned.com/Breach/BrandNewTube</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Brazzers">https://haveibeenpwned.com/Breach/Brazzers</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BreachForums">https://haveibeenpwned.com/Breach/BreachForums</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BreachForumsClone">https://haveibeenpwned.com/Breach/BreachForumsClone</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BTCAlpha">https://haveibeenpwned.com/Breach/BTCAlpha</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BTCE">https://haveibeenpwned.com/Breach/BTCE</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BtoBet">https://haveibeenpwned.com/Breach/BtoBet</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BTSec">https://haveibeenpwned.com/Breach/BTSec</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BudTrader">https://haveibeenpwned.com/Breach/BudTrader</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Bukalapak">https://haveibeenpwned.com/Breach/Bukalapak</a>
Method	GET
Parameter	

Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency">https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BusinessAcumen">https://haveibeenpwned.com/Breach/BusinessAcumen</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BVD">https://haveibeenpwned.com/Breach/BVD</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CafeMom">https://haveibeenpwned.com/Breach/CafeMom</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CafePress">https://haveibeenpwned.com/Breach/CafePress</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CannabisForum">https://haveibeenpwned.com/Breach/CannabisForum</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Canva">https://haveibeenpwned.com/Breach/Canva</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/CapitalEconomics">https://haveibeenpwned.com/Breach/CapitalEconomics</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafia">https://haveibeenpwned.com/Breach/CardingMafia</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafiaDec2021">https://haveibeenpwned.com/Breach/CardingMafiaDec2021</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CashCrates">https://haveibeenpwned.com/Breach/CashCrates</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Catho">https://haveibeenpwned.com/Breach/Catho</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CDEK">https://haveibeenpwned.com/Breach/CDEK</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CDProjektRed">https://haveibeenpwned.com/Breach/CDProjektRed</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CentralTickets">https://haveibeenpwned.com/Breach/CentralTickets</a>
Method	GET
Parameter	

Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CERTPolandPhish">https://haveibeenpwned.com/Breach/CERTPolandPhish</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Chatbooks">https://haveibeenpwned.com/Breach/Chatbooks</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CheapAssGamer">https://haveibeenpwned.com/Breach/CheapAssGamer</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Chegg">https://haveibeenpwned.com/Breach/Chegg</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Chess">https://haveibeenpwned.com/Breach/Chess</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Chowbus">https://haveibeenpwned.com/Breach/Chowbus</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ChrisLeong">https://haveibeenpwned.com/Breach/ChrisLeong</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Cit0day">https://haveibeenpwned.com/Breach/Cit0day</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CityBee">https://haveibeenpwned.com/Breach/CityBee</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CityJerks">https://haveibeenpwned.com/Breach/CityJerks</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CivilOnline">https://haveibeenpwned.com/Breach/CivilOnline</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ClashOfKings">https://haveibeenpwned.com/Breach/ClashOfKings</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ClearVoiceSurveys">https://haveibeenpwned.com/Breach/ClearVoiceSurveys</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ClickASnap">https://haveibeenpwned.com/Breach/ClickASnap</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ClixSense">https://haveibeenpwned.com/Breach/ClixSense</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CloudPets">https://haveibeenpwned.com/Breach/CloudPets</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewritten">https://haveibeenpwned.com/Breach/ClubPenguinRewritten</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019">https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Coachella">https://haveibeenpwned.com/Breach/Coachella</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Cocospy">https://haveibeenpwned.com/Breach/Cocospy</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Coinmama">https://haveibeenpwned.com/Breach/Coinmama</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CoinMarketCap">https://haveibeenpwned.com/Breach/CoinMarketCap</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CoinTracker">https://haveibeenpwned.com/Breach/CoinTracker</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Collection1">https://haveibeenpwned.com/Breach/Collection1</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ColoCrossing">https://haveibeenpwned.com/Breach/ColoCrossing</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ColorDating">https://haveibeenpwned.com/Breach/ColorDating</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Comcast">https://haveibeenpwned.com/Breach/Comcast</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/COMELEC">https://haveibeenpwned.com/Breach/COMELEC</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CondoCom">https://haveibeenpwned.com/Breach/CondoCom</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Convex">https://haveibeenpwned.com/Breach/Convex</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CouponMomAndArmorGames">https://haveibeenpwned.com/Breach/CouponMomAndArmorGames</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CrackCommunity">https://haveibeenpwned.com/Breach/CrackCommunity</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CrackedTO">https://haveibeenpwned.com/Breach/CrackedTO</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CrackingForum">https://haveibeenpwned.com/Breach/CrackingForum</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CraftRise">https://haveibeenpwned.com/Breach/CraftRise</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Creative">https://haveibeenpwned.com/Breach/Creative</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin">https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CrossFire">https://haveibeenpwned.com/Breach/CrossFire</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CTARS">https://haveibeenpwned.com/Breach/CTARS</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CutoutPro">https://haveibeenpwned.com/Breach/CutoutPro</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CyberServe">https://haveibeenpwned.com/Breach/CyberServe</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/D3scene">https://haveibeenpwned.com/Breach/D3scene</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DaFont">https://haveibeenpwned.com/Breach/DaFont</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Dailymotion">https://haveibeenpwned.com/Breach/Dailymotion</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DailyObjects">https://haveibeenpwned.com/Breach/DailyObjects</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DailyQuiz">https://haveibeenpwned.com/Breach/DailyQuiz</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Dangdang">https://haveibeenpwned.com/Breach/Dangdang</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DaniWeb">https://haveibeenpwned.com/Breach/DaniWeb</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DataAndLeads">https://haveibeenpwned.com/Breach/DataAndLeads</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DataCamp">https://haveibeenpwned.com/Breach/DataCamp</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DataEnrichment">https://haveibeenpwned.com/Breach/DataEnrichment</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DateHotBrunettes">https://haveibeenpwned.com/Breach/DateHotBrunettes</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/DatPiff">https://haveibeenpwned.com/Breach/DatPiff</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Dave">https://haveibeenpwned.com/Breach/Dave</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/db8151dd">https://haveibeenpwned.com/Breach/db8151dd</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/dBforums">https://haveibeenpwned.com/Breach/dBforums</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DCHealth">https://haveibeenpwned.com/Breach/DCHealth</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DDO">https://haveibeenpwned.com/Breach/DDO</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DecoratingTheHouse">https://haveibeenpwned.com/Breach/DecoratingTheHouse</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Deezer">https://haveibeenpwned.com/Breach/Deezer</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DemandScience">https://haveibeenpwned.com/Breach/DemandScience</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DemonForums">https://haveibeenpwned.com/Breach/DemonForums</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DennisKirk">https://haveibeenpwned.com/Breach/DennisKirk</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Descomplica">https://haveibeenpwned.com/Breach/Descomplica</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DevilTorrents">https://haveibeenpwned.com/Breach/DevilTorrents</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/devkitPro">https://haveibeenpwned.com/Breach/devkitPro</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DietCom">https://haveibeenpwned.com/Breach/DietCom</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/digiDirect">https://haveibeenpwned.com/Breach/digiDirect</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Digimon">https://haveibeenpwned.com/Breach/Digimon</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DiskUnion">https://haveibeenpwned.com/Breach/DiskUnion</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Disqus">https://haveibeenpwned.com/Breach/Disqus</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DivXSubTitles">https://haveibeenpwned.com/Breach/DivXSubTitles</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DLH">https://haveibeenpwned.com/Breach/DLH</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Dodonew">https://haveibeenpwned.com/Breach/Dodonew</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Dominoes">https://haveibeenpwned.com/Breach/Dominoes</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DominosIndia">https://haveibeenpwned.com/Breach/DominosIndia</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Doomworld">https://haveibeenpwned.com/Breach/Doomworld</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DoorDash">https://haveibeenpwned.com/Breach/DoorDash</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Dota2">https://haveibeenpwned.com/Breach/Dota2</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Doxbin">https://haveibeenpwned.com/Breach/Doxbin</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinScrape">https://haveibeenpwned.com/Breach/DoxbinScrape</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinTOoDA">https://haveibeenpwned.com/Breach/DoxbinTOoDA</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DragonNest">https://haveibeenpwned.com/Breach/DragonNest</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DriveSure">https://haveibeenpwned.com/Breach/DriveSure</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Drizly">https://haveibeenpwned.com/Breach/Drizly</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Dropbox">https://haveibeenpwned.com/Breach/Dropbox</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Dubsmash">https://haveibeenpwned.com/Breach/Dubsmash</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DucksUnlimited">https://haveibeenpwned.com/Breach/DucksUnlimited</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DuelingNetwork">https://haveibeenpwned.com/Breach/DuelingNetwork</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Dunzo">https://haveibeenpwned.com/Breach/Dunzo</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Duolingo">https://haveibeenpwned.com/Breach/Duolingo</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Duowan">https://haveibeenpwned.com/Breach/Duowan</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DVDShopCH">https://haveibeenpwned.com/Breach/DVDShopCH</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Dymocks">https://haveibeenpwned.com/Breach/Dymocks</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Earth2">https://haveibeenpwned.com/Breach/Earth2</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Eatigo">https://haveibeenpwned.com/Breach/Eatigo</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/EatStreet">https://haveibeenpwned.com/Breach/EatStreet</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ECB">https://haveibeenpwned.com/Breach/ECB</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ECCIE">https://haveibeenpwned.com/Breach/ECCIE</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Edmodo">https://haveibeenpwned.com/Breach/Edmodo</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Elance">https://haveibeenpwned.com/Breach/Elance</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Elanic">https://haveibeenpwned.com/Breach/Elanic</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads">https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Emotet">https://haveibeenpwned.com/Breach/Emotet</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Emuparadise">https://haveibeenpwned.com/Breach/Emuparadise</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/EPal">https://haveibeenpwned.com/Breach/EPal</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/EpicBot">https://haveibeenpwned.com/Breach/EpicBot</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/EpicGames">https://haveibeenpwned.com/Breach/EpicGames</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/EpicNPC">https://haveibeenpwned.com/Breach/EpicNPC</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Epik">https://haveibeenpwned.com/Breach/Epik</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Eroticy">https://haveibeenpwned.com/Breach/Eroticy</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Eskimi">https://haveibeenpwned.com/Breach/Eskimi</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/EstanteVirtual">https://haveibeenpwned.com/Breach/EstanteVirtual</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Estonia">https://haveibeenpwned.com/Breach/Estonia</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/eThekwiMunicipality">https://haveibeenpwned.com/Breach/eThekwiMunicipality</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Ethereum">https://haveibeenpwned.com/Breach/Ethereum</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/EuropaJobs">https://haveibeenpwned.com/Breach/EuropaJobs</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Evermotion">https://haveibeenpwned.com/Breach/Evermotion</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/EverybodyEdits">https://haveibeenpwned.com/Breach/EverybodyEdits</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Evite">https://haveibeenpwned.com/Breach/Evite</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Evony">https://haveibeenpwned.com/Breach/Evony</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Exactis">https://haveibeenpwned.com/Breach/Exactis</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Experian">https://haveibeenpwned.com/Breach/Experian</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Experian2020">https://haveibeenpwned.com/Breach/Experian2020</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ExploitIn">https://haveibeenpwned.com/Breach/ExploitIn</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalent">https://haveibeenpwned.com/Breach/ExploreTalent</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalentAug2024">https://haveibeenpwned.com/Breach/ExploreTalentAug2024</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Exvagos">https://haveibeenpwned.com/Breach/Exvagos</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Eye4Fraud">https://haveibeenpwned.com/Breach/Eye4Fraud</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/EyeEm">https://haveibeenpwned.com/Breach/EyeEm</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Facebook">https://haveibeenpwned.com/Breach/Facebook</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FacebookMarketplace">https://haveibeenpwned.com/Breach/FacebookMarketplace</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Facepunch">https://haveibeenpwned.com/Breach/Facepunch</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FaceUP">https://haveibeenpwned.com/Breach/FaceUP</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Factual">https://haveibeenpwned.com/Breach/Factual</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FairVoteCanada">https://haveibeenpwned.com/Breach/FairVoteCanada</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Famm">https://haveibeenpwned.com/Breach/Famm</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Fanpass">https://haveibeenpwned.com/Breach/Fanpass</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FantasyFootballHub">https://haveibeenpwned.com/Breach/FantasyFootballHub</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FashionFantasyGame">https://haveibeenpwned.com/Breach/FashionFantasyGame</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FFR">https://haveibeenpwned.com/Breach/FFR</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FFShrine">https://haveibeenpwned.com/Breach/FFShrine</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/Filmain">https://haveibeenpwned.com/Breach/Filmain</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Finsure">https://haveibeenpwned.com/Breach/Finsure</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Fitmart">https://haveibeenpwned.com/Breach/Fitmart</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Flashback">https://haveibeenpwned.com/Breach/Flashback</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution">https://haveibeenpwned.com/Breach/FlashFlashRevolution</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution2019">https://haveibeenpwned.com/Breach/FlashFlashRevolution2019</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FlatEarthDave">https://haveibeenpwned.com/Breach/FlatEarthDave</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FlexBooker">https://haveibeenpwned.com/Breach/FlexBooker</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Fling">https://haveibeenpwned.com/Breach/Fling</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FlipaClip">https://haveibeenpwned.com/Breach/FlipaClip</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Flipkart">https://haveibeenpwned.com/Breach/Flipkart</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FLVS">https://haveibeenpwned.com/Breach/FLVS</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Foodora">https://haveibeenpwned.com/Breach/Foodora</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Forbes">https://haveibeenpwned.com/Breach/Forbes</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ForumCommunity">https://haveibeenpwned.com/Breach/ForumCommunity</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Fotolog">https://haveibeenpwned.com/Breach/Fotolog</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FoxyBingo">https://haveibeenpwned.com/Breach/FoxyBingo</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FrameAndOptic">https://haveibeenpwned.com/Breach/FrameAndOptic</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FreedomHostingII">https://haveibeenpwned.com/Breach/FreedomHostingII</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FreeMobile">https://haveibeenpwned.com/Breach/FreeMobile</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FrenchCitizens">https://haveibeenpwned.com/Breach/FrenchCitizens</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FreshMenu">https://haveibeenpwned.com/Breach/FreshMenu</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Fridae">https://haveibeenpwned.com/Breach/Fridae</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Funimation">https://haveibeenpwned.com/Breach/Funimation</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FunnyGames">https://haveibeenpwned.com/Breach/FunnyGames</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FurAffinity">https://haveibeenpwned.com/Breach/FurAffinity</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Gaadi">https://haveibeenpwned.com/Breach/Gaadi</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Gab">https://haveibeenpwned.com/Breach/Gab</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GamerzPlanet">https://haveibeenpwned.com/Breach/GamerzPlanet</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GameSalad">https://haveibeenpwned.com/Breach/GameSalad</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/GamesBox">https://haveibeenpwned.com/Breach/GamesBox</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GameSprite">https://haveibeenpwned.com/Breach/GameSprite</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GameTuts">https://haveibeenpwned.com/Breach/GameTuts</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GameVN">https://haveibeenpwned.com/Breach/GameVN</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Gamigo">https://haveibeenpwned.com/Breach/Gamigo</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GamingMonk">https://haveibeenpwned.com/Breach/GamingMonk</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GateHub">https://haveibeenpwned.com/Breach/GateHub</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Gawker">https://haveibeenpwned.com/Breach/Gawker</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GeekedIn">https://haveibeenpwned.com/Breach/GeekedIn</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Gemini">https://haveibeenpwned.com/Breach/Gemini</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Gemplex">https://haveibeenpwned.com/Breach/Gemplex</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GenesisMarket">https://haveibeenpwned.com/Breach/GenesisMarket</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GeniusU">https://haveibeenpwned.com/Breach/GeniusU</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GermanDonerKebab">https://haveibeenpwned.com/Breach/GermanDonerKebab</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GetRevengeOnYourEx">https://haveibeenpwned.com/Breach/GetRevengeOnYourEx</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Gett">https://haveibeenpwned.com/Breach/Gett</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GFAN">https://haveibeenpwned.com/Breach/GFAN</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GGCorp">https://haveibeenpwned.com/Breach/GGCorp</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GiantTiger">https://haveibeenpwned.com/Breach/GiantTiger</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GiveSendGo">https://haveibeenpwned.com/Breach/GiveSendGo</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GLAMIRA">https://haveibeenpwned.com/Breach/GLAMIRA</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Glofox">https://haveibeenpwned.com/Breach/Glofox</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GoGames">https://haveibeenpwned.com/Breach/GoGames</a>
Method	GET
Parameter	

Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GoldSilver">https://haveibeenpwned.com/Breach/GoldSilver</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GoNinja">https://haveibeenpwned.com/Breach/GoNinja</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/gPotato">https://haveibeenpwned.com/Breach/gPotato</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GPSUnderground">https://haveibeenpwned.com/Breach/GPSUnderground</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Gravatar">https://haveibeenpwned.com/Breach/Gravatar</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GSMHosting">https://haveibeenpwned.com/Breach/GSMHosting</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GTAGaming">https://haveibeenpwned.com/Breach/GTAGaming</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GunAuction">https://haveibeenpwned.com/Breach/GunAuction</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GunsDotCom">https://haveibeenpwned.com/Breach/GunsDotCom</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Guntrader">https://haveibeenpwned.com/Breach/Guntrader</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Habibs">https://haveibeenpwned.com/Breach/Habibs</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HackForums">https://haveibeenpwned.com/Breach/HackForums</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HackingTeam">https://haveibeenpwned.com/Breach/HackingTeam</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Hakko">https://haveibeenpwned.com/Breach/Hakko</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HalloweenSpot">https://haveibeenpwned.com/Breach/HalloweenSpot</a>
Method	GET
Parameter	

Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Hathway">https://haveibeenpwned.com/Breach/Hathway</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Hautelook">https://haveibeenpwned.com/Breach/Hautelook</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Havenly">https://haveibeenpwned.com/Breach/Havenly</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HDBFinancialServices">https://haveibeenpwned.com/Breach/HDBFinancialServices</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HealthNowNetworks">https://haveibeenpwned.com/Breach/HealthNowNetworks</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HeatGames">https://haveibeenpwned.com/Breach/HeatGames</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Hemmakvall">https://haveibeenpwned.com/Breach/Hemmakvall</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Hemmelig">https://haveibeenpwned.com/Breach/Hemmelig</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfGaia">https://haveibeenpwned.com/Breach/HeroesOfGaia</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfNewerth">https://haveibeenpwned.com/Breach/HeroesOfNewerth</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HIAPK">https://haveibeenpwned.com/Breach/HIAPK</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Hjedd">https://haveibeenpwned.com/Breach/Hjedd</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HTLV">https://haveibeenpwned.com/Breach/HTLV</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HomeChef">https://haveibeenpwned.com/Breach/HomeChef</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HongFire">https://haveibeenpwned.com/Breach/HongFire</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HookersNL">https://haveibeenpwned.com/Breach/HookersNL</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Hopamedia">https://haveibeenpwned.com/Breach/Hopamedia</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Horselsle">https://haveibeenpwned.com/Breach/Horselsle</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HotTopic">https://haveibeenpwned.com/Breach/HotTopic</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HoundDawgs">https://haveibeenpwned.com/Breach/HoundDawgs</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Houzz">https://haveibeenpwned.com/Breach/Houzz</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HTCMania">https://haveibeenpwned.com/Breach/HTCMania</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HTHStudios">https://haveibeenpwned.com/Breach/HTHStudios</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Hub4Tech">https://haveibeenpwned.com/Breach/Hub4Tech</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HuntStand">https://haveibeenpwned.com/Breach/HuntStand</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Hub">https://haveibeenpwned.com/Breach/Hub</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HuskyOwners">https://haveibeenpwned.com/Breach/HuskyOwners</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/IDCGames">https://haveibeenpwned.com/Breach/IDCGames</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/iDressup">https://haveibeenpwned.com/Breach/iDressup</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/iDTech">https://haveibeenpwned.com/Breach/iDTech</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/IGF">https://haveibeenpwned.com/Breach/IGF</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/IIMJobs">https://haveibeenpwned.com/Breach/IIMJobs</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ILikeCheats">https://haveibeenpwned.com/Breach/ILikeCheats</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Imavex">https://haveibeenpwned.com/Breach/Imavex</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/iMenu360">https://haveibeenpwned.com/Breach/iMenu360</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/iMesh">https://haveibeenpwned.com/Breach/iMesh</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/imgur">https://haveibeenpwned.com/Breach/imgur</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/IndiaMART">https://haveibeenpwned.com/Breach/IndiaMART</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/IndianRailways">https://haveibeenpwned.com/Breach/IndianRailways</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/IndiHome">https://haveibeenpwned.com/Breach/IndiHome</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/InflateVids">https://haveibeenpwned.com/Breach/InflateVids</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Insanely">https://haveibeenpwned.com/Breach/Insanely</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/InstantCheckmate">https://haveibeenpwned.com/Breach/InstantCheckmate</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile">https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Intelimost">https://haveibeenpwned.com/Breach/Intelimost</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/InternetArchive">https://haveibeenpwned.com/Breach/InternetArchive</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Intepals">https://haveibeenpwned.com/Breach/Intepals</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/iPmart">https://haveibeenpwned.com/Breach/iPmart</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ixigo">https://haveibeenpwned.com/Breach/ixigo</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/James">https://haveibeenpwned.com/Breach/James</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/JamTangan">https://haveibeenpwned.com/Breach/JamTangan</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/JD">https://haveibeenpwned.com/Breach/JD</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/JDGroup">https://haveibeenpwned.com/Breach/JDGroup</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Jefit">https://haveibeenpwned.com/Breach/Jefit</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/JobAndTalent">https://haveibeenpwned.com/Breach/JobAndTalent</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/JobStreet">https://haveibeenpwned.com/Breach/JobStreet</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Jobzone">https://haveibeenpwned.com/Breach/Jobzone</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/JoomlArt">https://haveibeenpwned.com/Breach/JoomlArt</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/JoyGames">https://haveibeenpwned.com/Breach/JoyGames</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/JukinMedia">https://haveibeenpwned.com/Breach/JukinMedia</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/JustDate">https://haveibeenpwned.com/Breach/JustDate</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Kaneva">https://haveibeenpwned.com/Breach/Kaneva</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/KasperskyClub">https://haveibeenpwned.com/Breach/KasperskyClub</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/KayoMoe">https://haveibeenpwned.com/Breach/KayoMoe</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Kickstarter">https://haveibeenpwned.com/Breach/Kickstarter</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Kimsufi">https://haveibeenpwned.com/Breach/Kimsufi</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/KitchenPal">https://haveibeenpwned.com/Breach/KitchenPal</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/KiwiFarms">https://haveibeenpwned.com/Breach/KiwiFarms</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/KMRU">https://haveibeenpwned.com/Breach/KMRU</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/KnownCircle">https://haveibeenpwned.com/Breach/KnownCircle</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Knuddels">https://haveibeenpwned.com/Breach/Knuddels</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/KodiFoundation">https://haveibeenpwned.com/Breach/KodiFoundation</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/KomplettFritid">https://haveibeenpwned.com/Breach/KomplettFritid</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Kreditplus">https://haveibeenpwned.com/Breach/Kreditplus</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Ladies">https://haveibeenpwned.com/Breach/Ladies</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LandAirSea">https://haveibeenpwned.com/Breach/LandAirSea</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Lanwar">https://haveibeenpwned.com/Breach/Lanwar</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LaPosteMobile">https://haveibeenpwned.com/Breach/LaPosteMobile</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Lastfm">https://haveibeenpwned.com/Breach/Lastfm</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Lazada">https://haveibeenpwned.com/Breach/Lazada</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LBB">https://haveibeenpwned.com/Breach/LBB</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LDLC">https://haveibeenpwned.com/Breach/LDLC</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/LeadHunter">https://haveibeenpwned.com/Breach/LeadHunter</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LeagueOfLegends">https://haveibeenpwned.com/Breach/LeagueOfLegends</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LeakedReality">https://haveibeenpwned.com/Breach/LeakedReality</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LeCogSportif">https://haveibeenpwned.com/Breach/LeCogSportif</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Ledger">https://haveibeenpwned.com/Breach/Ledger</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Leet">https://haveibeenpwned.com/Breach/Leet</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LegendasTV">https://haveibeenpwned.com/Breach/LegendasTV</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LeSlipFrancais">https://haveibeenpwned.com/Breach/LeSlipFrancais</a>
Method	GET
Parameter	

Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Lexipol">https://haveibeenpwned.com/Breach/Lexipol</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Life360">https://haveibeenpwned.com/Breach/Life360</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Lifebear">https://haveibeenpwned.com/Breach/Lifebear</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Lifeboat">https://haveibeenpwned.com/Breach/Lifeboat</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LightsHope">https://haveibeenpwned.com/Breach/LightsHope</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Liker">https://haveibeenpwned.com/Breach/Liker</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LimeVPN">https://haveibeenpwned.com/Breach/LimeVPN</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LinkedIn">https://haveibeenpwned.com/Breach/LinkedIn</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape">https://haveibeenpwned.com/Breach/LinkedInScrape</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape2023">https://haveibeenpwned.com/Breach/LinkedInScrape2023</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LinuxForums">https://haveibeenpwned.com/Breach/LinuxForums</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LinuxMint">https://haveibeenpwned.com/Breach/LinuxMint</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LittleMonsters">https://haveibeenpwned.com/Breach/LittleMonsters</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LiveAuctioneers">https://haveibeenpwned.com/Breach/LiveAuctioneers</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LiveJournal">https://haveibeenpwned.com/Breach/LiveJournal</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Lipure">https://haveibeenpwned.com/Breach/Lipure</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LizardSquad">https://haveibeenpwned.com/Breach/LizardSquad</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Locally">https://haveibeenpwned.com/Breach/Locally</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Lolzteam">https://haveibeenpwned.com/Breach/Lolzteam</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Lookbook">https://haveibeenpwned.com/Breach/Lookbook</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Lookiero">https://haveibeenpwned.com/Breach/Lookiero</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LOTR">https://haveibeenpwned.com/Breach/LOTR</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/LoungeBoard">https://haveibeenpwned.com/Breach/LoungeBoard</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LuLu">https://haveibeenpwned.com/Breach/LuLu</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LuminPDF">https://haveibeenpwned.com/Breach/LuminPDF</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Luxottica">https://haveibeenpwned.com/Breach/Luxottica</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LyricsMania">https://haveibeenpwned.com/Breach/LyricsMania</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Mac-Torrents">https://haveibeenpwned.com/Breach/Mac-Torrents</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MacForums">https://haveibeenpwned.com/Breach/MacForums</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MacGeneration">https://haveibeenpwned.com/Breach/MacGeneration</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MagicDuel">https://haveibeenpwned.com/Breach/MagicDuel</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MailRu">https://haveibeenpwned.com/Breach/MailRu</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MajorGeeks">https://haveibeenpwned.com/Breach/MajorGeeks</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MalindoAir">https://haveibeenpwned.com/Breach/MalindoAir</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MallCZ">https://haveibeenpwned.com/Breach/MallCZ</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Malwarebytes">https://haveibeenpwned.com/Breach/Malwarebytes</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MangaDex">https://haveibeenpwned.com/Breach/MangaDex</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/MangaFox">https://haveibeenpwned.com/Breach/MangaFox</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Mangatoon">https://haveibeenpwned.com/Breach/Mangatoon</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MangaTraders">https://haveibeenpwned.com/Breach/MangaTraders</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ManipulatedCaiman">https://haveibeenpwned.com/Breach/ManipulatedCaiman</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Mappery">https://haveibeenpwned.com/Breach/Mappery</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MarketMoveis">https://haveibeenpwned.com/Breach/MarketMoveis</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Mashable">https://haveibeenpwned.com/Breach/Mashable</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MastercardPricelessSpecials">https://haveibeenpwned.com/Breach/MastercardPricelessSpecials</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MasterDeeds">https://haveibeenpwned.com/Breach/MasterDeeds</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Mate1">https://haveibeenpwned.com/Breach/Mate1</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Mathway">https://haveibeenpwned.com/Breach/Mathway</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MC2Data">https://haveibeenpwned.com/Breach/MC2Data</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MCBans">https://haveibeenpwned.com/Breach/MCBans</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MDPI">https://haveibeenpwned.com/Breach/MDPI</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MechoDownload">https://haveibeenpwned.com/Breach/MechoDownload</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MediaWorks">https://haveibeenpwned.com/Breach/MediaWorks</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MeetMindful">https://haveibeenpwned.com/Breach/MeetMindful</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MemeChat">https://haveibeenpwned.com/Breach/MemeChat</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MEO">https://haveibeenpwned.com/Breach/MEO</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MGM">https://haveibeenpwned.com/Breach/MGM</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MGM2022Update">https://haveibeenpwned.com/Breach/MGM2022Update</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MindJolt">https://haveibeenpwned.com/Breach/MindJolt</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum">https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum</a>
Method	GET
Parameter	

Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftWorldMap">https://haveibeenpwned.com/Breach/MinecraftWorldMap</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Minefield">https://haveibeenpwned.com/Breach/Minefield</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Minehub">https://haveibeenpwned.com/Breach/Minehub</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Minted">https://haveibeenpwned.com/Breach/Minted</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MMGFusion">https://haveibeenpwned.com/Breach/MMGFusion</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MobiFriends">https://haveibeenpwned.com/Breach/MobiFriends</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MoDaCo">https://haveibeenpwned.com/Breach/MoDaCo</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ModernBusinessSolutions">https://haveibeenpwned.com/Breach/ModernBusinessSolutions</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MoneyBookers">https://haveibeenpwned.com/Breach/MoneyBookers</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Moneycontrol">https://haveibeenpwned.com/Breach/Moneycontrol</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MoreleNet">https://haveibeenpwned.com/Breach/MoreleNet</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MortalOnline">https://haveibeenpwned.com/Breach/MortalOnline</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MovieBoxPro">https://haveibeenpwned.com/Breach/MovieBoxPro</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MovieForums">https://haveibeenpwned.com/Breach/MovieForums</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MPGH">https://haveibeenpwned.com/Breach/MPGH</a>
Method	GET
Parameter	

Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MrExcel">https://haveibeenpwned.com/Breach/MrExcel</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MrGreenGaming">https://haveibeenpwned.com/Breach/MrGreenGaming</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MSI">https://haveibeenpwned.com/Breach/MSI</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/mSpy">https://haveibeenpwned.com/Breach/mSpy</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/mSpy2024">https://haveibeenpwned.com/Breach/mSpy2024</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Muah">https://haveibeenpwned.com/Breach/Muah</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MultiplayerIt">https://haveibeenpwned.com/Breach/MultiplayerIt</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MuslimDirectory">https://haveibeenpwned.com/Breach/MuslimDirectory</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MuslimMatch">https://haveibeenpwned.com/Breach/MuslimMatch</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MyFHA">https://haveibeenpwned.com/Breach/MyFHA</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MyFitnessPal">https://haveibeenpwned.com/Breach/MyFitnessPal</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MyHeritage">https://haveibeenpwned.com/Breach/MyHeritage</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MyPertamina">https://haveibeenpwned.com/Breach/MyPertamina</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/myRepoSpace">https://haveibeenpwned.com/Breach/myRepoSpace</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MySpace">https://haveibeenpwned.com/Breach/MySpace</a>
Method	GET
Parameter	

Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MyVidster">https://haveibeenpwned.com/Breach/MyVidster</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NamelessMalware">https://haveibeenpwned.com/Breach/NamelessMalware</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NapsGear">https://haveibeenpwned.com/Breach/NapsGear</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NationalPublicData">https://haveibeenpwned.com/Breach/NationalPublicData</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NaughtyAmerica">https://haveibeenpwned.com/Breach/NaughtyAmerica</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NazApi">https://haveibeenpwned.com/Breach/NazApi</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NeimanMarcus">https://haveibeenpwned.com/Breach/NeimanMarcus</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NemoWeb">https://haveibeenpwned.com/Breach/NemoWeb</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Neopets">https://haveibeenpwned.com/Breach/Neopets</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NetEase">https://haveibeenpwned.com/Breach/NetEase</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Neteller">https://haveibeenpwned.com/Breach/Neteller</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NetGalley">https://haveibeenpwned.com/Breach/NetGalley</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Netlog">https://haveibeenpwned.com/Breach/Netlog</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NetProspect">https://haveibeenpwned.com/Breach/NetProspect</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Netshoes">https://haveibeenpwned.com/Breach/Netshoes</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NextGenUpdate">https://haveibeenpwned.com/Breach/NextGenUpdate</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NexusMods">https://haveibeenpwned.com/Breach/NexusMods</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Nihonomaru">https://haveibeenpwned.com/Breach/Nihonomaru</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Nitro">https://haveibeenpwned.com/Breach/Nitro</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Nival">https://haveibeenpwned.com/Breach/Nival</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NonNudeGirls">https://haveibeenpwned.com/Breach/NonNudeGirls</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NotAxiom">https://haveibeenpwned.com/Breach/NotAxiom</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NotSOCRadar">https://haveibeenpwned.com/Breach/NotSOCRadar</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Nulled">https://haveibeenpwned.com/Breach/Nulled</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NulledCH">https://haveibeenpwned.com/Breach/NulledCH</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NurseryCam">https://haveibeenpwned.com/Breach/NurseryCam</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NVIDIA">https://haveibeenpwned.com/Breach/NVIDIA</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers">https://haveibeenpwned.com/Breach/OGUsers</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2020">https://haveibeenpwned.com/Breach/OGUsers2020</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2021">https://haveibeenpwned.com/Breach/OGUsers2021</a>
Method	GET
Parameter	

Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2022">https://haveibeenpwned.com/Breach/OGUsers2022</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OMGPOP">https://haveibeenpwned.com/Breach/OMGPOP</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OnlinerSpambot">https://haveibeenpwned.com/Breach/OnlinerSpambot</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OnlineTrade">https://haveibeenpwned.com/Breach/OnlineTrade</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OnRPG">https://haveibeenpwned.com/Breach/OnRPG</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Onverse">https://haveibeenpwned.com/Breach/Onverse</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OpenCSGO">https://haveibeenpwned.com/Breach/OpenCSGO</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/OpenSubtitles">https://haveibeenpwned.com/Breach/OpenSubtitles</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame">https://haveibeenpwned.com/Breach/OperationEndgame</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame2">https://haveibeenpwned.com/Breach/OperationEndgame2</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OrangeRomania">https://haveibeenpwned.com/Breach/OrangeRomania</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OrderSnapp">https://haveibeenpwned.com/Breach/OrderSnapp</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma">https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Otelier">https://haveibeenpwned.com/Breach/Otelier</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OVH">https://haveibeenpwned.com/Breach/OVH</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OwnedCore">https://haveibeenpwned.com/Breach/OwnedCore</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Oxfam">https://haveibeenpwned.com/Breach/Oxfam</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PaddyPower">https://haveibeenpwned.com/Breach/PaddyPower</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Pampling">https://haveibeenpwned.com/Breach/Pampling</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Pandabuy">https://haveibeenpwned.com/Breach/Pandabuy</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ParagonCheats">https://haveibeenpwned.com/Breach/ParagonCheats</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Parapa">https://haveibeenpwned.com/Breach/Parapa</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ParkMobile">https://haveibeenpwned.com/Breach/ParkMobile</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Patreon">https://haveibeenpwned.com/Breach/Patreon</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PayAsUGym">https://haveibeenpwned.com/Breach/PayAsUGym</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PayHere">https://haveibeenpwned.com/Breach/PayHere</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PaySystemTech">https://haveibeenpwned.com/Breach/PaySystemTech</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Paytm">https://haveibeenpwned.com/Breach/Paytm</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/pcTattletale">https://haveibeenpwned.com/Breach/pcTattletale</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PDL">https://haveibeenpwned.com/Breach/PDL</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Peatix">https://haveibeenpwned.com/Breach/Peatix</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Pemblanc">https://haveibeenpwned.com/Breach/Pemblanc</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PeoplesEnergy">https://haveibeenpwned.com/Breach/PeoplesEnergy</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PetFlow">https://haveibeenpwned.com/Breach/PetFlow</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Phoenix">https://haveibeenpwned.com/Breach/Phoenix</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PhoneHouse">https://haveibeenpwned.com/Breach/PhoneHouse</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PHPFreaks">https://haveibeenpwned.com/Breach/PHPFreaks</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/PipingRock">https://haveibeenpwned.com/Breach/PipingRock</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PixelFederation">https://haveibeenpwned.com/Breach/PixelFederation</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Pixlr">https://haveibeenpwned.com/Breach/Pixlr</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/piZap">https://haveibeenpwned.com/Breach/piZap</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PlanetCalypso">https://haveibeenpwned.com/Breach/PlanetCalypso</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PlanetIce">https://haveibeenpwned.com/Breach/PlanetIce</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Playbook">https://haveibeenpwned.com/Breach/Playbook</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PlayCyberGames">https://haveibeenpwned.com/Breach/PlayCyberGames</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Playgar">https://haveibeenpwned.com/Breach/Playgar</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Plex">https://haveibeenpwned.com/Breach/Plex</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PlutoTV">https://haveibeenpwned.com/Breach/PlutoTV</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PoinCampus">https://haveibeenpwned.com/Breach/PoinCampus</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Pokekip">https://haveibeenpwned.com/Breach/Pokekip</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PokemonCreed">https://haveibeenpwned.com/Breach/PokemonCreed</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PokemonNegro">https://haveibeenpwned.com/Breach/PokemonNegro</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/PoliceOne">https://haveibeenpwned.com/Breach/PoliceOne</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PolishCredentials">https://haveibeenpwned.com/Breach/PolishCredentials</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Poshmark">https://haveibeenpwned.com/Breach/Poshmark</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Powerbot">https://haveibeenpwned.com/Breach/Powerbot</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PPCGeeks">https://haveibeenpwned.com/Breach/PPCGeeks</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PreenMe">https://haveibeenpwned.com/Breach/PreenMe</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ProctorU">https://haveibeenpwned.com/Breach/ProctorU</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ProgrammingForums">https://haveibeenpwned.com/Breach/ProgrammingForums</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Promo">https://haveibeenpwned.com/Breach/Promo</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Promofarma">https://haveibeenpwned.com/Breach/Promofarma</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PropTiger">https://haveibeenpwned.com/Breach/PropTiger</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Protemp">https://haveibeenpwned.com/Breach/Protemp</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PS3Hax">https://haveibeenpwned.com/Breach/PS3Hax</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PSPISO">https://haveibeenpwned.com/Breach/PSPISO</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PSXScene">https://haveibeenpwned.com/Breach/PSXScene</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/Qakbot">https://haveibeenpwned.com/Breach/Qakbot</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/QatarNationalBank">https://haveibeenpwned.com/Breach/QatarNationalBank</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/QIP">https://haveibeenpwned.com/Breach/QIP</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Qraved">https://haveibeenpwned.com/Breach/Qraved</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/QuantumBooter">https://haveibeenpwned.com/Breach/QuantumBooter</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/QuestionPro">https://haveibeenpwned.com/Breach/QuestionPro</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Quidd">https://haveibeenpwned.com/Breach/Quidd</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/QuinStreet">https://haveibeenpwned.com/Breach/QuinStreet</a>
Method	GET
Parameter	

Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/R2-2017">https://haveibeenpwned.com/Breach/R2-2017</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/R2Games">https://haveibeenpwned.com/Breach/R2Games</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RaidForums">https://haveibeenpwned.com/Breach/RaidForums</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RailYatri">https://haveibeenpwned.com/Breach/RailYatri</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Rambler">https://haveibeenpwned.com/Breach/Rambler</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Rankwatch">https://haveibeenpwned.com/Breach/Rankwatch</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Raychat">https://haveibeenpwned.com/Breach/Raychat</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RbxRocks">https://haveibeenpwned.com/Breach/RbxRocks</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ReadNovel">https://haveibeenpwned.com/Breach/ReadNovel</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RealDudesInc">https://haveibeenpwned.com/Breach/RealDudesInc</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RealEstateMogul">https://haveibeenpwned.com/Breach/RealEstateMogul</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RedDoorz">https://haveibeenpwned.com/Breach/RedDoorz</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RedLineStealer">https://haveibeenpwned.com/Breach/RedLineStealer</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Reincubate">https://haveibeenpwned.com/Breach/Reincubate</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RentoMojo">https://haveibeenpwned.com/Breach/RentoMojo</a>
Method	GET
Parameter	

Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas">https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RetinaX">https://haveibeenpwned.com/Breach/RetinaX</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Reverb-Nation">https://haveibeenpwned.com/Breach/Reverb-Nation</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Rightbiz">https://haveibeenpwned.com/Breach/Rightbiz</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RiverCityMedia">https://haveibeenpwned.com/Breach/RiverCityMedia</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Robinhood">https://haveibeenpwned.com/Breach/Robinhood</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Roblox">https://haveibeenpwned.com/Breach/Roblox</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference">https://haveibeenpwned.com/Breach/RobloxDeveloperConference</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024">https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Roll20">https://haveibeenpwned.com/Breach/Roll20</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Romwe">https://haveibeenpwned.com/Breach/Romwe</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RosebuttBoard">https://haveibeenpwned.com/Breach/RosebuttBoard</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RoyalEnfield">https://haveibeenpwned.com/Breach/RoyalEnfield</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RussianAmerica">https://haveibeenpwned.com/Breach/RussianAmerica</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SalvadoranCitizens">https://haveibeenpwned.com/Breach/SalvadoranCitizens</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SamsungGermany">https://haveibeenpwned.com/Breach/SamsungGermany</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SaverSpy">https://haveibeenpwned.com/Breach/SaverSpy</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList">https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Scentbird">https://haveibeenpwned.com/Breach/Scentbird</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/schenkYOU">https://haveibeenpwned.com/Breach/schenkYOU</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Scholastic">https://haveibeenpwned.com/Breach/Scholastic</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SchoolDistrict42">https://haveibeenpwned.com/Breach/SchoolDistrict42</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Seedpeer">https://haveibeenpwned.com/Breach/Seedpeer</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SeniorDating">https://haveibeenpwned.com/Breach/SeniorDating</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Sephora">https://haveibeenpwned.com/Breach/Sephora</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ServerPact">https://haveibeenpwned.com/Breach/ServerPact</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SevenRooms">https://haveibeenpwned.com/Breach/SevenRooms</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Shadi">https://haveibeenpwned.com/Breach/Shadi</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Shadow">https://haveibeenpwned.com/Breach/Shadow</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ShareThis">https://haveibeenpwned.com/Breach/ShareThis</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SHEIN">https://haveibeenpwned.com/Breach/SHEIN</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Shitexpress">https://haveibeenpwned.com/Breach/Shitexpress</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ShockGore">https://haveibeenpwned.com/Breach/ShockGore</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ShoeZone">https://haveibeenpwned.com/Breach/ShoeZone</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ShopBack">https://haveibeenpwned.com/Breach/ShopBack</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ShopperPlus">https://haveibeenpwned.com/Breach/ShopperPlus</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ShortEdition">https://haveibeenpwned.com/Breach/ShortEdition</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/Shotbow">https://haveibeenpwned.com/Breach/Shotbow</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SIAE">https://haveibeenpwned.com/Breach/SIAE</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SirHurt">https://haveibeenpwned.com/Breach/SirHurt</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SitePoint">https://haveibeenpwned.com/Breach/SitePoint</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SkTorrent">https://haveibeenpwned.com/Breach/SkTorrent</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Slickwraps">https://haveibeenpwned.com/Breach/Slickwraps</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SlideTeam">https://haveibeenpwned.com/Breach/SlideTeam</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Smogon">https://haveibeenpwned.com/Breach/Smogon</a>
Method	GET
Parameter	

Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Snail">https://haveibeenpwned.com/Breach/Snail</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Snapchat">https://haveibeenpwned.com/Breach/Snapchat</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SoarGames">https://haveibeenpwned.com/Breach/SoarGames</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SocialEngineered">https://haveibeenpwned.com/Breach/SocialEngineered</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Solomid">https://haveibeenpwned.com/Breach/Solomid</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Sonicbids">https://haveibeenpwned.com/Breach/Sonicbids</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Sony">https://haveibeenpwned.com/Breach/Sony</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/Soundwave">https://haveibeenpwned.com/Breach/Soundwave</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SpecialKSpamList">https://haveibeenpwned.com/Breach/SpecialKSpamList</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Speedio">https://haveibeenpwned.com/Breach/Speedio</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Sphero">https://haveibeenpwned.com/Breach/Sphero</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Spirol">https://haveibeenpwned.com/Breach/Spirol</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Sport2000">https://haveibeenpwned.com/Breach/Sport2000</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Spoutible">https://haveibeenpwned.com/Breach/Spoutible</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SprashivaiRu">https://haveibeenpwned.com/Breach/SprashivaiRu</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SpyFone">https://haveibeenpwned.com/Breach/SpyFone</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Spyic">https://haveibeenpwned.com/Breach/Spyic</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Spytech">https://haveibeenpwned.com/Breach/Spytech</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SpyX">https://haveibeenpwned.com/Breach/SpyX</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Spyzie">https://haveibeenpwned.com/Breach/Spyzie</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/StalkerOnline">https://haveibeenpwned.com/Breach/StalkerOnline</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Staminus">https://haveibeenpwned.com/Breach/Staminus</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/StarNet">https://haveibeenpwned.com/Breach/StarNet</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Start">https://haveibeenpwned.com/Breach/Start</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/StarTribune">https://haveibeenpwned.com/Breach/StarTribune</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/StealerLogsJan2025">https://haveibeenpwned.com/Breach/StealerLogsJan2025</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SterKinekor">https://haveibeenpwned.com/Breach/SterKinekor</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/StockX">https://haveibeenpwned.com/Breach/StockX</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Storeny">https://haveibeenpwned.com/Breach/Storeny</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/StoryBird">https://haveibeenpwned.com/Breach/StoryBird</a>
Method	GET
Parameter	

Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Straffic">https://haveibeenpwned.com/Breach/Straffic</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Straffor">https://haveibeenpwned.com/Breach/Straffor</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/StreamCraft">https://haveibeenpwned.com/Breach/StreamCraft</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/StreetEasy">https://haveibeenpwned.com/Breach/StreetEasy</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Stripchat">https://haveibeenpwned.com/Breach/Stripchat</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/StrongholdKingdoms">https://haveibeenpwned.com/Breach/StrongholdKingdoms</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SubaGames">https://haveibeenpwned.com/Breach/SubaGames</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/SumoTorrent">https://haveibeenpwned.com/Breach/SumoTorrent</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SundryFiles">https://haveibeenpwned.com/Breach/SundryFiles</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SuperDraft">https://haveibeenpwned.com/Breach/SuperDraft</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN">https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SurveyLama">https://haveibeenpwned.com/Breach/SurveyLama</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SvenskaMagic">https://haveibeenpwned.com/Breach/SvenskaMagic</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SweClockers">https://haveibeenpwned.com/Breach/SweClockers</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Switch">https://haveibeenpwned.com/Breach/Switch</a>
Method	GET
Parameter	

Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SwordFantasy">https://haveibeenpwned.com/Breach/SwordFantasy</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Swl">https://haveibeenpwned.com/Breach/Swl</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/T2">https://haveibeenpwned.com/Breach/T2</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TaiLieu">https://haveibeenpwned.com/Breach/TaiLieu</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tamodo">https://haveibeenpwned.com/Breach/Tamodo</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tangerine">https://haveibeenpwned.com/Breach/Tangerine</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Taobao">https://haveibeenpwned.com/Breach/Taobao</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/TAPAirPortugal">https://haveibeenpwned.com/Breach/TAPAirPortugal</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tappware">https://haveibeenpwned.com/Breach/Tappware</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Taringa">https://haveibeenpwned.com/Breach/Taringa</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Technic">https://haveibeenpwned.com/Breach/Technic</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Teespring">https://haveibeenpwned.com/Breach/Teespring</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TehetsegKapu">https://haveibeenpwned.com/Breach/TehetsegKapu</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TelegramCombolists">https://haveibeenpwned.com/Breach/TelegramCombolists</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TelegramStealerLogs">https://haveibeenpwned.com/Breach/TelegramStealerLogs</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Teracod">https://haveibeenpwned.com/Breach/Teracod</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Terravision">https://haveibeenpwned.com/Breach/Terravision</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tesco">https://haveibeenpwned.com/Breach/Tesco</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TGBUS">https://haveibeenpwned.com/Breach/TGBUS</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TheCandidBoard">https://haveibeenpwned.com/Breach/TheCandidBoard</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TheClubPenguinExperience">https://haveibeenpwned.com/Breach/TheClubPenguinExperience</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TheFappening">https://haveibeenpwned.com/Breach/TheFappening</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/TheFlyOnTheWall">https://haveibeenpwned.com/Breach/TheFlyOnTheWall</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TheGradCafe">https://haveibeenpwned.com/Breach/TheGradCafe</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TheHeritageFoundation">https://haveibeenpwned.com/Breach/TheHeritageFoundation</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ThePostMillennial">https://haveibeenpwned.com/Breach/ThePostMillennial</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TheRealWorld">https://haveibeenpwned.com/Breach/TheRealWorld</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Thermomix">https://haveibeenpwned.com/Breach/Thermomix</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TheTVDB">https://haveibeenpwned.com/Breach/TheTVDB</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Thingiverse">https://haveibeenpwned.com/Breach/Thingiverse</a>
Method	GET
Parameter	

Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ThisHabboForum">https://haveibeenpwned.com/Breach/ThisHabboForum</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tianya">https://haveibeenpwned.com/Breach/Tianya</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tibber">https://haveibeenpwned.com/Breach/Tibber</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Ticketcounter">https://haveibeenpwned.com/Breach/Ticketcounter</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Ticketek">https://haveibeenpwned.com/Breach/Ticketek</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Ticketfly">https://haveibeenpwned.com/Breach/Ticketfly</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tigo">https://haveibeenpwned.com/Breach/Tigo</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TNAFix">https://haveibeenpwned.com/Breach/TNAFix</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tokopedia">https://haveibeenpwned.com/Breach/Tokopedia</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ToonDoo">https://haveibeenpwned.com/Breach/ToonDoo</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TorrentInvites">https://haveibeenpwned.com/Breach/TorrentInvites</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Toumei">https://haveibeenpwned.com/Breach/Toumei</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tout">https://haveibeenpwned.com/Breach/Tout</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tracki">https://haveibeenpwned.com/Breach/Tracki</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Traderie">https://haveibeenpwned.com/Breach/Traderie</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TRAI">https://haveibeenpwned.com/Breach/TRAI</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Travelio">https://haveibeenpwned.com/Breach/Travelio</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TravelOK">https://haveibeenpwned.com/Breach/TravelOK</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Trello">https://haveibeenpwned.com/Breach/Trello</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TrikSpamBotnet">https://haveibeenpwned.com/Breach/TrikSpamBotnet</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Trillian">https://haveibeenpwned.com/Breach/Trillian</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TroyHuntMailchimpList">https://haveibeenpwned.com/Breach/TroyHuntMailchimpList</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TruckersMP">https://haveibeenpwned.com/Breach/TruckersMP</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TrueFire">https://haveibeenpwned.com/Breach/TrueFire</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TruthFinder">https://haveibeenpwned.com/Breach/TruthFinder</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tumblr">https://haveibeenpwned.com/Breach/Tumblr</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TunedGlobal">https://haveibeenpwned.com/Breach/TunedGlobal</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tunngle">https://haveibeenpwned.com/Breach/Tunngle</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Twitter">https://haveibeenpwned.com/Breach/Twitter</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Twitter200M">https://haveibeenpwned.com/Breach/Twitter200M</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Ualabee">https://haveibeenpwned.com/Breach/Ualabee</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Ubook">https://haveibeenpwned.com/Breach/Ubook</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/UC">https://haveibeenpwned.com/Breach/UC</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Uiggy">https://haveibeenpwned.com/Breach/Uiggy</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Ulmon">https://haveibeenpwned.com/Breach/Ulmon</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/UnderworldEmpire">https://haveibeenpwned.com/Breach/UnderworldEmpire</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/UnicoCampania">https://haveibeenpwned.com/Breach/UnicoCampania</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Universarium">https://haveibeenpwned.com/Breach/Universarium</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/UnrealEngine">https://haveibeenpwned.com/Breach/UnrealEngine</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Upstox">https://haveibeenpwned.com/Breach/Upstox</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/UtahGunExchange">https://haveibeenpwned.com/Breach/UtahGunExchange</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/uTorrent">https://haveibeenpwned.com/Breach/uTorrent</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/uuu9">https://haveibeenpwned.com/Breach/uuu9</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Vakinha">https://haveibeenpwned.com/Breach/Vakinha</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Vastaamo">https://haveibeenpwned.com/Breach/Vastaamo</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/VBulletin">https://haveibeenpwned.com/Breach/VBulletin</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Vedantu">https://haveibeenpwned.com/Breach/Vedantu</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/VerificationsIO">https://haveibeenpwned.com/Breach/VerificationsIO</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Verified">https://haveibeenpwned.com/Breach/Verified</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Vermillion">https://haveibeenpwned.com/Breach/Vermillion</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Vianet">https://haveibeenpwned.com/Breach/Vianet</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/VictoryPhones">https://haveibeenpwned.com/Breach/VictoryPhones</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/ViewFines">https://haveibeenpwned.com/Breach/ViewFines</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/VimeWorld">https://haveibeenpwned.com/Breach/VimeWorld</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/VINs">https://haveibeenpwned.com/Breach/VINs</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/VivaAir">https://haveibeenpwned.com/Breach/VivaAir</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/VK">https://haveibeenpwned.com/Breach/VK</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/VNG">https://haveibeenpwned.com/Breach/VNG</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Vodafone">https://haveibeenpwned.com/Breach/Vodafone</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/VoidTO">https://haveibeenpwned.com/Breach/VoidTO</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/VTech">https://haveibeenpwned.com/Breach/VTech</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/VTightGel">https://haveibeenpwned.com/Breach/VTightGel</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Wakanim">https://haveibeenpwned.com/Breach/Wakanim</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Wanelo">https://haveibeenpwned.com/Breach/Wanelo</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Warframe">https://haveibeenpwned.com/Breach/Warframe</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WarInc">https://haveibeenpwned.com/Breach/WarInc</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Warmane">https://haveibeenpwned.com/Breach/Warmane</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard">https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Wattpad">https://haveibeenpwned.com/Breach/Wattpad</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WedMeGood">https://haveibeenpwned.com/Breach/WedMeGood</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Weee">https://haveibeenpwned.com/Breach/Weee</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WeHeartIt">https://haveibeenpwned.com/Breach/WeHeartIt</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WeLeakInfo">https://haveibeenpwned.com/Breach/WeLeakInfo</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WeLhof">https://haveibeenpwned.com/Breach/WeLhof</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Wendys">https://haveibeenpwned.com/Breach/Wendys</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Whitepages">https://haveibeenpwned.com/Breach/Whitepages</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WhiteRoom">https://haveibeenpwned.com/Breach/WhiteRoom</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WHMCS">https://haveibeenpwned.com/Breach/WHMCS</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WienerBuchereien">https://haveibeenpwned.com/Breach/WienerBuchereien</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WifeLovers">https://haveibeenpwned.com/Breach/WifeLovers</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WIIUISO">https://haveibeenpwned.com/Breach/WIIUISO</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WildStar">https://haveibeenpwned.com/Breach/WildStar</a>
Method	GET
Parameter	
Attack	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Win7Vista">https://haveibeenpwned.com/Breach/Win7Vista</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WiredBucks">https://haveibeenpwned.com/Breach/WiredBucks</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone">https://haveibeenpwned.com/Breach/Wishbone</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone2020">https://haveibeenpwned.com/Breach/Wishbone2020</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WiziShop">https://haveibeenpwned.com/Breach/WiziShop</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Wongnai">https://haveibeenpwned.com/Breach/Wongnai</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WoTLabs">https://haveibeenpwned.com/Breach/WoTLabs</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WPSandbox">https://haveibeenpwned.com/Breach/WPSandbox</a>
Method	GET
Parameter	

Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WPT">https://haveibeenpwned.com/Breach/WPT</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/xat">https://haveibeenpwned.com/Breach/xat</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Xbox-Scene">https://haveibeenpwned.com/Breach/Xbox-Scene</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Xbox360ISO">https://haveibeenpwned.com/Breach/Xbox360ISO</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/xHamster">https://haveibeenpwned.com/Breach/xHamster</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Xiaomi">https://haveibeenpwned.com/Breach/Xiaomi</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/XKCD">https://haveibeenpwned.com/Breach/XKCD</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/XPGameSaves">https://haveibeenpwned.com/Breach/XPGameSaves</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/XSplit">https://haveibeenpwned.com/Breach/XSplit</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Yahoo">https://haveibeenpwned.com/Breach/Yahoo</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Yam">https://haveibeenpwned.com/Breach/Yam</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Yandex">https://haveibeenpwned.com/Breach/Yandex</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Yatra">https://haveibeenpwned.com/Breach/Yatra</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Yonema">https://haveibeenpwned.com/Breach/Yonema</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: " // dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/YoteprestoCom">https://haveibeenpwned.com/Breach/YoteprestoCom</a>
Method	GET
Parameter	

Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Youku">https://haveibeenpwned.com/Breach/Youku</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/YoungLivingEssentialOils">https://haveibeenpwned.com/Breach/YoungLivingEssentialOils</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/YouNow">https://haveibeenpwned.com/Breach/YouNow</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/YouPom">https://haveibeenpwned.com/Breach/YouPom</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Youthmanual">https://haveibeenpwned.com/Breach/Youthmanual</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/YouveBeenScraped">https://haveibeenpwned.com/Breach/YouveBeenScraped</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Zacks">https://haveibeenpwned.com/Breach/Zacks</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/Zacks2024">https://haveibeenpwned.com/Breach/Zacks2024</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ZadigVoltaire">https://haveibeenpwned.com/Breach/ZadigVoltaire</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ZAPHosting">https://haveibeenpwned.com/Breach/ZAPHosting</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Zhenai">https://haveibeenpwned.com/Breach/Zhenai</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ZLib">https://haveibeenpwned.com/Breach/ZLib</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Zomato">https://haveibeenpwned.com/Breach/Zomato</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Zoomcar">https://haveibeenpwned.com/Breach/Zoomcar</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk">https://haveibeenpwned.com/Breach/Zoosk</a>
Method	GET

Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk2020">https://haveibeenpwned.com/Breach/Zoosk2020</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Zooville">https://haveibeenpwned.com/Breach/Zooville</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Zurich">https://haveibeenpwned.com/Breach/Zurich</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Zynga">https://haveibeenpwned.com/Breach/Zynga</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn">https://haveibeenpwned.com/Dashboard/SignIn</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard</a>
Method	GET
Parameter	
Attack	
Evidence	from



URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlFze3ZX</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKtEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKtEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Donate">https://haveibeenpwned.com/Donate</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/DPA">https://haveibeenpwned.com/DPA</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/FAQs">https://haveibeenpwned.com/FAQs</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/js/bundle/bundle.js?v=EuP58LoDPshTfDzCIMfP_YCyUGFuqyh9xQuirBcMhQ8">https://haveibeenpwned.com/js/bundle/bundle.js?v=EuP58LoDPshTfDzCIMfP_YCyUGFuqyh9xQuirBcMhQ8</a>
Method	GET
Parameter	
Attack	
Evidence	admin
Other Info	The following pattern was used: \bADMIN\b and was detected in likely comment: "//www.w3.org/2000/svg" width="20" height="14">\n <path class="logo-piece logo-piece-1" ", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/js/bundle/bundle.js?v=x0cyZYYKQGxJh2YCc7SU5n9SBVLb0xMmSOw8BT4IryA">https://haveibeenpwned.com/js/bundle/bundle.js?v=x0cyZYYKQGxJh2YCc7SU5n9SBVLb0xMmSOw8BT4IryA</a>
Method	GET
Parameter	
Attack	
Evidence	admin
Other Info	The following pattern was used: \bADMIN\b and was detected in likely comment: "//www.w3.org/2000/svg" width="20" height="14">\n <path class="logo-piece logo-piece-1" ", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/NotifyMe">https://haveibeenpwned.com/NotifyMe</a>
Method	GET
Parameter	

Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C">https://haveibeenpwned.com/NotifyMe%5C</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/OptOut">https://haveibeenpwned.com/OptOut</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Passwords">https://haveibeenpwned.com/Passwords</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Passwords%5C">https://haveibeenpwned.com/Passwords%5C</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Privacy.">https://haveibeenpwned.com/Privacy.</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/PwnedWebsites">https://haveibeenpwned.com/PwnedWebsites</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Subscription">https://haveibeenpwned.com/Subscription</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/TermsOfUse">https://haveibeenpwned.com/TermsOfUse</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/UnifiedSearch/">https://haveibeenpwned.com/UnifiedSearch/</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Unsubscribe/">https://haveibeenpwned.com/Unsubscribe/</a>
Method	GET
Parameter	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "/* dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/verify/">https://haveibeenpwned.com/verify/</a>
Method	GET
Parameter	
Attack	

Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// dle: true, // Prevent the SDK from reporting load failure log", see evidence field for the suspicious comment/snippet.
URL	<a href="https://www.bolt.com/">https://www.bolt.com/</a>
Method	GET
Parameter	
Attack	
Evidence	query
Other Info	The following pattern was used: \bQUERY\b and was detected in likely comment: "//res.cloudinary.com/dugcmkito/image/upload/v1742822891/slightly_bigger_23d5e409fc_8b7b9ffebf_1cb0e676f0.webp", "name":"slightly_", see evidence field for the suspicious comment/snippet.
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	
Attack	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected in likely comment: "//www.gstatic.com/youtube/img/emojis/emojis-png-15.1.json", "loading_bar_progress_calculation":"logarithmic", "place_pivot_trigger", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/000webhost">https://haveibeenpwned.com/Breach/000webhost</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.1537334Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/123RF">https://haveibeenpwned.com/Breach/123RF</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.5360129Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/126">https://haveibeenpwned.com/Breach/126</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.0157742Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/17173">https://haveibeenpwned.com/Breach/17173</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.9335328Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/17Media">https://haveibeenpwned.com/Breach/17Media</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.5458482Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/1win">https://haveibeenpwned.com/Breach/1win</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T20:01:13.8412091Z cf-ipcity : Indo", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/2844Breaches">https://haveibeenpwned.com/Breach/2844Breaches</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:11.1147015Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/2fast4u">https://haveibeenpwned.com/Breach/2fast4u</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:11.9147549Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/500px">https://haveibeenpwned.com/Breach/500px</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.5063890Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/7k7k">https://haveibeenpwned.com/Breach/7k7k</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.8041804Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/8fit">https://haveibeenpwned.com/Breach/8fit</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.7272751Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/8tracks">https://haveibeenpwned.com/Breach/8tracks</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:11.6010935Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/9Lives">https://haveibeenpwned.com/Breach/9Lives</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:46.5698420Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia">https://haveibeenpwned.com/Breach/Abandonia</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.2288820Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia2022">https://haveibeenpwned.com/Breach/Abandonia2022</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:56.2550515Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ABFRL">https://haveibeenpwned.com/Breach/ABFRL</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.5441129Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AbuseWithUs">https://haveibeenpwned.com/Breach/AbuseWithUs</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.1007402Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AcneOrg">https://haveibeenpwned.com/Breach/AcneOrg</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.1796632Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Activision">https://haveibeenpwned.com/Breach/Activision</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:47:29.8985396Z cf-ipcity : Bh%C", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ActMobile">https://haveibeenpwned.com/Breach/ActMobile</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.8235304Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Acuity">https://haveibeenpwned.com/Breach/Acuity</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:52.8702777Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Adapt">https://haveibeenpwned.com/Breach/Adapt</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:08.4787356Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Adecco">https://haveibeenpwned.com/Breach/Adecco</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.6303467Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Adobe">https://haveibeenpwned.com/Breach/Adobe</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.8928523Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AdoptMeTradingValues">https://haveibeenpwned.com/Breach/AdoptMeTradingValues</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:46.5274789Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AdultFanFiction">https://haveibeenpwned.com/Breach/AdultFanFiction</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.3201649Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder">https://haveibeenpwned.com/Breach/AdultFriendFinder</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.9269802Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder2016">https://haveibeenpwned.com/Breach/AdultFriendFinder2016</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:35:06.7892260Z cf-ipcity : Pune", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AdvanceAutoParts">https://haveibeenpwned.com/Breach/AdvanceAutoParts</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.4774269Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AerServ">https://haveibeenpwned.com/Breach/AerServ</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:08.2722275Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AgusiQTorrents">https://haveibeenpwned.com/Breach/AgusiQTorrents</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:04.9853556Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AhaShare">https://haveibeenpwned.com/Breach/AhaShare</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.1092786Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Aimware">https://haveibeenpwned.com/Breach/Aimware</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.8220696Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Aipai">https://haveibeenpwned.com/Breach/Aipai</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:15.4011953Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AIType">https://haveibeenpwned.com/Breach/AIType</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.5122948Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Ajam">https://haveibeenpwned.com/Breach/Ajam</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.4181729Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AKP">https://haveibeenpwned.com/Breach/AKP</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.7875911Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AlienStealerLogs">https://haveibeenpwned.com/Breach/AlienStealerLogs</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:45.9201006Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AllegedATT">https://haveibeenpwned.com/Breach/AllegedATT</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:46:09.7886320Z cf-ipcity : Bh%C", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AlpineReplay">https://haveibeenpwned.com/Breach/AlpineReplay</a>

Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:49.0867282Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Altenen">https://haveibeenpwned.com/Breach/Altenen</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:48.5109955Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AmartFurniture">https://haveibeenpwned.com/Breach/AmartFurniture</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.5931755Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Ancestry">https://haveibeenpwned.com/Breach/Ancestry</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.0403082Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AndroidForums">https://haveibeenpwned.com/Breach/AndroidForums</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.3049502Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AndroidLista">https://haveibeenpwned.com/Breach/AndroidLista</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.1364613Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AnimalJam">https://haveibeenpwned.com/Breach/AnimalJam</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.6357398Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/AnimeGame">https://haveibeenpwned.com/Breach/AnimeGame</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.8553649Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AnimeLeague">https://haveibeenpwned.com/Breach/AnimeLeague</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.1373416Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AnimePlanet">https://haveibeenpwned.com/Breach/AnimePlanet</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.2564977Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Animoto">https://haveibeenpwned.com/Breach/Animoto</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.0872688Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AntiPublic">https://haveibeenpwned.com/Breach/AntiPublic</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.4139625Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ApexSMS">https://haveibeenpwned.com/Breach/ApexSMS</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.7810584Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/APKTW">https://haveibeenpwned.com/Breach/APKTW</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:51.4187428Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/Apollo">https://haveibeenpwned.com/Breach/Apollo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:53:16.8244427Z cf-ipcity : Bh%C", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Appartoo">https://haveibeenpwned.com/Breach/Appartoo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.1387834Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Appen">https://haveibeenpwned.com/Breach/Appen</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.6047436Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Aptoide">https://haveibeenpwned.com/Breach/Aptoide</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.5153588Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ArmorGames">https://haveibeenpwned.com/Breach/ArmorGames</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.4445914Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ArmyForceOnline">https://haveibeenpwned.com/Breach/ArmyForceOnline</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:15.1572913Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Artsy">https://haveibeenpwned.com/Breach/Artsy</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.1526920Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/Artvalue">https://haveibeenpwned.com/Breach/Artvalue</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.8253806Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AshleyMadison">https://haveibeenpwned.com/Breach/AshleyMadison</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.8060026Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Astoria">https://haveibeenpwned.com/Breach/Astoria</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:00.1759759Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AstroPID">https://haveibeenpwned.com/Breach/AstroPID</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.3717457Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Atemos">https://haveibeenpwned.com/Breach/Atemos</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T18:44:31.4073681Z cf-ipcity : Beng", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/AtlasQuantum">https://haveibeenpwned.com/Breach/AtlasQuantum</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.3140712Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Atmeltomo">https://haveibeenpwned.com/Breach/Atmeltomo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.6560437Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/Audi">https://haveibeenpwned.com/Breach/Audi</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:50:51.2307235Z cf-ipcity : Bh%C", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Autocentrum">https://haveibeenpwned.com/Breach/Autocentrum</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:11.3735252Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Autotrader">https://haveibeenpwned.com/Breach/Autotrader</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:55.1513347Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Avast">https://haveibeenpwned.com/Breach/Avast</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.3219670Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Avito">https://haveibeenpwned.com/Breach/Avito</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:52.8706305Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Awo">https://haveibeenpwned.com/Breach/Awo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.8475758Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/B2BUSABusinesses">https://haveibeenpwned.com/Breach/B2BUSABusinesses</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.4328540Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BabyNames">https://haveibeenpwned.com/Breach/BabyNames</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:09.4082892Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Badoo">https://haveibeenpwned.com/Breach/Badoo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.8779501Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BannerBit">https://haveibeenpwned.com/Breach/BannerBit</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:08.3359129Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Banorte">https://haveibeenpwned.com/Breach/Banorte</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:56.9510933Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BattlefieldHeroes">https://haveibeenpwned.com/Breach/BattlefieldHeroes</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.7177044Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Battley">https://haveibeenpwned.com/Breach/Battley</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:56.8120576Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BeautifulPeople">https://haveibeenpwned.com/Breach/BeautifulPeople</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.9743481Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Bell">https://haveibeenpwned.com/Breach/Bell</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.8505180Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Bell2017">https://haveibeenpwned.com/Breach/Bell2017</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.4396625Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Benchmark">https://haveibeenpwned.com/Breach/Benchmark</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:55.5594467Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Bestialitysextaboo">https://haveibeenpwned.com/Breach/Bestialitysextaboo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.9985533Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Bhinneka">https://haveibeenpwned.com/Breach/Bhinneka</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:56.4518082Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/bigbasket">https://haveibeenpwned.com/Breach/bigbasket</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T17:30:47.5244575Z cf-ipcity : Gh%C", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BigMoneyJobs">https://haveibeenpwned.com/Breach/BigMoneyJobs</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.4621727Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BinWeevils">https://haveibeenpwned.com/Breach/BinWeevils</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.0434818Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BiohackMe">https://haveibeenpwned.com/Breach/BiohackMe</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.0935244Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BitcoinTalk">https://haveibeenpwned.com/Breach/BitcoinTalk</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.0727388Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Bitly">https://haveibeenpwned.com/Breach/Bitly</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.7015910Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BitTorrent">https://haveibeenpwned.com/Breach/BitTorrent</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.2714468Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BitView">https://haveibeenpwned.com/Breach/BitView</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:47.6685611Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BlackBerryFans">https://haveibeenpwned.com/Breach/BlackBerryFans</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.6639496Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BlackHatWorld">https://haveibeenpwned.com/Breach/BlackHatWorld</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.4653207Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BlackSpigotMC">https://haveibeenpwned.com/Breach/BlackSpigotMC</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.5514464Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BlankMediaGames">https://haveibeenpwned.com/Breach/BlankMediaGames</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:08.4282377Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BleachAnime">https://haveibeenpwned.com/Breach/BleachAnime</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:52.7610528Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BloomsToday">https://haveibeenpwned.com/Breach/BloomsToday</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:49.3632109Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BlueSnapRepack">https://haveibeenpwned.com/Breach/BlueSnapRepack</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.2682878Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/boAt">https://haveibeenpwned.com/Breach/boAt</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T04:12:59.0503828Z cf-ipcity : Delh", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Bolt">https://haveibeenpwned.com/Breach/Bolt</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.0212535Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BombujEu">https://haveibeenpwned.com/Breach/BombujEu</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:08.2160633Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Bonobos">https://haveibeenpwned.com/Breach/Bonobos</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.5990011Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Bookchor">https://haveibeenpwned.com/Breach/Bookchor</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.2261205Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BookCrossing">https://haveibeenpwned.com/Breach/BookCrossing</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:54.3747048Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Bookmate">https://haveibeenpwned.com/Breach/Bookmate</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.7549611Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BotOfLegends">https://haveibeenpwned.com/Breach/BotOfLegends</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:15.2925747Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Boulanger">https://haveibeenpwned.com/Breach/Boulanger</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:45.7458236Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BourseDesVols">https://haveibeenpwned.com/Breach/BourseDesVols</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.4760659Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Boxee">https://haveibeenpwned.com/Breach/Boxee</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.6010620Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BrandNewTube">https://haveibeenpwned.com/Breach/BrandNewTube</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:56.5277193Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Brazzers">https://haveibeenpwned.com/Breach/Brazzers</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T13:43:02.9644194Z cf-ipcity : Mumb", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BreachForums">https://haveibeenpwned.com/Breach/BreachForums</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.9906570Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BreachForumsClone">https://haveibeenpwned.com/Breach/BreachForumsClone</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:54.3961693Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BTCAlpha">https://haveibeenpwned.com/Breach/BTCAlpha</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.3674555Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BTCE">https://haveibeenpwned.com/Breach/BTCE</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.7527118Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BtoBet">https://haveibeenpwned.com/Breach/BtoBet</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:04.0652066Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BTSec">https://haveibeenpwned.com/Breach/BTSec</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.3840339Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BudTrader">https://haveibeenpwned.com/Breach/BudTrader</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:49.5844419Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Bukalapak">https://haveibeenpwned.com/Breach/Bukalapak</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.2266125Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency">https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.6529427Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BusinessAcumen">https://haveibeenpwned.com/Breach/BusinessAcumen</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.5316678Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/BVD">https://haveibeenpwned.com/Breach/BVD</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.1856224Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CafeMom">https://haveibeenpwned.com/Breach/CafeMom</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.1700538Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CafePress">https://haveibeenpwned.com/Breach/CafePress</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.1044057Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CannabisForum">https://haveibeenpwned.com/Breach/CannabisForum</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.3167239Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Canva">https://haveibeenpwned.com/Breach/Canva</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.1176263Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CapitalEconomics">https://haveibeenpwned.com/Breach/CapitalEconomics</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T04:36:14.4753380Z cf-ipcity : Mumb", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafia">https://haveibeenpwned.com/Breach/CardingMafia</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:00.3181762Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafiaDec2021">https://haveibeenpwned.com/Breach/CardingMafiaDec2021</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.4963570Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CashCrate">https://haveibeenpwned.com/Breach/CashCrate</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:11.0159473Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Catho">https://haveibeenpwned.com/Breach/Catho</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.6036978Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CDEK">https://haveibeenpwned.com/Breach/CDEK</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.0345969Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CDProjektRed">https://haveibeenpwned.com/Breach/CDProjektRed</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.4777221Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CentralTickets">https://haveibeenpwned.com/Breach/CentralTickets</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:49.1469611Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CERTPolandPhish">https://haveibeenpwned.com/Breach/CERTPolandPhish</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.9044333Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Chatbooks">https://haveibeenpwned.com/Breach/Chatbooks</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.6080113Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CheapAssGamer">https://haveibeenpwned.com/Breach/CheapAssGamer</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:15.6420479Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Chegg">https://haveibeenpwned.com/Breach/Chegg</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.0225347Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Chess">https://haveibeenpwned.com/Breach/Chess</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:46:36.7139880Z cf-ipcity : Bh%C", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Chowbus">https://haveibeenpwned.com/Breach/Chowbus</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.5978888Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ChrisLeong">https://haveibeenpwned.com/Breach/ChrisLeong</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T17:32:08.7918832Z cf-ipcity : Mumb", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Cit0day">https://haveibeenpwned.com/Breach/Cit0day</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T02:44:53.2196039Z cf-ipcity : Vara", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CityBee">https://haveibeenpwned.com/Breach/CityBee</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.1646415Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CityJerks">https://haveibeenpwned.com/Breach/CityJerks</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:55.0418634Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CivilOnline">https://haveibeenpwned.com/Breach/CivilOnline</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:15.3527578Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ClashOfKings">https://haveibeenpwned.com/Breach/ClashOfKings</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.2705567Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ClearVoiceSurveys">https://haveibeenpwned.com/Breach/ClearVoiceSurveys</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:00.2401417Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ClickASnap">https://haveibeenpwned.com/Breach/ClickASnap</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:56:02.5598250Z cf-ipcity : Ludh", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ClixSense">https://haveibeenpwned.com/Breach/ClixSense</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.2443184Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CloudPets">https://haveibeenpwned.com/Breach/CloudPets</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.3573951Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewritten">https://haveibeenpwned.com/Breach/ClubPenguinRewritten</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.1006961Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019">https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.2189337Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Coachella">https://haveibeenpwned.com/Breach/Coachella</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.1484775Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Cocospy">https://haveibeenpwned.com/Breach/Cocospy</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T09:25:19.5531616Z cf-ipcity : Jaip", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Coinmama">https://haveibeenpwned.com/Breach/Coinmama</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:05.8177934Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CoinMarketCap">https://haveibeenpwned.com/Breach/CoinMarketCap</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T16:27:36.7315580Z cf-ipcity : Meer", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CoinTracker">https://haveibeenpwned.com/Breach/CoinTracker</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:55.6942525Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Collection1">https://haveibeenpwned.com/Breach/Collection1</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:08.4237347Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ColoCrossing">https://haveibeenpwned.com/Breach/ColoCrossing</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:45.6278468Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ColorDating">https://haveibeenpwned.com/Breach/ColorDating</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:45.9869319Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Comcast">https://haveibeenpwned.com/Breach/Comcast</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.7855401Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/COMELEC">https://haveibeenpwned.com/Breach/COMELEC</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.0538912Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CondoCom">https://haveibeenpwned.com/Breach/CondoCom</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.5747943Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Convex">https://haveibeenpwned.com/Breach/Convex</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:55.0367085Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CouponMomAndArmorGames">https://haveibeenpwned.com/Breach/CouponMomAndArmorGames</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.3163894Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CrackCommunity">https://haveibeenpwned.com/Breach/CrackCommunity</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.0369493Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CrackedTO">https://haveibeenpwned.com/Breach/CrackedTO</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.0913886Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CrackingForum">https://haveibeenpwned.com/Breach/CrackingForum</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.0927448Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CraftRise">https://haveibeenpwned.com/Breach/CraftRise</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:54.3852823Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Creative">https://haveibeenpwned.com/Breach/Creative</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.4068174Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin">https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.5633833Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CrossFire">https://haveibeenpwned.com/Breach/CrossFire</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.9198555Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CTARS">https://haveibeenpwned.com/Breach/CTARS</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.3727553Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CutoutPro">https://haveibeenpwned.com/Breach/CutoutPro</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:22:39.8769804Z cf-ipcity : Chan", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/CyberServe">https://haveibeenpwned.com/Breach/CyberServe</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.8434978Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/D3scene">https://haveibeenpwned.com/Breach/D3scene</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.9409111Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DaFont">https://haveibeenpwned.com/Breach/DaFont</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.6845071Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Dailymotion">https://haveibeenpwned.com/Breach/Dailymotion</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.0441045Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DailyObjects">https://haveibeenpwned.com/Breach/DailyObjects</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.8664930Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DailyQuiz">https://haveibeenpwned.com/Breach/DailyQuiz</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.8687497Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Dangdang">https://haveibeenpwned.com/Breach/Dangdang</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:08.0269263Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DaniWeb">https://haveibeenpwned.com/Breach/DaniWeb</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.8108803Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DataAndLeads">https://haveibeenpwned.com/Breach/DataAndLeads</a>
Method	GET

Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:08.4444518Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DataCamp">https://haveibeenpwned.com/Breach/DataCamp</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.2102140Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DataEnrichment">https://haveibeenpwned.com/Breach/DataEnrichment</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.6556982Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DateHotBrunettes">https://haveibeenpwned.com/Breach/DateHotBrunettes</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.4449424Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DatPiff">https://haveibeenpwned.com/Breach/DatPiff</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.4613667Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Dave">https://haveibeenpwned.com/Breach/Dave</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.6102500Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/db8151dd">https://haveibeenpwned.com/Breach/db8151dd</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.2126588Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/dBforums">https://haveibeenpwned.com/Breach/dBforums</a>

Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.4454032Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DCHealth">https://haveibeenpwned.com/Breach/DCHealth</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:51.8984317Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DDO">https://haveibeenpwned.com/Breach/DDO</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.0709149Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DecoratingTheHouse">https://haveibeenpwned.com/Breach/DecoratingTheHouse</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.5956893Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Deezer">https://haveibeenpwned.com/Breach/Deezer</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:55.5050955Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DemandScience">https://haveibeenpwned.com/Breach/DemandScience</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:48.3815721Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DemonForums">https://haveibeenpwned.com/Breach/DemonForums</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:08.0655551Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DennisKirk">https://haveibeenpwned.com/Breach/DennisKirk</a>

Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:48.3484352Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Descomplica">https://haveibeenpwned.com/Breach/Descomplica</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.9922912Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DevilTorrents">https://haveibeenpwned.com/Breach/DevilTorrents</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.0307102Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/devkitPro">https://haveibeenpwned.com/Breach/devkitPro</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.9577834Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DietCom">https://haveibeenpwned.com/Breach/DietCom</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.3673492Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/digiDirect">https://haveibeenpwned.com/Breach/digiDirect</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:49.6071906Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Digimon">https://haveibeenpwned.com/Breach/Digimon</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T06:42:35.7971160Z cf-ipcity : Aran", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/DiskUnion">https://haveibeenpwned.com/Breach/DiskUnion</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T15:12:05.8188216Z cf-ipcity : Durg", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ Disqus">https://haveibeenpwned.com/Breach/ Disqus</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.8210252Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DivXSubTitles">https://haveibeenpwned.com/Breach/DivXSubTitles</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.3091344Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DLH">https://haveibeenpwned.com/Breach/DLH</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.2116490Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Dodonew">https://haveibeenpwned.com/Breach/Dodonew</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:15.6203696Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Dominoes">https://haveibeenpwned.com/Breach/Dominoes</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.2123395Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DominoesIndia">https://haveibeenpwned.com/Breach/DominoesIndia</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T19:09:29.2089591Z cf-ipcity : Delhi", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/Doomworld">https://haveibeenpwned.com/Breach/Doomworld</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:56.4942197Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DoorDash">https://haveibeenpwned.com/Breach/DoorDash</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:55.3506552Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Dota2">https://haveibeenpwned.com/Breach/Dota2</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:44:12.6234069Z cf-ipcity : Bh%C", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Doxbin">https://haveibeenpwned.com/Breach/Doxbin</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T06:49:52.8955036Z cf-ipcity : Gana", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinScrape">https://haveibeenpwned.com/Breach/DoxbinScrape</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:46.5980818Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinTOoDA">https://haveibeenpwned.com/Breach/DoxbinTOoDA</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:46.2258063Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DragonNest">https://haveibeenpwned.com/Breach/DragonNest</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:46.7616468Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DriveSure">https://haveibeenpwned.com/Breach/DriveSure</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.9344271Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Drizly">https://haveibeenpwned.com/Breach/Drizly</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.6112955Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Dropbox">https://haveibeenpwned.com/Breach/Dropbox</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.4901141Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Dubsmash">https://haveibeenpwned.com/Breach/Dubsmash</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T15:47:53.1393577Z cf-ipcity : Mumb", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DucksUnlimited">https://haveibeenpwned.com/Breach/DucksUnlimited</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.0601893Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DuelingNetwork">https://haveibeenpwned.com/Breach/DuelingNetwork</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.6826467Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Dunzo">https://haveibeenpwned.com/Breach/Dunzo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.5415674Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Duolingo">https://haveibeenpwned.com/Breach/Duolingo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.9508528Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Duowan">https://haveibeenpwned.com/Breach/Duowan</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:15.8678876Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/DVDShopCH">https://haveibeenpwned.com/Breach/DVDShopCH</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.5193326Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Dymocks">https://haveibeenpwned.com/Breach/Dymocks</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.4427028Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Earth2">https://haveibeenpwned.com/Breach/Earth2</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:48.1946541Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Eatigo">https://haveibeenpwned.com/Breach/Eatigo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.2333909Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/EatStreet">https://haveibeenpwned.com/Breach/EatStreet</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.8384004Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ECB">https://haveibeenpwned.com/Breach/ECB</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:51.2390263Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ECCIE">https://haveibeenpwned.com/Breach/ECCIE</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.9320111Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Edmodo">https://haveibeenpwned.com/Breach/Edmodo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.3538690Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Elance">https://haveibeenpwned.com/Breach/Elance</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.6455526Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Elanic">https://haveibeenpwned.com/Breach/Elanic</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.3526650Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads">https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:09.1414448Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Emotet">https://haveibeenpwned.com/Breach/Emotet</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:00.1914738Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Emuparadise">https://haveibeenpwned.com/Breach/Emuparadise</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.9675561Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/EPal">https://haveibeenpwned.com/Breach/EPal</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:56.5224038Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/EpicBot">https://haveibeenpwned.com/Breach/EpicBot</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.1710352Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/EpicGames">https://haveibeenpwned.com/Breach/EpicGames</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.1506403Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/EpicNPC">https://haveibeenpwned.com/Breach/EpicNPC</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.2720153Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Epik">https://haveibeenpwned.com/Breach/Epik</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.1347559Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Eroticy">https://haveibeenpwned.com/Breach/Eroticy</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.6753198Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Eskimi">https://haveibeenpwned.com/Breach/Eskimi</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.2449943Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/EstanteVirtual">https://haveibeenpwned.com/Breach/EstanteVirtual</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:52.8632766Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Estonia">https://haveibeenpwned.com/Breach/Estonia</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.5841290Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/eThekminiMunicipality">https://haveibeenpwned.com/Breach/eThekminiMunicipality</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.2235446Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Ethereum">https://haveibeenpwned.com/Breach/Ethereum</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:15.1041356Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/EuropaJobs">https://haveibeenpwned.com/Breach/EuropaJobs</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:04.1294171Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Evermotion">https://haveibeenpwned.com/Breach/Evermotion</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.0470270Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/EverybodyEdits">https://haveibeenpwned.com/Breach/EverybodyEdits</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.5405397Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Evite">https://haveibeenpwned.com/Breach/Evite</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.7376859Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Evony">https://haveibeenpwned.com/Breach/Evony</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.1976807Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Exactis">https://haveibeenpwned.com/Breach/Exactis</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.2535392Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Experian">https://haveibeenpwned.com/Breach/Experian</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.2668274Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Experian2020">https://haveibeenpwned.com/Breach/Experian2020</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.8659042Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ExploitIn">https://haveibeenpwned.com/Breach/ExploitIn</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.7927278Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalent">https://haveibeenpwned.com/Breach/ExploreTalent</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.2396312Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalentAug2024">https://haveibeenpwned.com/Breach/ExploreTalentAug2024</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:49.9550819Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Exvagos">https://haveibeenpwned.com/Breach/Exvagos</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:51.5921519Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Eye4Fraud">https://haveibeenpwned.com/Breach/Eye4Fraud</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:55.0308869Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/EyeEm">https://haveibeenpwned.com/Breach/EyeEm</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.8465885Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Facebook">https://haveibeenpwned.com/Breach/Facebook</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:51:45.9118579Z cf-ipcity : Bh%C", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FacebookMarketplace">https://haveibeenpwned.com/Breach/FacebookMarketplace</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:51.6436618Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Facepunch">https://haveibeenpwned.com/Breach/Facepunch</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:09.3731858Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FaceUP">https://haveibeenpwned.com/Breach/FaceUP</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:08.4932098Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Factual">https://haveibeenpwned.com/Breach/Factual</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:04.8629422Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FairVoteCanada">https://haveibeenpwned.com/Breach/FairVoteCanada</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:48.9813674Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Famm">https://haveibeenpwned.com/Breach/Famm</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.1591175Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Fanpass">https://haveibeenpwned.com/Breach/Fanpass</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.4412628Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FantasyFootballHub">https://haveibeenpwned.com/Breach/FantasyFootballHub</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.8166503Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FashionFantasyGame">https://haveibeenpwned.com/Breach/FashionFantasyGame</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.7215279Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FFR">https://haveibeenpwned.com/Breach/FFR</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:45.7216520Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FFShrine">https://haveibeenpwned.com/Breach/FFShrine</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.0617708Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Filmailn">https://haveibeenpwned.com/Breach/Filmailn</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T07:58:21.8378329Z cf-ipcity : Guru", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Finsure">https://haveibeenpwned.com/Breach/Finsure</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:48.1708624Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Fitmart">https://haveibeenpwned.com/Breach/Fitmart</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.0874681Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Flashback">https://haveibeenpwned.com/Breach/Flashback</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.3928851Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution">https://haveibeenpwned.com/Breach/FlashFlashRevolution</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.3628343Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution2019">https://haveibeenpwned.com/Breach/FlashFlashRevolution2019</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.2929349Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FlatEarthDave">https://haveibeenpwned.com/Breach/FlatEarthDave</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:45.9930087Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FlexBooker">https://haveibeenpwned.com/Breach/FlexBooker</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.5892481Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Fling">https://haveibeenpwned.com/Breach/Fling</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.5353923Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FlipaClip">https://haveibeenpwned.com/Breach/FlipaClip</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:48.1049265Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Flipkart">https://haveibeenpwned.com/Breach/Flipkart</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:51.4902244Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FLVS">https://haveibeenpwned.com/Breach/FLVS</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:11.2782526Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Foodora">https://haveibeenpwned.com/Breach/Foodora</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.9471193Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Forbes">https://haveibeenpwned.com/Breach/Forbes</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.8104390Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ForumCommunity">https://haveibeenpwned.com/Breach/ForumCommunity</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:08.3021174Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Fotolog">https://haveibeenpwned.com/Breach/Fotolog</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.5103360Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FoxyBingo">https://haveibeenpwned.com/Breach/FoxyBingo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.3205572Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FrameAndOptic">https://haveibeenpwned.com/Breach/FrameAndOptic</a>
Method	GET

Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:46.7038549Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FreedomHostingII">https://haveibeenpwned.com/Breach/FreedomHostingII</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.4220778Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FreeMobile">https://haveibeenpwned.com/Breach/FreeMobile</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-14T12:15:27.6136120Z cf-ipcity : Moha", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FrenchCitizens">https://haveibeenpwned.com/Breach/FrenchCitizens</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:47.1694529Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FreshMenu">https://haveibeenpwned.com/Breach/FreshMenu</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.1127054Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Fridae">https://haveibeenpwned.com/Breach/Fridae</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.4207882Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Funimation">https://haveibeenpwned.com/Breach/Funimation</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.3209754Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FunnyGames">https://haveibeenpwned.com/Breach/FunnyGames</a>
Method	GET

Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.3074298Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/FurAffinity">https://haveibeenpwned.com/Breach/FurAffinity</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.3452688Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Gaadi">https://haveibeenpwned.com/Breach/Gaadi</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T08:23:55.5431056Z cf-ipcity : Nand", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Gab">https://haveibeenpwned.com/Breach/Gab</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T08:23:06.5740902Z cf-ipcity : Guru", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GamerzPlanet">https://haveibeenpwned.com/Breach/GamerzPlanet</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.7683466Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GameSalad">https://haveibeenpwned.com/Breach/GameSalad</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.3622982Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GamesBox">https://haveibeenpwned.com/Breach/GamesBox</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:49.5351061Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GameSprite">https://haveibeenpwned.com/Breach/GameSprite</a>

Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.2701439Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GameTuts">https://haveibeenpwned.com/Breach/GameTuts</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.0621674Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GameVN">https://haveibeenpwned.com/Breach/GameVN</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:49.0784359Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Gamigo">https://haveibeenpwned.com/Breach/Gamigo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.1578053Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GamingMonk">https://haveibeenpwned.com/Breach/GamingMonk</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:14:47.3431324Z cf-ipcity : Mumb", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GateHub">https://haveibeenpwned.com/Breach/GateHub</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:05.2083207Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Gawker">https://haveibeenpwned.com/Breach/Gawker</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:21.3498611Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GeekedIn">https://haveibeenpwned.com/Breach/GeekedIn</a>

Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:15.2764174Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Gemini">https://haveibeenpwned.com/Breach/Gemini</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:48:57.1845453Z cf-ipcity : Bh%C", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Gemplex">https://haveibeenpwned.com/Breach/Gemplex</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:52.7339181Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GenesisMarket">https://haveibeenpwned.com/Breach/GenesisMarket</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:54.8534509Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GeniusU">https://haveibeenpwned.com/Breach/GeniusU</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.2655949Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GermanDonerKebab">https://haveibeenpwned.com/Breach/GermanDonerKebab</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:45.8636934Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GetRevengeOnYourEx">https://haveibeenpwned.com/Breach/GetRevengeOnYourEx</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:56.8947346Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/Gett">https://haveibeenpwned.com/Breach/Gett</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.1713109Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GFAN">https://haveibeenpwned.com/Breach/GFAN</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.1153807Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GGCorp">https://haveibeenpwned.com/Breach/GGCorp</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:56.7828599Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GiantTiger">https://haveibeenpwned.com/Breach/GiantTiger</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.9813506Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GiveSendGo">https://haveibeenpwned.com/Breach/GiveSendGo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.2543380Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GLAMIRA">https://haveibeenpwned.com/Breach/GLAMIRA</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:47.6233642Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Glofox">https://haveibeenpwned.com/Breach/Glofox</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.5968245Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/GoGames">https://haveibeenpwned.com/Breach/GoGames</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:04.0670346Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GoldSilver">https://haveibeenpwned.com/Breach/GoldSilver</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:08.1108075Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GoNinja">https://haveibeenpwned.com/Breach/GoNinja</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:52.5256473Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/gPotato">https://haveibeenpwned.com/Breach/gPotato</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.0336671Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GPSUnderground">https://haveibeenpwned.com/Breach/GPSUnderground</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.0636499Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Gravatar">https://haveibeenpwned.com/Breach/Gravatar</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.7098349Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GSMHosting">https://haveibeenpwned.com/Breach/GSMHosting</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:52.0156113Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/GTAGaming">https://haveibeenpwned.com/Breach/GTAGaming</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.246694Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GunAuction">https://haveibeenpwned.com/Breach/GunAuction</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:55.0452978Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/GunsDotCom">https://haveibeenpwned.com/Breach/GunsDotCom</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.4888208Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Guntrader">https://haveibeenpwned.com/Breach/Guntrader</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.7529433Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Habibs">https://haveibeenpwned.com/Breach/Habibs</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:51.6955445Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HackForums">https://haveibeenpwned.com/Breach/HackForums</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.3814383Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HackingTeam">https://haveibeenpwned.com/Breach/HackingTeam</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.7779688Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Hakko">https://haveibeenpwned.com/Breach/Hakko</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:46.2077589Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HalloweenSpot">https://haveibeenpwned.com/Breach/HalloweenSpot</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.6869221Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Hathway">https://haveibeenpwned.com/Breach/Hathway</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:52.0688916Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Hautelook">https://haveibeenpwned.com/Breach/Hautelook</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.7517973Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Havenly">https://haveibeenpwned.com/Breach/Havenly</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.6004442Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HDBFinancialServices">https://haveibeenpwned.com/Breach/HDBFinancialServices</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:55.0287971Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HealthNowNetworks">https://haveibeenpwned.com/Breach/HealthNowNetworks</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.0260909Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HeatGames">https://haveibeenpwned.com/Breach/HeatGames</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:46.6780570Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Hemmakvall">https://haveibeenpwned.com/Breach/Hemmakvall</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.8985245Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Hemmelig">https://haveibeenpwned.com/Breach/Hemmelig</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.6394151Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfGaia">https://haveibeenpwned.com/Breach/HeroesOfGaia</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.0662531Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfNewerth">https://haveibeenpwned.com/Breach/HeroesOfNewerth</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.7955243Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HIAPK">https://haveibeenpwned.com/Breach/HIAPK</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.9052246Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Hjedd">https://haveibeenpwned.com/Breach/Hjedd</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.8313596Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HTLV">https://haveibeenpwned.com/Breach/HTLV</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.2001651Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HomeChef">https://haveibeenpwned.com/Breach/HomeChef</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.5562936Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HongFire">https://haveibeenpwned.com/Breach/HongFire</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.4918903Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HookersNL">https://haveibeenpwned.com/Breach/HookersNL</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:05.0968705Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Hopamedia">https://haveibeenpwned.com/Breach/Hopamedia</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:47.6494270Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HorseIsle">https://haveibeenpwned.com/Breach/HorseIsle</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.4469710Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HotTopic">https://haveibeenpwned.com/Breach/HotTopic</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:48.2744306Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HoundDawgs">https://haveibeenpwned.com/Breach/HoundDawgs</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.0291478Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Houzz">https://haveibeenpwned.com/Breach/Houzz</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.6949852Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HTCMania">https://haveibeenpwned.com/Breach/HTCMania</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.3998899Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HTHStudios">https://haveibeenpwned.com/Breach/HTHStudios</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:08.8866633Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Hub4Tech">https://haveibeenpwned.com/Breach/Hub4Tech</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:08.1336266Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HuntStand">https://haveibeenpwned.com/Breach/HuntStand</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:49.5007655Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Hurb">https://haveibeenpwned.com/Breach/Hurb</a>
Method	GET

Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.7151126Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/HuskyOwners">https://haveibeenpwned.com/Breach/HuskyOwners</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.5426291Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/IDCGames">https://haveibeenpwned.com/Breach/IDCGames</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.1200152Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/iDressup">https://haveibeenpwned.com/Breach/iDressup</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.2323131Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/iDTech">https://haveibeenpwned.com/Breach/iDTech</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:54.9640153Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/IGF">https://haveibeenpwned.com/Breach/IGF</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.6551618Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/IIMJobs">https://haveibeenpwned.com/Breach/IIMJobs</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.9449331Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ILikeCheats">https://haveibeenpwned.com/Breach/ILikeCheats</a>
Method	GET

Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.7343608Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/lmavex">https://haveibeenpwned.com/Breach/lmavex</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.1700746Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/iMenu360">https://haveibeenpwned.com/Breach/iMenu360</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.9227972Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/iMesh">https://haveibeenpwned.com/Breach/iMesh</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.1738478Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/imgur">https://haveibeenpwned.com/Breach/imgur</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.0598890Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/IndiaMART">https://haveibeenpwned.com/Breach/IndiaMART</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:47:17.1845812Z cf-ipcity : Mumb", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/IndianRailways">https://haveibeenpwned.com/Breach/IndianRailways</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:04.2661743Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/IndiHome">https://haveibeenpwned.com/Breach/IndiHome</a>
Method	GET

Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:52.6511407Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/InflateVids">https://haveibeenpwned.com/Breach/InflateVids</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:52.4177832Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Insanely">https://haveibeenpwned.com/Breach/Insanely</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.7807458Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/InstantCheckmate">https://haveibeenpwned.com/Breach/InstantCheckmate</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:55.0928540Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile">https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:49.5518087Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Intelimost">https://haveibeenpwned.com/Breach/Intelimost</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.6128200Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/InternetArchive">https://haveibeenpwned.com/Breach/InternetArchive</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T03:54:00.1900285Z cf-ipcity : Bank", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Interpals">https://haveibeenpwned.com/Breach/Interpals</a>

Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.5103886Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/iPmart">https://haveibeenpwned.com/Breach/iPmart</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.6657216Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ixigo">https://haveibeenpwned.com/Breach/ixigo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.6416591Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/James">https://haveibeenpwned.com/Breach/James</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.5562936Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/JamTangan">https://haveibeenpwned.com/Breach/JamTangan</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:52.7725532Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/JD">https://haveibeenpwned.com/Breach/JD</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.5939166Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/JDGroup">https://haveibeenpwned.com/Breach/JDGroup</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:30:24.2954797Z cf-ipcity : Mumb", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/Jefit">https://haveibeenpwned.com/Breach/Jefit</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.9633708Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/JobAndTalent">https://haveibeenpwned.com/Breach/JobAndTalent</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.2087431Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/JobStreet">https://haveibeenpwned.com/Breach/JobStreet</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.2879901Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Jobzone">https://haveibeenpwned.com/Breach/Jobzone</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.9606223Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/JoomlArt">https://haveibeenpwned.com/Breach/JoomlArt</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:09.4184881Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/JoyGames">https://haveibeenpwned.com/Breach/JoyGames</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:52.7164186Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/JukinMedia">https://haveibeenpwned.com/Breach/JukinMedia</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.0111711Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/JustDate">https://haveibeenpwned.com/Breach/JustDate</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.3444899Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Kaneva">https://haveibeenpwned.com/Breach/Kaneva</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:52.4108993Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/KasperskyClub">https://haveibeenpwned.com/Breach/KasperskyClub</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.9379949Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/KayoMoe">https://haveibeenpwned.com/Breach/KayoMoe</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:09.6845867Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Kickstarter">https://haveibeenpwned.com/Breach/Kickstarter</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.7518201Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Kimsufi">https://haveibeenpwned.com/Breach/Kimsufi</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:15.0410415Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/KitchenPal">https://haveibeenpwned.com/Breach/KitchenPal</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:52.6934640Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/KiwiFarms">https://haveibeenpwned.com/Breach/KiwiFarms</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:05.3798690Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/KMRU">https://haveibeenpwned.com/Breach/KMRU</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.1765528Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/KnownCircle">https://haveibeenpwned.com/Breach/KnownCircle</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:09.0981484Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Knuddels">https://haveibeenpwned.com/Breach/Knuddels</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.2483987Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/KodiFoundation">https://haveibeenpwned.com/Breach/KodiFoundation</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:54.6162591Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/KomplettFritid">https://haveibeenpwned.com/Breach/KomplettFritid</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:55.2531189Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Kreditplus">https://haveibeenpwned.com/Breach/Kreditplus</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.6069202Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Ladies">https://haveibeenpwned.com/Breach/Ladies</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:48.0011451Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LandAirSea">https://haveibeenpwned.com/Breach/LandAirSea</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:46.1887608Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Lanwar">https://haveibeenpwned.com/Breach/Lanwar</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.3003031Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LaPosteMobile">https://haveibeenpwned.com/Breach/LaPosteMobile</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.1344079Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Lastfm">https://haveibeenpwned.com/Breach/Lastfm</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.1059866Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Lazada">https://haveibeenpwned.com/Breach/Lazada</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.6130737Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LBB">https://haveibeenpwned.com/Breach/LBB</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:54.9928112Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LDLC">https://haveibeenpwned.com/Breach/LDLC</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.0693295Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LeadHunter">https://haveibeenpwned.com/Breach/LeadHunter</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.8474559Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LeagueOfLegends">https://haveibeenpwned.com/Breach/LeagueOfLegends</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.2618208Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LeakedReality">https://haveibeenpwned.com/Breach/LeakedReality</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T18:33:06.1422444Z cf-ipcity : Mumb", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LeCooSportif">https://haveibeenpwned.com/Breach/LeCooSportif</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:46.8829207Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Ledger">https://haveibeenpwned.com/Breach/Ledger</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.3228112Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Leet">https://haveibeenpwned.com/Breach/Leet</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.1747404Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LegendasTV">https://haveibeenpwned.com/Breach/LegendasTV</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:52.0141909Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LeSlipFrancais">https://haveibeenpwned.com/Breach/LeSlipFrancais</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:51.1418159Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Lexipol">https://haveibeenpwned.com/Breach/Lexipol</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:46.3617362Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Life360">https://haveibeenpwned.com/Breach/Life360</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.1883324Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Lifebear">https://haveibeenpwned.com/Breach/Lifebear</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.3052161Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Lifeboat">https://haveibeenpwned.com/Breach/Lifeboat</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.8725875Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LightsHope">https://haveibeenpwned.com/Breach/LightsHope</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.3446007Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Liker">https://haveibeenpwned.com/Breach/Liker</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:00.4744296Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LimeVPN">https://haveibeenpwned.com/Breach/LimeVPN</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:55.4631711Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LinkedIn">https://haveibeenpwned.com/Breach/LinkedIn</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.6235627Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape">https://haveibeenpwned.com/Breach/LinkedInScrape</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.1627357Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape2023">https://haveibeenpwned.com/Breach/LinkedInScrape2023</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:52.8901893Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LinuxForums">https://haveibeenpwned.com/Breach/LinuxForums</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.5897832Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LinuxMint">https://haveibeenpwned.com/Breach/LinuxMint</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.3531291Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LittleMonsters">https://haveibeenpwned.com/Breach/LittleMonsters</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.4374232Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LiveAuctioneers">https://haveibeenpwned.com/Breach/LiveAuctioneers</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.5991706Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LiveJournal">https://haveibeenpwned.com/Breach/LiveJournal</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.5415633Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Livpure">https://haveibeenpwned.com/Breach/Livpure</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.6483510Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LizardSquad">https://haveibeenpwned.com/Breach/LizardSquad</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.0585798Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Locally">https://haveibeenpwned.com/Breach/Locally</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:54.2828091Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Lolteam">https://haveibeenpwned.com/Breach/Lolteam</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:56.4930072Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Lookbook">https://haveibeenpwned.com/Breach/Lookbook</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:15.3394569Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Lookiero">https://haveibeenpwned.com/Breach/Lookiero</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:49.6192262Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LOTR">https://haveibeenpwned.com/Breach/LOTR</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.0453295Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LoungeBoard">https://haveibeenpwned.com/Breach/LoungeBoard</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.1973602Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LuLu">https://haveibeenpwned.com/Breach/LuLu</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.0089665Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LuminPDF">https://haveibeenpwned.com/Breach/LuminPDF</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:05.4853306Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Luxottica">https://haveibeenpwned.com/Breach/Luxottica</a>
Method	GET

Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:48:19.3145749Z cf-ipcity : Bh%C", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/LyricsMania">https://haveibeenpwned.com/Breach/LyricsMania</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:11.8343086Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Mac-Torrents">https://haveibeenpwned.com/Breach/Mac-Torrents</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.5351142Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MacForums">https://haveibeenpwned.com/Breach/MacForums</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:09.4464143Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MacGeneration">https://haveibeenpwned.com/Breach/MacGeneration</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.2375045Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MagicDuel">https://haveibeenpwned.com/Breach/MagicDuel</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:54.0022855Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MailRu">https://haveibeenpwned.com/Breach/MailRu</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.2803339Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MajorGeeks">https://haveibeenpwned.com/Breach/MajorGeeks</a>
Method	GET

Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.1784470Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MalindoAir">https://haveibeenpwned.com/Breach/MalindoAir</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.7836383Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MailCZ">https://haveibeenpwned.com/Breach/MailCZ</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.0240946Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Malwarebytes">https://haveibeenpwned.com/Breach/Malwarebytes</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.5500418Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MangaDex">https://haveibeenpwned.com/Breach/MangaDex</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:00.1306372Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MangaFox">https://haveibeenpwned.com/Breach/MangaFox</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:11.6555630Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Mangatoon">https://haveibeenpwned.com/Breach/Mangatoon</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.2799913Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MangaTraders">https://haveibeenpwned.com/Breach/MangaTraders</a>

Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.4226789Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ManipulatedCaiman">https://haveibeenpwned.com/Breach/ManipulatedCaiman</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.9018724Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Mappery">https://haveibeenpwned.com/Breach/Mappery</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:08.3007607Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MarketMoveis">https://haveibeenpwned.com/Breach/MarketMoveis</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:49.8148333Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Mashable">https://haveibeenpwned.com/Breach/Mashable</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.8229356Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MastercardPricelessSpecials">https://haveibeenpwned.com/Breach/MastercardPricelessSpecials</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:05.7676248Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MasterDeeds">https://haveibeenpwned.com/Breach/MasterDeeds</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.7065557Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Mate1">https://haveibeenpwned.com/Breach/Mate1</a>

Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.1498983Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Mathway">https://haveibeenpwned.com/Breach/Mathway</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T13:31:49.1459862Z cf-ipcity : Mumb", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MC2Data">https://haveibeenpwned.com/Breach/MC2Data</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:47.5211863Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MCBans">https://haveibeenpwned.com/Breach/MCBans</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.1084517Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MDPI">https://haveibeenpwned.com/Breach/MDPI</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:11.2028836Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MechoDownload">https://haveibeenpwned.com/Breach/MechoDownload</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:56.7156823Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MediaWorks">https://haveibeenpwned.com/Breach/MediaWorks</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:51.3249997Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MeetMindful">https://haveibeenpwned.com/Breach/MeetMindful</a>

Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.6962322Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MemeChat">https://haveibeenpwned.com/Breach/MemeChat</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:52.8467099Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MEO">https://haveibeenpwned.com/Breach/MEO</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:54.4912694Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MGM">https://haveibeenpwned.com/Breach/MGM</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T06:38:38.9784172Z cf-ipcity : Thir", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MGM2022Update">https://haveibeenpwned.com/Breach/MGM2022Update</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.4773223Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MindJolt">https://haveibeenpwned.com/Breach/MindJolt</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.6858972Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum">https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.9094831Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftWorldMap">https://haveibeenpwned.com/Breach/MinecraftWorldMap</a>

Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.7781441Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Minefield">https://haveibeenpwned.com/Breach/Minefield</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.0789715Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Minehut">https://haveibeenpwned.com/Breach/Minehut</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:05.7758839Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Minted">https://haveibeenpwned.com/Breach/Minted</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.5447736Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MMGFusion">https://haveibeenpwned.com/Breach/MMGFusion</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.6585964Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MobiFriends">https://haveibeenpwned.com/Breach/MobiFriends</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.7728293Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MoDaCo">https://haveibeenpwned.com/Breach/MoDaCo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.2681696Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ModernBusinessSolutions">https://haveibeenpwned.com/Breach/ModernBusinessSolutions</a>

Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.1153808Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MoneyBookers">https://haveibeenpwned.com/Breach/MoneyBookers</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.8885546Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Moneycontrol">https://haveibeenpwned.com/Breach/Moneycontrol</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.6298459Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MoreleNet">https://haveibeenpwned.com/Breach/MoreleNet</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.0338359Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MortalOnline">https://haveibeenpwned.com/Breach/MortalOnline</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.3177452Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MovieBoxPro">https://haveibeenpwned.com/Breach/MovieBoxPro</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.8992113Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MovieForums">https://haveibeenpwned.com/Breach/MovieForums</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:52.4083240Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MPGH">https://haveibeenpwned.com/Breach/MPGH</a>

Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.1795428Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MrExcel">https://haveibeenpwned.com/Breach/MrExcel</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.9239637Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MrGreenGaming">https://haveibeenpwned.com/Breach/MrGreenGaming</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:51.5265920Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MSI">https://haveibeenpwned.com/Breach/MSI</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T08:56:51.6291200Z cf-ipcity : Pune", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/mSpy">https://haveibeenpwned.com/Breach/mSpy</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.9309722Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/mSpy2024">https://haveibeenpwned.com/Breach/mSpy2024</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T11:15:00.4473674Z cf-ipcity : Indo", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Muah">https://haveibeenpwned.com/Breach/Muah</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T14:38:53.0511052Z cf-ipcity : Hyde", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/MultiplayerIt">https://haveibeenpwned.com/Breach/MultiplayerIt</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:49.9461345Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MuslimDirectory">https://haveibeenpwned.com/Breach/MuslimDirectory</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:21.3640683Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MuslimMatch">https://haveibeenpwned.com/Breach/MuslimMatch</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T18:08:03.6054582Z cf-ipcity : Udal", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MyFHA">https://haveibeenpwned.com/Breach/MyFHA</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.3464605Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MyFitnessPal">https://haveibeenpwned.com/Breach/MyFitnessPal</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.8969531Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MyHeritage">https://haveibeenpwned.com/Breach/MyHeritage</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.8795113Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MyPertamina">https://haveibeenpwned.com/Breach/MyPertamina</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:51.8576283Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/myRepoSpace">https://haveibeenpwned.com/Breach/myRepoSpace</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.9637197Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MySpace">https://haveibeenpwned.com/Breach/MySpace</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T04:11:12.8782038Z cf-ipcity : Mumb", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/MyVidster">https://haveibeenpwned.com/Breach/MyVidster</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.2472463Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NamelessMalware">https://haveibeenpwned.com/Breach/NamelessMalware</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:00.0566044Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NapsGear">https://haveibeenpwned.com/Breach/NapsGear</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.4856820Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NationalPublicData">https://haveibeenpwned.com/Breach/NationalPublicData</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.2785850Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NaughtyAmerica">https://haveibeenpwned.com/Breach/NaughtyAmerica</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.9738348Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NazApi">https://haveibeenpwned.com/Breach/NazApi</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T06:06:55.4594597Z cf-ipcity : Mumb", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NeimanMarcus">https://haveibeenpwned.com/Breach/NeimanMarcus</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.2251442Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NemoWeb">https://haveibeenpwned.com/Breach/NemoWeb</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:09.6864058Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Neopets">https://haveibeenpwned.com/Breach/Neopets</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.2200079Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NetEase">https://haveibeenpwned.com/Breach/NetEase</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.0228484Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Neteller">https://haveibeenpwned.com/Breach/Neteller</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.8905206Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NetGalley">https://haveibeenpwned.com/Breach/NetGalley</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:00.9669567Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Netlog">https://haveibeenpwned.com/Breach/Netlog</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T04:11:59.1292800Z cf-ipcity : Mumb", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NetProspx">https://haveibeenpwned.com/Breach/NetProspx</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.5125513Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Netshoes">https://haveibeenpwned.com/Breach/Netshoes</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.0312974Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NextGenUpdate">https://haveibeenpwned.com/Breach/NextGenUpdate</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.8737772Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NexusMods">https://haveibeenpwned.com/Breach/NexusMods</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.7940018Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Nihonomaru">https://haveibeenpwned.com/Breach/Nihonomaru</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.6428174Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Nitro">https://haveibeenpwned.com/Breach/Nitro</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.2498702Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Nival">https://haveibeenpwned.com/Breach/Nival</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.1209809Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NonNudeGirls">https://haveibeenpwned.com/Breach/NonNudeGirls</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T16:30:30.3702708Z cf-ipcity : Delh", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NotAcxiom">https://haveibeenpwned.com/Breach/NotAcxiom</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:56.6123300Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NotSOCRadar">https://haveibeenpwned.com/Breach/NotSOCRadar</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T21:57:03.2353779Z cf-ipcity : Mumb", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Nulled">https://haveibeenpwned.com/Breach/Nulled</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.6386342Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NulledCH">https://haveibeenpwned.com/Breach/NulledCH</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.2615814Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NurseryCam">https://haveibeenpwned.com/Breach/NurseryCam</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:00.6081603Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/NVIDIA">https://haveibeenpwned.com/Breach/NVIDIA</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:50:14.5666037Z cf-ipcity : Bh%C", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers">https://haveibeenpwned.com/Breach/OGUsers</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.3630203Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2020">https://haveibeenpwned.com/Breach/OGUsers2020</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.5256474Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2021">https://haveibeenpwned.com/Breach/OGUsers2021</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.9049181Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2022">https://haveibeenpwned.com/Breach/OGUsers2022</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:55.3420799Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OMGPOP">https://haveibeenpwned.com/Breach/OMGPOP</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:52.7304526Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OnlinerSpambot">https://haveibeenpwned.com/Breach/OnlinerSpambot</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T06:41:29.7185634Z cf-ipcity : Aran", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OnlineTrade">https://haveibeenpwned.com/Breach/OnlineTrade</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:51.4946660Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OnRPG">https://haveibeenpwned.com/Breach/OnRPG</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:45.6423740Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Onverse">https://haveibeenpwned.com/Breach/Onverse</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.3798504Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OpenCSGO">https://haveibeenpwned.com/Breach/OpenCSGO</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:11.9423101Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OpenSubtitles">https://haveibeenpwned.com/Breach/OpenSubtitles</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.4366869Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame">https://haveibeenpwned.com/Breach/OperationEndgame</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.7345639Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame2">https://haveibeenpwned.com/Breach/OperationEndgame2</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T09:27:21.4335467Z cf-ipcity : Path", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OrangeRomania">https://haveibeenpwned.com/Breach/OrangeRomania</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:46.0998599Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OrderSnapp">https://haveibeenpwned.com/Breach/OrderSnapp</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.1969167Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma">https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.9626092Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Otelier">https://haveibeenpwned.com/Breach/Otelier</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:46.8385063Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OVH">https://haveibeenpwned.com/Breach/OVH</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.9574261Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/OwnedCore">https://haveibeenpwned.com/Breach/OwnedCore</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.7447796Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Oxfam">https://haveibeenpwned.com/Breach/Oxfam</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:00.5168667Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PaddyPower">https://haveibeenpwned.com/Breach/PaddyPower</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.1739852Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Pampling">https://haveibeenpwned.com/Breach/Pampling</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.6207112Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Pandabuy">https://haveibeenpwned.com/Breach/Pandabuy</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:51.1514871Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ParagonCheats">https://haveibeenpwned.com/Breach/ParagonCheats</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.8988075Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Parapa">https://haveibeenpwned.com/Breach/Parapa</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.8862851Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ParkMobile">https://haveibeenpwned.com/Breach/ParkMobile</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:00.0261450Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Patreon">https://haveibeenpwned.com/Breach/Patreon</a>
Method	GET

Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.2539417Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PayAsUGym">https://haveibeenpwned.com/Breach/PayAsUGym</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:15.0789127Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PayHere">https://haveibeenpwned.com/Breach/PayHere</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.4521824Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PaySystemTech">https://haveibeenpwned.com/Breach/PaySystemTech</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.5458025Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Paytm">https://haveibeenpwned.com/Breach/Paytm</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.0419790Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/pcTattletale">https://haveibeenpwned.com/Breach/pcTattletale</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.8033927Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PDL">https://haveibeenpwned.com/Breach/PDL</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:05.0046756Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Peatix">https://haveibeenpwned.com/Breach/Peatix</a>

Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.3647754Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Pemblanc">https://haveibeenpwned.com/Breach/Pemblanc</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.2094468Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PeoplesEnergy">https://haveibeenpwned.com/Breach/PeoplesEnergy</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:00.8522791Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PetFlow">https://haveibeenpwned.com/Breach/PetFlow</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.0414924Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Phoenix">https://haveibeenpwned.com/Breach/Phoenix</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.2188244Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PhoneHouse">https://haveibeenpwned.com/Breach/PhoneHouse</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:00.4827605Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PHPFreaks">https://haveibeenpwned.com/Breach/PHPFreaks</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.1185533Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/PipingRock">https://haveibeenpwned.com/Breach/PipingRock</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.9447476Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PixelFederation">https://haveibeenpwned.com/Breach/PixelFederation</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:21.1365083Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Pixlr">https://haveibeenpwned.com/Breach/Pixlr</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.2699011Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/piZap">https://haveibeenpwned.com/Breach/piZap</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.7788638Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PlanetCalypso">https://haveibeenpwned.com/Breach/PlanetCalypso</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:04.2809875Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PlanetIce">https://haveibeenpwned.com/Breach/PlanetIce</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:55.2610968Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Playbook">https://haveibeenpwned.com/Breach/Playbook</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.9398636Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/PlayCyberGames">https://haveibeenpwned.com/Breach/PlayCyberGames</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.7415827Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Playgar">https://haveibeenpwned.com/Breach/Playgar</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:11.7578985Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Plex">https://haveibeenpwned.com/Breach/Plex</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.6199025Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PlutoTV">https://haveibeenpwned.com/Breach/PlutoTV</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.3554894Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PoinCampus">https://haveibeenpwned.com/Breach/PoinCampus</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:46.4203915Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Pokebip">https://haveibeenpwned.com/Breach/Pokebip</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.5142119Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PokemonCreed">https://haveibeenpwned.com/Breach/PokemonCreed</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.1608381Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PokemonNegro">https://haveibeenpwned.com/Breach/PokemonNegro</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:15.3520957Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PoliceOne">https://haveibeenpwned.com/Breach/PoliceOne</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.5865026Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PolishCredentials">https://haveibeenpwned.com/Breach/PolishCredentials</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:54.4267802Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Poshmark">https://haveibeenpwned.com/Breach/Poshmark</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:05.5209705Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Powerbot">https://haveibeenpwned.com/Breach/Powerbot</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.1324757Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PPCGeeks">https://haveibeenpwned.com/Breach/PPCGeeks</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:56.9705136Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PreenMe">https://haveibeenpwned.com/Breach/PreenMe</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.4583887Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ProctorU">https://haveibeenpwned.com/Breach/ProctorU</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.5979597Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ProgrammingForums">https://haveibeenpwned.com/Breach/ProgrammingForums</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.1530116Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Promo">https://haveibeenpwned.com/Breach/Promo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.8188324Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Promofarma">https://haveibeenpwned.com/Breach/Promofarma</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.5952613Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PropTiger">https://haveibeenpwned.com/Breach/PropTiger</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.5593931Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Protamps">https://haveibeenpwned.com/Breach/Protamps</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.6975363Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PS3Hax">https://haveibeenpwned.com/Breach/PS3Hax</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.5165008Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PSPISO">https://haveibeenpwned.com/Breach/PSPISO</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.4702020Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/PSX-Scene">https://haveibeenpwned.com/Breach/PSX-Scene</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.7225447Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Qakbot">https://haveibeenpwned.com/Breach/Qakbot</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:54.5055224Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/QatarNationalBank">https://haveibeenpwned.com/Breach/QatarNationalBank</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.9678429Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/QIP">https://haveibeenpwned.com/Breach/QIP</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.7505322Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Qraved">https://haveibeenpwned.com/Breach/Qraved</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:45.9127625Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/QuantumBooter">https://haveibeenpwned.com/Breach/QuantumBooter</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.9491144Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/QuestionPro">https://haveibeenpwned.com/Breach/QuestionPro</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:56.7132127Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Quidd">https://haveibeenpwned.com/Breach/Quidd</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.8163197Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/QuinStreet">https://haveibeenpwned.com/Breach/QuinStreet</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:15.0652391Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/R2-2017">https://haveibeenpwned.com/Breach/R2-2017</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.6700273Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/R2Games">https://haveibeenpwned.com/Breach/R2Games</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.5215605Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RaidForums">https://haveibeenpwned.com/Breach/RaidForums</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:54.8473834Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RailYatri">https://haveibeenpwned.com/Breach/RailYatri</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T13:20:45.6564049Z cf-ipcity : Beng", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Rambler">https://haveibeenpwned.com/Breach/Rambler</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:15.9008782Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Rankwatch">https://haveibeenpwned.com/Breach/Rankwatch</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.3049368Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Raychat">https://haveibeenpwned.com/Breach/Raychat</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.4181729Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RbxRocks">https://haveibeenpwned.com/Breach/RbxRocks</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T03:47:50.7945539Z cf-ipcity : Gaya", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ReadNovel">https://haveibeenpwned.com/Breach/ReadNovel</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.5884871Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RealDudesInc">https://haveibeenpwned.com/Breach/RealDudesInc</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:55.3143726Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RealEstateMogul">https://haveibeenpwned.com/Breach/RealEstateMogul</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.0678915Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RedDoorz">https://haveibeenpwned.com/Breach/RedDoorz</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.3222592Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RedLineStealer">https://haveibeenpwned.com/Breach/RedLineStealer</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.6259150Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Reincubate">https://haveibeenpwned.com/Breach/Reincubate</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.0464937Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RentoMojo">https://haveibeenpwned.com/Breach/RentoMojo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T16:30:11.4230276Z cf-ipcity : Delh", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas">https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.9093322Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RetinaX">https://haveibeenpwned.com/Breach/RetinaX</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.7035918Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Reverb-Nation">https://haveibeenpwned.com/Breach/Reverb-Nation</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.7847145Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Rightbiz">https://haveibeenpwned.com/Breach/Rightbiz</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:54.1301786Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RiverCityMedia">https://haveibeenpwned.com/Breach/RiverCityMedia</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.2148913Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Robinhood">https://haveibeenpwned.com/Breach/Robinhood</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.6595589Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Roblox">https://haveibeenpwned.com/Breach/Roblox</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T11:05:18.4688572Z cf-ipcity : Kana", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference">https://haveibeenpwned.com/Breach/RobloxDeveloperConference</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T03:48:41.5623198Z cf-ipcity : Gaya", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024">https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T03:47:47.2387457Z cf-ipcity : Mumb", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Roll20">https://haveibeenpwned.com/Breach/Roll20</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.4209596Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Romwe">https://haveibeenpwned.com/Breach/Romwe</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.1044165Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RosebuttBoard">https://haveibeenpwned.com/Breach/RosebuttBoard</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.5644201Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RoyalEnfield">https://haveibeenpwned.com/Breach/RoyalEnfield</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.9957747Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/RussianAmerica">https://haveibeenpwned.com/Breach/RussianAmerica</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:09.7069257Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SalvadoranCitizens">https://haveibeenpwned.com/Breach/SalvadoranCitizens</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:51.0758272Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SamsungGermany">https://haveibeenpwned.com/Breach/SamsungGermany</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:45.8776775Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SaverSpy">https://haveibeenpwned.com/Breach/SaverSpy</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:09.5074904Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList">https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:15.1824787Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Scentbird">https://haveibeenpwned.com/Breach/Scentbird</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.6025915Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/schenkYOU">https://haveibeenpwned.com/Breach/schenkYOU</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:47.2718522Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Scholastic">https://haveibeenpwned.com/Breach/Scholastic</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:47.0472826Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SchoolDistrict42">https://haveibeenpwned.com/Breach/SchoolDistrict42</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:55.1465891Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Seedpeer">https://haveibeenpwned.com/Breach/Seedpeer</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.0835273Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SeniorDating">https://haveibeenpwned.com/Breach/SeniorDating</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T16:52:51.9468052Z cf-ipcity : Jaip", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Sephora">https://haveibeenpwned.com/Breach/Sephora</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:05.2759082Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ServerPact">https://haveibeenpwned.com/Breach/ServerPact</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.6833391Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SevenRooms">https://haveibeenpwned.com/Breach/SevenRooms</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.7023529Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Shadi">https://haveibeenpwned.com/Breach/Shadi</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:34:31.6671839Z cf-ipcity : Delh", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Shadow">https://haveibeenpwned.com/Breach/Shadow</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:43:34.2399242Z cf-ipcity : Bh%C", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ShareThis">https://haveibeenpwned.com/Breach/ShareThis</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.6902529Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SHEIN">https://haveibeenpwned.com/Breach/SHEIN</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.5477457Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Shitexpress">https://haveibeenpwned.com/Breach/Shitexpress</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.0419789Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ShockGore">https://haveibeenpwned.com/Breach/ShockGore</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.2632864Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ShoeZone">https://haveibeenpwned.com/Breach/ShoeZone</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.2293058Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ShopBack">https://haveibeenpwned.com/Breach/ShopBack</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:00.2919858Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ShopperPlus">https://haveibeenpwned.com/Breach/ShopperPlus</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:54.8007931Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ShortEdition">https://haveibeenpwned.com/Breach/ShortEdition</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.4604112Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Shotbow">https://haveibeenpwned.com/Breach/Shotbow</a>
Method	GET

Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.3867122Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SIAE">https://haveibeenpwned.com/Breach/SIAE</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.5394077Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SirHurt">https://haveibeenpwned.com/Breach/SirHurt</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.5706451Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SitePoint">https://haveibeenpwned.com/Breach/SitePoint</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:57.0218238Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SkTorrent">https://haveibeenpwned.com/Breach/SkTorrent</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.2522153Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Slickwraps">https://haveibeenpwned.com/Breach/Slickwraps</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.6847289Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SlideTeam">https://haveibeenpwned.com/Breach/SlideTeam</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:55.4162488Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Smogon">https://haveibeenpwned.com/Breach/Smogon</a>
Method	GET

Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.8050439Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Snail">https://haveibeenpwned.com/Breach/Snail</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.3018636Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Snapchat">https://haveibeenpwned.com/Breach/Snapchat</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.9077322Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SoarGames">https://haveibeenpwned.com/Breach/SoarGames</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:52.6099183Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SocialEngineered">https://haveibeenpwned.com/Breach/SocialEngineered</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.9102136Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Solomid">https://haveibeenpwned.com/Breach/Solomid</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.3328165Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Sonicbids">https://haveibeenpwned.com/Breach/Sonicbids</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.9684223Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Sony">https://haveibeenpwned.com/Breach/Sony</a>
Method	GET

Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.8894767Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Soundwave">https://haveibeenpwned.com/Breach/Soundwave</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.5781512Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SpecialKSpamList">https://haveibeenpwned.com/Breach/SpecialKSpamList</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:15.3629375Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Speedio">https://haveibeenpwned.com/Breach/Speedio</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:46.7639822Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Sphero">https://haveibeenpwned.com/Breach/Sphero</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.0390161Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Spiro">https://haveibeenpwned.com/Breach/Spiro</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.6731329Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Sport2000">https://haveibeenpwned.com/Breach/Sport2000</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.0637096Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Spoutible">https://haveibeenpwned.com/Breach/Spoutible</a>

Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:51.8413599Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SprashivaiRu">https://haveibeenpwned.com/Breach/SprashivaiRu</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.9344937Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SpyFone">https://haveibeenpwned.com/Breach/SpyFone</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.2846059Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Spyic">https://haveibeenpwned.com/Breach/Spyic</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:45.9556288Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Spytech">https://haveibeenpwned.com/Breach/Spytech</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.0652551Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SpyX">https://haveibeenpwned.com/Breach/SpyX</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T04:07:40.6581405Z cf-ipcity : Secu", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Spyzie">https://haveibeenpwned.com/Breach/Spyzie</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T17:19:23.8652335Z cf-ipcity : Jaip", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/StalkerOnline">https://haveibeenpwned.com/Breach/StalkerOnline</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:48.6282001Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Staminus">https://haveibeenpwned.com/Breach/Staminus</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.9021600Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/StarNet">https://haveibeenpwned.com/Breach/StarNet</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.9123899Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Start">https://haveibeenpwned.com/Breach/Start</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:56.6162174Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/StarTribune">https://haveibeenpwned.com/Breach/StarTribune</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.7539243Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/StealerLogsJan2025">https://haveibeenpwned.com/Breach/StealerLogsJan2025</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T15:53:06.0308384Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SterKinekor">https://haveibeenpwned.com/Breach/SterKinekor</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.7505322Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/StockX">https://haveibeenpwned.com/Breach/StockX</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.3876849Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Storeny">https://haveibeenpwned.com/Breach/Storeny</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:46.1432506Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/StoryBird">https://haveibeenpwned.com/Breach/StoryBird</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.4068997Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Straffic">https://haveibeenpwned.com/Breach/Straffic</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.7659271Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Stratfor">https://haveibeenpwned.com/Breach/Stratfor</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.9355246Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/StreamCraft">https://haveibeenpwned.com/Breach/StreamCraft</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:48.7914592Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/StreetEasy">https://haveibeenpwned.com/Breach/StreetEasy</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:05.2173300Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Stripchat">https://haveibeenpwned.com/Breach/Stripchat</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T13:41:59.5092233Z cf-ipcity : Jamm", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/StrongholdKingdoms">https://haveibeenpwned.com/Breach/StrongholdKingdoms</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.4718764Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SubaGames">https://haveibeenpwned.com/Breach/SubaGames</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.1041242Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SumoTorrent">https://haveibeenpwned.com/Breach/SumoTorrent</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.0196495Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SundryFiles">https://haveibeenpwned.com/Breach/SundryFiles</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:54.8239586Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SuperDraft">https://haveibeenpwned.com/Breach/SuperDraft</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:47.1523529Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN">https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T08:24:57.0757346Z cf-ipcity : Mumb", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SurveyLama">https://haveibeenpwned.com/Breach/SurveyLama</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:51.2406670Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SvenskaMagic">https://haveibeenpwned.com/Breach/SvenskaMagic</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.4697442Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SweClockers">https://haveibeenpwned.com/Breach/SweClockers</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.1906641Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Switch">https://haveibeenpwned.com/Breach/Switch</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:49.4698153Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/SwordFantasy">https://haveibeenpwned.com/Breach/SwordFantasy</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:51.6508673Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Swl">https://haveibeenpwned.com/Breach/Swl</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.5992099Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/T2">https://haveibeenpwned.com/Breach/T2</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:51.0147728Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TaiLieu">https://haveibeenpwned.com/Breach/TaiLieu</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.4544415Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tamodo">https://haveibeenpwned.com/Breach/Tamodo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.6253032Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tangerine">https://haveibeenpwned.com/Breach/Tangerine</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:51.8619379Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Taobao">https://haveibeenpwned.com/Breach/Taobao</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.0455544Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TAPAirPortugal">https://haveibeenpwned.com/Breach/TAPAirPortugal</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:56.8628040Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tappware">https://haveibeenpwned.com/Breach/Tappware</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.7975003Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Taringa">https://haveibeenpwned.com/Breach/Taringa</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:11.3882564Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Technic">https://haveibeenpwned.com/Breach/Technic</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:08.6967794Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Teespring">https://haveibeenpwned.com/Breach/Teespring</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.4041190Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TehetsegKapu">https://haveibeenpwned.com/Breach/TehetsegKapu</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:45.8536790Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TelegramCombolists">https://haveibeenpwned.com/Breach/TelegramCombolists</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T17:32:10.4741379Z cf-ipcity : Gh%C", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TelegramStealerLogs">https://haveibeenpwned.com/Breach/TelegramStealerLogs</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:49.8934137Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Teracod">https://haveibeenpwned.com/Breach/Teracod</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.6647779Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Terravision">https://haveibeenpwned.com/Breach/Terravision</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:55.1421653Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tesco">https://haveibeenpwned.com/Breach/Tesco</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.8438077Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TGBUS">https://haveibeenpwned.com/Breach/TGBUS</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.8488874Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TheCandidBoard">https://haveibeenpwned.com/Breach/TheCandidBoard</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.9533443Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TheClubPenguinExperience">https://haveibeenpwned.com/Breach/TheClubPenguinExperience</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:48.8470225Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TheFappening">https://haveibeenpwned.com/Breach/TheFappening</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T17:19:45.5100350Z cf-ipcity : Mumb", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TheFlyOnTheWall">https://haveibeenpwned.com/Breach/TheFlyOnTheWall</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:11.8325363Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TheGradCafe">https://haveibeenpwned.com/Breach/TheGradCafe</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:54.8906817Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TheHeritageFoundation">https://haveibeenpwned.com/Breach/TheHeritageFoundation</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.1625254Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ThePostMillennial">https://haveibeenpwned.com/Breach/ThePostMillennial</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.6257202Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TheRealWorld">https://haveibeenpwned.com/Breach/TheRealWorld</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T16:48:32.4215313Z cf-ipcity : Mumb", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Thermomix">https://haveibeenpwned.com/Breach/Thermomix</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:46.5142182Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TheTVDB">https://haveibeenpwned.com/Breach/TheTVDB</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:11.9239843Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Thingiverse">https://haveibeenpwned.com/Breach/Thingiverse</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.9230250Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ThisHabboForum">https://haveibeenpwned.com/Breach/ThisHabboForum</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.9934317Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tianya">https://haveibeenpwned.com/Breach/Tianya</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.7806313Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tibber">https://haveibeenpwned.com/Breach/Tibber</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:47.7422708Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Ticketcounter">https://haveibeenpwned.com/Breach/Ticketcounter</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:00.5195553Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Ticketek">https://haveibeenpwned.com/Breach/Ticketek</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.5429370Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Ticketfly">https://haveibeenpwned.com/Breach/Ticketfly</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.7110746Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tigo">https://haveibeenpwned.com/Breach/Tigo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:54.0322442Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TNAFix">https://haveibeenpwned.com/Breach/TNAFix</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:48.7914592Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tokopedia">https://haveibeenpwned.com/Breach/Tokopedia</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.4185408Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ToonDoo">https://haveibeenpwned.com/Breach/ToonDoo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:05.4622640Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TorrentInvites">https://haveibeenpwned.com/Breach/TorrentInvites</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.3991479Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Toumei">https://haveibeenpwned.com/Breach/Toumei</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:52.9752815Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tout">https://haveibeenpwned.com/Breach/Tout</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:04.1321696Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tracki">https://haveibeenpwned.com/Breach/Tracki</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:49.7252768Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Traderie">https://haveibeenpwned.com/Breach/Traderie</a>
Method	GET

Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.2532380Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TRAI">https://haveibeenpwned.com/Breach/TRAI</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.3152954Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Travelio">https://haveibeenpwned.com/Breach/Travelio</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.0941371Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TravelOK">https://haveibeenpwned.com/Breach/TravelOK</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:00.3929925Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Trello">https://haveibeenpwned.com/Breach/Trello</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:51.9339560Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TrikSpamBotnet">https://haveibeenpwned.com/Breach/TrikSpamBotnet</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.4883265Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Trillian">https://haveibeenpwned.com/Breach/Trillian</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.1803023Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TroyHuntMailchimpList">https://haveibeenpwned.com/Breach/TroyHuntMailchimpList</a>
Method	GET

Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:45.9934077Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TruckersMP">https://haveibeenpwned.com/Breach/TruckersMP</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.4781088Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TrueFire">https://haveibeenpwned.com/Breach/TrueFire</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.6091266Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TruthFinder">https://haveibeenpwned.com/Breach/TruthFinder</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:48:47.0889737Z cf-ipcity : Bh%C", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tumblr">https://haveibeenpwned.com/Breach/Tumblr</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.2525978Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/TunedGlobal">https://haveibeenpwned.com/Breach/TunedGlobal</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:56.7939234Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Tunngle">https://haveibeenpwned.com/Breach/Tunngle</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.1458830Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Twitter">https://haveibeenpwned.com/Breach/Twitter</a>

Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:49:11.4233855Z cf-ipcity : Bh%C", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Twitter200M">https://haveibeenpwned.com/Breach/Twitter200M</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:55.4074299Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Ualabee">https://haveibeenpwned.com/Breach/Ualabee</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T12:41:35.5239841Z cf-ipcity : Beng", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Ubook">https://haveibeenpwned.com/Breach/Ubook</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.0663768Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/UC">https://haveibeenpwned.com/Breach/UC</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.4713238Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Uiggy">https://haveibeenpwned.com/Breach/Uiggy</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.3019611Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Ulmon">https://haveibeenpwned.com/Breach/Ulmon</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.3643922Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/UnderworldEmpire">https://haveibeenpwned.com/Breach/UnderworldEmpire</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:11.3113852Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/UnicoCampania">https://haveibeenpwned.com/Breach/UnicoCampania</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.8806171Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Universarium">https://haveibeenpwned.com/Breach/Universarium</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:04.2520225Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/UnrealEngine">https://haveibeenpwned.com/Breach/UnrealEngine</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.2987469Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Upstox">https://haveibeenpwned.com/Breach/Upstox</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.2788214Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/UtahGunExchange">https://haveibeenpwned.com/Breach/UtahGunExchange</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.9704846Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/uTorrent">https://haveibeenpwned.com/Breach/uTorrent</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:15.9342919Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/uuu9">https://haveibeenpwned.com/Breach/uuu9</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.8741903Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Vakinha">https://haveibeenpwned.com/Breach/Vakinha</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.6015505Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Vastaamo">https://haveibeenpwned.com/Breach/Vastaamo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.7948272Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/VBulletin">https://haveibeenpwned.com/Breach/VBulletin</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.8263821Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Vedantu">https://haveibeenpwned.com/Breach/Vedantu</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:05.7229426Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/VerificationsIO">https://haveibeenpwned.com/Breach/VerificationsIO</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.7803451Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Verified">https://haveibeenpwned.com/Breach/Verified</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.3221927Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.

URL	<a href="https://haveibeenpwned.com/Breach/Vermillion">https://haveibeenpwned.com/Breach/Vermillion</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:54.3204999Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Vianet">https://haveibeenpwned.com/Breach/Vianet</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.5201306Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/VictoryPhones">https://haveibeenpwned.com/Breach/VictoryPhones</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.3843754Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ViewFines">https://haveibeenpwned.com/Breach/ViewFines</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.8559495Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/VimeWorld">https://haveibeenpwned.com/Breach/VimeWorld</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:48.6617601Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/VINs">https://haveibeenpwned.com/Breach/VINs</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.2960585Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/VivaAir">https://haveibeenpwned.com/Breach/VivaAir</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:53.9850646Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/VK">https://haveibeenpwned.com/Breach/VK</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.2119215Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/VNG">https://haveibeenpwned.com/Breach/VNG</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.6606777Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Vodafone">https://haveibeenpwned.com/Breach/Vodafone</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T19:34:41.9934192Z cf-ipcity : Guru", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/VoidTO">https://haveibeenpwned.com/Breach/VoidTO</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:05.4543381Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/VTech">https://haveibeenpwned.com/Breach/VTech</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.9921993Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/VTightGel">https://haveibeenpwned.com/Breach/VTightGel</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.1367272Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Wakanim">https://haveibeenpwned.com/Breach/Wakanim</a>
Method	GET
Parameter	
Attack	
Evidence	Debug

Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:56.4791560Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Wanelo">https://haveibeenpwned.com/Breach/Wanelo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T06:25:14.0661256Z cf-ipcity : Mumb", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Warframe">https://haveibeenpwned.com/Breach/Warframe</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.0486132Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WarInc">https://haveibeenpwned.com/Breach/WarInc</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.0095542Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Warmane">https://haveibeenpwned.com/Breach/Warmane</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.0460678Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard">https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:51.9746940Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Wattpad">https://haveibeenpwned.com/Breach/Wattpad</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T16:31:39.8217601Z cf-ipcity : Bhop", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WedMeGood">https://haveibeenpwned.com/Breach/WedMeGood</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.9437706Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Weee">https://haveibeenpwned.com/Breach/Weee</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:55.2556505Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WeHeartIt">https://haveibeenpwned.com/Breach/WeHeartIt</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:12.3843721Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WeLeakInfo">https://haveibeenpwned.com/Breach/WeLeakInfo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:00.2655066Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Welhof">https://haveibeenpwned.com/Breach/Welhof</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:46.9380627Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Wendys">https://haveibeenpwned.com/Breach/Wendys</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:49:57.4040076Z cf-ipcity : Bh%C", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Whitepages">https://haveibeenpwned.com/Breach/Whitepages</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.6704438Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WhiteRoom">https://haveibeenpwned.com/Breach/WhiteRoom</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:10.6386369Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WHMCS">https://haveibeenpwned.com/Breach/WHMCS</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.3174979Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WienerBuchereien">https://haveibeenpwned.com/Breach/WienerBuchereien</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:07.3134634Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WifeLovers">https://haveibeenpwned.com/Breach/WifeLovers</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:09.3757751Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WIUIISO">https://haveibeenpwned.com/Breach/WIUIISO</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:16.3951865Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WildStar">https://haveibeenpwned.com/Breach/WildStar</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.3818478Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Win7Vista">https://haveibeenpwned.com/Breach/Win7Vista</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.2873017Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WiredBucks">https://haveibeenpwned.com/Breach/WiredBucks</a>
Method	GET
Parameter	
Attack	

Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T04:20:53.2678393Z cf-ipcity : Chen", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone">https://haveibeenpwned.com/Breach/Wishbone</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:15.2322607Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone2020">https://haveibeenpwned.com/Breach/Wishbone2020</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:03.0574974Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WiziShop">https://haveibeenpwned.com/Breach/WiziShop</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.8935989Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Wongnai">https://haveibeenpwned.com/Breach/Wongnai</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:01.5646880Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WoTLabs">https://haveibeenpwned.com/Breach/WoTLabs</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:51.4875865Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WPSandbox">https://haveibeenpwned.com/Breach/WPSandbox</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:09.3588825Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/WPT">https://haveibeenpwned.com/Breach/WPT</a>
Method	GET
Parameter	

Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.7547906Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/xat">https://haveibeenpwned.com/Breach/xat</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:17.0022517Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Xbox-Scene">https://haveibeenpwned.com/Breach/Xbox-Scene</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:18.4711236Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Xbox360ISO">https://haveibeenpwned.com/Breach/Xbox360ISO</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.6113535Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/xHamster">https://haveibeenpwned.com/Breach/xHamster</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:11.1120470Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Xiaomi">https://haveibeenpwned.com/Breach/Xiaomi</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.2841731Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/XKCD">https://haveibeenpwned.com/Breach/XKCD</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.0743518Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/XPGameSaves">https://haveibeenpwned.com/Breach/XPGameSaves</a>
Method	GET

Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:13.3148890Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/XSplit">https://haveibeenpwned.com/Breach/XSplit</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.7825929Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Yahoo">https://haveibeenpwned.com/Breach/Yahoo</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.8842775Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Yam">https://haveibeenpwned.com/Breach/Yam</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.6732468Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Yandex">https://haveibeenpwned.com/Breach/Yandex</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:20.0974232Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Yatra">https://haveibeenpwned.com/Breach/Yatra</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:53:27.2763021Z cf-ipcity : Bh%C", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Yonema">https://haveibeenpwned.com/Breach/Yonema</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:47.6510317Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/YoteprestoCom">https://haveibeenpwned.com/Breach/YoteprestoCom</a>
Method	GET

Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:59.6548982Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Youku">https://haveibeenpwned.com/Breach/Youku</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.1881850Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/YoungLivingEssentialOils">https://haveibeenpwned.com/Breach/YoungLivingEssentialOils</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:47.2264891Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/YouNow">https://haveibeenpwned.com/Breach/YouNow</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.6473425Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/YouPom">https://haveibeenpwned.com/Breach/YouPom</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:19.9745929Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach&gt;Youthmanual">https://haveibeenpwned.com/Breach&gt;Youthmanual</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:33:21.1407413Z cf-ipcity : Delh", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach&gt;YouveBeenScraped">https://haveibeenpwned.com/Breach&gt;YouveBeenScraped</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:08.4151498Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach&gt;Zacks">https://haveibeenpwned.com/Breach&gt;Zacks</a>
Method	GET

Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:54.4611938Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Zacks2024">https://haveibeenpwned.com/Breach/Zacks2024</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:46.3240594Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ZadigVoltaire">https://haveibeenpwned.com/Breach/ZadigVoltaire</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:50.5025743Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ZAPHosting">https://haveibeenpwned.com/Breach/ZAPHosting</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:58.4281515Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Zhenai">https://haveibeenpwned.com/Breach/Zhenai</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:06.8208576Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/ZLib">https://haveibeenpwned.com/Breach/ZLib</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T15:05:45.5831345Z cf-ipcity : Kozh", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Zomato">https://haveibeenpwned.com/Breach/Zomato</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T05:53:52.6732034Z cf-ipcity : Bh%C", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Zoomcar">https://haveibeenpwned.com/Breach/Zoomcar</a>
Method	GET

Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-15T17:05:45.6849682Z cf-ipcity : Mumb", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk">https://haveibeenpwned.com/Breach/Zoosk</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:14.4674097Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk2020">https://haveibeenpwned.com/Breach/Zoosk2020</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:02.6058687Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Zooville">https://haveibeenpwned.com/Breach/Zooville</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:05.4599955Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Zurich">https://haveibeenpwned.com/Breach/Zurich</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:39:55.5285304Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
URL	<a href="https://haveibeenpwned.com/Breach/Zynga">https://haveibeenpwned.com/Breach/Zynga</a>
Method	GET
Parameter	
Attack	
Evidence	Debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in likely comment: "<!-- Debug info for geo-specific provision of content, captured into cache at 2025-06-16T07:40:05.2386079Z cf-ipcity : Kolk", see evidence field for the suspicious comment/snippet.
Instances	1839
Solution	Remove all comments that return information that may help an attacker and fix any underlying problems they refer to.
Reference	
CWE Id	<a href="#">615</a>
WASC Id	13
Plugin Id	<a href="#">10027</a>

Informational	Loosely Scoped Cookie
---------------	-----------------------

Description	Cookies can be scoped by domain or path. This check is only concerned with domain scope. The domain scope applied to a cookie determines which domains can access it. For example, a cookie can be scoped strictly to a subdomain e.g. www.nottrusted.com, or loosely scoped to a parent domain e.g. nottrusted.com. In the latter case, any subdomain of nottrusted.com can access the cookie. Loosely scoped cookies are common in mega-applications like google.com and live.com. Cookies set from a subdomain like app.foo.bar are transmitted only to that domain by the browser. However, cookies scoped to a parent-level domain may be transmitted to the parent, or any subdomain of the parent.
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	
Attack	
Evidence	
Other Info	The origin domain used for comparison was: www.youtube.com GPS=1 YSC=8AtfzqqZBFA __Secure-ROLLOUT_TOKEN=CKySwqDA8py5gQEQgvjOvL31jQMYgvjOvL31jQM%3D VISITOR_INFO1_LIVE=P5GvC6C5uxl VISITOR_PRIVACY_METADATA=CgJJThIEGgAgFg%3D%3D
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	
Attack	
Evidence	
Other Info	The origin domain used for comparison was: www.youtube.com GPS=1 YSC=8ZD4AvF7IWM __Secure-ROLLOUT_TOKEN=CoF_38DFgabhLhCBpuW00WNaxiBpuW00WNAw%3D%3D VISITOR_INFO1_LIVE=RNDNN3l23wg VISITOR_PRIVACY_METADATA=CgJJThIEGgAgDQ%3D%3D
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	
Attack	
Evidence	
Other Info	The origin domain used for comparison was: www.youtube.com GPS=1 YSC=ols5qqWx25Y VISITOR_INFO1_LIVE=cy3-3k6V0Nk VISITOR_PRIVACY_METADATA=CgJJThIEGgAgFQ%3D%3D __Secure-ROLLOUT_TOKEN=CIKkmuP3ooiwVRDB4YXcu_WNAxjB4YXcu_WNAw%3D%3D
Instances	3
Solution	Always scope cookies to a FQDN (Fully Qualified Domain Name).
Reference	<a href="https://tools.ietf.org/html/rfc6265#section-4.1">https://tools.ietf.org/html/rfc6265#section-4.1</a> <a href="https://owasp.org/www-project-web-security-testing-guide/v41/4-Web_Application_Security_Testing/06-Session_Management_Testing/02-Testing_for_Cookies_Attributes.html">https://owasp.org/www-project-web-security-testing-guide/v41/4-Web_Application_Security_Testing/06-Session_Management_Testing/02-Testing_for_Cookies_Attributes.html</a> <a href="https://code.google.com/p/browsersec/wiki/Part2#Same-origin_policy_for_cookies">https://code.google.com/p/browsersec/wiki/Part2#Same-origin_policy_for_cookies</a>
CWE Id	<a href="#">565</a>
WASC Id	15
Plugin Id	<a href="#">90033</a>

Informational	Modern Web Application
Description	The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/About">https://haveibeenpwned.com/About</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle active" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Account/">https://haveibeenpwned.com/Account/</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/account/">https://haveibeenpwned.com/account/</a>
Method	GET
Parameter	
Attack	
Evidence	<pre> &lt;script&gt;(function(){window._cf_chl_opt={cVid: '3',cZone: "haveibeenpwned.com",cType: 'managed',cRay: '9508a7b2bce73a1e',cH: 'W.gLkCyo1Bu3ueMfMQeEDtrJL6ARYtCcOyZauOo3nA-1750059584-1.2.1.1-QuXjCnyMfcWalMqYc2fQCCfKNHoxvBljn45W2uAM526lQ3gUKuiyueLnZFHCb_9',cUPMDTc: "/AccountV?__cf_chl_tk=XgetybuCOSoG6KHTOtIVOOyB1XDU6iNe9mk5cCZwK4-1750059584-1.0.1.1-sk4FJSBhKEb0m4GPlaV0pxJGzGQjFHRSyggOThWCY",cFPWv: 'b',cITimeS: '1750059584',cTpIC: 0,cTpIV: 5,cTpIB: 'c',fa: "/AccountV?__cf_chl_f_tk=XgetybuCOSoG6KHTOtIVOOyB1XDU6iNe9mk5cCZwK4-1750059584-1.0.1.1-sk4FJSBhKEb0m4GPlaV0pxJGzGQjFHRSyggOThWCY",md: " "__ahRtKJ4Z6Q6BnBJZPYaiVqP2oGav6rcwZeu4Vuzs-1750059584-1.2.1.1- blnmV7dxbDDAYESGlaiUM6xSi93H3kFQnrkf1r96B499VJPZQohGYIVVWAvgASjs3Xhw7_mdQH2WyyVEHX24TSnhMwO3.thy_q6NDaok5Ncp8PtHkEngMusJ3gGNl.5soeFn83.q9D1iSzczUKNkgfl-haGM0ZBCCcYYjqHlns599y_QznlJ2KFipS9M4Cs5vxWB6NBew_RJu3WML5snuVJX3.aSwBdUQtVm2mMdZ76QAEauPpTUy6lGHyZE7B1ehDN8NH3MADretgFp3nEir530ZPjLUygey.r2SC0zP_5PpOYJ8bc9UjkBysLzd_nimkJeb8ST8bFCTk6k0yQ5C_kjd4EFyL3406DGtJkDKphb79yYvdaZ3DU4cNIOSZLhYx14DY7eR3c3dKv1fJ3U3xi6X5zrVndtz_VerC7fukqXz40HgfdGoniw1bNcyls.FENREemRAUrb54aVOIS6COAoQu3lsDGRiouBja5Z9MM8.60BNXWFwUzRgI2LGxwajgYGDkpNnWwAxUNusvXOF22nOsq42LgX8J5ra6Cz.LJEF3tiA6KFh6iKpp7bpzlQ.aJPHUpssW5QxVHG6aGOlt.AyOfyCXU4OtxipZIF.KQgm_arJkHA6_RoO7VMadjW1ZPBpAteuXtfawJraJ4_cZDK4Uwm_NeFgb2SvfmafN_IT0N2T15kKwoCwKQOjznGuPVwlv_yfrlBROh441JFre_prRnnZaqQ5vgeyrkOGep_tCH8QFzGTnMEqj_jGC32WVlVCABXT6UhtelQsd9rnXh9_8TUWgY7XYjiR80QalWiZab9eEqil4Q_5thaVIu1k3M8Css82HqukXS0rhzbPhiLUeiGu3qpEi_SFyHnjmaN1VRBXTelbzckBjukFSVXr.sFx7iPvszQ0Twh5Ol2SvZgx0ihVq6AhFD4_6UOdN97C6DhtQ824e7zTfFxdDJPzN2thV56NHGyHsutlm38_VjovcPCTwo5xf4PMRCcXzv6JqZJlo0GDt4bbhVYyFj_Tow80q4KHTGA78NU.zQg1pa4l6L3..ZDnVnpwp3LO7L1C",mdrd: "UcOlp8uQshulWWO3XBaEk1oquy4o90QV9.FJ0ytui0-1750059584-1.2.1.1- BFUbjTbmJi1XW_N6wtnUnGo71cx007R1igUd9XvSbcLagKRsB1UujZgmgmWFi24O_8uknPC41loe_G6tMyce5ONK3TaDysvxY145s0.V4yra5.n7AzN8hexSMtK8h6cx18Wn22Wj4EgaPQQUSSn7T.bdUakgeltmfqhtw7cDa5yxpssKVMbk6WhV.WboZgBHs3xdI82FeZtTGw1Denkey9Rsbz4dnvhquEY_riDSBZjg3On2dLje0Nv9dQRJchh4tgqgmXf9g7RNbWvRsP66Nt6gjqql_UKnef1UDZJiJAxn5GAN0scgb2AIlx076AlAn5HCdDnjAnzqyYzWPQ4pWVzAYuTRmzJRWzDzX37zClR7QL4U9II.eQ7nLB5.GZ32n5mYq5N6Y6FBKcnksu.kOoHTC59KAG9LiFzK45A3WqjNNMV7AwQFlzGOEK05YDJM_f7AZ3pAUadnz_2D2F3fd4_7MEBv_WHDrnxavdqh21J4bxK3LerR1Ou6aqrpYFV&amp;JoHuimHP0OQLjY4KbN6D46YxIqZzQHS3sPMNl9KbPRGM3_8AqO.fF1q28hdhHU9hnBNNya1eKyg8o.Bxh7VrA516aHP3CUeBaJ5oPdDfILXN9prU.K94i1ME0y1Guto.tr0Jefb8pbL06mUVd_uy6FVleNIVfzR.AENGc_7_OyluOLyGfpUNDAEmpxiKExBs1NrulpWNniWSR2A4kc8B3ygKBxFU9wUAdn7fnXxXT4jGkD.i.7glwBNh67r_.Jq,zGpWSSa56NS2tKIAiJu4LUQReVzuqSyGVnOq06QBvxHHPkegUnGahh2VPue_hiMXeN6rwIdd89zWkWiYkUyjsTiMtqfB6LHbbt06ozHftYBM31qsImCEB_ByXUkjg4BcioQqpyN0n5UNlhDlIBkje2fUeZKa9CIEK4C15Uf1xmpfaJ35!ec7_X_GhtjVg12zpWPoFph6XyWfFWo01gCH67Tg7kUrS109rHz5Fro7wj6LLmaQflr1C.Ja9oJT8xB7C8FcsmlUA1QOM_qihzca2LBiZLAM6FCO2bCBDEi0rKfd9uv2_g85Wdt36FB8WUkvHBNgNhef3ZxJ81EisGH4BjMuLzcPBFg3TZ3lfFwmwPH8HWShZ1ggCqH8JP2GPCr6_Y5AYyQaW5L5iSvsd2tDE8Cxti57x9GynJKKNIOhX5yr862RUJB7VkrOK1Qz8.PjfxZk5uod6.PgMA1QS0bXk3qF093yeg5imWUsyY2QzoZ9_AYN0_v3HTPh7KUkKh3XbtB5jPWvmnxtbj0kH9ryl3QPbi_nxK4ki2x0rfjFCEE5Bx3WG_sOJrpjHSrZ609ulEcQ_hMS0D4PgFxbHoY2b9_VdDx_T91PnXm0hvTnZ9Tf1QqmwSxLk31sQYm4CTSPTcm2Dw0uNbZ4o3x_KG1kP5aBz9jqc6uD9nqj5sKv01bxDYNRGayLEFzkA6wgesnRMJPD1Qlj7kSOWFT72qpxlArxoWdrqL2xVLqdSg4EAYo9Ulrm2RSpBhx8BGwyIh7TzUO32_PxP9iZU5MKbiin5R4JWV9cUlyhYOrfLYnX7OnhbDHQaune108o4UbzWaWASwQa6AyS5j.ol7Ddl4m9J3FDEqiJCOYHS4FO_Ah.s_8hXQ51ER.bgwaz5zn4qG4nq5xwLaWK1AlcSdc3iYMjRtx1BYFubULnYlphaS8VYyAxMDzybZGx7bSGYk1Jy1.dFBXC1W2CrIsst0DMQVc3jL8SntelM9UfMeJKFymLU6_3AhoUpgCd8qhJOPccdnBrYlZL4kMJKyCqyfhSmVercnRR4646ggGDSapA_cTPu2uShf8iTog7Nislhjaya1t5aU2z6RbFqLgsWBparMvrr60mgm3a5FAxhuipZ2MuuOkk8UjpmwFCLAA1pczMh4Jh3O13vDCRRWaBaxi6Ajt9t.DjwLJf67u_H3emAJhJzmH5Gq0c0leN1uoM2soxXY7zstStIRLzXRg9RdmClyQlPcER5urP2ZqKwjo8zLUGFa6lxDEVPNlbpIP29_YLhyps1S77X4iAx7plaHx2aVKT7P0HfmnkT9Q54ZK_wQackobYsnuG7AP19D.xeRuKLD b8XKchv5SsMGdiUFG2P27Qd7P0g61xmq9swTV4mbkWb1xiob.RLkgcAzRQ.FmOS8qNG1dhjluyier3Z0VgaT4La.Yurwjkwr9TiXZ_isSbVUpTLvKA_UZXFp1kztgx1HV3mz_9DAVnxsOKeD0zDTNBXPyEuBMc170U.2kknx6.mfDA0Mw";}var a = document.createElement('script');a.src = '/cdn-cgi/challenge-platform/hb/orchestrate/chl_page/v1?ray=9508a7b2bce73a1e';window._cf_chl_opt.cOgUHash = location.hash === "" &amp;&amp; location.href.indexOf("#") !== -1 ? "#" : location.hash;window._cf_chl_opt.cOgUQuery = location.search === "" &amp;&amp; location.href.slice(0, location.href.length - window._cf_chl_opt.cOgUHash.length).indexOf("#") !== -1 ? "?" : location.search;if (window.history &amp;&amp; window.history.replaceState) {var ogU = location.pathname + window._cf_chl_opt.cOgUQuery + window._cf_chl_opt.cOgUHash;history.replaceState(null, null, "VaccountV?__cf_chl_rt=tk=XgetybuCOSoG6KHTOtIVOOyB1XDU6iNe9mk5cCZwK4-1750059584-1.0.1.1-sk4FJSBhKEb0m4GPlaV0pxJGzGQjFHRSyggOThWCY" + window._cf_chl_opt.cOgUHash);a.onload = function() {history.replaceState(null, null, ogU);}}document.getElementsByTagName('head')[0].appendChild(a);}&lt;/script&gt; </pre>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/API/v3">https://haveibeenpwned.com/API/v3</a>
Method	GET

Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/000webhost">https://haveibeenpwned.com/Breach/000webhost</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/123RF">https://haveibeenpwned.com/Breach/123RF</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/126">https://haveibeenpwned.com/Breach/126</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/17173">https://haveibeenpwned.com/Breach/17173</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/17Media">https://haveibeenpwned.com/Breach/17Media</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/1win">https://haveibeenpwned.com/Breach/1win</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/2844Breaches">https://haveibeenpwned.com/Breach/2844Breaches</a>
Method	GET

Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/2fast4u">https://haveibeenpwned.com/Breach/2fast4u</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/500px">https://haveibeenpwned.com/Breach/500px</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/7k7k">https://haveibeenpwned.com/Breach/7k7k</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/8fit">https://haveibeenpwned.com/Breach/8fit</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/8tracks">https://haveibeenpwned.com/Breach/8tracks</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/9Lives">https://haveibeenpwned.com/Breach/9Lives</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia">https://haveibeenpwned.com/Breach/Abandonia</a>
Method	GET

Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia2022">https://haveibeenpwned.com/Breach/Abandonia2022</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ABFRL">https://haveibeenpwned.com/Breach/ABFRL</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AbuseWithUs">https://haveibeenpwned.com/Breach/AbuseWithUs</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AcneOrg">https://haveibeenpwned.com/Breach/AcneOrg</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Activision">https://haveibeenpwned.com/Breach/Activision</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ActMobile">https://haveibeenpwned.com/Breach/ActMobile</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Acuity">https://haveibeenpwned.com/Breach/Acuity</a>
Method	GET

Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Adapt">https://haveibeenpwned.com/Breach/Adapt</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Adecco">https://haveibeenpwned.com/Breach/Adecco</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Adobe">https://haveibeenpwned.com/Breach/Adobe</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AdoptMeTradingValues">https://haveibeenpwned.com/Breach/AdoptMeTradingValues</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AdultFanFiction">https://haveibeenpwned.com/Breach/AdultFanFiction</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder">https://haveibeenpwned.com/Breach/AdultFriendFinder</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder2016">https://haveibeenpwned.com/Breach/AdultFriendFinder2016</a>
Method	GET

Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AdvanceAutoParts">https://haveibeenpwned.com/Breach/AdvanceAutoParts</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AerServ">https://haveibeenpwned.com/Breach/AerServ</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AgusiQTorrents">https://haveibeenpwned.com/Breach/AgusiQTorrents</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AhaShare">https://haveibeenpwned.com/Breach/AhaShare</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Aimware">https://haveibeenpwned.com/Breach/Aimware</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Aipai">https://haveibeenpwned.com/Breach/Aipai</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AIType">https://haveibeenpwned.com/Breach/AIType</a>
Method	GET

Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Ajam">https://haveibeenpwned.com/Breach/Ajam</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AKP">https://haveibeenpwned.com/Breach/AKP</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AlienStealerLogs">https://haveibeenpwned.com/Breach/AlienStealerLogs</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AllegedATT">https://haveibeenpwned.com/Breach/AllegedATT</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AlpineReplay">https://haveibeenpwned.com/Breach/AlpineReplay</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Altenen">https://haveibeenpwned.com/Breach/Altenen</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AmartFurniture">https://haveibeenpwned.com/Breach/AmartFurniture</a>
Method	GET

Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Ancestry">https://haveibeenpwned.com/Breach/Ancestry</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AndroidForums">https://haveibeenpwned.com/Breach/AndroidForums</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AndroidLista">https://haveibeenpwned.com/Breach/AndroidLista</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AnimalJam">https://haveibeenpwned.com/Breach/AnimalJam</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AnimeGame">https://haveibeenpwned.com/Breach/AnimeGame</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AnimeLeague">https://haveibeenpwned.com/Breach/AnimeLeague</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AnimePlanet">https://haveibeenpwned.com/Breach/AnimePlanet</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Animoto">https://haveibeenpwned.com/Breach/Animoto</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AntiPublic">https://haveibeenpwned.com/Breach/AntiPublic</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ApexSMS">https://haveibeenpwned.com/Breach/ApexSMS</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/APKTW">https://haveibeenpwned.com/Breach/APKTW</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Apollo">https://haveibeenpwned.com/Breach/Apollo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Appartoo">https://haveibeenpwned.com/Breach/Appartoo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Appen">https://haveibeenpwned.com/Breach/Appen</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Aptoide">https://haveibeenpwned.com/Breach/Aptoide</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ArmorGames">https://haveibeenpwned.com/Breach/ArmorGames</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ArmyForceOnline">https://haveibeenpwned.com/Breach/ArmyForceOnline</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Artsy">https://haveibeenpwned.com/Breach/Artsy</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Artvalue">https://haveibeenpwned.com/Breach/Artvalue</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AshleyMadison">https://haveibeenpwned.com/Breach/AshleyMadison</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Astoria">https://haveibeenpwned.com/Breach/Astoria</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AstroPID">https://haveibeenpwned.com/Breach/AstroPID</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Atemos">https://haveibeenpwned.com/Breach/Atemos</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AtlasQuantum">https://haveibeenpwned.com/Breach/AtlasQuantum</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/AtmelTomo">https://haveibeenpwned.com/Breach/AtmelTomo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Audi">https://haveibeenpwned.com/Breach/Audi</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Autocentrum">https://haveibeenpwned.com/Breach/Autocentrum</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Autotrader">https://haveibeenpwned.com/Breach/Autotrader</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Avast">https://haveibeenpwned.com/Breach/Avast</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Avito">https://haveibeenpwned.com/Breach/Avito</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Awo">https://haveibeenpwned.com/Breach/Awo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/B2BUSABusinesses">https://haveibeenpwned.com/Breach/B2BUSABusinesses</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BabyNames">https://haveibeenpwned.com/Breach/BabyNames</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Badoo">https://haveibeenpwned.com/Breach/Badoo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BannerBit">https://haveibeenpwned.com/Breach/BannerBit</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Banorte">https://haveibeenpwned.com/Breach/Banorte</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BattlefieldHeroes">https://haveibeenpwned.com/Breach/BattlefieldHeroes</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Battlefy">https://haveibeenpwned.com/Breach/Battlefy</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BeautifulPeople">https://haveibeenpwned.com/Breach/BeautifulPeople</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Bell">https://haveibeenpwned.com/Breach/Bell</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Bell2017">https://haveibeenpwned.com/Breach/Bell2017</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Benchmark">https://haveibeenpwned.com/Breach/Benchmark</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Bestialitysextaboo">https://haveibeenpwned.com/Breach/Bestialitysextaboo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Bhinneka">https://haveibeenpwned.com/Breach/Bhinneka</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/bigbasket">https://haveibeenpwned.com/Breach/bigbasket</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BigMoneyJobs">https://haveibeenpwned.com/Breach/BigMoneyJobs</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BinWeevils">https://haveibeenpwned.com/Breach/BinWeevils</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BiohackMe">https://haveibeenpwned.com/Breach/BiohackMe</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BitcoinTalk">https://haveibeenpwned.com/Breach/BitcoinTalk</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Bitly">https://haveibeenpwned.com/Breach/Bitly</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BitTorrent">https://haveibeenpwned.com/Breach/BitTorrent</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BitView">https://haveibeenpwned.com/Breach/BitView</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BlackBerryFans">https://haveibeenpwned.com/Breach/BlackBerryFans</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BlackHatWorld">https://haveibeenpwned.com/Breach/BlackHatWorld</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BlackSpigotMC">https://haveibeenpwned.com/Breach/BlackSpigotMC</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BlankMediaGames">https://haveibeenpwned.com/Breach/BlankMediaGames</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BleachAnime">https://haveibeenpwned.com/Breach/BleachAnime</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BloomsToday">https://haveibeenpwned.com/Breach/BloomsToday</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BlueSnapRegpack">https://haveibeenpwned.com/Breach/BlueSnapRegpack</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/boAt">https://haveibeenpwned.com/Breach/boAt</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Bolt">https://haveibeenpwned.com/Breach/Bolt</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BombyxEu">https://haveibeenpwned.com/Breach/BombyxEu</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Bonobos">https://haveibeenpwned.com/Breach/Bonobos</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Bookchor">https://haveibeenpwned.com/Breach/Bookchor</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BookCrossing">https://haveibeenpwned.com/Breach/BookCrossing</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Bookmate">https://haveibeenpwned.com/Breach/Bookmate</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BotOfLegends">https://haveibeenpwned.com/Breach/BotOfLegends</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Boulanger">https://haveibeenpwned.com/Breach/Boulanger</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BourseDesVols">https://haveibeenpwned.com/Breach/BourseDesVols</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Boxee">https://haveibeenpwned.com/Breach/Boxee</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BrandNewTube">https://haveibeenpwned.com/Breach/BrandNewTube</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Brazzers">https://haveibeenpwned.com/Breach/Brazzers</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BreachForums">https://haveibeenpwned.com/Breach/BreachForums</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BreachForumsClone">https://haveibeenpwned.com/Breach/BreachForumsClone</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BTCAalpha">https://haveibeenpwned.com/Breach/BTCAalpha</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BTCE">https://haveibeenpwned.com/Breach/BTCE</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Btobet">https://haveibeenpwned.com/Breach/Btobet</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BTSec">https://haveibeenpwned.com/Breach/BTSec</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BudTrader">https://haveibeenpwned.com/Breach/BudTrader</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Bukalapak">https://haveibeenpwned.com/Breach/Bukalapak</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency">https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BusinessAcumen">https://haveibeenpwned.com/Breach/BusinessAcumen</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/BVD">https://haveibeenpwned.com/Breach/BVD</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CafeMom">https://haveibeenpwned.com/Breach/CafeMom</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CafePress">https://haveibeenpwned.com/Breach/CafePress</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CannabisForum">https://haveibeenpwned.com/Breach/CannabisForum</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Canva">https://haveibeenpwned.com/Breach/Canva</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CapitalEconomics">https://haveibeenpwned.com/Breach/CapitalEconomics</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafia">https://haveibeenpwned.com/Breach/CardingMafia</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafiaDec2021">https://haveibeenpwned.com/Breach/CardingMafiaDec2021</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CashCrack">https://haveibeenpwned.com/Breach/CashCrack</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Catho">https://haveibeenpwned.com/Breach/Catho</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CDEK">https://haveibeenpwned.com/Breach/CDEK</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CDProjektRed">https://haveibeenpwned.com/Breach/CDProjektRed</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CentralTickets">https://haveibeenpwned.com/Breach/CentralTickets</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CERTPolandPhish">https://haveibeenpwned.com/Breach/CERTPolandPhish</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Chatbooks">https://haveibeenpwned.com/Breach/Chatbooks</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CheapAssGamer">https://haveibeenpwned.com/Breach/CheapAssGamer</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Chegg">https://haveibeenpwned.com/Breach/Chegg</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Chess">https://haveibeenpwned.com/Breach/Chess</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Chowbus">https://haveibeenpwned.com/Breach/Chowbus</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ChrisLeong">https://haveibeenpwned.com/Breach/ChrisLeong</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Cit0day">https://haveibeenpwned.com/Breach/Cit0day</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CityBee">https://haveibeenpwned.com/Breach/CityBee</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CityJerks">https://haveibeenpwned.com/Breach/CityJerks</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CivilOnline">https://haveibeenpwned.com/Breach/CivilOnline</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ClashOfKings">https://haveibeenpwned.com/Breach/ClashOfKings</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ClearVoiceSurveys">https://haveibeenpwned.com/Breach/ClearVoiceSurveys</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ClickASnap">https://haveibeenpwned.com/Breach/ClickASnap</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ClixSense">https://haveibeenpwned.com/Breach/ClixSense</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CloudPets">https://haveibeenpwned.com/Breach/CloudPets</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewritten">https://haveibeenpwned.com/Breach/ClubPenguinRewritten</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019">https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Coachella">https://haveibeenpwned.com/Breach/Coachella</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Cocospy">https://haveibeenpwned.com/Breach/Cocospy</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Coinmama">https://haveibeenpwned.com/Breach/Coinmama</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CoinMarketCap">https://haveibeenpwned.com/Breach/CoinMarketCap</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CoinTracker">https://haveibeenpwned.com/Breach/CoinTracker</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Collection1">https://haveibeenpwned.com/Breach/Collection1</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ColoCrossing">https://haveibeenpwned.com/Breach/ColoCrossing</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ColorDating">https://haveibeenpwned.com/Breach/ColorDating</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Comcast">https://haveibeenpwned.com/Breach/Comcast</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/COMELEC">https://haveibeenpwned.com/Breach/COMELEC</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CondoCom">https://haveibeenpwned.com/Breach/CondoCom</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Convex">https://haveibeenpwned.com/Breach/Convex</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CouponMomAndArmorGames">https://haveibeenpwned.com/Breach/CouponMomAndArmorGames</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CrackCommunity">https://haveibeenpwned.com/Breach/CrackCommunity</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CrackedTO">https://haveibeenpwned.com/Breach/CrackedTO</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CrackingForum">https://haveibeenpwned.com/Breach/CrackingForum</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CraftRise">https://haveibeenpwned.com/Breach/CraftRise</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Creative">https://haveibeenpwned.com/Breach/Creative</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin">https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CrossFire">https://haveibeenpwned.com/Breach/CrossFire</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CTARS">https://haveibeenpwned.com/Breach/CTARS</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CutoutPro">https://haveibeenpwned.com/Breach/CutoutPro</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/CyberServe">https://haveibeenpwned.com/Breach/CyberServe</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/D3scene">https://haveibeenpwned.com/Breach/D3scene</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DaFont">https://haveibeenpwned.com/Breach/DaFont</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Dailymotion">https://haveibeenpwned.com/Breach/Dailymotion</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DailyObjects">https://haveibeenpwned.com/Breach/DailyObjects</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DailyQuiz">https://haveibeenpwned.com/Breach/DailyQuiz</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Dangdang">https://haveibeenpwned.com/Breach/Dangdang</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DaniWeb">https://haveibeenpwned.com/Breach/DaniWeb</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DataAndLeads">https://haveibeenpwned.com/Breach/DataAndLeads</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DataCamp">https://haveibeenpwned.com/Breach/DataCamp</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DataEnrichment">https://haveibeenpwned.com/Breach/DataEnrichment</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DateHotBrunettes">https://haveibeenpwned.com/Breach/DateHotBrunettes</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DatPiff">https://haveibeenpwned.com/Breach/DatPiff</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Dave">https://haveibeenpwned.com/Breach/Dave</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/db8151dd">https://haveibeenpwned.com/Breach/db8151dd</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/dBforums">https://haveibeenpwned.com/Breach/dBforums</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DCHealth">https://haveibeenpwned.com/Breach/DCHealth</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DDO">https://haveibeenpwned.com/Breach/DDO</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DecoratingTheHouse">https://haveibeenpwned.com/Breach/DecoratingTheHouse</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Deezer">https://haveibeenpwned.com/Breach/Deezer</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DemandScience">https://haveibeenpwned.com/Breach/DemandScience</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DemonForums">https://haveibeenpwned.com/Breach/DemonForums</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DennisKirk">https://haveibeenpwned.com/Breach/DennisKirk</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Descomplica">https://haveibeenpwned.com/Breach/Descomplica</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DevilTorrents">https://haveibeenpwned.com/Breach/DevilTorrents</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/devkitPro">https://haveibeenpwned.com/Breach/devkitPro</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DietCom">https://haveibeenpwned.com/Breach/DietCom</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/digiDirect">https://haveibeenpwned.com/Breach/digiDirect</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Digimon">https://haveibeenpwned.com/Breach/Digimon</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DiskUnion">https://haveibeenpwned.com/Breach/DiskUnion</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ Disqus">https://haveibeenpwned.com/Breach/ Disqus</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DivXSubTitles">https://haveibeenpwned.com/Breach/DivXSubTitles</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DLH">https://haveibeenpwned.com/Breach/DLH</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Dodonew">https://haveibeenpwned.com/Breach/Dodonew</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Dominoes">https://haveibeenpwned.com/Breach/Dominoes</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DominoesIndia">https://haveibeenpwned.com/Breach/DominoesIndia</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Doomworld">https://haveibeenpwned.com/Breach/Doomworld</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DoorDash">https://haveibeenpwned.com/Breach/DoorDash</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Dota2">https://haveibeenpwned.com/Breach/Dota2</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Doxbin">https://haveibeenpwned.com/Breach/Doxbin</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinScrape">https://haveibeenpwned.com/Breach/DoxbinScrape</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinTOoDA">https://haveibeenpwned.com/Breach/DoxbinTOoDA</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DragonNest">https://haveibeenpwned.com/Breach/DragonNest</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DriveSure">https://haveibeenpwned.com/Breach/DriveSure</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Drizly">https://haveibeenpwned.com/Breach/Drizly</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Dropbox">https://haveibeenpwned.com/Breach/Dropbox</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Dubsmash">https://haveibeenpwned.com/Breach/Dubsmash</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DucksUnlimited">https://haveibeenpwned.com/Breach/DucksUnlimited</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DuelingNetwork">https://haveibeenpwned.com/Breach/DuelingNetwork</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Dunzo">https://haveibeenpwned.com/Breach/Dunzo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Duolingo">https://haveibeenpwned.com/Breach/Duolingo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Duowan">https://haveibeenpwned.com/Breach/Duowan</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/DVDShopCH">https://haveibeenpwned.com/Breach/DVDShopCH</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Dymocks">https://haveibeenpwned.com/Breach/Dymocks</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Earth2">https://haveibeenpwned.com/Breach/Earth2</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Eatigo">https://haveibeenpwned.com/Breach/Eatigo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/EatStreet">https://haveibeenpwned.com/Breach/EatStreet</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ECB">https://haveibeenpwned.com/Breach/ECB</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ECCIE">https://haveibeenpwned.com/Breach/ECCIE</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Edmodo">https://haveibeenpwned.com/Breach/Edmodo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Elance">https://haveibeenpwned.com/Breach/Elance</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Elanic">https://haveibeenpwned.com/Breach/Elanic</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads">https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Emotet">https://haveibeenpwned.com/Breach/Emotet</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Emuparadise">https://haveibeenpwned.com/Breach/Emuparadise</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/EPal">https://haveibeenpwned.com/Breach/EPal</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/EpicBot">https://haveibeenpwned.com/Breach/EpicBot</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/EpicGames">https://haveibeenpwned.com/Breach/EpicGames</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/EpicNPC">https://haveibeenpwned.com/Breach/EpicNPC</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Epik">https://haveibeenpwned.com/Breach/Epik</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Eroticy">https://haveibeenpwned.com/Breach/Eroticy</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Eskimi">https://haveibeenpwned.com/Breach/Eskimi</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/EstanteVirtual">https://haveibeenpwned.com/Breach/EstanteVirtual</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Estonia">https://haveibeenpwned.com/Breach/Estonia</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/eThekwiMunicipality">https://haveibeenpwned.com/Breach/eThekwiMunicipality</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Ethereum">https://haveibeenpwned.com/Breach/Ethereum</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/EuropaJobs">https://haveibeenpwned.com/Breach/EuropaJobs</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Evermotion">https://haveibeenpwned.com/Breach/Evermotion</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/EverybodyEdits">https://haveibeenpwned.com/Breach/EverybodyEdits</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Evite">https://haveibeenpwned.com/Breach/Evite</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Evony">https://haveibeenpwned.com/Breach/Evony</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Exactis">https://haveibeenpwned.com/Breach/Exactis</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Experian">https://haveibeenpwned.com/Breach/Experian</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Experian2020">https://haveibeenpwned.com/Breach/Experian2020</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ExploitIn">https://haveibeenpwned.com/Breach/ExploitIn</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalent">https://haveibeenpwned.com/Breach/ExploreTalent</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalentAug2024">https://haveibeenpwned.com/Breach/ExploreTalentAug2024</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Exvagos">https://haveibeenpwned.com/Breach/Exvagos</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Eye4Fraud">https://haveibeenpwned.com/Breach/Eye4Fraud</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/EyeEm">https://haveibeenpwned.com/Breach/EyeEm</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Facebook">https://haveibeenpwned.com/Breach/Facebook</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/FacebookMarketplace">https://haveibeenpwned.com/Breach/FacebookMarketplace</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Facepunch">https://haveibeenpwned.com/Breach/Facepunch</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/FaceUP">https://haveibeenpwned.com/Breach/FaceUP</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Factual">https://haveibeenpwned.com/Breach/Factual</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/FairVoteCanada">https://haveibeenpwned.com/Breach/FairVoteCanada</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Famm">https://haveibeenpwned.com/Breach/Famm</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Fanpass">https://haveibeenpwned.com/Breach/Fanpass</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/FantasyFootballHub">https://haveibeenpwned.com/Breach/FantasyFootballHub</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/FashionFantasyGame">https://haveibeenpwned.com/Breach/FashionFantasyGame</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/FFR">https://haveibeenpwned.com/Breach/FFR</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/FFShrine">https://haveibeenpwned.com/Breach/FFShrine</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Filmairn">https://haveibeenpwned.com/Breach/Filmairn</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Finsure">https://haveibeenpwned.com/Breach/Finsure</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Fitmart">https://haveibeenpwned.com/Breach/Fitmart</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Flashback">https://haveibeenpwned.com/Breach/Flashback</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution">https://haveibeenpwned.com/Breach/FlashFlashRevolution</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution2019">https://haveibeenpwned.com/Breach/FlashFlashRevolution2019</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/FlatEarthDave">https://haveibeenpwned.com/Breach/FlatEarthDave</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/FlexBooker">https://haveibeenpwned.com/Breach/FlexBooker</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Fling">https://haveibeenpwned.com/Breach/Fling</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/FlipaClip">https://haveibeenpwned.com/Breach/FlipaClip</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Flipkart">https://haveibeenpwned.com/Breach/Flipkart</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/FLVS">https://haveibeenpwned.com/Breach/FLVS</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Foodora">https://haveibeenpwned.com/Breach/Foodora</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Forbes">https://haveibeenpwned.com/Breach/Forbes</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ForumCommunity">https://haveibeenpwned.com/Breach/ForumCommunity</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Fotolog">https://haveibeenpwned.com/Breach/Fotolog</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/FoxyBingo">https://haveibeenpwned.com/Breach/FoxyBingo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/FrameAndOptic">https://haveibeenpwned.com/Breach/FrameAndOptic</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/FreedomHosting">https://haveibeenpwned.com/Breach/FreedomHosting</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/FreeMobile">https://haveibeenpwned.com/Breach/FreeMobile</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/FrenchCitizens">https://haveibeenpwned.com/Breach/FrenchCitizens</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/FreshMenu">https://haveibeenpwned.com/Breach/FreshMenu</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Fridae">https://haveibeenpwned.com/Breach/Fridae</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Funimation">https://haveibeenpwned.com/Breach/Funimation</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/FunnyGames">https://haveibeenpwned.com/Breach/FunnyGames</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/FurAffinity">https://haveibeenpwned.com/Breach/FurAffinity</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Gaadi">https://haveibeenpwned.com/Breach/Gaadi</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Gab">https://haveibeenpwned.com/Breach/Gab</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GamerzPlanet">https://haveibeenpwned.com/Breach/GamerzPlanet</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GameSalad">https://haveibeenpwned.com/Breach/GameSalad</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GamesBox">https://haveibeenpwned.com/Breach/GamesBox</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GameSprite">https://haveibeenpwned.com/Breach/GameSprite</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GameTuts">https://haveibeenpwned.com/Breach/GameTuts</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GameVN">https://haveibeenpwned.com/Breach/GameVN</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Gamigo">https://haveibeenpwned.com/Breach/Gamigo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GamingMonk">https://haveibeenpwned.com/Breach/GamingMonk</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GateHub">https://haveibeenpwned.com/Breach/GateHub</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Gawker">https://haveibeenpwned.com/Breach/Gawker</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GeekedIn">https://haveibeenpwned.com/Breach/GeekedIn</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Gemini">https://haveibeenpwned.com/Breach/Gemini</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Gimplex">https://haveibeenpwned.com/Breach/Gimplex</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GenesisMarket">https://haveibeenpwned.com/Breach/GenesisMarket</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GeniusU">https://haveibeenpwned.com/Breach/GeniusU</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GermanDonerKebab">https://haveibeenpwned.com/Breach/GermanDonerKebab</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GetRevengeOnYourEx">https://haveibeenpwned.com/Breach/GetRevengeOnYourEx</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Gett">https://haveibeenpwned.com/Breach/Gett</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GFAN">https://haveibeenpwned.com/Breach/GFAN</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GGCorp">https://haveibeenpwned.com/Breach/GGCorp</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GiantTiger">https://haveibeenpwned.com/Breach/GiantTiger</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/GiveSendGo">https://haveibeenpwned.com/Breach/GiveSendGo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GLAMIRA">https://haveibeenpwned.com/Breach/GLAMIRA</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Glofox">https://haveibeenpwned.com/Breach/Glofox</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GoGames">https://haveibeenpwned.com/Breach/GoGames</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GoldSilver">https://haveibeenpwned.com/Breach/GoldSilver</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GoNinja">https://haveibeenpwned.com/Breach/GoNinja</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/gPotato">https://haveibeenpwned.com/Breach/gPotato</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/GPSUnderground">https://haveibeenpwned.com/Breach/GPSUnderground</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Gravatar">https://haveibeenpwned.com/Breach/Gravatar</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GSMHosting">https://haveibeenpwned.com/Breach/GSMHosting</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GTAGaming">https://haveibeenpwned.com/Breach/GTAGaming</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GunAuction">https://haveibeenpwned.com/Breach/GunAuction</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/GunsDotCom">https://haveibeenpwned.com/Breach/GunsDotCom</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Guntrader">https://haveibeenpwned.com/Breach/Guntrader</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/Habibs">https://haveibeenpwned.com/Breach/Habibs</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/HackForums">https://haveibeenpwned.com/Breach/HackForums</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/HackingTeam">https://haveibeenpwned.com/Breach/HackingTeam</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Hakko">https://haveibeenpwned.com/Breach/Hakko</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/HalloweenSpot">https://haveibeenpwned.com/Breach/HalloweenSpot</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Hathway">https://haveibeenpwned.com/Breach/Hathway</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Hautelook">https://haveibeenpwned.com/Breach/Hautelook</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/Havenly">https://haveibeenpwned.com/Breach/Havenly</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/HDBFinancialServices">https://haveibeenpwned.com/Breach/HDBFinancialServices</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/HealthNowNetworks">https://haveibeenpwned.com/Breach/HealthNowNetworks</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/HeatGames">https://haveibeenpwned.com/Breach/HeatGames</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Hemmakvall">https://haveibeenpwned.com/Breach/Hemmakvall</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Hemmelig">https://haveibeenpwned.com/Breach/Hemmelig</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfGaia">https://haveibeenpwned.com/Breach/HeroesOfGaia</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfNewerth">https://haveibeenpwned.com/Breach/HeroesOfNewerth</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/HIAPK">https://haveibeenpwned.com/Breach/HIAPK</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Hjedd">https://haveibeenpwned.com/Breach/Hjedd</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/HTLV">https://haveibeenpwned.com/Breach/HTLV</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/HomeChef">https://haveibeenpwned.com/Breach/HomeChef</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/HongFire">https://haveibeenpwned.com/Breach/HongFire</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/HookersNL">https://haveibeenpwned.com/Breach/HookersNL</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/Hopamedia">https://haveibeenpwned.com/Breach/Hopamedia</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/HorseIsle">https://haveibeenpwned.com/Breach/HorseIsle</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/HotTopic">https://haveibeenpwned.com/Breach/HotTopic</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/HoundDawgs">https://haveibeenpwned.com/Breach/HoundDawgs</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Houzz">https://haveibeenpwned.com/Breach/Houzz</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/HTCMania">https://haveibeenpwned.com/Breach/HTCMania</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/HTHStudios">https://haveibeenpwned.com/Breach/HTHStudios</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/Hub4Tech">https://haveibeenpwned.com/Breach/Hub4Tech</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/HuntStand">https://haveibeenpwned.com/Breach/HuntStand</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Hurb">https://haveibeenpwned.com/Breach/Hurb</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/HuskyOwners">https://haveibeenpwned.com/Breach/HuskyOwners</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/IDCGames">https://haveibeenpwned.com/Breach/IDCGames</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/iDressup">https://haveibeenpwned.com/Breach/iDressup</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/iDTech">https://haveibeenpwned.com/Breach/iDTech</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/IGF">https://haveibeenpwned.com/Breach/IGF</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/IIMJobs">https://haveibeenpwned.com/Breach/IIMJobs</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ILikeCheats">https://haveibeenpwned.com/Breach/ILikeCheats</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Imavex">https://haveibeenpwned.com/Breach/Imavex</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/iMenu360">https://haveibeenpwned.com/Breach/iMenu360</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/iMesh">https://haveibeenpwned.com/Breach/iMesh</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/imgur">https://haveibeenpwned.com/Breach/imgur</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/IndiaMART">https://haveibeenpwned.com/Breach/IndiaMART</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/IndianRailways">https://haveibeenpwned.com/Breach/IndianRailways</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/IndiHome">https://haveibeenpwned.com/Breach/IndiHome</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/InflateVids">https://haveibeenpwned.com/Breach/InflateVids</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Insanelyi">https://haveibeenpwned.com/Breach/Insanelyi</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/InstantCheckmate">https://haveibeenpwned.com/Breach/InstantCheckmate</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile">https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/Intelimost">https://haveibeenpwned.com/Breach/Intelimost</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/InternetArchive">https://haveibeenpwned.com/Breach/InternetArchive</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Interpals">https://haveibeenpwned.com/Breach/Interpals</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/iPmart">https://haveibeenpwned.com/Breach/iPmart</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ixigo">https://haveibeenpwned.com/Breach/ixigo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/James">https://haveibeenpwned.com/Breach/James</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/JamTangan">https://haveibeenpwned.com/Breach/JamTangan</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/JD">https://haveibeenpwned.com/Breach/JD</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/JDGroup">https://haveibeenpwned.com/Breach/JDGroup</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Jefit">https://haveibeenpwned.com/Breach/Jefit</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/JobAndTalent">https://haveibeenpwned.com/Breach/JobAndTalent</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/JobStreet">https://haveibeenpwned.com/Breach/JobStreet</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Jobzone">https://haveibeenpwned.com/Breach/Jobzone</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/JoomArt">https://haveibeenpwned.com/Breach/JoomArt</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/JoyGames">https://haveibeenpwned.com/Breach/JoyGames</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/JukinMedia">https://haveibeenpwned.com/Breach/JukinMedia</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/JustDate">https://haveibeenpwned.com/Breach/JustDate</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Kaneva">https://haveibeenpwned.com/Breach/Kaneva</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/KasperskyClub">https://haveibeenpwned.com/Breach/KasperskyClub</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/KayoMoe">https://haveibeenpwned.com/Breach/KayoMoe</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Kickstarter">https://haveibeenpwned.com/Breach/Kickstarter</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/Kimsufi">https://haveibeenpwned.com/Breach/Kimsufi</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/KitchenPal">https://haveibeenpwned.com/Breach/KitchenPal</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/KiwiFarms">https://haveibeenpwned.com/Breach/KiwiFarms</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/KMRU">https://haveibeenpwned.com/Breach/KMRU</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/KnownCircle">https://haveibeenpwned.com/Breach/KnownCircle</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Knuddels">https://haveibeenpwned.com/Breach/Knuddels</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/KodiFoundation">https://haveibeenpwned.com/Breach/KodiFoundation</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/KomplettFritid">https://haveibeenpwned.com/Breach/KomplettFritid</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Kreditplus">https://haveibeenpwned.com/Breach/Kreditplus</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Ladies">https://haveibeenpwned.com/Breach/Ladies</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LandAirSea">https://haveibeenpwned.com/Breach/LandAirSea</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Lanwar">https://haveibeenpwned.com/Breach/Lanwar</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LaPosteMobile">https://haveibeenpwned.com/Breach/LaPosteMobile</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Lastfm">https://haveibeenpwned.com/Breach/Lastfm</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/Lazada">https://haveibeenpwned.com/Breach/Lazada</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LBB">https://haveibeenpwned.com/Breach/LBB</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LDLC">https://haveibeenpwned.com/Breach/LDLC</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LeadHunter">https://haveibeenpwned.com/Breach/LeadHunter</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LeagueOfLegends">https://haveibeenpwned.com/Breach/LeagueOfLegends</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LeakedReality">https://haveibeenpwned.com/Breach/LeakedReality</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LeCoqSportif">https://haveibeenpwned.com/Breach/LeCoqSportif</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/Ledger">https://haveibeenpwned.com/Breach/Ledger</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Leet">https://haveibeenpwned.com/Breach/Leet</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LegendasTV">https://haveibeenpwned.com/Breach/LegendasTV</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LeSlipFrancais">https://haveibeenpwned.com/Breach/LeSlipFrancais</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Lexipol">https://haveibeenpwned.com/Breach/Lexipol</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Life360">https://haveibeenpwned.com/Breach/Life360</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Lifebear">https://haveibeenpwned.com/Breach/Lifebear</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/Lifeboat">https://haveibeenpwned.com/Breach/Lifeboat</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LightsHope">https://haveibeenpwned.com/Breach/LightsHope</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Liker">https://haveibeenpwned.com/Breach/Liker</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LimeVPN">https://haveibeenpwned.com/Breach/LimeVPN</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LinkedIn">https://haveibeenpwned.com/Breach/LinkedIn</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape">https://haveibeenpwned.com/Breach/LinkedInScrape</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape2023">https://haveibeenpwned.com/Breach/LinkedInScrape2023</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/LinuxForums">https://haveibeenpwned.com/Breach/LinuxForums</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LinuxMint">https://haveibeenpwned.com/Breach/LinuxMint</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LittleMonsters">https://haveibeenpwned.com/Breach/LittleMonsters</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LiveAuctioneers">https://haveibeenpwned.com/Breach/LiveAuctioneers</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LiveJournal">https://haveibeenpwned.com/Breach/LiveJournal</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Lippure">https://haveibeenpwned.com/Breach/Lippure</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LizardSquad">https://haveibeenpwned.com/Breach/LizardSquad</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/Locally">https://haveibeenpwned.com/Breach/Locally</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Lolzteam">https://haveibeenpwned.com/Breach/Lolzteam</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Lookbook">https://haveibeenpwned.com/Breach/Lookbook</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Lookiero">https://haveibeenpwned.com/Breach/Lookiero</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LOTR">https://haveibeenpwned.com/Breach/LOTR</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LoungeBoard">https://haveibeenpwned.com/Breach/LoungeBoard</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LuLu">https://haveibeenpwned.com/Breach/LuLu</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/LuminPDF">https://haveibeenpwned.com/Breach/LuminPDF</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Luxottica">https://haveibeenpwned.com/Breach/Luxottica</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/LyricsMania">https://haveibeenpwned.com/Breach/LyricsMania</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Mac-Torrents">https://haveibeenpwned.com/Breach/Mac-Torrents</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MacForums">https://haveibeenpwned.com/Breach/MacForums</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MacGeneration">https://haveibeenpwned.com/Breach/MacGeneration</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MagicDuel">https://haveibeenpwned.com/Breach/MagicDuel</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/MailRu">https://haveibeenpwned.com/Breach/MailRu</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MajorGeeks">https://haveibeenpwned.com/Breach/MajorGeeks</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MalindoAir">https://haveibeenpwned.com/Breach/MalindoAir</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MallCZ">https://haveibeenpwned.com/Breach/MallCZ</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Malwarebytes">https://haveibeenpwned.com/Breach/Malwarebytes</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MangaDex">https://haveibeenpwned.com/Breach/MangaDex</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MangaFox">https://haveibeenpwned.com/Breach/MangaFox</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/Mangatoon">https://haveibeenpwned.com/Breach/Mangatoon</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MangaTraders">https://haveibeenpwned.com/Breach/MangaTraders</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ManipulatedCaiman">https://haveibeenpwned.com/Breach/ManipulatedCaiman</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Mappery">https://haveibeenpwned.com/Breach/Mappery</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MarketMovis">https://haveibeenpwned.com/Breach/MarketMovis</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Mashable">https://haveibeenpwned.com/Breach/Mashable</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MastercardPricelessSpecials">https://haveibeenpwned.com/Breach/MastercardPricelessSpecials</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/MasterDeeds">https://haveibeenpwned.com/Breach/MasterDeeds</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Mate1">https://haveibeenpwned.com/Breach/Mate1</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Mathway">https://haveibeenpwned.com/Breach/Mathway</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MC2Data">https://haveibeenpwned.com/Breach/MC2Data</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MCBans">https://haveibeenpwned.com/Breach/MCBans</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MDPI">https://haveibeenpwned.com/Breach/MDPI</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MechoDownload">https://haveibeenpwned.com/Breach/MechoDownload</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/MediaWorks">https://haveibeenpwned.com/Breach/MediaWorks</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MeetMindful">https://haveibeenpwned.com/Breach/MeetMindful</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MemeChat">https://haveibeenpwned.com/Breach/MemeChat</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MEO">https://haveibeenpwned.com/Breach/MEO</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MGM">https://haveibeenpwned.com/Breach/MGM</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MGM2022Update">https://haveibeenpwned.com/Breach/MGM2022Update</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MindJolt">https://haveibeenpwned.com/Breach/MindJolt</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum">https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftWorldMap">https://haveibeenpwned.com/Breach/MinecraftWorldMap</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Minefield">https://haveibeenpwned.com/Breach/Minefield</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Minehut">https://haveibeenpwned.com/Breach/Minehut</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Minted">https://haveibeenpwned.com/Breach/Minted</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MMGFusion">https://haveibeenpwned.com/Breach/MMGFusion</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MobiFriends">https://haveibeenpwned.com/Breach/MobiFriends</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Breach/MoDaCo">https://haveibeenpwned.com/Breach/MoDaCo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ModernBusinessSolutions">https://haveibeenpwned.com/Breach/ModernBusinessSolutions</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MoneyBookers">https://haveibeenpwned.com/Breach/MoneyBookers</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Moneycontrol">https://haveibeenpwned.com/Breach/Moneycontrol</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MoreleNet">https://haveibeenpwned.com/Breach/MoreleNet</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MortalOnline">https://haveibeenpwned.com/Breach/MortalOnline</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MovieBoxPro">https://haveibeenpwned.com/Breach/MovieBoxPro</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MovieForums">https://haveibeenpwned.com/Breach/MovieForums</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MPGH">https://haveibeenpwned.com/Breach/MPGH</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MrExcel">https://haveibeenpwned.com/Breach/MrExcel</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MrGreenGaming">https://haveibeenpwned.com/Breach/MrGreenGaming</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MSI">https://haveibeenpwned.com/Breach/MSI</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/mSpy">https://haveibeenpwned.com/Breach/mSpy</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/mSpy2024">https://haveibeenpwned.com/Breach/mSpy2024</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Muah">https://haveibeenpwned.com/Breach/Muah</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MultiplayerIT">https://haveibeenpwned.com/Breach/MultiplayerIT</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MuslimDirectory">https://haveibeenpwned.com/Breach/MuslimDirectory</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MuslimMatch">https://haveibeenpwned.com/Breach/MuslimMatch</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MyFHA">https://haveibeenpwned.com/Breach/MyFHA</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MyFitnessPal">https://haveibeenpwned.com/Breach/MyFitnessPal</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MyHeritage">https://haveibeenpwned.com/Breach/MyHeritage</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MyPertamina">https://haveibeenpwned.com/Breach/MyPertamina</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/myRepoSpace">https://haveibeenpwned.com/Breach/myRepoSpace</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MySpace">https://haveibeenpwned.com/Breach/MySpace</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/MyVidster">https://haveibeenpwned.com/Breach/MyVidster</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/NamelessMalware">https://haveibeenpwned.com/Breach/NamelessMalware</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/NapsGear">https://haveibeenpwned.com/Breach/NapsGear</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/NationalPublicData">https://haveibeenpwned.com/Breach/NationalPublicData</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/NaughtyAmerica">https://haveibeenpwned.com/Breach/NaughtyAmerica</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/NazApi">https://haveibeenpwned.com/Breach/NazApi</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/NeimanMarcus">https://haveibeenpwned.com/Breach/NeimanMarcus</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/NemoWeb">https://haveibeenpwned.com/Breach/NemoWeb</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Neopets">https://haveibeenpwned.com/Breach/Neopets</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/NetEase">https://haveibeenpwned.com/Breach/NetEase</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Neteller">https://haveibeenpwned.com/Breach/Neteller</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/NetGalley">https://haveibeenpwned.com/Breach/NetGalley</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Netlog">https://haveibeenpwned.com/Breach/Netlog</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/NetProspx">https://haveibeenpwned.com/Breach/NetProspx</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Netshoes">https://haveibeenpwned.com/Breach/Netshoes</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/NextGenUpdate">https://haveibeenpwned.com/Breach/NextGenUpdate</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/NexusMods">https://haveibeenpwned.com/Breach/NexusMods</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Nihonomaru">https://haveibeenpwned.com/Breach/Nihonomaru</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Nitro">https://haveibeenpwned.com/Breach/Nitro</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Nival">https://haveibeenpwned.com/Breach/Nival</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/NonNudeGirls">https://haveibeenpwned.com/Breach/NonNudeGirls</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/NotAcxiom">https://haveibeenpwned.com/Breach/NotAcxiom</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/NotSOCRadar">https://haveibeenpwned.com/Breach/NotSOCRadar</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Nulled">https://haveibeenpwned.com/Breach/Nulled</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/NulledCH">https://haveibeenpwned.com/Breach/NulledCH</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/NurseryCam">https://haveibeenpwned.com/Breach/NurseryCam</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/NVIDIA">https://haveibeenpwned.com/Breach/NVIDIA</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers">https://haveibeenpwned.com/Breach/OGUsers</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2020">https://haveibeenpwned.com/Breach/OGUsers2020</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2021">https://haveibeenpwned.com/Breach/OGUsers2021</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2022">https://haveibeenpwned.com/Breach/OGUsers2022</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/OMGPOP">https://haveibeenpwned.com/Breach/OMGPOP</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/OnlinerSpambot">https://haveibeenpwned.com/Breach/OnlinerSpambot</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/OnlineTrade">https://haveibeenpwned.com/Breach/OnlineTrade</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/OnRPG">https://haveibeenpwned.com/Breach/OnRPG</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Onverse">https://haveibeenpwned.com/Breach/Onverse</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/OpenCSGO">https://haveibeenpwned.com/Breach/OpenCSGO</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/OpenSubtitles">https://haveibeenpwned.com/Breach/OpenSubtitles</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame">https://haveibeenpwned.com/Breach/OperationEndgame</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame2">https://haveibeenpwned.com/Breach/OperationEndgame2</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/OrangeRomania">https://haveibeenpwned.com/Breach/OrangeRomania</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/OrderSnapp">https://haveibeenpwned.com/Breach/OrderSnapp</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma">https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Otelier">https://haveibeenpwned.com/Breach/Otelier</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/OVH">https://haveibeenpwned.com/Breach/OVH</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/OwnedCore">https://haveibeenpwned.com/Breach/OwnedCore</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Oxfam">https://haveibeenpwned.com/Breach/Oxfam</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PaddyPower">https://haveibeenpwned.com/Breach/PaddyPower</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Pampling">https://haveibeenpwned.com/Breach/Pampling</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Pandabuy">https://haveibeenpwned.com/Breach/Pandabuy</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ParagonCheats">https://haveibeenpwned.com/Breach/ParagonCheats</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Parapa">https://haveibeenpwned.com/Breach/Parapa</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ParkMobile">https://haveibeenpwned.com/Breach/ParkMobile</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Patreon">https://haveibeenpwned.com/Breach/Patreon</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PayAsUGym">https://haveibeenpwned.com/Breach/PayAsUGym</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PayHere">https://haveibeenpwned.com/Breach/PayHere</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PaySystemTech">https://haveibeenpwned.com/Breach/PaySystemTech</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Paytm">https://haveibeenpwned.com/Breach/Paytm</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/pcTattletale">https://haveibeenpwned.com/Breach/pcTattletale</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PDL">https://haveibeenpwned.com/Breach/PDL</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Peatix">https://haveibeenpwned.com/Breach/Peatix</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Pemblanc">https://haveibeenpwned.com/Breach/Pemblanc</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PeoplesEnergy">https://haveibeenpwned.com/Breach/PeoplesEnergy</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PetFlow">https://haveibeenpwned.com/Breach/PetFlow</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Phoenix">https://haveibeenpwned.com/Breach/Phoenix</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PhoneHouse">https://haveibeenpwned.com/Breach/PhoneHouse</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PHPFreaks">https://haveibeenpwned.com/Breach/PHPFreaks</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PipingRock">https://haveibeenpwned.com/Breach/PipingRock</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PixelFederation">https://haveibeenpwned.com/Breach/PixelFederation</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Pixlr">https://haveibeenpwned.com/Breach/Pixlr</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/piZap">https://haveibeenpwned.com/Breach/piZap</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PlanetCalypso">https://haveibeenpwned.com/Breach/PlanetCalypso</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PlanetIce">https://haveibeenpwned.com/Breach/PlanetIce</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Playbook">https://haveibeenpwned.com/Breach/Playbook</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PlayCyberGames">https://haveibeenpwned.com/Breach/PlayCyberGames</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Playgar">https://haveibeenpwned.com/Breach/Playgar</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Plex">https://haveibeenpwned.com/Breach/Plex</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PlutoTV">https://haveibeenpwned.com/Breach/PlutoTV</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PoinCampus">https://haveibeenpwned.com/Breach/PoinCampus</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Pokebip">https://haveibeenpwned.com/Breach/Pokebip</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PokemonCreed">https://haveibeenpwned.com/Breach/PokemonCreed</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PokemonNegro">https://haveibeenpwned.com/Breach/PokemonNegro</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PoliceOne">https://haveibeenpwned.com/Breach/PoliceOne</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PolishCredentials">https://haveibeenpwned.com/Breach/PolishCredentials</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Poshmark">https://haveibeenpwned.com/Breach/Poshmark</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Powerbot">https://haveibeenpwned.com/Breach/Powerbot</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PPCGeeks">https://haveibeenpwned.com/Breach/PPCGeeks</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PreenMe">https://haveibeenpwned.com/Breach/PreenMe</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ProctorU">https://haveibeenpwned.com/Breach/ProctorU</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ProgrammingForums">https://haveibeenpwned.com/Breach/ProgrammingForums</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Promo">https://haveibeenpwned.com/Breach/Promo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Promofarma">https://haveibeenpwned.com/Breach/Promofarma</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PropTiger">https://haveibeenpwned.com/Breach/PropTiger</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Protamps">https://haveibeenpwned.com/Breach/Protamps</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PS3Hax">https://haveibeenpwned.com/Breach/PS3Hax</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PSPISO">https://haveibeenpwned.com/Breach/PSPISO</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/PSXScene">https://haveibeenpwned.com/Breach/PSXScene</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Qakbot">https://haveibeenpwned.com/Breach/Qakbot</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/QatarNationalBank">https://haveibeenpwned.com/Breach/QatarNationalBank</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/QIP">https://haveibeenpwned.com/Breach/QIP</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Qraved">https://haveibeenpwned.com/Breach/Qraved</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/QuantumBooter">https://haveibeenpwned.com/Breach/QuantumBooter</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/QuestionPro">https://haveibeenpwned.com/Breach/QuestionPro</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Quidd">https://haveibeenpwned.com/Breach/Quidd</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/QuinStreet">https://haveibeenpwned.com/Breach/QuinStreet</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/R2-2017">https://haveibeenpwned.com/Breach/R2-2017</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/R2Games">https://haveibeenpwned.com/Breach/R2Games</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/RaidForums">https://haveibeenpwned.com/Breach/RaidForums</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/RailYatri">https://haveibeenpwned.com/Breach/RailYatri</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Rambler">https://haveibeenpwned.com/Breach/Rambler</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Rankwatch">https://haveibeenpwned.com/Breach/Rankwatch</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Raychat">https://haveibeenpwned.com/Breach/Raychat</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/RbxRocks">https://haveibeenpwned.com/Breach/RbxRocks</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ReadNovel">https://haveibeenpwned.com/Breach/ReadNovel</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/RealDudesInc">https://haveibeenpwned.com/Breach/RealDudesInc</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/RealEstateMogul">https://haveibeenpwned.com/Breach/RealEstateMogul</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/RedDoorz">https://haveibeenpwned.com/Breach/RedDoorz</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/RedLineStealer">https://haveibeenpwned.com/Breach/RedLineStealer</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Reincubate">https://haveibeenpwned.com/Breach/Reincubate</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/RentoMojo">https://haveibeenpwned.com/Breach/RentoMojo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas">https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/RetinaX">https://haveibeenpwned.com/Breach/RetinaX</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Reverb-Nation">https://haveibeenpwned.com/Breach/Reverb-Nation</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Rightbiz">https://haveibeenpwned.com/Breach/Rightbiz</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/RiverCityMedia">https://haveibeenpwned.com/Breach/RiverCityMedia</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Robinhood">https://haveibeenpwned.com/Breach/Robinhood</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Roblox">https://haveibeenpwned.com/Breach/Roblox</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference">https://haveibeenpwned.com/Breach/RobloxDeveloperConference</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024">https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Roll20">https://haveibeenpwned.com/Breach/Roll20</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Romwe">https://haveibeenpwned.com/Breach/Romwe</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/RosebuttBoard">https://haveibeenpwned.com/Breach/RosebuttBoard</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/RoyalEnfield">https://haveibeenpwned.com/Breach/RoyalEnfield</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/RussianAmerica">https://haveibeenpwned.com/Breach/RussianAmerica</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SalvadoranCitizens">https://haveibeenpwned.com/Breach/SalvadoranCitizens</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SamsungGermany">https://haveibeenpwned.com/Breach/SamsungGermany</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SaverSpy">https://haveibeenpwned.com/Breach/SaverSpy</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList">https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Scentbird">https://haveibeenpwned.com/Breach/Scentbird</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/schenkYOU">https://haveibeenpwned.com/Breach/schenkYOU</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Scholastic">https://haveibeenpwned.com/Breach/Scholastic</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SchoolDistrict42">https://haveibeenpwned.com/Breach/SchoolDistrict42</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Seedpeer">https://haveibeenpwned.com/Breach/Seedpeer</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SeniorDating">https://haveibeenpwned.com/Breach/SeniorDating</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Sephora">https://haveibeenpwned.com/Breach/Sephora</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ServerPact">https://haveibeenpwned.com/Breach/ServerPact</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SevenRooms">https://haveibeenpwned.com/Breach/SevenRooms</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Shadi">https://haveibeenpwned.com/Breach/Shadi</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Shadow">https://haveibeenpwned.com/Breach/Shadow</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ShareThis">https://haveibeenpwned.com/Breach/ShareThis</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SHEIN">https://haveibeenpwned.com/Breach/SHEIN</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Shitexpress">https://haveibeenpwned.com/Breach/Shitexpress</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ShockGore">https://haveibeenpwned.com/Breach/ShockGore</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ShoeZone">https://haveibeenpwned.com/Breach/ShoeZone</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ShopBack">https://haveibeenpwned.com/Breach/ShopBack</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ShopperPlus">https://haveibeenpwned.com/Breach/ShopperPlus</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ShortEdition">https://haveibeenpwned.com/Breach/ShortEdition</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Shotbow">https://haveibeenpwned.com/Breach/Shotbow</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SIAE">https://haveibeenpwned.com/Breach/SIAE</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SirHurt">https://haveibeenpwned.com/Breach/SirHurt</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SitePoint">https://haveibeenpwned.com/Breach/SitePoint</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SkTorrent">https://haveibeenpwned.com/Breach/SkTorrent</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Slickwraps">https://haveibeenpwned.com/Breach/Slickwraps</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SlideTeam">https://haveibeenpwned.com/Breach/SlideTeam</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Smogon">https://haveibeenpwned.com/Breach/Smogon</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Snail">https://haveibeenpwned.com/Breach/Snail</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Snapchat">https://haveibeenpwned.com/Breach/Snapchat</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SoarGames">https://haveibeenpwned.com/Breach/SoarGames</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SocialEngineered">https://haveibeenpwned.com/Breach/SocialEngineered</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Solomid">https://haveibeenpwned.com/Breach/Solomid</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Sonicbids">https://haveibeenpwned.com/Breach/Sonicbids</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Sony">https://haveibeenpwned.com/Breach/Sony</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Soundwave">https://haveibeenpwned.com/Breach/Soundwave</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SpecialKSpamList">https://haveibeenpwned.com/Breach/SpecialKSpamList</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Speedio">https://haveibeenpwned.com/Breach/Speedio</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Sphero">https://haveibeenpwned.com/Breach/Sphero</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Spiro">https://haveibeenpwned.com/Breach/Spiro</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Sport2000">https://haveibeenpwned.com/Breach/Sport2000</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Spoutible">https://haveibeenpwned.com/Breach/Spoutible</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SprashivaiRu">https://haveibeenpwned.com/Breach/SprashivaiRu</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SpyFone">https://haveibeenpwned.com/Breach/SpyFone</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Spyic">https://haveibeenpwned.com/Breach/Spyic</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Spytech">https://haveibeenpwned.com/Breach/Spytech</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SpyX">https://haveibeenpwned.com/Breach/SpyX</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Spyzie">https://haveibeenpwned.com/Breach/Spyzie</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/StalkerOnline">https://haveibeenpwned.com/Breach/StalkerOnline</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Staminus">https://haveibeenpwned.com/Breach/Staminus</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/StarNet">https://haveibeenpwned.com/Breach/StarNet</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Start">https://haveibeenpwned.com/Breach/Start</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/StarTribune">https://haveibeenpwned.com/Breach/StarTribune</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/StealerLogsJan2025">https://haveibeenpwned.com/Breach/StealerLogsJan2025</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SterKinekor">https://haveibeenpwned.com/Breach/SterKinekor</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/StockX">https://haveibeenpwned.com/Breach/StockX</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Storency">https://haveibeenpwned.com/Breach/Storency</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/StoryBird">https://haveibeenpwned.com/Breach/StoryBird</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Straffic">https://haveibeenpwned.com/Breach/Straffic</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Stratfor">https://haveibeenpwned.com/Breach/Stratfor</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/StreamCraft">https://haveibeenpwned.com/Breach/StreamCraft</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/StreetEasy">https://haveibeenpwned.com/Breach/StreetEasy</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Stripchat">https://haveibeenpwned.com/Breach/Stripchat</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/StrongholdKingdoms">https://haveibeenpwned.com/Breach/StrongholdKingdoms</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SubaGames">https://haveibeenpwned.com/Breach/SubaGames</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SumoTorrent">https://haveibeenpwned.com/Breach/SumoTorrent</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SundryFiles">https://haveibeenpwned.com/Breach/SundryFiles</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SuperDraft">https://haveibeenpwned.com/Breach/SuperDraft</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN">https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SurveyLama">https://haveibeenpwned.com/Breach/SurveyLama</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SvenskaMagic">https://haveibeenpwned.com/Breach/SvenskaMagic</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SweClockers">https://haveibeenpwned.com/Breach/SweClockers</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Switch">https://haveibeenpwned.com/Breach/Switch</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/SwordFantasy">https://haveibeenpwned.com/Breach/SwordFantasy</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Swl">https://haveibeenpwned.com/Breach/Swl</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/T2">https://haveibeenpwned.com/Breach/T2</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TaiLieu">https://haveibeenpwned.com/Breach/TaiLieu</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Tamodo">https://haveibeenpwned.com/Breach/Tamodo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Tangerine">https://haveibeenpwned.com/Breach/Tangerine</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Taobao">https://haveibeenpwned.com/Breach/Taobao</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TAPAirPortugal">https://haveibeenpwned.com/Breach/TAPAirPortugal</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Tappware">https://haveibeenpwned.com/Breach/Tappware</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Taringa">https://haveibeenpwned.com/Breach/Taringa</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Technic">https://haveibeenpwned.com/Breach/Technic</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Teespring">https://haveibeenpwned.com/Breach/Teespring</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TehetsegKapu">https://haveibeenpwned.com/Breach/TehetsegKapu</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TelegramCombolists">https://haveibeenpwned.com/Breach/TelegramCombolists</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TelegramStealerLogs">https://haveibeenpwned.com/Breach/TelegramStealerLogs</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Teracod">https://haveibeenpwned.com/Breach/Teracod</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Terravision">https://haveibeenpwned.com/Breach/Terravision</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Tesco">https://haveibeenpwned.com/Breach/Tesco</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TGBUS">https://haveibeenpwned.com/Breach/TGBUS</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TheCandidBoard">https://haveibeenpwned.com/Breach/TheCandidBoard</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TheClubPenguinExperience">https://haveibeenpwned.com/Breach/TheClubPenguinExperience</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TheFappening">https://haveibeenpwned.com/Breach/TheFappening</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TheFlyOnTheWall">https://haveibeenpwned.com/Breach/TheFlyOnTheWall</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TheGradCafe">https://haveibeenpwned.com/Breach/TheGradCafe</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TheHeritageFoundation">https://haveibeenpwned.com/Breach/TheHeritageFoundation</a>
Method	GET
Parameter	
Attack	

Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ThePostMillennial">https://haveibeenpwned.com/Breach/ThePostMillennial</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TheRealWorld">https://haveibeenpwned.com/Breach/TheRealWorld</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Thermomix">https://haveibeenpwned.com/Breach/Thermomix</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TheTVDB">https://haveibeenpwned.com/Breach/TheTVDB</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Thingiverse">https://haveibeenpwned.com/Breach/Thingiverse</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ThisHabboForum">https://haveibeenpwned.com/Breach/ThisHabboForum</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Tianya">https://haveibeenpwned.com/Breach/Tianya</a>
Method	GET
Parameter	
Attack	

Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Tibber">https://haveibeenpwned.com/Breach/Tibber</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Ticketcounter">https://haveibeenpwned.com/Breach/Ticketcounter</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Ticketek">https://haveibeenpwned.com/Breach/Ticketek</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Ticketfly">https://haveibeenpwned.com/Breach/Ticketfly</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Tigo">https://haveibeenpwned.com/Breach/Tigo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TNAFix">https://haveibeenpwned.com/Breach/TNAFix</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Tokopedia">https://haveibeenpwned.com/Breach/Tokopedia</a>
Method	GET
Parameter	
Attack	

Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ToonDoo">https://haveibeenpwned.com/Breach/ToonDoo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TorrentInvites">https://haveibeenpwned.com/Breach/TorrentInvites</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Toumei">https://haveibeenpwned.com/Breach/Toumei</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Tout">https://haveibeenpwned.com/Breach/Tout</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Tracki">https://haveibeenpwned.com/Breach/Tracki</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Traderie">https://haveibeenpwned.com/Breach/Traderie</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TRA">https://haveibeenpwned.com/Breach/TRA</a>
Method	GET
Parameter	
Attack	

Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Travelio">https://haveibeenpwned.com/Breach/Travelio</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TravelOK">https://haveibeenpwned.com/Breach/TravelOK</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Trello">https://haveibeenpwned.com/Breach/Trello</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TrikSpamBotnet">https://haveibeenpwned.com/Breach/TrikSpamBotnet</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Trillian">https://haveibeenpwned.com/Breach/Trillian</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TroyHuntMailchimpList">https://haveibeenpwned.com/Breach/TroyHuntMailchimpList</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TruckersMP">https://haveibeenpwned.com/Breach/TruckersMP</a>
Method	GET
Parameter	
Attack	

Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TrueFire">https://haveibeenpwned.com/Breach/TrueFire</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TruthFinder">https://haveibeenpwned.com/Breach/TruthFinder</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Tumblr">https://haveibeenpwned.com/Breach/Tumblr</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/TunedGlobal">https://haveibeenpwned.com/Breach/TunedGlobal</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Tunngle">https://haveibeenpwned.com/Breach/Tunngle</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Twitter">https://haveibeenpwned.com/Breach/Twitter</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Twitter200M">https://haveibeenpwned.com/Breach/Twitter200M</a>
Method	GET
Parameter	
Attack	

Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Ualabee">https://haveibeenpwned.com/Breach/Ualabee</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Ubook">https://haveibeenpwned.com/Breach/Ubook</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/UC">https://haveibeenpwned.com/Breach/UC</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Uiggy">https://haveibeenpwned.com/Breach/Uiggy</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Ulmon">https://haveibeenpwned.com/Breach/Ulmon</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/UnderworldEmpire">https://haveibeenpwned.com/Breach/UnderworldEmpire</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/UnicoCampania">https://haveibeenpwned.com/Breach/UnicoCampania</a>
Method	GET
Parameter	
Attack	

Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Universarium">https://haveibeenpwned.com/Breach/Universarium</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/UnrealEngine">https://haveibeenpwned.com/Breach/UnrealEngine</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Upstox">https://haveibeenpwned.com/Breach/Upstox</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/UtahGunExchange">https://haveibeenpwned.com/Breach/UtahGunExchange</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/uTorrent">https://haveibeenpwned.com/Breach/uTorrent</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/uuu9">https://haveibeenpwned.com/Breach/uuu9</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Vakinha">https://haveibeenpwned.com/Breach/Vakinha</a>
Method	GET
Parameter	
Attack	

Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Vastaamo">https://haveibeenpwned.com/Breach/Vastaamo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/VBulletin">https://haveibeenpwned.com/Breach/VBulletin</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Vedantu">https://haveibeenpwned.com/Breach/Vedantu</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/VerificationsIO">https://haveibeenpwned.com/Breach/VerificationsIO</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Verified">https://haveibeenpwned.com/Breach/Verified</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Vermillion">https://haveibeenpwned.com/Breach/Vermillion</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Vianet">https://haveibeenpwned.com/Breach/Vianet</a>
Method	GET
Parameter	
Attack	

Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/VictoryPhones">https://haveibeenpwned.com/Breach/VictoryPhones</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ViewFines">https://haveibeenpwned.com/Breach/ViewFines</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/VimeWorld">https://haveibeenpwned.com/Breach/VimeWorld</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/VINs">https://haveibeenpwned.com/Breach/VINs</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/VivaAir">https://haveibeenpwned.com/Breach/VivaAir</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/VK">https://haveibeenpwned.com/Breach/VK</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/VNG">https://haveibeenpwned.com/Breach/VNG</a>
Method	GET
Parameter	
Attack	

Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Vodafone">https://haveibeenpwned.com/Breach/Vodafone</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/VoidTO">https://haveibeenpwned.com/Breach/VoidTO</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/VTech">https://haveibeenpwned.com/Breach/VTech</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/VTightGel">https://haveibeenpwned.com/Breach/VTightGel</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Wakanim">https://haveibeenpwned.com/Breach/Wakanim</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Wanelo">https://haveibeenpwned.com/Breach/Wanelo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Warframe">https://haveibeenpwned.com/Breach/Warframe</a>
Method	GET
Parameter	
Attack	

Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/WarInc">https://haveibeenpwned.com/Breach/WarInc</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Warmane">https://haveibeenpwned.com/Breach/Warmane</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard">https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Wattpad">https://haveibeenpwned.com/Breach/Wattpad</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/WedMeGood">https://haveibeenpwned.com/Breach/WedMeGood</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Weee">https://haveibeenpwned.com/Breach/Weee</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/WeHeartIt">https://haveibeenpwned.com/Breach/WeHeartIt</a>
Method	GET
Parameter	
Attack	

Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/WLeakInfo">https://haveibeenpwned.com/Breach/WLeakInfo</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Welhof">https://haveibeenpwned.com/Breach/Welhof</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Wendys">https://haveibeenpwned.com/Breach/Wendys</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Whitepages">https://haveibeenpwned.com/Breach/Whitepages</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/WhiteRoom">https://haveibeenpwned.com/Breach/WhiteRoom</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/WHMCS">https://haveibeenpwned.com/Breach/WHMCS</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/WienerBuchereien">https://haveibeenpwned.com/Breach/WienerBuchereien</a>
Method	GET
Parameter	

Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/WifeLovers">https://haveibeenpwned.com/Breach/WifeLovers</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/WiiUIISO">https://haveibeenpwned.com/Breach/WiiUIISO</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/WildStar">https://haveibeenpwned.com/Breach/WildStar</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Win7Vista">https://haveibeenpwned.com/Breach/Win7Vista</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/WiredBucks">https://haveibeenpwned.com/Breach/WiredBucks</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone">https://haveibeenpwned.com/Breach/Wishbone</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone2020">https://haveibeenpwned.com/Breach/Wishbone2020</a>
Method	GET
Parameter	

Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/WiziShop">https://haveibeenpwned.com/Breach/WiziShop</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Wongnai">https://haveibeenpwned.com/Breach/Wongnai</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/WoTLabs">https://haveibeenpwned.com/Breach/WoTLabs</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/WPSandbox">https://haveibeenpwned.com/Breach/WPSandbox</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/WPT">https://haveibeenpwned.com/Breach/WPT</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/xat">https://haveibeenpwned.com/Breach/xat</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Xbox-Scene">https://haveibeenpwned.com/Breach/Xbox-Scene</a>
Method	GET
Parameter	

Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Xbox360ISO">https://haveibeenpwned.com/Breach/Xbox360ISO</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/xHamster">https://haveibeenpwned.com/Breach/xHamster</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Xiaomi">https://haveibeenpwned.com/Breach/Xiaomi</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/XKCD">https://haveibeenpwned.com/Breach/XKCD</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/XPGameSaves">https://haveibeenpwned.com/Breach/XPGameSaves</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/XSplit">https://haveibeenpwned.com/Breach/XSplit</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Yahoo">https://haveibeenpwned.com/Breach/Yahoo</a>
Method	GET
Parameter	

Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Yam">https://haveibeenpwned.com/Breach/Yam</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Yandex">https://haveibeenpwned.com/Breach/Yandex</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Yatra">https://haveibeenpwned.com/Breach/Yatra</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Yonema">https://haveibeenpwned.com/Breach/Yonema</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/YoteprestoCom">https://haveibeenpwned.com/Breach/YoteprestoCom</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Youku">https://haveibeenpwned.com/Breach/Youku</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/YoungLivingEssentialOils">https://haveibeenpwned.com/Breach/YoungLivingEssentialOils</a>
Method	GET
Parameter	

Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/YouNow">https://haveibeenpwned.com/Breach/YouNow</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/YouPorn">https://haveibeenpwned.com/Breach/YouPorn</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Youthmanual">https://haveibeenpwned.com/Breach/Youthmanual</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/YouveBeenScraped">https://haveibeenpwned.com/Breach/YouveBeenScraped</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Zacks">https://haveibeenpwned.com/Breach/Zacks</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Zacks2024">https://haveibeenpwned.com/Breach/Zacks2024</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ZadigVoltaire">https://haveibeenpwned.com/Breach/ZadigVoltaire</a>
Method	GET
Parameter	

Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ZAPHosting">https://haveibeenpwned.com/Breach/ZAPHosting</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Zhenai">https://haveibeenpwned.com/Breach/Zhenai</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/ZLib">https://haveibeenpwned.com/Breach/ZLib</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Zomato">https://haveibeenpwned.com/Breach/Zomato</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Zoomcar">https://haveibeenpwned.com/Breach/Zoomcar</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk">https://haveibeenpwned.com/Breach/Zoosk</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk2020">https://haveibeenpwned.com/Breach/Zoosk2020</a>
Method	GET
Parameter	

Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Zooville">https://haveibeenpwned.com/Breach/Zooville</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Zurich">https://haveibeenpwned.com/Breach/Zurich</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Breach/Zynga">https://haveibeenpwned.com/Breach/Zynga</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn">https://haveibeenpwned.com/Dashboard/SignIn</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvef14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvef14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvef14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvef14jWIYDwliFze3ZX</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvef14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvef14jWIYDwliFze3ZX%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvef14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvef14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvef14jWIYDwliFze3ZX%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvef14jWIYDwliFze3ZX</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	
Attack	

Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>

Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Donate">https://haveibeenpwned.com/Donate</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/DPA">https://haveibeenpwned.com/DPA</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/FAQs">https://haveibeenpwned.com/FAQs</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle active" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/NotifyMe">https://haveibeenpwned.com/NotifyMe</a>
Method	GET
Parameter	

Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C">https://haveibeenpwned.com/NotifyMe%5C</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/OptOut">https://haveibeenpwned.com/OptOut</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Passwords">https://haveibeenpwned.com/Passwords</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Passwords%5C">https://haveibeenpwned.com/Passwords%5C</a>
Method	GET
Parameter	

Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle active" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/PwnedWebsites">https://haveibeenpwned.com/PwnedWebsites</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Subscription">https://haveibeenpwned.com/Subscription</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/TermsOfUse">https://haveibeenpwned.com/TermsOfUse</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle active" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/UnifiedSearch/">https://haveibeenpwned.com/UnifiedSearch/</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/Unsubscribe/">https://haveibeenpwned.com/Unsubscribe/</a>
Method	GET
Parameter	

Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://haveibeenpwned.com/verify/">https://haveibeenpwned.com/verify/</a>
Method	GET
Parameter	
Attack	
Evidence	<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">About</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="https://www.bolt.com/">https://www.bolt.com/</a>
Method	GET
Parameter	
Attack	
Evidence	<noscript data-n-css=""></noscript>
Other Info	A noScript tag has been found, which is an indication that the application works differently with JavaScript enabled compared to when it is not.
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	POST
Parameter	
Attack	

Evidence	<pre>&lt;script&gt;(function(){window._cf_chl_opt={cVid: '3',cZone: "haveibeenpwned.com",cType: 'managed',cRay: '9508a7b66d3a428a',cH: 'jwXeGQZPyudQp0o8QQ7t,jbqyQY,J Ae4d27LyCmaNC8-1750059585-1.2.1.1-iHs8l8eDEg6CBaLmdMXDaASjwhu.RtyrhUJMuhMsMAFbDxDpDMv1qMkUr2HU5RsF',cUPMDTlk: "V?_cf_chl_tk=taqcKyFI2RDT_S20dgYuAjlnxnRm_sKofwt9Y3V.2Gk-1750059585-1.0.1.1-U5..4KysjYMml_jHCQb9HeqYKJYJUXboltJdlhG96YQ",cFPWv: 'b',cITimeS: '1750059585',cTpIC: 0,cTpIV: 5,cTpIB: 'c',fa: "V?_cf_chl_f_tk=taqcKyFI2RDT_S20dgYuAjlnxnRm_sKofwt9Y3V.2Gk-1750059585-1.0.1.1-U5..4KysjYMml_jHCQb9HeqYKJYJUXboltJdlhG96YQ",md: "XLIM4HmqJr4pMx4z4DkIPmPshR2.LjU9k.rTMGR7XNg-1750059585-1.2.1.1-uBQJIAL2nuTWI1aiBVe1nR8CcnZFI_h0RhwBVCVDIQ0vCpq.QiADmKTaMUfesMMbUROg4h_kSQAYZQULfRyugaGGJVBRW2VyhIMVyz3Kc5edJldhUyl.rz2Oj1aQz5DpZPrztvqDXn5nRb0TD5iXWBJDwyYLqWu8.bfm6XnetxGASl6nlLrwHeOrSMZR4BJMq4CP5EjhXToAJaUWaTfifvdJf2c0SskLGi.vcDffVEOcNs1BXtwWu7pHzplLRmxAhZ09lFdxCxu8oEWagWbPtlymPeTC_IpltaQHT4UIZNy6RQUAy1A49qfrU6LpqzTGQbZCVwujMYN6vjbz_dpxD_jCoujblEbawti0mDOVuufuk5F7ckCH3b2XyBGGdM4Y1vcjJNPpVBrN9u7n.yAYKvFLJ4e74CXNIW5zETEKeTygxpHOMGU6Biw2Qcy_TwnBhHubc7SgDt9teetxvDO.TZmSsGn1q34zoAp7y1540UUUCgt51FzaHFpNndDqX2s6EkQ18mLqtauyQiPxJfVeGGSMUP7kfcMLKTJuDvxDE70GKejFkMqzZdkERGe9kHJ.laefJJa7U35Eyt4P9ac7.bs1zR2T3b5_iB07U5Aqs.nwCdr_tTz1wE0W_leChfIs2mqH.kknMlugixDLj3Dqo7nEFPNer_zyNZKW8ZSI06sTnz75C29kQ5qsS3X3WMgwjwMDdi6AlbKdVx.Uw5rZLQjTzWRhZbjOy1BhvDwDwgel9bSSpzf5WPaDBsCXD3e0veYeyHsvmlj3dEx8dPHIYBzcqkwAkmxYj0Nxi8NKqSO4pzzJ8daFuUh0d5_U9wjQ7fdOU6uFrQswntjjy0yeiozGwLhNhAhYU_i0udRLvehtYiSNuuSCVsj8UmULZReysQyeNV63KGWZAu_iBl6ByitZIS27AaJO1pGhESyMyqonS5HMYH05vmRpEAtpc4.xfhU0L0YEAlbwkWTejYEGK29Pfc.F4wjV1ZN_I9Mlugs2oNad5RuLtcgzNuWG94sue6x5AxxyG28AXx1RuyK8SgM8",mdrd: "DBSxORKWROvs02otUjeFuLkuq.mbewFnGLAnmTH39M-1750059585-1.2.1.1-57T24GNxy.M9fDyAYGZqNkFCdgmVMG_Xry0jbGE929rvE8juawnWf6k.Eriol7WPqg8TpTrcbWbgPQpfWht7B_CYO7DvFC3muURLs9e_OV8aZ9fsqbF1eU5DH1ad0lzz0k80KFHHF2J2KX.qmY4tUwFU_h7zZhVcFeN8G8MsgCrJvfkZAwTiYOMLYrifU9YzktZkkKirh5TeYME12jbFnadZDquV4Lnfr19w.nxRRz8tkzMuXglPvPN17hBHeirTJnkl_Hui.k.yTWz92cx9p5iBKWnc94ur8crDqLvt1QHnLgBTpXRaTjAye1MN7G7MRBtTrun46checDKnBSqx11sGlcog5J73obklFc9lwCYKT2xWmGbYt1fce0m1BrQBXjH3945B86boOwfjYLVx6UtpA6GYxrMMSo9xRqrNlhEGoX2lkaSw5MoXjp4gneVswDfdJxHz8oUp2LSJzY8zYqscIzWMrBhzlgrtHV66hmUjma8nCW6DoH5WP0HoWEAxoya9By_FuRcR68VcPR43o6Ns1WXGey0IY4SodSDS26ezyEKkaE2bfhjCdc6OEouswX.2.1qjXi3c_YQ4esq9erNYM5.rpu9bzJbVsI096sCh8hJ0CXukuv46Hg5gQMsQzCdMvxtUYO4xEYz.b74D08FA7V_h58e0UpaPZ.J5RAZpUo19bwUgnV8U_v9xUdLMEcfbdZTQbDcATURZQQON.GS96ETxNbP_0W6d45NjqRqJYRcvKeQzCULapaEMhjCBo.r0wExrl0ascon.7CyulAVvNusYYZH204lkIPV6C0zrmdfEPYUxteuJBRzhIKsDtneRdW9HudM7FtLeGwNhy1qYj4uuUffxod_5atkA.TzuMaXaFqFHJfgM1GLI7JScKvfT4cCLogBzkVIMuFDoaGyIp0gTNMYkpdiM8cwzyDni6QDLD2Cw0NA6_1c9mzzoHcMi0f6URgXd1XoAm2tQhaoAhkYLYoBx4T9Jg3aCjrUMn9gDMWM9uv_Hz1jlqTlHtpAT_3B.taKmBuZMtAaXB1L2zkWGXl35x6d6G6GntWd2KowtsO._UjJPWwzmYsGp57dsvVfaw.I8RbayRhooHMOhSxrGT9_.0bM4pjfljLHgqprh8PX3Oey1ORByz39MDt72m_9Zpi3hHKmAtaSpst6.Ea8.szbAwZx4YYUWStFapYzdhirh.UA42pHQ84ShpLCv_b00ng97mVQv.EsWLYA970lfCcDhN5V09PQYNekeKCrpEnyGx6rlVekd9EedzboscjdJrYGMrmGQzRgu.oE8ZoM3Jqh4nP5EktaFsSjh3Ljfd7vub.InJiB6VlpUERMMii0ZpkUG4EZ3vCFWhJfE6HzzTzSI2GP2KwzU8h6HdDzGBx8Tlp8aYmFz7idocoXJummo4X0nzuAn41SfpMzZPYM519zK0H42U72gXTPL6dm0_gycIOpOly9LsoAdv..99j3kMdEMuHw2MNqSCW6971_XPhy3P9g14HbwgEU4tqscPGETcjcitt384YoGNPL.KsfIqXQovDLS7EM2BNEPK_SFWDKC_PW4tFD13M8uRxj8C.F_75iXmh9HnLdZbQterSEbg2kPSqm.Kv3cpv2V65QZDI3bZOqzwBSPwRBuxBzXD5MBCeVdeG9U4UbpQmc14UgE.voSy3FxDeA8sGbzDyU4IKMqm0YfZNQxmqYPgzwex4EDcUUkptHqVVE5e.lw5.1Z1J1V6_F0PY7e_9.hEyCOKTTklyj2pVZCkJBnpqVCCzrQzyXjs5PDTfz74oA4wDVPe5sKJD0tXqrhx90MwTe.tzqmQMLpxD3kAOJQm8q06aJPTveD_phxsWJ248Fj6X.1mkFuoMURsnrV2DXEg2BK9spTaMDB1YozlaB3wRnK7cpELJQLo199uEM0zV7d6s9SGahcwY6.D9qfAEwFBdLFSJxUs445N3MrbXcubPRxb5lAKAwFk.Sog0225UAjqD77MkrQkbXC5kxTOxdS6t.yBtpc6wDxgpXk8EnbCrV9P7_DaCl.ghhABT4rkK.7vpTsVeCF.UprkSuayhONQoq3r5NVqP2ehQey05Y4x4rJBFbEikc.K1951V1MfukqjArKzhFwD9_W3i.UcZ3UFwkt5rYtvQqnqezi59VOnlOdKPN4tbp1a0PAMLwYv4YInCsJFkBcWR2Q8E0LM12ba3lsB5udyfsaGH6VWW68COay2VU.RjA27QL_qWTPZF7d58tqlU5NUFMcZIG_rYn063y3VLAm6MHU12.tWkTThgPy2BaDA4_83FpOh4bFlmPq97s64ZNySWYzksolsBY955_2nykJ3lWj3l8kqvlckwx7.Wnw.inE.TwYRMI5nAk6BbTUR.6.QbgxPCNinW7BQy97D4GxqzhZmlPn.vQWB2m_YEhEiP9wTTu2V7hU4qjPvEke3YLS9k3k7aw2uxs4znMekTL0kfK1.tz2TzNDGtYN2HmT5Uth.fhH1"},var a = document.createElement('script');a.src = '/cdn-cgi/challenge-platform/h/orchestrate/chl_page/v1?ray=9508a7b66d3a428a';window._cf_chl_opt.cOgUHash = location.hash === "" &amp;&amp; location.href.indexOf("#") == -1 ? "#":location.hash;window._cf_chl_opt.cOgUQuery = location.search === "" &amp;&amp; location.href.slice(0, location.href.length - window._cf_chl_opt.cOgUHash.length).indexOf("?") != -1 ? "?" : location.search;if (window.history &amp;&amp; window.history.replaceState){var ogU = location.pathname + window._cf_chl_opt.cOgUQuery + window._cf_chl_opt.cOgUHash;history.replaceState(null, null, "V?_cf_chl_rt_tk=taqcKyFI2RDT_S20dgYuAjlnxnRm_sKofwt9Y3V.2Gk-1750059585-1.0.1.1-U5..4KysjYMml_jHCQb9HeqYKJYJUXboltJdlhG96YQ" + window._cf_chl_opt.cOgUHash);a.onload = function(){history.replaceState(null, null, ogU);}}document.getElementsByTagName('head')[0].appendChild(a);}&lt;/script&gt;</pre>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
Instances	947
Solution	This is an informational alert and so no changes are required.
Reference	
CWE Id	
WASC Id	
Plugin Id	<a href="#">10109</a>

Informational	Re-examine Cache-control Directives
Description	The cache-control header has not been set properly or is missing, allowing the browser and proxies to cache content. For static assets like css, js, or image files this might be intended, however, the resources should be reviewed to ensure that no sensitive content will be cached.
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	cache-control
Attack	

Evidence	public,max-age=3600
Other Info	
URL	<a href="https://haveibeenpwned.com/.well-known/security.txt">https://haveibeenpwned.com/.well-known/security.txt</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/About">https://haveibeenpwned.com/About</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Account/">https://haveibeenpwned.com/Account/</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/v3">https://haveibeenpwned.com/API/v3</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breach/Adobe">https://haveibeenpwned.com/api/v3/breach/Adobe</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=300
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breaches">https://haveibeenpwned.com/api/v3/breaches</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=300
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breaches?Domain=adobe.com">https://haveibeenpwned.com/api/v3/breaches?Domain=adobe.com</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=300
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breaches?IsSpamList=true">https://haveibeenpwned.com/api/v3/breaches?IsSpamList=true</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=300

Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/dataclasses">https://haveibeenpwned.com/api/v3/dataclasses</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=3600
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/latestbreach">https://haveibeenpwned.com/api/v3/latestbreach</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=300
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/000webhost">https://haveibeenpwned.com/Breach/000webhost</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/123RF">https://haveibeenpwned.com/Breach/123RF</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/126">https://haveibeenpwned.com/Breach/126</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17173">https://haveibeenpwned.com/Breach/17173</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17Media">https://haveibeenpwned.com/Breach/17Media</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/1win">https://haveibeenpwned.com/Breach/1win</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2844Breaches">https://haveibeenpwned.com/Breach/2844Breaches</a>

Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2fast4u">https://haveibeenpwned.com/Breach/2fast4u</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/500px">https://haveibeenpwned.com/Breach/500px</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/7k7k">https://haveibeenpwned.com/Breach/7k7k</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8fit">https://haveibeenpwned.com/Breach/8fit</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8tracks">https://haveibeenpwned.com/Breach/8tracks</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/9Lives">https://haveibeenpwned.com/Breach/9Lives</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia">https://haveibeenpwned.com/Breach/Abandonia</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia2022">https://haveibeenpwned.com/Breach/Abandonia2022</a>
Method	GET
Parameter	cache-control

Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ABFRL">https://haveibeenpwned.com/Breach/ABFRL</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AbuseWithUs">https://haveibeenpwned.com/Breach/AbuseWithUs</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AcneOrg">https://haveibeenpwned.com/Breach/AcneOrg</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Activision">https://haveibeenpwned.com/Breach/Activision</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ActMobile">https://haveibeenpwned.com/Breach/ActMobile</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Acuity">https://haveibeenpwned.com/Breach/Acuity</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adapt">https://haveibeenpwned.com/Breach/Adapt</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adecco">https://haveibeenpwned.com/Breach/Adecco</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adobe">https://haveibeenpwned.com/Breach/Adobe</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdoptMeTradingValues">https://haveibeenpwned.com/Breach/AdoptMeTradingValues</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFanFiction">https://haveibeenpwned.com/Breach/AdultFanFiction</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder">https://haveibeenpwned.com/Breach/AdultFriendFinder</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder2016">https://haveibeenpwned.com/Breach/AdultFriendFinder2016</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdvanceAutoParts">https://haveibeenpwned.com/Breach/AdvanceAutoParts</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AerServ">https://haveibeenpwned.com/Breach/AerServ</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AgusiQTorrents">https://haveibeenpwned.com/Breach/AgusiQTorrents</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/AhaShare">https://haveibeenpwned.com/Breach/AhaShare</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aimware">https://haveibeenpwned.com/Breach/Aimware</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aipai">https://haveibeenpwned.com/Breach/Aipai</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AIType">https://haveibeenpwned.com/Breach/AIType</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ajam">https://haveibeenpwned.com/Breach/Ajam</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AKP">https://haveibeenpwned.com/Breach/AKP</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlienStealerLogs">https://haveibeenpwned.com/Breach/AlienStealerLogs</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AllegedATT">https://haveibeenpwned.com/Breach/AllegedATT</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlpineReplay">https://haveibeenpwned.com/Breach/AlpineReplay</a>
Method	GET

Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Altenen">https://haveibeenpwned.com/Breach/Altenen</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AmartFurniture">https://haveibeenpwned.com/Breach/AmartFurniture</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ancestry">https://haveibeenpwned.com/Breach/Ancestry</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidForums">https://haveibeenpwned.com/Breach/AndroidForums</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidLista">https://haveibeenpwned.com/Breach/AndroidLista</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimalJam">https://haveibeenpwned.com/Breach/AnimalJam</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeGame">https://haveibeenpwned.com/Breach/AnimeGame</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeLeague">https://haveibeenpwned.com/Breach/AnimeLeague</a>
Method	GET
Parameter	cache-control

Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimePlanet">https://haveibeenpwned.com/Breach/AnimePlanet</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Animoto">https://haveibeenpwned.com/Breach/Animoto</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AntiPublic">https://haveibeenpwned.com/Breach/AntiPublic</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ApexSMS">https://haveibeenpwned.com/Breach/ApexSMS</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/APKTW">https://haveibeenpwned.com/Breach/APKTW</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Apollo">https://haveibeenpwned.com/Breach/Apollo</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appartoo">https://haveibeenpwned.com/Breach/Appartoo</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appen">https://haveibeenpwned.com/Breach/Appen</a>
Method	GET
Parameter	cache-control
Attack	

Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aptoide">https://haveibeenpwned.com/Breach/Aptoide</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmorGames">https://haveibeenpwned.com/Breach/ArmorGames</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmyForceOnline">https://haveibeenpwned.com/Breach/ArmyForceOnline</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artsy">https://haveibeenpwned.com/Breach/Artsy</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artvalue">https://haveibeenpwned.com/Breach/Artvalue</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AshleyMadison">https://haveibeenpwned.com/Breach/AshleyMadison</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Astoria">https://haveibeenpwned.com/Breach/Astoria</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AstroPID">https://haveibeenpwned.com/Breach/AstroPID</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Atemos">https://haveibeenpwned.com/Breach/Atemos</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AtlasQuantum">https://haveibeenpwned.com/Breach/AtlasQuantum</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Atmeltomo">https://haveibeenpwned.com/Breach/Atmeltomo</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Audi">https://haveibeenpwned.com/Breach/Audi</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autocentrum">https://haveibeenpwned.com/Breach/Autocentrum</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autotrader">https://haveibeenpwned.com/Breach/Autotrader</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avast">https://haveibeenpwned.com/Breach/Avast</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avito">https://haveibeenpwned.com/Breach/Avito</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Awo">https://haveibeenpwned.com/Breach/Awo</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/B2BUSABusinesses">https://haveibeenpwned.com/Breach/B2BUSABusinesses</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BabyNames">https://haveibeenpwned.com/Breach/BabyNames</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Badoo">https://haveibeenpwned.com/Breach/Badoo</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BannerBit">https://haveibeenpwned.com/Breach/BannerBit</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Banorte">https://haveibeenpwned.com/Breach/Banorte</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BattlefieldHeroes">https://haveibeenpwned.com/Breach/BattlefieldHeroes</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Battleyf">https://haveibeenpwned.com/Breach/Battleyf</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BeautifulPeople">https://haveibeenpwned.com/Breach/BeautifulPeople</a>
Method	GET

Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell">https://haveibeenpwned.com/Breach/Bell</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell2017">https://haveibeenpwned.com/Breach/Bell2017</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Benchmark">https://haveibeenpwned.com/Breach/Benchmark</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bestialitysextaboo">https://haveibeenpwned.com/Breach/Bestialitysextaboo</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bhinneka">https://haveibeenpwned.com/Breach/Bhinneka</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/bigbasket">https://haveibeenpwned.com/Breach/bigbasket</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BigMoneyJobs">https://haveibeenpwned.com/Breach/BigMoneyJobs</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BinWeevils">https://haveibeenpwned.com/Breach/BinWeevils</a>
Method	GET
Parameter	cache-control

Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BiohackMe">https://haveibeenpwned.com/Breach/BiohackMe</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitcoinTalk">https://haveibeenpwned.com/Breach/BitcoinTalk</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bitly">https://haveibeenpwned.com/Breach/Bitly</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitTorrent">https://haveibeenpwned.com/Breach/BitTorrent</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitView">https://haveibeenpwned.com/Breach/BitView</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackBerryFans">https://haveibeenpwned.com/Breach/BlackBerryFans</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackHatWorld">https://haveibeenpwned.com/Breach/BlackHatWorld</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackSpigotMC">https://haveibeenpwned.com/Breach/BlackSpigotMC</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlankMediaGames">https://haveibeenpwned.com/Breach/BlankMediaGames</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BleachAnime">https://haveibeenpwned.com/Breach/BleachAnime</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BloomsToday">https://haveibeenpwned.com/Breach/BloomsToday</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlueSnapRegpack">https://haveibeenpwned.com/Breach/BlueSnapRegpack</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/boAt">https://haveibeenpwned.com/Breach/boAt</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bolt">https://haveibeenpwned.com/Breach/Bolt</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BombujEu">https://haveibeenpwned.com/Breach/BombujEu</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bonobos">https://haveibeenpwned.com/Breach/Bonobos</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookchor">https://haveibeenpwned.com/Breach/Bookchor</a>

Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BookCrossing">https://haveibeenpwned.com/Breach/BookCrossing</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookmate">https://haveibeenpwned.com/Breach/Bookmate</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BotOfLegends">https://haveibeenpwned.com/Breach/BotOfLegends</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boulanger">https://haveibeenpwned.com/Breach/Boulanger</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BourseDesVols">https://haveibeenpwned.com/Breach/BourseDesVols</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boxee">https://haveibeenpwned.com/Breach/Boxee</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BrandNewTube">https://haveibeenpwned.com/Breach/BrandNewTube</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Brazzers">https://haveibeenpwned.com/Breach/Brazzers</a>
Method	GET
Parameter	cache-control

Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForums">https://haveibeenpwned.com/Breach/BreachForums</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForumsClone">https://haveibeenpwned.com/Breach/BreachForumsClone</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCAlpha">https://haveibeenpwned.com/Breach/BTCAlpha</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCE">https://haveibeenpwned.com/Breach/BTCE</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BtoBet">https://haveibeenpwned.com/Breach/BtoBet</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTSec">https://haveibeenpwned.com/Breach/BTSec</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BudTrader">https://haveibeenpwned.com/Breach/BudTrader</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bukalapak">https://haveibeenpwned.com/Breach/Bukalapak</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency">https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BusinessAcumen">https://haveibeenpwned.com/Breach/BusinessAcumen</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BVD">https://haveibeenpwned.com/Breach/BVD</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafeMom">https://haveibeenpwned.com/Breach/CafeMom</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafePress">https://haveibeenpwned.com/Breach/CafePress</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CannabisForum">https://haveibeenpwned.com/Breach/CannabisForum</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Canva">https://haveibeenpwned.com/Breach/Canva</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CapitalEconomics">https://haveibeenpwned.com/Breach/CapitalEconomics</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafia">https://haveibeenpwned.com/Breach/CardingMafia</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafiaDec2021">https://haveibeenpwned.com/Breach/CardingMafiaDec2021</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CashCrat">https://haveibeenpwned.com/Breach/CashCrat</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Catho">https://haveibeenpwned.com/Breach/Catho</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDEK">https://haveibeenpwned.com/Breach/CDEK</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDProjektRed">https://haveibeenpwned.com/Breach/CDProjektRed</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CentralTickets">https://haveibeenpwned.com/Breach/CentralTickets</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CERTPolandPhish">https://haveibeenpwned.com/Breach/CERTPolandPhish</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chatbooks">https://haveibeenpwned.com/Breach/Chatbooks</a>

Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CheapAssGamer">https://haveibeenpwned.com/Breach/CheapAssGamer</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chegg">https://haveibeenpwned.com/Breach/Chegg</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chess">https://haveibeenpwned.com/Breach/Chess</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chowbus">https://haveibeenpwned.com/Breach/Chowbus</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ChrisLeong">https://haveibeenpwned.com/Breach/ChrisLeong</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cit0day">https://haveibeenpwned.com/Breach/Cit0day</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityBee">https://haveibeenpwned.com/Breach/CityBee</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityJerks">https://haveibeenpwned.com/Breach/CityJerks</a>
Method	GET
Parameter	cache-control

Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CivilOnline">https://haveibeenpwned.com/Breach/CivilOnline</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClashOfKings">https://haveibeenpwned.com/Breach/ClashOfKings</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClearVoiceSurveys">https://haveibeenpwned.com/Breach/ClearVoiceSurveys</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClickASnap">https://haveibeenpwned.com/Breach/ClickASnap</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClixSense">https://haveibeenpwned.com/Breach/ClixSense</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CloudPets">https://haveibeenpwned.com/Breach/CloudPets</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewritten">https://haveibeenpwned.com/Breach/ClubPenguinRewritten</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019">https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coachella">https://haveibeenpwned.com/Breach/Coachella</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cocospy">https://haveibeenpwned.com/Breach/Cocospy</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coinmama">https://haveibeenpwned.com/Breach/Coinmama</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinMarketCap">https://haveibeenpwned.com/Breach/CoinMarketCap</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinTracker">https://haveibeenpwned.com/Breach/CoinTracker</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Collection1">https://haveibeenpwned.com/Breach/Collection1</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColoCrossing">https://haveibeenpwned.com/Breach/ColoCrossing</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColorDating">https://haveibeenpwned.com/Breach/ColorDating</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Comcast">https://haveibeenpwned.com/Breach/Comcast</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/COMELEC">https://haveibeenpwned.com/Breach/COMELEC</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CondoCom">https://haveibeenpwned.com/Breach/CondoCom</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Convex">https://haveibeenpwned.com/Breach/Convex</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CouponMomAndArmorGames">https://haveibeenpwned.com/Breach/CouponMomAndArmorGames</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackCommunity">https://haveibeenpwned.com/Breach/CrackCommunity</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackedTO">https://haveibeenpwned.com/Breach/CrackedTO</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackingForum">https://haveibeenpwned.com/Breach/CrackingForum</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CraftRise">https://haveibeenpwned.com/Breach/CraftRise</a>

Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Creative">https://haveibeenpwned.com/Breach/Creative</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin">https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrossFire">https://haveibeenpwned.com/Breach/CrossFire</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CTARS">https://haveibeenpwned.com/Breach/CTARS</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CutoutPro">https://haveibeenpwned.com/Breach/CutoutPro</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CyberServe">https://haveibeenpwned.com/Breach/CyberServe</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/D3scene">https://haveibeenpwned.com/Breach/D3scene</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaFont">https://haveibeenpwned.com/Breach/DaFont</a>
Method	GET
Parameter	cache-control

Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dailymotion">https://haveibeenpwned.com/Breach/Dailymotion</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyObjects">https://haveibeenpwned.com/Breach/DailyObjects</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyQuiz">https://haveibeenpwned.com/Breach/DailyQuiz</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dangdang">https://haveibeenpwned.com/Breach/Dangdang</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaniWeb">https://haveibeenpwned.com/Breach/DaniWeb</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataAndLeads">https://haveibeenpwned.com/Breach/DataAndLeads</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataCamp">https://haveibeenpwned.com/Breach/DataCamp</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataEnrichment">https://haveibeenpwned.com/Breach/DataEnrichment</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DateHotBrunettes">https://haveibeenpwned.com/Breach/DateHotBrunettes</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DatPiff">https://haveibeenpwned.com/Breach/DatPiff</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dave">https://haveibeenpwned.com/Breach/Dave</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/db8151dd">https://haveibeenpwned.com/Breach/db8151dd</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/dBforums">https://haveibeenpwned.com/Breach/dBforums</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DCHealth">https://haveibeenpwned.com/Breach/DCHealth</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DDO">https://haveibeenpwned.com/Breach/DDO</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DecoratingTheHouse">https://haveibeenpwned.com/Breach/DecoratingTheHouse</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Deezer">https://haveibeenpwned.com/Breach/Deezer</a>

Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemandScience">https://haveibeenpwned.com/Breach/DemandScience</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemonForums">https://haveibeenpwned.com/Breach/DemonForums</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DennisKirk">https://haveibeenpwned.com/Breach/DennisKirk</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Descomplica">https://haveibeenpwned.com/Breach/Descomplica</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DevilTorrents">https://haveibeenpwned.com/Breach/DevilTorrents</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/devkitPro">https://haveibeenpwned.com/Breach/devkitPro</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DietCom">https://haveibeenpwned.com/Breach/DietCom</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/digiDirect">https://haveibeenpwned.com/Breach/digiDirect</a>
Method	GET

Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Digimon">https://haveibeenpwned.com/Breach/Digimon</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DiskUnion">https://haveibeenpwned.com/Breach/DiskUnion</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Disqus">https://haveibeenpwned.com/Breach/Disqus</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DivXSubTitles">https://haveibeenpwned.com/Breach/DivXSubTitles</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DLH">https://haveibeenpwned.com/Breach/DLH</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dodonew">https://haveibeenpwned.com/Breach/Dodonew</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dominoes">https://haveibeenpwned.com/Breach/Dominoes</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DominoesIndia">https://haveibeenpwned.com/Breach/DominoesIndia</a>
Method	GET
Parameter	cache-control
Attack	

Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doomworld">https://haveibeenpwned.com/Breach/Doomworld</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoorDash">https://haveibeenpwned.com/Breach/DoorDash</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dota2">https://haveibeenpwned.com/Breach/Dota2</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doxbin">https://haveibeenpwned.com/Breach/Doxbin</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinScrape">https://haveibeenpwned.com/Breach/DoxbinScrape</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinTOoDA">https://haveibeenpwned.com/Breach/DoxbinTOoDA</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DragonNest">https://haveibeenpwned.com/Breach/DragonNest</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DriveSure">https://haveibeenpwned.com/Breach/DriveSure</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Drizly">https://haveibeenpwned.com/Breach/Drizly</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dropbox">https://haveibeenpwned.com/Breach/Dropbox</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dubsmash">https://haveibeenpwned.com/Breach/Dubsmash</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DucksUnlimited">https://haveibeenpwned.com/Breach/DucksUnlimited</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DuelingNetwork">https://haveibeenpwned.com/Breach/DuelingNetwork</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dunzo">https://haveibeenpwned.com/Breach/Dunzo</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duolingo">https://haveibeenpwned.com/Breach/Duolingo</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duowan">https://haveibeenpwned.com/Breach/Duowan</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DVDShopCH">https://haveibeenpwned.com/Breach/DVDShopCH</a>
Method	GET

Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dymocks">https://haveibeenpwned.com/Breach/Dymocks</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Earth2">https://haveibeenpwned.com/Breach/Earth2</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eatigo">https://haveibeenpwned.com/Breach/Eatigo</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EatStreet">https://haveibeenpwned.com/Breach/EatStreet</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECB">https://haveibeenpwned.com/Breach/ECB</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECCIE">https://haveibeenpwned.com/Breach/ECCIE</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Edmodo">https://haveibeenpwned.com/Breach/Edmodo</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elance">https://haveibeenpwned.com/Breach/Elance</a>
Method	GET
Parameter	cache-control
Attack	

Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elanic">https://haveibeenpwned.com/Breach/Elanic</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads">https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emotet">https://haveibeenpwned.com/Breach/Emotet</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emuparadise">https://haveibeenpwned.com/Breach/Emuparadise</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EPal">https://haveibeenpwned.com/Breach/EPal</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicBot">https://haveibeenpwned.com/Breach/EpicBot</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicGames">https://haveibeenpwned.com/Breach/EpicGames</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicNPC">https://haveibeenpwned.com/Breach/EpicNPC</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Epik">https://haveibeenpwned.com/Breach/Epik</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eroticy">https://haveibeenpwned.com/Breach/Eroticy</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eskimi">https://haveibeenpwned.com/Breach/Eskimi</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EstanteVirtual">https://haveibeenpwned.com/Breach/EstanteVirtual</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Estonia">https://haveibeenpwned.com/Breach/Estonia</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/eThekwiMunicipality">https://haveibeenpwned.com/Breach/eThekwiMunicipality</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ethereum">https://haveibeenpwned.com/Breach/Ethereum</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EuropaJobs">https://haveibeenpwned.com/Breach/EuropaJobs</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evermotion">https://haveibeenpwned.com/Breach/Evermotion</a>
Method	GET

Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EverybodyEdits">https://haveibeenpwned.com/Breach/EverybodyEdits</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evite">https://haveibeenpwned.com/Breach/Evite</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evony">https://haveibeenpwned.com/Breach/Evony</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exactis">https://haveibeenpwned.com/Breach/Exactis</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian">https://haveibeenpwned.com/Breach/Experian</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian2020">https://haveibeenpwned.com/Breach/Experian2020</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploitIn">https://haveibeenpwned.com/Breach/ExploitIn</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalent">https://haveibeenpwned.com/Breach/ExploreTalent</a>
Method	GET
Parameter	cache-control
Attack	

Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalentAug2024">https://haveibeenpwned.com/Breach/ExploreTalentAug2024</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exvagos">https://haveibeenpwned.com/Breach/Exvagos</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eye4Fraud">https://haveibeenpwned.com/Breach/Eye4Fraud</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EyeEm">https://haveibeenpwned.com/Breach/EyeEm</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facebook">https://haveibeenpwned.com/Breach/Facebook</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FacebookMarketplace">https://haveibeenpwned.com/Breach/FacebookMarketplace</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facepunch">https://haveibeenpwned.com/Breach/Facepunch</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FaceUP">https://haveibeenpwned.com/Breach/FaceUP</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Factual">https://haveibeenpwned.com/Breach/Factual</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FairVoteCanada">https://haveibeenpwned.com/Breach/FairVoteCanada</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Famm">https://haveibeenpwned.com/Breach/Famm</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fanpass">https://haveibeenpwned.com/Breach/Fanpass</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FantasyFootballHub">https://haveibeenpwned.com/Breach/FantasyFootballHub</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FashionFantasyGame">https://haveibeenpwned.com/Breach/FashionFantasyGame</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFR">https://haveibeenpwned.com/Breach/FFR</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFShrine">https://haveibeenpwned.com/Breach/FFShrine</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Filmailn">https://haveibeenpwned.com/Breach/Filmailn</a>
Method	GET

Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Finsure">https://haveibeenpwned.com/Breach/Finsure</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fitmart">https://haveibeenpwned.com/Breach/Fitmart</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flashback">https://haveibeenpwned.com/Breach/Flashback</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution">https://haveibeenpwned.com/Breach/FlashFlashRevolution</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution2019">https://haveibeenpwned.com/Breach/FlashFlashRevolution2019</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlatEarthDave">https://haveibeenpwned.com/Breach/FlatEarthDave</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlexBooker">https://haveibeenpwned.com/Breach/FlexBooker</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fling">https://haveibeenpwned.com/Breach/Fling</a>
Method	GET
Parameter	cache-control

Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlipaClip">https://haveibeenpwned.com/Breach/FlipaClip</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flipkart">https://haveibeenpwned.com/Breach/Flipkart</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FLVS">https://haveibeenpwned.com/Breach/FLVS</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Foodora">https://haveibeenpwned.com/Breach/Foodora</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Forbes">https://haveibeenpwned.com/Breach/Forbes</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ForumCommunity">https://haveibeenpwned.com/Breach/ForumCommunity</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fotolog">https://haveibeenpwned.com/Breach/Fotolog</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FoxyBingo">https://haveibeenpwned.com/Breach/FoxyBingo</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrameAndOptic">https://haveibeenpwned.com/Breach/FrameAndOptic</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreedomHostingII">https://haveibeenpwned.com/Breach/FreedomHostingII</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreeMobile">https://haveibeenpwned.com/Breach/FreeMobile</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrenchCitizens">https://haveibeenpwned.com/Breach/FrenchCitizens</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreshMenu">https://haveibeenpwned.com/Breach/FreshMenu</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fridae">https://haveibeenpwned.com/Breach/Fridae</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Funimation">https://haveibeenpwned.com/Breach/Funimation</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FunnyGames">https://haveibeenpwned.com/Breach/FunnyGames</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FurAffinity">https://haveibeenpwned.com/Breach/FurAffinity</a>

Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gaadi">https://haveibeenpwned.com/Breach/Gaadi</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gab">https://haveibeenpwned.com/Breach/Gab</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamerzPlanet">https://haveibeenpwned.com/Breach/GamerzPlanet</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSalad">https://haveibeenpwned.com/Breach/GameSalad</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamesBox">https://haveibeenpwned.com/Breach/GamesBox</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSprite">https://haveibeenpwned.com/Breach/GameSprite</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameTuts">https://haveibeenpwned.com/Breach/GameTuts</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameVN">https://haveibeenpwned.com/Breach/GameVN</a>
Method	GET

Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gamigo">https://haveibeenpwned.com/Breach/Gamigo</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamingMonk">https://haveibeenpwned.com/Breach/GamingMonk</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GateHub">https://haveibeenpwned.com/Breach/GateHub</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gawker">https://haveibeenpwned.com/Breach/Gawker</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeekedIn">https://haveibeenpwned.com/Breach/GeekedIn</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemini">https://haveibeenpwned.com/Breach/Gemini</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemplex">https://haveibeenpwned.com/Breach/Gemplex</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GenesisMarket">https://haveibeenpwned.com/Breach/GenesisMarket</a>
Method	GET
Parameter	cache-control
Attack	

Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeniusU">https://haveibeenpwned.com/Breach/GeniusU</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GermanDonerKebab">https://haveibeenpwned.com/Breach/GermanDonerKebab</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GetRevengeOnYourEx">https://haveibeenpwned.com/Breach/GetRevengeOnYourEx</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gett">https://haveibeenpwned.com/Breach/Gett</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GFAN">https://haveibeenpwned.com/Breach/GFAN</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GGCorp">https://haveibeenpwned.com/Breach/GGCorp</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiantTiger">https://haveibeenpwned.com/Breach/GiantTiger</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiveSendGo">https://haveibeenpwned.com/Breach/GiveSendGo</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/GLAMIRA">https://haveibeenpwned.com/Breach/GLAMIRA</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Glofox">https://haveibeenpwned.com/Breach/Glofox</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoGames">https://haveibeenpwned.com/Breach/GoGames</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoldSilver">https://haveibeenpwned.com/Breach/GoldSilver</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoNinja">https://haveibeenpwned.com/Breach/GoNinja</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/gPotato">https://haveibeenpwned.com/Breach/gPotato</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GPSUnderground">https://haveibeenpwned.com/Breach/GPSUnderground</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gravatar">https://haveibeenpwned.com/Breach/Gravatar</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GSMHosting">https://haveibeenpwned.com/Breach/GSMHosting</a>
Method	GET

Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GTAGaming">https://haveibeenpwned.com/Breach/GTAGaming</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunAuction">https://haveibeenpwned.com/Breach/GunAuction</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunsDotCom">https://haveibeenpwned.com/Breach/GunsDotCom</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Guntrader">https://haveibeenpwned.com/Breach/Guntrader</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Habibs">https://haveibeenpwned.com/Breach/Habibs</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackForums">https://haveibeenpwned.com/Breach/HackForums</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackingTeam">https://haveibeenpwned.com/Breach/HackingTeam</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hakko">https://haveibeenpwned.com/Breach/Hakko</a>
Method	GET
Parameter	cache-control
Attack	

Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HalloweenSpot">https://haveibeenpwned.com/Breach/HalloweenSpot</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hathway">https://haveibeenpwned.com/Breach/Hathway</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HautelLook">https://haveibeenpwned.com/Breach/HautelLook</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Havenly">https://haveibeenpwned.com/Breach/Havenly</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HDBFinancialServices">https://haveibeenpwned.com/Breach/HDBFinancialServices</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HealthNowNetworks">https://haveibeenpwned.com/Breach/HealthNowNetworks</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeatGames">https://haveibeenpwned.com/Breach/HeatGames</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmakvall">https://haveibeenpwned.com/Breach/Hemmakvall</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Hemmelig">https://haveibeenpwned.com/Breach/Hemmelig</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfGaia">https://haveibeenpwned.com/Breach/HeroesOfGaia</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfNewerth">https://haveibeenpwned.com/Breach/HeroesOfNewerth</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HIAPK">https://haveibeenpwned.com/Breach/HIAPK</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hjedd">https://haveibeenpwned.com/Breach/Hjedd</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HLTV">https://haveibeenpwned.com/Breach/HLTV</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HomeChef">https://haveibeenpwned.com/Breach/HomeChef</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HongFire">https://haveibeenpwned.com/Breach/HongFire</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HookersNL">https://haveibeenpwned.com/Breach/HookersNL</a>
Method	GET

Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hopamedia">https://haveibeenpwned.com/Breach/Hopamedia</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HorseIsle">https://haveibeenpwned.com/Breach/HorseIsle</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HotTopic">https://haveibeenpwned.com/Breach/HotTopic</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HoundDawgs">https://haveibeenpwned.com/Breach/HoundDawgs</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Houzz">https://haveibeenpwned.com/Breach/Houzz</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTCMania">https://haveibeenpwned.com/Breach/HTCMania</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTHStudios">https://haveibeenpwned.com/Breach/HTHStudios</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hub4Tech">https://haveibeenpwned.com/Breach/Hub4Tech</a>
Method	GET
Parameter	cache-control

Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuntStand">https://haveibeenpwned.com/Breach/HuntStand</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hurb">https://haveibeenpwned.com/Breach/Hurb</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuskyOwners">https://haveibeenpwned.com/Breach/HuskyOwners</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IDCGames">https://haveibeenpwned.com/Breach/IDCGames</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDressup">https://haveibeenpwned.com/Breach/iDressup</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDTech">https://haveibeenpwned.com/Breach/iDTech</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IGF">https://haveibeenpwned.com/Breach/IGF</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IIMJobs">https://haveibeenpwned.com/Breach/IIMJobs</a>
Method	GET
Parameter	cache-control
Attack	

Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ILikeCheats">https://haveibeenpwned.com/Breach/ILikeCheats</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Imavex">https://haveibeenpwned.com/Breach/Imavex</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMenu360">https://haveibeenpwned.com/Breach/iMenu360</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMesh">https://haveibeenpwned.com/Breach/iMesh</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/imgur">https://haveibeenpwned.com/Breach/imgur</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiaMART">https://haveibeenpwned.com/Breach/IndiaMART</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndianRailways">https://haveibeenpwned.com/Breach/IndianRailways</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiHome">https://haveibeenpwned.com/Breach/IndiHome</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/InflateVids">https://haveibeenpwned.com/Breach/InflateVids</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Insanely">https://haveibeenpwned.com/Breach/Insanely</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstantCheckmate">https://haveibeenpwned.com/Breach/InstantCheckmate</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile">https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Intelimost">https://haveibeenpwned.com/Breach/Intelimost</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InternetArchive">https://haveibeenpwned.com/Breach/InternetArchive</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Interpals">https://haveibeenpwned.com/Breach/Interpals</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iPmart">https://haveibeenpwned.com/Breach/iPmart</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ixigo">https://haveibeenpwned.com/Breach/ixigo</a>

Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/James">https://haveibeenpwned.com/Breach/James</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JamTangan">https://haveibeenpwned.com/Breach/JamTangan</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JD">https://haveibeenpwned.com/Breach/JD</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JDGroup">https://haveibeenpwned.com/Breach/JDGroup</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jefit">https://haveibeenpwned.com/Breach/Jefit</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobAndTalent">https://haveibeenpwned.com/Breach/JobAndTalent</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobStreet">https://haveibeenpwned.com/Breach/JobStreet</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jobzone">https://haveibeenpwned.com/Breach/Jobzone</a>
Method	GET

Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoomArt">https://haveibeenpwned.com/Breach/JoomArt</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoyGames">https://haveibeenpwned.com/Breach/JoyGames</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JukinMedia">https://haveibeenpwned.com/Breach/JukinMedia</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JustDate">https://haveibeenpwned.com/Breach/JustDate</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kaneva">https://haveibeenpwned.com/Breach/Kaneva</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KasperskyClub">https://haveibeenpwned.com/Breach/KasperskyClub</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KayoMoe">https://haveibeenpwned.com/Breach/KayoMoe</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kickstarter">https://haveibeenpwned.com/Breach/Kickstarter</a>
Method	GET
Parameter	cache-control
Attack	

Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kimsufi">https://haveibeenpwned.com/Breach/Kimsufi</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KitchenPal">https://haveibeenpwned.com/Breach/KitchenPal</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KiwiFarms">https://haveibeenpwned.com/Breach/KiwiFarms</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KMRU">https://haveibeenpwned.com/Breach/KMRU</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KnownCircle">https://haveibeenpwned.com/Breach/KnownCircle</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Knuddels">https://haveibeenpwned.com/Breach/Knuddels</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KodiFoundation">https://haveibeenpwned.com/Breach/KodiFoundation</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KomplettFritid">https://haveibeenpwned.com/Breach/KomplettFritid</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Kreditplus">https://haveibeenpwned.com/Breach/Kreditplus</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ladies">https://haveibeenpwned.com/Breach/Ladies</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LandAirSea">https://haveibeenpwned.com/Breach/LandAirSea</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lanwar">https://haveibeenpwned.com/Breach/Lanwar</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LaPosteMobile">https://haveibeenpwned.com/Breach/LaPosteMobile</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lastfm">https://haveibeenpwned.com/Breach/Lastfm</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lazada">https://haveibeenpwned.com/Breach/Lazada</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LBB">https://haveibeenpwned.com/Breach/LBB</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LDLC">https://haveibeenpwned.com/Breach/LDLC</a>
Method	GET

Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeadHunter">https://haveibeenpwned.com/Breach/LeadHunter</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeagueOfLegends">https://haveibeenpwned.com/Breach/LeagueOfLegends</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeakedReality">https://haveibeenpwned.com/Breach/LeakedReality</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeCooSportif">https://haveibeenpwned.com/Breach/LeCooSportif</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ledger">https://haveibeenpwned.com/Breach/Ledger</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Leet">https://haveibeenpwned.com/Breach/Leet</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LegendasTV">https://haveibeenpwned.com/Breach/LegendasTV</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeSlipFrancais">https://haveibeenpwned.com/Breach/LeSlipFrancais</a>
Method	GET
Parameter	cache-control
Attack	

Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lexipol">https://haveibeenpwned.com/Breach/Lexipol</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Life360">https://haveibeenpwned.com/Breach/Life360</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifebear">https://haveibeenpwned.com/Breach/Lifebear</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifeboat">https://haveibeenpwned.com/Breach/Lifeboat</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LightsHope">https://haveibeenpwned.com/Breach/LightsHope</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Liker">https://haveibeenpwned.com/Breach/Liker</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LimeVPN">https://haveibeenpwned.com/Breach/LimeVPN</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedIn">https://haveibeenpwned.com/Breach/LinkedIn</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape">https://haveibeenpwned.com/Breach/LinkedInScrape</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape2023">https://haveibeenpwned.com/Breach/LinkedInScrape2023</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxForums">https://haveibeenpwned.com/Breach/LinuxForums</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxMint">https://haveibeenpwned.com/Breach/LinuxMint</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LittleMonsters">https://haveibeenpwned.com/Breach/LittleMonsters</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveAuctioneers">https://haveibeenpwned.com/Breach/LiveAuctioneers</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveJournal">https://haveibeenpwned.com/Breach/LiveJournal</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lipure">https://haveibeenpwned.com/Breach/Lipure</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LizardSquad">https://haveibeenpwned.com/Breach/LizardSquad</a>
Method	GET

Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Locally">https://haveibeenpwned.com/Breach/Locally</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lolteam">https://haveibeenpwned.com/Breach/Lolteam</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookbook">https://haveibeenpwned.com/Breach/Lookbook</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookiero">https://haveibeenpwned.com/Breach/Lookiero</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LOTR">https://haveibeenpwned.com/Breach/LOTR</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LoungeBoard">https://haveibeenpwned.com/Breach/LoungeBoard</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuLu">https://haveibeenpwned.com/Breach/LuLu</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuminPDF">https://haveibeenpwned.com/Breach/LuminPDF</a>
Method	GET
Parameter	cache-control

Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Luxottica">https://haveibeenpwned.com/Breach/Luxottica</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LyricsMania">https://haveibeenpwned.com/Breach/LyricsMania</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mac-Torrents">https://haveibeenpwned.com/Breach/Mac-Torrents</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacForums">https://haveibeenpwned.com/Breach/MacForums</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacGeneration">https://haveibeenpwned.com/Breach/MacGeneration</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MagicDuel">https://haveibeenpwned.com/Breach/MagicDuel</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MailRu">https://haveibeenpwned.com/Breach/MailRu</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MajorGeeks">https://haveibeenpwned.com/Breach/MajorGeeks</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MalindoAir">https://haveibeenpwned.com/Breach/MalindoAir</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MallCZ">https://haveibeenpwned.com/Breach/MallCZ</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Malwarebytes">https://haveibeenpwned.com/Breach/Malwarebytes</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaDex">https://haveibeenpwned.com/Breach/MangaDex</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaFox">https://haveibeenpwned.com/Breach/MangaFox</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mangatoon">https://haveibeenpwned.com/Breach/Mangatoon</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaTraders">https://haveibeenpwned.com/Breach/MangaTraders</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ManipulatedCaiman">https://haveibeenpwned.com/Breach/ManipulatedCaiman</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Mappery">https://haveibeenpwned.com/Breach/Mappery</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MarketMovis">https://haveibeenpwned.com/Breach/MarketMovis</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mashable">https://haveibeenpwned.com/Breach/Mashable</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MastercardPricelessSpecials">https://haveibeenpwned.com/Breach/MastercardPricelessSpecials</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MasterDeeds">https://haveibeenpwned.com/Breach/MasterDeeds</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mate1">https://haveibeenpwned.com/Breach/Mate1</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mathway">https://haveibeenpwned.com/Breach/Mathway</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MC2Data">https://haveibeenpwned.com/Breach/MC2Data</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MCBans">https://haveibeenpwned.com/Breach/MCBans</a>
Method	GET

Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MDPI">https://haveibeenpwned.com/Breach/MDPI</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MechoDownload">https://haveibeenpwned.com/Breach/MechoDownload</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MediaWorks">https://haveibeenpwned.com/Breach/MediaWorks</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MeetMindful">https://haveibeenpwned.com/Breach/MeetMindful</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MemeChat">https://haveibeenpwned.com/Breach/MemeChat</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MEO">https://haveibeenpwned.com/Breach/MEO</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM">https://haveibeenpwned.com/Breach/MGM</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM2022Update">https://haveibeenpwned.com/Breach/MGM2022Update</a>
Method	GET
Parameter	cache-control

Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MindJolt">https://haveibeenpwned.com/Breach/MindJolt</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum">https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftWorldMap">https://haveibeenpwned.com/Breach/MinecraftWorldMap</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minefield">https://haveibeenpwned.com/Breach/Minefield</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minehut">https://haveibeenpwned.com/Breach/Minehut</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minted">https://haveibeenpwned.com/Breach/Minted</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MMGFusion">https://haveibeenpwned.com/Breach/MMGFusion</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MobiFriends">https://haveibeenpwned.com/Breach/MobiFriends</a>
Method	GET
Parameter	cache-control
Attack	

Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoDaCo">https://haveibeenpwned.com/Breach/MoDaCo</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ModernBusinessSolutions">https://haveibeenpwned.com/Breach/ModernBusinessSolutions</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoneyBookers">https://haveibeenpwned.com/Breach/MoneyBookers</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Moneycontrol">https://haveibeenpwned.com/Breach/Moneycontrol</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoreleNet">https://haveibeenpwned.com/Breach/MoreleNet</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MortalOnline">https://haveibeenpwned.com/Breach/MortalOnline</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieBoxPro">https://haveibeenpwned.com/Breach/MovieBoxPro</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieForums">https://haveibeenpwned.com/Breach/MovieForums</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/MPGH">https://haveibeenpwned.com/Breach/MPGH</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrExcel">https://haveibeenpwned.com/Breach/MrExcel</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrGreenGaming">https://haveibeenpwned.com/Breach/MrGreenGaming</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MSI">https://haveibeenpwned.com/Breach/MSI</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy">https://haveibeenpwned.com/Breach/mSpy</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy2024">https://haveibeenpwned.com/Breach/mSpy2024</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Muah">https://haveibeenpwned.com/Breach/Muah</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MultiplayerIt">https://haveibeenpwned.com/Breach/MultiplayerIt</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimDirectory">https://haveibeenpwned.com/Breach/MuslimDirectory</a>
Method	GET

Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimMatch">https://haveibeenpwned.com/Breach/MuslimMatch</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFHA">https://haveibeenpwned.com/Breach/MyFHA</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFitnessPal">https://haveibeenpwned.com/Breach/MyFitnessPal</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyHeritage">https://haveibeenpwned.com/Breach/MyHeritage</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyPertamina">https://haveibeenpwned.com/Breach/MyPertamina</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/myRepoSpace">https://haveibeenpwned.com/Breach/myRepoSpace</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MySpace">https://haveibeenpwned.com/Breach/MySpace</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyVidster">https://haveibeenpwned.com/Breach/MyVidster</a>
Method	GET
Parameter	cache-control
Attack	

Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NamelessMalware">https://haveibeenpwned.com/Breach/NamelessMalware</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NapsGear">https://haveibeenpwned.com/Breach/NapsGear</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NationalPublicData">https://haveibeenpwned.com/Breach/NationalPublicData</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NaughtyAmerica">https://haveibeenpwned.com/Breach/NaughtyAmerica</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NazApi">https://haveibeenpwned.com/Breach/NazApi</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NeimanMarcus">https://haveibeenpwned.com/Breach/NeimanMarcus</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NemoWeb">https://haveibeenpwned.com/Breach/NemoWeb</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neopets">https://haveibeenpwned.com/Breach/Neopets</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/NetEase">https://haveibeenpwned.com/Breach/NetEase</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neteller">https://haveibeenpwned.com/Breach/Neteller</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetGalley">https://haveibeenpwned.com/Breach/NetGalley</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netlog">https://haveibeenpwned.com/Breach/Netlog</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetProspect">https://haveibeenpwned.com/Breach/NetProspect</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netshoes">https://haveibeenpwned.com/Breach/Netshoes</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NextGenUpdate">https://haveibeenpwned.com/Breach/NextGenUpdate</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NexusMods">https://haveibeenpwned.com/Breach/NexusMods</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nihonomaru">https://haveibeenpwned.com/Breach/Nihonomaru</a>
Method	GET

Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nitro">https://haveibeenpwned.com/Breach/Nitro</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nival">https://haveibeenpwned.com/Breach/Nival</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NonNudeGirls">https://haveibeenpwned.com/Breach/NonNudeGirls</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotAxiom">https://haveibeenpwned.com/Breach/NotAxiom</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotSOCRadar">https://haveibeenpwned.com/Breach/NotSOCRadar</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nulled">https://haveibeenpwned.com/Breach/Nulled</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NulledCH">https://haveibeenpwned.com/Breach/NulledCH</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NurseryCam">https://haveibeenpwned.com/Breach/NurseryCam</a>
Method	GET
Parameter	cache-control
Attack	

Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NVIDIA">https://haveibeenpwned.com/Breach/NVIDIA</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers">https://haveibeenpwned.com/Breach/OGUsers</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2020">https://haveibeenpwned.com/Breach/OGUsers2020</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2021">https://haveibeenpwned.com/Breach/OGUsers2021</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2022">https://haveibeenpwned.com/Breach/OGUsers2022</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OMGPOP">https://haveibeenpwned.com/Breach/OMGPOP</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlinerSpambot">https://haveibeenpwned.com/Breach/OnlinerSpambot</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlineTrade">https://haveibeenpwned.com/Breach/OnlineTrade</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/OnRPG">https://haveibeenpwned.com/Breach/OnRPG</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Onverse">https://haveibeenpwned.com/Breach/Onverse</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenCSGO">https://haveibeenpwned.com/Breach/OpenCSGO</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenSubtitles">https://haveibeenpwned.com/Breach/OpenSubtitles</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame">https://haveibeenpwned.com/Breach/OperationEndgame</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame2">https://haveibeenpwned.com/Breach/OperationEndgame2</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrangeRomania">https://haveibeenpwned.com/Breach/OrangeRomania</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrderSnapp">https://haveibeenpwned.com/Breach/OrderSnapp</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma">https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma</a>
Method	GET

Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Otelier">https://haveibeenpwned.com/Breach/Otelier</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OVH">https://haveibeenpwned.com/Breach/OVH</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OwnedCore">https://haveibeenpwned.com/Breach/OwnedCore</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Oxfam">https://haveibeenpwned.com/Breach/Oxfam</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaddyPower">https://haveibeenpwned.com/Breach/PaddyPower</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pampling">https://haveibeenpwned.com/Breach/Pampling</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pandabuy">https://haveibeenpwned.com/Breach/Pandabuy</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParagonCheats">https://haveibeenpwned.com/Breach/ParagonCheats</a>
Method	GET
Parameter	cache-control
Attack	

Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Parapa">https://haveibeenpwned.com/Breach/Parapa</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParkMobile">https://haveibeenpwned.com/Breach/ParkMobile</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Patreon">https://haveibeenpwned.com/Breach/Patreon</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayAsUGym">https://haveibeenpwned.com/Breach/PayAsUGym</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayHere">https://haveibeenpwned.com/Breach/PayHere</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaySystemTech">https://haveibeenpwned.com/Breach/PaySystemTech</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Paytm">https://haveibeenpwned.com/Breach/Paytm</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/pcTattletale">https://haveibeenpwned.com/Breach/pcTattletale</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PDL">https://haveibeenpwned.com/Breach/PDL</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Peatix">https://haveibeenpwned.com/Breach/Peatix</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pemblanc">https://haveibeenpwned.com/Breach/Pemblanc</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PeoplesEnergy">https://haveibeenpwned.com/Breach/PeoplesEnergy</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PetFlow">https://haveibeenpwned.com/Breach/PetFlow</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Phoenix">https://haveibeenpwned.com/Breach/Phoenix</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PhoneHouse">https://haveibeenpwned.com/Breach/PhoneHouse</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PHPFreaks">https://haveibeenpwned.com/Breach/PHPFreaks</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PipingRock">https://haveibeenpwned.com/Breach/PipingRock</a>

Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PixelFederation">https://haveibeenpwned.com/Breach/PixelFederation</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pixlr">https://haveibeenpwned.com/Breach/Pixlr</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/piZap">https://haveibeenpwned.com/Breach/piZap</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetCalypso">https://haveibeenpwned.com/Breach/PlanetCalypso</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetIce">https://haveibeenpwned.com/Breach/PlanetIce</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playbook">https://haveibeenpwned.com/Breach/Playbook</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlayCyberGames">https://haveibeenpwned.com/Breach/PlayCyberGames</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playgar">https://haveibeenpwned.com/Breach/Playgar</a>
Method	GET

Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Plex">https://haveibeenpwned.com/Breach/Plex</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlutoTV">https://haveibeenpwned.com/Breach/PlutoTV</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoinCampus">https://haveibeenpwned.com/Breach/PoinCampus</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pokekip">https://haveibeenpwned.com/Breach/Pokekip</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonCreed">https://haveibeenpwned.com/Breach/PokemonCreed</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonNegro">https://haveibeenpwned.com/Breach/PokemonNegro</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoliceOne">https://haveibeenpwned.com/Breach/PoliceOne</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PolishCredentials">https://haveibeenpwned.com/Breach/PolishCredentials</a>
Method	GET
Parameter	cache-control
Attack	

Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Poshmark">https://haveibeenpwned.com/Breach/Poshmark</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Powerbot">https://haveibeenpwned.com/Breach/Powerbot</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PPCGeeks">https://haveibeenpwned.com/Breach/PPCGeeks</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PreenMe">https://haveibeenpwned.com/Breach/PreenMe</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProctorU">https://haveibeenpwned.com/Breach/ProctorU</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProgrammingForums">https://haveibeenpwned.com/Breach/ProgrammingForums</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promo">https://haveibeenpwned.com/Breach/Promo</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promofarma">https://haveibeenpwned.com/Breach/Promofarma</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PropTiger">https://haveibeenpwned.com/Breach/PropTiger</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Protemp">https://haveibeenpwned.com/Breach/Protemp</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PS3Hax">https://haveibeenpwned.com/Breach/PS3Hax</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSPISO">https://haveibeenpwned.com/Breach/PSPISO</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSXScene">https://haveibeenpwned.com/Breach/PSXScene</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qakbot">https://haveibeenpwned.com/Breach/Qakbot</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QatarNationalBank">https://haveibeenpwned.com/Breach/QatarNationalBank</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QIP">https://haveibeenpwned.com/Breach/QIP</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qraved">https://haveibeenpwned.com/Breach/Qraved</a>

Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuantumBooter">https://haveibeenpwned.com/Breach/QuantumBooter</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuestionPro">https://haveibeenpwned.com/Breach/QuestionPro</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Quidd">https://haveibeenpwned.com/Breach/Quidd</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuinStreet">https://haveibeenpwned.com/Breach/QuinStreet</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2-2017">https://haveibeenpwned.com/Breach/R2-2017</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2Games">https://haveibeenpwned.com/Breach/R2Games</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RaidForums">https://haveibeenpwned.com/Breach/RaidForums</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RailYatri">https://haveibeenpwned.com/Breach/RailYatri</a>
Method	GET
Parameter	cache-control

Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rambler">https://haveibeenpwned.com/Breach/Rambler</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rankwatch">https://haveibeenpwned.com/Breach/Rankwatch</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Raychat">https://haveibeenpwned.com/Breach/Raychat</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RbxRocks">https://haveibeenpwned.com/Breach/RbxRocks</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ReadNovel">https://haveibeenpwned.com/Breach/ReadNovel</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealDudesInc">https://haveibeenpwned.com/Breach/RealDudesInc</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealEstateMogul">https://haveibeenpwned.com/Breach/RealEstateMogul</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedDoorz">https://haveibeenpwned.com/Breach/RedDoorz</a>
Method	GET
Parameter	cache-control
Attack	

Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedLineStealer">https://haveibeenpwned.com/Breach/RedLineStealer</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reincubate">https://haveibeenpwned.com/Breach/Reincubate</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RentoMojo">https://haveibeenpwned.com/Breach/RentoMojo</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas">https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RetinaX">https://haveibeenpwned.com/Breach/RetinaX</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reverb-Nation">https://haveibeenpwned.com/Breach/Reverb-Nation</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rightbiz">https://haveibeenpwned.com/Breach/Rightbiz</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RiverCityMedia">https://haveibeenpwned.com/Breach/RiverCityMedia</a>
Method	GET
Parameter	cache-control
Attack	

Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Robinhood">https://haveibeenpwned.com/Breach/Robinhood</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roblox">https://haveibeenpwned.com/Breach/Roblox</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference">https://haveibeenpwned.com/Breach/RobloxDeveloperConference</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024">https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roll20">https://haveibeenpwned.com/Breach/Roll20</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Romwe">https://haveibeenpwned.com/Breach/Romwe</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RosebuttBoard">https://haveibeenpwned.com/Breach/RosebuttBoard</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RoyalEnfield">https://haveibeenpwned.com/Breach/RoyalEnfield</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RussianAmerica">https://haveibeenpwned.com/Breach/RussianAmerica</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SalvadoranCitizens">https://haveibeenpwned.com/Breach/SalvadoranCitizens</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SamsungGermany">https://haveibeenpwned.com/Breach/SamsungGermany</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SaverSpy">https://haveibeenpwned.com/Breach/SaverSpy</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList">https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scentbird">https://haveibeenpwned.com/Breach/Scentbird</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/schenkYOU">https://haveibeenpwned.com/Breach/schenkYOU</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scholastic">https://haveibeenpwned.com/Breach/Scholastic</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SchoolDistrict42">https://haveibeenpwned.com/Breach/SchoolDistrict42</a>

Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Seedpeer">https://haveibeenpwned.com/Breach/Seedpeer</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SeniorDating">https://haveibeenpwned.com/Breach/SeniorDating</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sephora">https://haveibeenpwned.com/Breach/Sephora</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ServerPact">https://haveibeenpwned.com/Breach/ServerPact</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SevenRooms">https://haveibeenpwned.com/Breach/SevenRooms</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadi">https://haveibeenpwned.com/Breach/Shadi</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadow">https://haveibeenpwned.com/Breach/Shadow</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShareThis">https://haveibeenpwned.com/Breach/ShareThis</a>
Method	GET
Parameter	cache-control

Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SHEIN">https://haveibeenpwned.com/Breach/SHEIN</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shitexpress">https://haveibeenpwned.com/Breach/Shitexpress</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShockGore">https://haveibeenpwned.com/Breach/ShockGore</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShoeZone">https://haveibeenpwned.com/Breach/ShoeZone</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopBack">https://haveibeenpwned.com/Breach/ShopBack</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopperPlus">https://haveibeenpwned.com/Breach/ShopperPlus</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShortEdition">https://haveibeenpwned.com/Breach/ShortEdition</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shotbow">https://haveibeenpwned.com/Breach/Shotbow</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SIAE">https://haveibeenpwned.com/Breach/SIAE</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SirHurt">https://haveibeenpwned.com/Breach/SirHurt</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SitePoint">https://haveibeenpwned.com/Breach/SitePoint</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SkTorrent">https://haveibeenpwned.com/Breach/SkTorrent</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Slickwraps">https://haveibeenpwned.com/Breach/Slickwraps</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SlideTeam">https://haveibeenpwned.com/Breach/SlideTeam</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Smogon">https://haveibeenpwned.com/Breach/Smogon</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snail">https://haveibeenpwned.com/Breach/Snail</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snapchat">https://haveibeenpwned.com/Breach/Snapchat</a>

Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SoarGames">https://haveibeenpwned.com/Breach/SoarGames</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SocialEngineered">https://haveibeenpwned.com/Breach/SocialEngineered</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Solomid">https://haveibeenpwned.com/Breach/Solomid</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sonicbids">https://haveibeenpwned.com/Breach/Sonicbids</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sony">https://haveibeenpwned.com/Breach/Sony</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Soundwave">https://haveibeenpwned.com/Breach/Soundwave</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpecialKSpamList">https://haveibeenpwned.com/Breach/SpecialKSpamList</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Speedio">https://haveibeenpwned.com/Breach/Speedio</a>
Method	GET
Parameter	cache-control

Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sphero">https://haveibeenpwned.com/Breach/Sphero</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spiro">https://haveibeenpwned.com/Breach/Spiro</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sport2000">https://haveibeenpwned.com/Breach/Sport2000</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spoutible">https://haveibeenpwned.com/Breach/Spoutible</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SprashivaiRu">https://haveibeenpwned.com/Breach/SprashivaiRu</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyFone">https://haveibeenpwned.com/Breach/SpyFone</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyic">https://haveibeenpwned.com/Breach/Spyic</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spytech">https://haveibeenpwned.com/Breach/Spytech</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyX">https://haveibeenpwned.com/Breach/SpyX</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyzie">https://haveibeenpwned.com/Breach/Spyzie</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StalkerOnline">https://haveibeenpwned.com/Breach/StalkerOnline</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Staminus">https://haveibeenpwned.com/Breach/Staminus</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarNet">https://haveibeenpwned.com/Breach/StarNet</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Start">https://haveibeenpwned.com/Breach/Start</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarTribune">https://haveibeenpwned.com/Breach/StarTribune</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StealerLogsJan2025">https://haveibeenpwned.com/Breach/StealerLogsJan2025</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SterKinekor">https://haveibeenpwned.com/Breach/SterKinekor</a>

Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StockX">https://haveibeenpwned.com/Breach/StockX</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Storenwy">https://haveibeenpwned.com/Breach/Storenwy</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StoryBird">https://haveibeenpwned.com/Breach/StoryBird</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Straffic">https://haveibeenpwned.com/Breach/Straffic</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stratfor">https://haveibeenpwned.com/Breach/Stratfor</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreamCraft">https://haveibeenpwned.com/Breach/StreamCraft</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreetEasy">https://haveibeenpwned.com/Breach/StreetEasy</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stripchat">https://haveibeenpwned.com/Breach/Stripchat</a>
Method	GET
Parameter	cache-control

Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StrongholdKingdoms">https://haveibeenpwned.com/Breach/StrongholdKingdoms</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SubaGames">https://haveibeenpwned.com/Breach/SubaGames</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SumoTorrent">https://haveibeenpwned.com/Breach/SumoTorrent</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SundryFiles">https://haveibeenpwned.com/Breach/SundryFiles</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperDraft">https://haveibeenpwned.com/Breach/SuperDraft</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN">https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SurveyLama">https://haveibeenpwned.com/Breach/SurveyLama</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SvenskaMagic">https://haveibeenpwned.com/Breach/SvenskaMagic</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SweClockers">https://haveibeenpwned.com/Breach/SweClockers</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Switch">https://haveibeenpwned.com/Breach/Switch</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SwordFantasy">https://haveibeenpwned.com/Breach/SwordFantasy</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Swl">https://haveibeenpwned.com/Breach/Swl</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/T2">https://haveibeenpwned.com/Breach/T2</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TaiLieu">https://haveibeenpwned.com/Breach/TaiLieu</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tamodo">https://haveibeenpwned.com/Breach/Tamodo</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tangerine">https://haveibeenpwned.com/Breach/Tangerine</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taobao">https://haveibeenpwned.com/Breach/Taobao</a>

Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TAPAirPortugal">https://haveibeenpwned.com/Breach/TAPAirPortugal</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tappware">https://haveibeenpwned.com/Breach/Tappware</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taringa">https://haveibeenpwned.com/Breach/Taringa</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Technic">https://haveibeenpwned.com/Breach/Technic</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teespring">https://haveibeenpwned.com/Breach/Teespring</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TehetsegKapu">https://haveibeenpwned.com/Breach/TehetsegKapu</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramCombolists">https://haveibeenpwned.com/Breach/TelegramCombolists</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramStealerLogs">https://haveibeenpwned.com/Breach/TelegramStealerLogs</a>
Method	GET

Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teracod">https://haveibeenpwned.com/Breach/Teracod</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Terravision">https://haveibeenpwned.com/Breach/Terravision</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tesco">https://haveibeenpwned.com/Breach/Tesco</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TGBUS">https://haveibeenpwned.com/Breach/TGBUS</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheCandidBoard">https://haveibeenpwned.com/Breach/TheCandidBoard</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheClubPenguinExperience">https://haveibeenpwned.com/Breach/TheClubPenguinExperience</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFappening">https://haveibeenpwned.com/Breach/TheFappening</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFlyOnTheWall">https://haveibeenpwned.com/Breach/TheFlyOnTheWall</a>
Method	GET
Parameter	cache-control

Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheGradCafe">https://haveibeenpwned.com/Breach/TheGradCafe</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheHeritageFoundation">https://haveibeenpwned.com/Breach/TheHeritageFoundation</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThePostMillennial">https://haveibeenpwned.com/Breach/ThePostMillennial</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheRealWorld">https://haveibeenpwned.com/Breach/TheRealWorld</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thermomix">https://haveibeenpwned.com/Breach/Thermomix</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheTVDB">https://haveibeenpwned.com/Breach/TheTVDB</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thingiverse">https://haveibeenpwned.com/Breach/Thingiverse</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThisHabboForum">https://haveibeenpwned.com/Breach/ThisHabboForum</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tianya">https://haveibeenpwned.com/Breach/Tianya</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tibber">https://haveibeenpwned.com/Breach/Tibber</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketcounter">https://haveibeenpwned.com/Breach/Ticketcounter</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketek">https://haveibeenpwned.com/Breach/Ticketek</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketfly">https://haveibeenpwned.com/Breach/Ticketfly</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tigo">https://haveibeenpwned.com/Breach/Tigo</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TNAFix">https://haveibeenpwned.com/Breach/TNAFix</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tokopedia">https://haveibeenpwned.com/Breach/Tokopedia</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ToonDoo">https://haveibeenpwned.com/Breach/ToonDoo</a>

Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TorrentInvites">https://haveibeenpwned.com/Breach/TorrentInvites</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Toumei">https://haveibeenpwned.com/Breach/Toumei</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tout">https://haveibeenpwned.com/Breach/Tout</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tracki">https://haveibeenpwned.com/Breach/Tracki</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Traderie">https://haveibeenpwned.com/Breach/Traderie</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TRAI">https://haveibeenpwned.com/Breach/TRAI</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Travelio">https://haveibeenpwned.com/Breach/Travelio</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TravelOK">https://haveibeenpwned.com/Breach/TravelOK</a>
Method	GET
Parameter	cache-control

Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trello">https://haveibeenpwned.com/Breach/Trello</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrikSpamBotnet">https://haveibeenpwned.com/Breach/TrikSpamBotnet</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trillian">https://haveibeenpwned.com/Breach/Trillian</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TroyHuntMailchimpList">https://haveibeenpwned.com/Breach/TroyHuntMailchimpList</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruckersMP">https://haveibeenpwned.com/Breach/TruckersMP</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrueFire">https://haveibeenpwned.com/Breach/TrueFire</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruthFinder">https://haveibeenpwned.com/Breach/TruthFinder</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tumblr">https://haveibeenpwned.com/Breach/Tumblr</a>
Method	GET
Parameter	cache-control
Attack	

Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TunedGlobal">https://haveibeenpwned.com/Breach/TunedGlobal</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tunngle">https://haveibeenpwned.com/Breach/Tunngle</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter">https://haveibeenpwned.com/Breach/Twitter</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter200M">https://haveibeenpwned.com/Breach/Twitter200M</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ualabee">https://haveibeenpwned.com/Breach/Ualabee</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ubook">https://haveibeenpwned.com/Breach/Ubook</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UC">https://haveibeenpwned.com/Breach/UC</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Uiggy">https://haveibeenpwned.com/Breach/Uiggy</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Ulmon">https://haveibeenpwned.com/Breach/Ulmon</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnderworldEmpire">https://haveibeenpwned.com/Breach/UnderworldEmpire</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnicoCampania">https://haveibeenpwned.com/Breach/UnicoCampania</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Universarium">https://haveibeenpwned.com/Breach/Universarium</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnrealEngine">https://haveibeenpwned.com/Breach/UnrealEngine</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Upstox">https://haveibeenpwned.com/Breach/Upstox</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UtahGunExchange">https://haveibeenpwned.com/Breach/UtahGunExchange</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uTorrent">https://haveibeenpwned.com/Breach/uTorrent</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uuu9">https://haveibeenpwned.com/Breach/uuu9</a>

Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vakinha">https://haveibeenpwned.com/Breach/Vakinha</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vastaamo">https://haveibeenpwned.com/Breach/Vastaamo</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VBulletin">https://haveibeenpwned.com/Breach/VBulletin</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vedantu">https://haveibeenpwned.com/Breach/Vedantu</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VerificationsIO">https://haveibeenpwned.com/Breach/VerificationsIO</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Verified">https://haveibeenpwned.com/Breach/Verified</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vermillion">https://haveibeenpwned.com/Breach/Vermillion</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vianet">https://haveibeenpwned.com/Breach/Vianet</a>
Method	GET
Parameter	cache-control

Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VictoryPhones">https://haveibeenpwned.com/Breach/VictoryPhones</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ViewFines">https://haveibeenpwned.com/Breach/ViewFines</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VimeWorld">https://haveibeenpwned.com/Breach/VimeWorld</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VINs">https://haveibeenpwned.com/Breach/VINs</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VivaAir">https://haveibeenpwned.com/Breach/VivaAir</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VK">https://haveibeenpwned.com/Breach/VK</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VNG">https://haveibeenpwned.com/Breach/VNG</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vodafone">https://haveibeenpwned.com/Breach/Vodafone</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VoidTO">https://haveibeenpwned.com/Breach/VoidTO</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTech">https://haveibeenpwned.com/Breach/VTech</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTightGel">https://haveibeenpwned.com/Breach/VTightGel</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wakanim">https://haveibeenpwned.com/Breach/Wakanim</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wanelo">https://haveibeenpwned.com/Breach/Wanelo</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warframe">https://haveibeenpwned.com/Breach/Warframe</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WarInc">https://haveibeenpwned.com/Breach/WarInc</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warmane">https://haveibeenpwned.com/Breach/Warmane</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard">https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard</a>

Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wattpad">https://haveibeenpwned.com/Breach/Wattpad</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WedMeGood">https://haveibeenpwned.com/Breach/WedMeGood</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Weee">https://haveibeenpwned.com/Breach/Weee</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeHeartIt">https://haveibeenpwned.com/Breach/WeHeartIt</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeLeakInfo">https://haveibeenpwned.com/Breach/WeLeakInfo</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Welhof">https://haveibeenpwned.com/Breach/Welhof</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wendys">https://haveibeenpwned.com/Breach/Wendys</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Whitepages">https://haveibeenpwned.com/Breach/Whitepages</a>
Method	GET
Parameter	cache-control

Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WhiteRoom">https://haveibeenpwned.com/Breach/WhiteRoom</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WHMCS">https://haveibeenpwned.com/Breach/WHMCS</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WienerBuchereien">https://haveibeenpwned.com/Breach/WienerBuchereien</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WifeLovers">https://haveibeenpwned.com/Breach/WifeLovers</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiiUISO">https://haveibeenpwned.com/Breach/WiiUISO</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WildStar">https://haveibeenpwned.com/Breach/WildStar</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Win7Vista">https://haveibeenpwned.com/Breach/Win7Vista</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiredBucks">https://haveibeenpwned.com/Breach/WiredBucks</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone">https://haveibeenpwned.com/Breach/Wishbone</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone2020">https://haveibeenpwned.com/Breach/Wishbone2020</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiziShop">https://haveibeenpwned.com/Breach/WiziShop</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wongnai">https://haveibeenpwned.com/Breach/Wongnai</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WoTLabs">https://haveibeenpwned.com/Breach/WoTLabs</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPSandbox">https://haveibeenpwned.com/Breach/WPSandbox</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPT">https://haveibeenpwned.com/Breach/WPT</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xat">https://haveibeenpwned.com/Breach/xat</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox-Scene">https://haveibeenpwned.com/Breach/Xbox-Scene</a>

Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox360ISO">https://haveibeenpwned.com/Breach/Xbox360ISO</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xHamster">https://haveibeenpwned.com/Breach/xHamster</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xiaomi">https://haveibeenpwned.com/Breach/Xiaomi</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XKCD">https://haveibeenpwned.com/Breach/XKCD</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XPGameSaves">https://haveibeenpwned.com/Breach/XPGameSaves</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XSplit">https://haveibeenpwned.com/Breach/XSplit</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yahoo">https://haveibeenpwned.com/Breach/Yahoo</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yam">https://haveibeenpwned.com/Breach/Yam</a>
Method	GET
Parameter	cache-control

Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yandex">https://haveibeenpwned.com/Breach/Yandex</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yatra">https://haveibeenpwned.com/Breach/Yatra</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yonema">https://haveibeenpwned.com/Breach/Yonema</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoteprestoCom">https://haveibeenpwned.com/Breach/YoteprestoCom</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youku">https://haveibeenpwned.com/Breach/Youku</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoungLivingEssentialOils">https://haveibeenpwned.com/Breach/YoungLivingEssentialOils</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouNow">https://haveibeenpwned.com/Breach/YouNow</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouPom">https://haveibeenpwned.com/Breach/YouPom</a>
Method	GET
Parameter	cache-control

Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youthmanual">https://haveibeenpwned.com/Breach/Youthmanual</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouveBeenScaped">https://haveibeenpwned.com/Breach/YouveBeenScaped</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks">https://haveibeenpwned.com/Breach/Zacks</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks2024">https://haveibeenpwned.com/Breach/Zacks2024</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZadigVoltaire">https://haveibeenpwned.com/Breach/ZadigVoltaire</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZAPHosting">https://haveibeenpwned.com/Breach/ZAPHosting</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zhenai">https://haveibeenpwned.com/Breach/Zhenai</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZLib">https://haveibeenpwned.com/Breach/ZLib</a>
Method	GET
Parameter	cache-control
Attack	

Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zomato">https://haveibeenpwned.com/Breach/Zomato</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoomcar">https://haveibeenpwned.com/Breach/Zoomcar</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk">https://haveibeenpwned.com/Breach/Zoosk</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk2020">https://haveibeenpwned.com/Breach/Zoosk2020</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zooville">https://haveibeenpwned.com/Breach/Zooville</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zurich">https://haveibeenpwned.com/Breach/Zurich</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zynga">https://haveibeenpwned.com/Breach/Zynga</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn">https://haveibeenpwned.com/Dashboard/SignIn</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=86400

Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	cache-control
Attack	

Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	

URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>

Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwlFze3ZX</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400

Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Donate">https://haveibeenpwned.com/Donate</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/DPA">https://haveibeenpwned.com/DPA</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/FAQs">https://haveibeenpwned.com/FAQs</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/feed/breaches/">https://haveibeenpwned.com/feed/breaches/</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe">https://haveibeenpwned.com/NotifyMe</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C">https://haveibeenpwned.com/NotifyMe%5C</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400

Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut">https://haveibeenpwned.com/OptOut</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords">https://haveibeenpwned.com/Passwords</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords%5C">https://haveibeenpwned.com/Passwords%5C</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/PwnedWebsites">https://haveibeenpwned.com/PwnedWebsites</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/robots.txt">https://haveibeenpwned.com/robots.txt</a>

Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/site.webmanifest?v=tI0w2W1Wz0FBvJhxLuYAn03PU1xmcNTNUNbCjw6Cg4">https://haveibeenpwned.com/site.webmanifest?v=tI0w2W1Wz0FBvJhxLuYAn03PU1xmcNTNUNbCjw6Cg4</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=3600
Other Info	
URL	<a href="https://haveibeenpwned.com/sitemap.xml">https://haveibeenpwned.com/sitemap.xml</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription">https://haveibeenpwned.com/Subscription</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://haveibeenpwned.com/TermsOfUse">https://haveibeenpwned.com/TermsOfUse</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public,max-age=86400
Other Info	
URL	<a href="https://www.bolt.com/">https://www.bolt.com/</a>
Method	GET
Parameter	cache-control
Attack	
Evidence	public, max-age=0, must-revalidate
Other Info	
Instances	952
Solution	For secure content, ensure the cache-control HTTP header is set with "no-cache, no-store, must-revalidate". If an asset should be cached consider setting the directives "public, max-age, immutable".
Reference	<a href="https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching">https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching</a> <a href="https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Cache-Control">https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Cache-Control</a> <a href="https://grayduck.mn/2021/09/13/cache-control-recommendations/">https://grayduck.mn/2021/09/13/cache-control-recommendations/</a>
CWE Id	<a href="#">525</a>
WASC Id	13
Plugin Id	<a href="#">10015</a>

Informational	Retrieved from Cache
Description	The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET

Parameter	
Attack	
Evidence	Age: 1526
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 1531
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/.well-known/security.txt">https://haveibeenpwned.com/.well-known/security.txt</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 254718
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/apple-touch-icon-120x120.png">https://haveibeenpwned.com/apple-touch-icon-120x120.png</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 826462
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/apple-touch-icon-152x152.png">https://haveibeenpwned.com/apple-touch-icon-152x152.png</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 1391540
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/apple-touch-icon-180x180.png">https://haveibeenpwned.com/apple-touch-icon-180x180.png</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 1391591
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/apple-touch-icon-57x57.png">https://haveibeenpwned.com/apple-touch-icon-57x57.png</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 95437
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/apple-touch-icon-76x76.png">https://haveibeenpwned.com/apple-touch-icon-76x76.png</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 1391540
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/apple-touch-icon.png">https://haveibeenpwned.com/apple-touch-icon.png</a>
Method	GET

Parameter	
Attack	
Evidence	Age: 1450127
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/Breach/Activision">https://haveibeenpwned.com/Breach/Activision</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 6743
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/Breach/CoinMarketCap">https://haveibeenpwned.com/Breach/CoinMarketCap</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 54742
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/Breach/Dota2">https://haveibeenpwned.com/Breach/Dota2</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 6938
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/Breach/FreeMobile">https://haveibeenpwned.com/Breach/FreeMobile</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 72493
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/Breach/MSI">https://haveibeenpwned.com/Breach/MSI</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 81775
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/Breach/NazApi">https://haveibeenpwned.com/Breach/NazApi</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 3667
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame2">https://haveibeenpwned.com/Breach/OperationEndgame2</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 11153
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/Breach/TruthFinder">https://haveibeenpwned.com/Breach/TruthFinder</a>
Method	GET
Parameter	
Attack	

Evidence	Age: 6667
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/Breach/Twitter">https://haveibeenpwned.com/Breach/Twitter</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 6645
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/Breach/Ualabee">https://haveibeenpwned.com/Breach/Ualabee</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 38457
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/Breach/Wattpad">https://haveibeenpwned.com/Breach/Wattpad</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 54503
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/css/main.css?v=kIFd-sNFBYm8k-OmKUj7Kcne2fj8-SyAEdxzZ2cM1-8">https://haveibeenpwned.com/css/main.css?v=kIFd-sNFBYm8k-OmKUj7Kcne2fj8-SyAEdxzZ2cM1-8</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 230
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/css/main.css?v=ToSKRi-tMHqhKTb7oZTq3CGIOqXpNsN7mnAsilliC4">https://haveibeenpwned.com/css/main.css?v=ToSKRi-tMHqhKTb7oZTq3CGIOqXpNsN7mnAsilliC4</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 5654
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/favicon-96x96.png">https://haveibeenpwned.com/favicon-96x96.png</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 1450267
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/favicon.ico">https://haveibeenpwned.com/favicon.ico</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 1450727
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/favicon.svg">https://haveibeenpwned.com/favicon.svg</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 1451145
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.

URL	<a href="https://haveibeenpwned.com/Images/Hero.svg?v=ela4hSGcWyGSHm101pjc3K0EHRDqdwhMAsD3G_hZAgA">https://haveibeenpwned.com/Images/Hero.svg?v=ela4hSGcWyGSHm101pjc3K0EHRDqdwhMAsD3G_hZAgA</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 382474
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/Images/HibpLogo.svg?v=auCogWYBSS45qvj_t-GnJHpExqbnRtmHRMe6QxZJE">https://haveibeenpwned.com/Images/HibpLogo.svg?v=auCogWYBSS45qvj_t-GnJHpExqbnRtmHRMe6QxZJE</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 1451173
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/Images/Logos/1PasswordLogoLight.svg">https://haveibeenpwned.com/Images/Logos/1PasswordLogoLight.svg</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 1451083
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/Images/Logos/1PasswordLogoLight.svg?v=XkBm2ucG374VlX0dq_JDwP6eOx9sl7czpi49eT2QzU">https://haveibeenpwned.com/Images/Logos/1PasswordLogoLight.svg?v=XkBm2ucG374VlX0dq_JDwP6eOx9sl7czpi49eT2QzU</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 1451083
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/Images/logos/1PasswordLogoLight.svg?v=XkBm2ucG374VlX0dq_JDwP6eOx9sl7czpi49eT2QzU">https://haveibeenpwned.com/Images/logos/1PasswordLogoLight.svg?v=XkBm2ucG374VlX0dq_JDwP6eOx9sl7czpi49eT2QzU</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 365294
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/Images/Maps/CloudflareMap.svg?v=24vAsJEadaoQQjiw3HEFs6V4RgEGtJrtf8tOBetE68">https://haveibeenpwned.com/Images/Maps/CloudflareMap.svg?v=24vAsJEadaoQQjiw3HEFs6V4RgEGtJrtf8tOBetE68</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 1448560
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/Images/People/CharlotteHunt.webp">https://haveibeenpwned.com/Images/People/CharlotteHunt.webp</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 1446811
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/Images/People/StefanJokullSigurdarson.webp">https://haveibeenpwned.com/Images/People/StefanJokullSigurdarson.webp</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 1432278
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.

URL	<a href="https://haveibeenpwned.com/Images/People/TroyHunt.webp">https://haveibeenpwned.com/Images/People/TroyHunt.webp</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 1432278
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/js/bundle/bundle.js?v=EuP58LoDPshTfDzCIMF_YCyuGFugyh9xQuirBcMhQ8">https://haveibeenpwned.com/js/bundle/bundle.js?v=EuP58LoDPshTfDzCIMF_YCyuGFugyh9xQuirBcMhQ8</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 6771
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/js/bundle/bundle.js?v=x0cyZYYKQGxJh2YCc7SU5n9SBVLb0xMmSOw8BT4IryA">https://haveibeenpwned.com/js/bundle/bundle.js?v=x0cyZYYKQGxJh2YCc7SU5n9SBVLb0xMmSOw8BT4IryA</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 5654
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/NotifyMe">https://haveibeenpwned.com/NotifyMe</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 2906
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/Passwords">https://haveibeenpwned.com/Passwords</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 1884
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/PwnedWebsites">https://haveibeenpwned.com/PwnedWebsites</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 3177
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/robots.txt">https://haveibeenpwned.com/robots.txt</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 1446241
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://haveibeenpwned.com/site.webmanifest?v=tI0w2W1Wz0FBvJhxLuYAn03PU1xmcNTNUNbCyjw6Cg4">https://haveibeenpwned.com/site.webmanifest?v=tI0w2W1Wz0FBvJhxLuYAn03PU1xmcNTNUNbCyjw6Cg4</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 1747
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://www.bolt.com/">https://www.bolt.com/</a>

Method	GET
Parameter	
Attack	
Evidence	Age: 192644
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://youtube.com/robots.txt">https://youtube.com/robots.txt</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 1186
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://youtube.com/robots.txt">https://youtube.com/robots.txt</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 361
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	<a href="https://youtube.com/robots.txt">https://youtube.com/robots.txt</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 832
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
Instances	45
Solution	<p>Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:</p> <p>Cache-Control: no-cache, no-store, must-revalidate, private          Pragma: no-cache          Expires: 0</p> <p>This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.</p>
Reference	<a href="https://tools.ietf.org/html/rfc7234">https://tools.ietf.org/html/rfc7234</a> <a href="https://tools.ietf.org/html/rfc7231">https://tools.ietf.org/html/rfc7231</a> <a href="https://www.rfc-editor.org/rfc/rfc9110.html">https://www.rfc-editor.org/rfc/rfc9110.html</a>
CWE Id	
WASC Id	
Plugin Id	<a href="#">10050</a>

Informational	Session Management Response Identified
Description	The given response has been identified as containing a session management token. The 'Other Info' field contains a set of header tokens that can be used in the Header Based Session Management Method. If the request is in a context which has a Session Management Method set to "Auto-Detect" then this rule will change the session management to use the tokens identified.
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	__cf_bm
Attack	
Evidence	jYulsy32BgG.elBQTI276Rrq_0ih4l7KBEQ6L7gBQIs-1750059579-1.0.1.1-TtCkw1ql.1xuBPu1xcoYoFAGmMORoqTUzPLUMN49nwPgjxqD2UGtFwKLBeiwcrACcbT7.QRuL7AsgDL8MV1ZEb2hHTnY41L34IRBbUBrL4
Other Info	cookie: __cf_bm
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>

Method	GET
Parameter	__cf_bm
Attack	
Evidence	kNHVmAxNiR5H2.kHzZltLw6JFcTwJcBl.an9xUbURo-1750059584-1.0.1.1-tkCjwunF36xpcBuBhHj5R21nSYruPFjAe2dqN83xCzKYmUDBes.l4p6FCVTldLwEaS9CVlzfmbiHqeOlcflUwndybCsIpFrjsEFib5u52CM
Other Info	cookie: __cf_bm
URL	<a href="https://haveibeenpwned.com/Account/">https://haveibeenpwned.com/Account/</a>
Method	GET
Parameter	ARRAffinity
Attack	
Evidence	7e9f5a86e9614e4861c7041755ac698585370f49392cff937a27ec7640cd59ec
Other Info	cookie:ARRAffinity cookie:ARRAffinitySameSite
URL	<a href="https://haveibeenpwned.com/Dashboard">https://haveibeenpwned.com/Dashboard</a>
Method	GET
Parameter	ARRAffinity
Attack	
Evidence	7e9f5a86e9614e4861c7041755ac698585370f49392cff937a27ec7640cd59ec
Other Info	cookie:ARRAffinity cookie:ARRAffinitySameSite
URL	<a href="https://haveibeenpwned.com/DPA">https://haveibeenpwned.com/DPA</a>
Method	GET
Parameter	ARRAffinity
Attack	
Evidence	7e9f5a86e9614e4861c7041755ac698585370f49392cff937a27ec7640cd59ec
Other Info	cookie:ARRAffinity cookie:ARRAffinitySameSite
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>
Method	GET
Parameter	ARRAffinity
Attack	
Evidence	7e9f5a86e9614e4861c7041755ac698585370f49392cff937a27ec7640cd59ec
Other Info	cookie:ARRAffinity cookie:ARRAffinitySameSite
URL	<a href="https://haveibeenpwned.com/robots.txt">https://haveibeenpwned.com/robots.txt</a>
Method	GET
Parameter	__cf_bm
Attack	
Evidence	QamTwfqEkw7cosUES7ZTZ_U8CTNR7ucAeOTsJAeksSs-1750059584-1.0.1.1-HUbrOP3it7dToYQATrhX1PCVzDxc6udahtEVBNIE57_MM6IQ4cCuqwz2zzeEO7IFcam0jHMrGzGV0eJMdPppnSakaP_ThIIDfcN93Mknk
Other Info	cookie: __cf_bm
URL	<a href="https://haveibeenpwned.com/sitemap.xml">https://haveibeenpwned.com/sitemap.xml</a>
Method	GET
Parameter	ARRAffinity
Attack	
Evidence	7e9f5a86e9614e4861c7041755ac698585370f49392cff937a27ec7640cd59ec
Other Info	cookie:ARRAffinity cookie:ARRAffinitySameSite cookie: __cf_bm
URL	<a href="https://haveibeenpwned.com/Subscription">https://haveibeenpwned.com/Subscription</a>
Method	GET
Parameter	ARRAffinity
Attack	
Evidence	7e9f5a86e9614e4861c7041755ac698585370f49392cff937a27ec7640cd59ec
Other Info	cookie:ARRAffinity cookie:ARRAffinitySameSite

URL	<a href="https://haveibeenpwned.com/TermsOfUse">https://haveibeenpwned.com/TermsOfUse</a>
Method	GET
Parameter	ARRAffinity
Attack	
Evidence	7e9f5a86e9614e4861c7041755ac698585370f49392cff937a27ec7640cd59ec
Other Info	cookie:ARRAffinity cookie:ARRAffinitySameSite
URL	<a href="https://haveibeenpwned.com/UnifiedSearch/">https://haveibeenpwned.com/UnifiedSearch/</a>
Method	GET
Parameter	ARRAffinity
Attack	
Evidence	7e9f5a86e9614e4861c7041755ac698585370f49392cff937a27ec7640cd59ec
Other Info	cookie:ARRAffinity cookie:ARRAffinitySameSite
URL	<a href="https://haveibeenpwned.com/Unsubscribe/">https://haveibeenpwned.com/Unsubscribe/</a>
Method	GET
Parameter	ARRAffinity
Attack	
Evidence	7e9f5a86e9614e4861c7041755ac698585370f49392cff937a27ec7640cd59ec
Other Info	cookie:ARRAffinity cookie:ARRAffinitySameSite
URL	<a href="https://haveibeenpwned.com/verify/">https://haveibeenpwned.com/verify/</a>
Method	GET
Parameter	ARRAffinity
Attack	
Evidence	7e9f5a86e9614e4861c7041755ac698585370f49392cff937a27ec7640cd59ec
Other Info	cookie:ARRAffinity cookie:ARRAffinitySameSite
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	YSC
Attack	
Evidence	8AtfzqqZBFA
Other Info	cookie:YSC cookie:__Secure-ROLLOUT_TOKEN cookie:VISITOR_INFO1_LIVE cookie:VISITOR_PRIVACY_METADATA
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	YSC
Attack	
Evidence	8ZD4AVF7IWM
Other Info	cookie:YSC cookie:__Secure-ROLLOUT_TOKEN cookie:VISITOR_INFO1_LIVE cookie:VISITOR_PRIVACY_METADATA
URL	<a href="https://www.youtube.com/">https://www.youtube.com/</a>
Method	GET
Parameter	YSC
Attack	
Evidence	ols5qqWx25Y
Other Info	cookie:YSC cookie:__Secure-ROLLOUT_TOKEN cookie:VISITOR_INFO1_LIVE cookie:VISITOR_PRIVACY_METADATA
URL	<a href="https://youtube.com">https://youtube.com</a>
Method	GET
Parameter	YSC
Attack	
Evidence	fHSgZAnEYgl
Other Info	cookie:YSC

URL	<a href="https://youtube.com/">https://youtube.com/</a>
Method	GET
Parameter	YSC
Attack	
Evidence	PuyuxkKMRBw
Other Info	cookie:YSC
Instances	18
Solution	This is an informational alert rather than a vulnerability and so there is nothing to fix.
Reference	<a href="https://www.zaproxy.org/docs/desktop/addons/authentication-helper/session-mgmt-id">https://www.zaproxy.org/docs/desktop/addons/authentication-helper/session-mgmt-id</a>
CWE Id	
WASC Id	
Plugin Id	<a href="#">10112</a>

Informational	User Agent Fuzzer
Description	Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.
URL	<a href="https://bolt.com">https://bolt.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://bolt.com">https://bolt.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://bolt.com">https://bolt.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://bolt.com">https://bolt.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://bolt.com">https://bolt.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://bolt.com">https://bolt.com</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://bolt.com">https://bolt.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://bolt.com">https://bolt.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://bolt.com">https://bolt.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://bolt.com">https://bolt.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://bolt.com">https://bolt.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://bolt.com">https://bolt.com</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://bolt.com/">https://bolt.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://bolt.com/">https://bolt.com/</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://bolt.com/">https://bolt.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://bolt.com/">https://bolt.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://bolt.com/">https://bolt.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://bolt.com/">https://bolt.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://bolt.com/">https://bolt.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://bolt.com/">https://bolt.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://bolt.com/">https://bolt.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://bolt.com/">https://bolt.com/</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://bolt.com/">https://bolt.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://bolt.com/">https://bolt.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://bolt.com/robots.txt">https://bolt.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://bolt.com/robots.txt">https://bolt.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://bolt.com/robots.txt">https://bolt.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://bolt.com/robots.txt">https://bolt.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://bolt.com/robots.txt">https://bolt.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://bolt.com/robots.txt">https://bolt.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://bolt.com/robots.txt">https://bolt.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://bolt.com/robots.txt">https://bolt.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://bolt.com/robots.txt">https://bolt.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://bolt.com/robots.txt">https://bolt.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://bolt.com/robots.txt">https://bolt.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://bolt.com/robots.txt">https://bolt.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://bolt.com/sitemap.xml">https://bolt.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://bolt.com/sitemap.xml">https://bolt.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://bolt.com/sitemap.xml">https://bolt.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://bolt.com/sitemap.xml">https://bolt.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://bolt.com/sitemap.xml">https://bolt.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://bolt.com/sitemap.xml">https://bolt.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://bolt.com/sitemap.xml">https://bolt.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://bolt.com/sitemap.xml">https://bolt.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://bolt.com/sitemap.xml">https://bolt.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://bolt.com/sitemap.xml">https://bolt.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://bolt.com/sitemap.xml">https://bolt.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://bolt.com/sitemap.xml">https://bolt.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com">https://haveibeenpwned.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com">https://haveibeenpwned.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com">https://haveibeenpwned.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com">https://haveibeenpwned.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com">https://haveibeenpwned.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com">https://haveibeenpwned.com</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com">https://haveibeenpwned.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com">https://haveibeenpwned.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com">https://haveibeenpwned.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com">https://haveibeenpwned.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com">https://haveibeenpwned.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com">https://haveibeenpwned.com</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/.well-known">https://haveibeenpwned.com/.well-known</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/.well-known">https://haveibeenpwned.com/.well-known</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/.well-known">https://haveibeenpwned.com/.well-known</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/.well-known">https://haveibeenpwned.com/.well-known</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/.well-known">https://haveibeenpwned.com/.well-known</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/.well-known">https://haveibeenpwned.com/.well-known</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/.well-known">https://haveibeenpwned.com/.well-known</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/.well-known">https://haveibeenpwned.com/.well-known</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/.well-known">https://haveibeenpwned.com/.well-known</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/.well-known">https://haveibeenpwned.com/.well-known</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/.well-known">https://haveibeenpwned.com/.well-known</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/.well-known">https://haveibeenpwned.com/.well-known</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/.well-known/security.txt">https://haveibeenpwned.com/.well-known/security.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/.well-known/security.txt">https://haveibeenpwned.com/.well-known/security.txt</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/.well-known/security.txt">https://haveibeenpwned.com/.well-known/security.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/About">https://haveibeenpwned.com/About</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/About">https://haveibeenpwned.com/About</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/About">https://haveibeenpwned.com/About</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/About">https://haveibeenpwned.com/About</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/About">https://haveibeenpwned.com/About</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/About">https://haveibeenpwned.com/About</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/About">https://haveibeenpwned.com/About</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/About">https://haveibeenpwned.com/About</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/About">https://haveibeenpwned.com/About</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/About">https://haveibeenpwned.com/About</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/About">https://haveibeenpwned.com/About</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/About">https://haveibeenpwned.com/About</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account">https://haveibeenpwned.com/Account</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account">https://haveibeenpwned.com/Account</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account">https://haveibeenpwned.com/Account</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account">https://haveibeenpwned.com/Account</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account">https://haveibeenpwned.com/Account</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account">https://haveibeenpwned.com/Account</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account">https://haveibeenpwned.com/Account</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account">https://haveibeenpwned.com/Account</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account">https://haveibeenpwned.com/Account</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account">https://haveibeenpwned.com/Account</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account">https://haveibeenpwned.com/Account</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account">https://haveibeenpwned.com/Account</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account/">https://haveibeenpwned.com/Account/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account/">https://haveibeenpwned.com/Account/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account/">https://haveibeenpwned.com/Account/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account/">https://haveibeenpwned.com/Account/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account/">https://haveibeenpwned.com/Account/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account/">https://haveibeenpwned.com/Account/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account/">https://haveibeenpwned.com/Account/</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account/">https://haveibeenpwned.com/Account/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account/">https://haveibeenpwned.com/Account/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account/">https://haveibeenpwned.com/Account/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account/">https://haveibeenpwned.com/Account/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Account/">https://haveibeenpwned.com/Account/</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API">https://haveibeenpwned.com/API</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API">https://haveibeenpwned.com/API</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API">https://haveibeenpwned.com/API</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API">https://haveibeenpwned.com/API</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API">https://haveibeenpwned.com/API</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API">https://haveibeenpwned.com/API</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API">https://haveibeenpwned.com/API</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API">https://haveibeenpwned.com/API</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API">https://haveibeenpwned.com/API</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API">https://haveibeenpwned.com/API</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API">https://haveibeenpwned.com/API</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API">https://haveibeenpwned.com/API</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/Key">https://haveibeenpwned.com/API/Key</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/Key">https://haveibeenpwned.com/API/Key</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/Key">https://haveibeenpwned.com/API/Key</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/Key">https://haveibeenpwned.com/API/Key</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/Key">https://haveibeenpwned.com/API/Key</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/Key">https://haveibeenpwned.com/API/Key</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/Key">https://haveibeenpwned.com/API/Key</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/Key">https://haveibeenpwned.com/API/Key</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/Key">https://haveibeenpwned.com/API/Key</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/Key">https://haveibeenpwned.com/API/Key</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/Key">https://haveibeenpwned.com/API/Key</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/Key">https://haveibeenpwned.com/API/Key</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/v3">https://haveibeenpwned.com/API/v3</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/v3">https://haveibeenpwned.com/API/v3</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/v3">https://haveibeenpwned.com/API/v3</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/v3">https://haveibeenpwned.com/API/v3</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/v3">https://haveibeenpwned.com/API/v3</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/V3">https://haveibeenpwned.com/API/V3</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/V3">https://haveibeenpwned.com/API/V3</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/v3">https://haveibeenpwned.com/API/v3</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/V3">https://haveibeenpwned.com/API/V3</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/V3">https://haveibeenpwned.com/API/V3</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/V3">https://haveibeenpwned.com/API/V3</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/API/v3">https://haveibeenpwned.com/API/v3</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breach">https://haveibeenpwned.com/api/v3/breach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breach">https://haveibeenpwned.com/api/v3/breach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breach">https://haveibeenpwned.com/api/v3/breach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breach">https://haveibeenpwned.com/api/v3/breach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breach">https://haveibeenpwned.com/api/v3/breach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breach">https://haveibeenpwned.com/api/v3/breach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breach">https://haveibeenpwned.com/api/v3/breach</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breach">https://haveibeenpwned.com/api/v3/breach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breach">https://haveibeenpwned.com/api/v3/breach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breach">https://haveibeenpwned.com/api/v3/breach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breach">https://haveibeenpwned.com/api/v3/breach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breach">https://haveibeenpwned.com/api/v3/breach</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breach/Adobe">https://haveibeenpwned.com/api/v3/breach/Adobe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breach/Adobe">https://haveibeenpwned.com/api/v3/breach/Adobe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breach/Adobe">https://haveibeenpwned.com/api/v3/breach/Adobe</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breaches">https://haveibeenpwned.com/api/v3/breaches</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breaches">https://haveibeenpwned.com/api/v3/breaches</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breaches">https://haveibeenpwned.com/api/v3/breaches</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breaches?Domain=adobe.com">https://haveibeenpwned.com/api/v3/breaches?Domain=adobe.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breaches?Domain=adobe.com">https://haveibeenpwned.com/api/v3/breaches?Domain=adobe.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breaches?Domain=adobe.com">https://haveibeenpwned.com/api/v3/breaches?Domain=adobe.com</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breaches?IsSpamList=true">https://haveibeenpwned.com/api/v3/breaches?IsSpamList=true</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/breaches?IsSpamList=true">https://haveibeenpwned.com/api/v3/breaches?IsSpamList=true</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/api/v3/breaches?IsSpamList=true">https://haveibeenpwned.com/api/v3/breaches?IsSpamList=true</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/dataclasses">https://haveibeenpwned.com/api/v3/dataclasses</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/dataclasses">https://haveibeenpwned.com/api/v3/dataclasses</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/dataclasses">https://haveibeenpwned.com/api/v3/dataclasses</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/latestbreach">https://haveibeenpwned.com/api/v3/latestbreach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/latestbreach">https://haveibeenpwned.com/api/v3/latestbreach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/api/v3/latestbreach">https://haveibeenpwned.com/api/v3/latestbreach</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/apple-touch-icon-120x120.png">https://haveibeenpwned.com/apple-touch-icon-120x120.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/apple-touch-icon-120x120.png">https://haveibeenpwned.com/apple-touch-icon-120x120.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/apple-touch-icon-120x120.png">https://haveibeenpwned.com/apple-touch-icon-120x120.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/apple-touch-icon-152x152.png">https://haveibeenpwned.com/apple-touch-icon-152x152.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/apple-touch-icon-152x152.png">https://haveibeenpwned.com/apple-touch-icon-152x152.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/apple-touch-icon-152x152.png">https://haveibeenpwned.com/apple-touch-icon-152x152.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/apple-touch-icon-180x180.png">https://haveibeenpwned.com/apple-touch-icon-180x180.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/apple-touch-icon-180x180.png">https://haveibeenpwned.com/apple-touch-icon-180x180.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/apple-touch-icon-180x180.png">https://haveibeenpwned.com/apple-touch-icon-180x180.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/apple-touch-icon-180x180.png">https://haveibeenpwned.com/apple-touch-icon-180x180.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/apple-touch-icon-57x57.png">https://haveibeenpwned.com/apple-touch-icon-57x57.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/apple-touch-icon-57x57.png">https://haveibeenpwned.com/apple-touch-icon-57x57.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/apple-touch-icon-57x57.png">https://haveibeenpwned.com/apple-touch-icon-57x57.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/apple-touch-icon-76x76.png">https://haveibeenpwned.com/apple-touch-icon-76x76.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/apple-touch-icon-76x76.png">https://haveibeenpwned.com/apple-touch-icon-76x76.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/apple-touch-icon-76x76.png">https://haveibeenpwned.com/apple-touch-icon-76x76.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/apple-touch-icon.png">https://haveibeenpwned.com/apple-touch-icon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/apple-touch-icon.png">https://haveibeenpwned.com/apple-touch-icon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/apple-touch-icon.png">https://haveibeenpwned.com/apple-touch-icon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach">https://haveibeenpwned.com/Breach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach">https://haveibeenpwned.com/Breach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach">https://haveibeenpwned.com/Breach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach">https://haveibeenpwned.com/Breach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach">https://haveibeenpwned.com/Breach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach">https://haveibeenpwned.com/Breach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach">https://haveibeenpwned.com/Breach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach">https://haveibeenpwned.com/Breach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach">https://haveibeenpwned.com/Breach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach">https://haveibeenpwned.com/Breach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach">https://haveibeenpwned.com/Breach</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach">https://haveibeenpwned.com/Breach</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/000WebHost">https://haveibeenpwned.com/Breach/000WebHost</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/000WebHost">https://haveibeenpwned.com/Breach/000WebHost</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/000WebHost">https://haveibeenpwned.com/Breach/000WebHost</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/000WebHost">https://haveibeenpwned.com/Breach/000WebHost</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/000webhost">https://haveibeenpwned.com/Breach/000webhost</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/000webhost">https://haveibeenpwned.com/Breach/000webhost</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/000webhost">https://haveibeenpwned.com/Breach/000webhost</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/000webhost">https://haveibeenpwned.com/Breach/000webhost</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/000webhost">https://haveibeenpwned.com/Breach/000webhost</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/000webhost">https://haveibeenpwned.com/Breach/000webhost</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/000webhost">https://haveibeenpwned.com/Breach/000webhost</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/000webhost">https://haveibeenpwned.com/Breach/000webhost</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/123RF">https://haveibeenpwned.com/Breach/123RF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/123RF">https://haveibeenpwned.com/Breach/123RF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/123RF">https://haveibeenpwned.com/Breach/123RF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/123RF">https://haveibeenpwned.com/Breach/123RF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/123RF">https://haveibeenpwned.com/Breach/123RF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/123RF">https://haveibeenpwned.com/Breach/123RF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/123RF">https://haveibeenpwned.com/Breach/123RF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/123RF">https://haveibeenpwned.com/Breach/123RF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/123RF">https://haveibeenpwned.com/Breach/123RF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/123RF">https://haveibeenpwned.com/Breach/123RF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/123RF">https://haveibeenpwned.com/Breach/123RF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/123RF">https://haveibeenpwned.com/Breach/123RF</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/126">https://haveibeenpwned.com/Breach/126</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/126">https://haveibeenpwned.com/Breach/126</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/126">https://haveibeenpwned.com/Breach/126</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/126">https://haveibeenpwned.com/Breach/126</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/126">https://haveibeenpwned.com/Breach/126</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/126">https://haveibeenpwned.com/Breach/126</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/126">https://haveibeenpwned.com/Breach/126</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/126">https://haveibeenpwned.com/Breach/126</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/126">https://haveibeenpwned.com/Breach/126</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/126">https://haveibeenpwned.com/Breach/126</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/126">https://haveibeenpwned.com/Breach/126</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/126">https://haveibeenpwned.com/Breach/126</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/17173">https://haveibeenpwned.com/Breach/17173</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17173">https://haveibeenpwned.com/Breach/17173</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17173">https://haveibeenpwned.com/Breach/17173</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17173">https://haveibeenpwned.com/Breach/17173</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17173">https://haveibeenpwned.com/Breach/17173</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17173">https://haveibeenpwned.com/Breach/17173</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17173">https://haveibeenpwned.com/Breach/17173</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17173">https://haveibeenpwned.com/Breach/17173</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17173">https://haveibeenpwned.com/Breach/17173</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17173">https://haveibeenpwned.com/Breach/17173</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17173">https://haveibeenpwned.com/Breach/17173</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17173">https://haveibeenpwned.com/Breach/17173</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17Media">https://haveibeenpwned.com/Breach/17Media</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17Media">https://haveibeenpwned.com/Breach/17Media</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17Media">https://haveibeenpwned.com/Breach/17Media</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17Media">https://haveibeenpwned.com/Breach/17Media</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17Media">https://haveibeenpwned.com/Breach/17Media</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17Media">https://haveibeenpwned.com/Breach/17Media</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17Media">https://haveibeenpwned.com/Breach/17Media</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17Media">https://haveibeenpwned.com/Breach/17Media</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17Media">https://haveibeenpwned.com/Breach/17Media</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17Media">https://haveibeenpwned.com/Breach/17Media</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17Media">https://haveibeenpwned.com/Breach/17Media</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/17Media">https://haveibeenpwned.com/Breach/17Media</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/1win">https://haveibeenpwned.com/Breach/1win</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/1win">https://haveibeenpwned.com/Breach/1win</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/1win">https://haveibeenpwned.com/Breach/1win</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/1win">https://haveibeenpwned.com/Breach/1win</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/1win">https://haveibeenpwned.com/Breach/1win</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/1win">https://haveibeenpwned.com/Breach/1win</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/1win">https://haveibeenpwned.com/Breach/1win</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/1win">https://haveibeenpwned.com/Breach/1win</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/1win">https://haveibeenpwned.com/Breach/1win</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/1win">https://haveibeenpwned.com/Breach/1win</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/1win">https://haveibeenpwned.com/Breach/1win</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/1win">https://haveibeenpwned.com/Breach/1win</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2844Breaches">https://haveibeenpwned.com/Breach/2844Breaches</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2844Breaches">https://haveibeenpwned.com/Breach/2844Breaches</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2844Breaches">https://haveibeenpwned.com/Breach/2844Breaches</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2844Breaches">https://haveibeenpwned.com/Breach/2844Breaches</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2844Breaches">https://haveibeenpwned.com/Breach/2844Breaches</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2844Breaches">https://haveibeenpwned.com/Breach/2844Breaches</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2844Breaches">https://haveibeenpwned.com/Breach/2844Breaches</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2844Breaches">https://haveibeenpwned.com/Breach/2844Breaches</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2844Breaches">https://haveibeenpwned.com/Breach/2844Breaches</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2844Breaches">https://haveibeenpwned.com/Breach/2844Breaches</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2844Breaches">https://haveibeenpwned.com/Breach/2844Breaches</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2844Breaches">https://haveibeenpwned.com/Breach/2844Breaches</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2fast4u">https://haveibeenpwned.com/Breach/2fast4u</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2fast4u">https://haveibeenpwned.com/Breach/2fast4u</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2fast4u">https://haveibeenpwned.com/Breach/2fast4u</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2fast4u">https://haveibeenpwned.com/Breach/2fast4u</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2fast4u">https://haveibeenpwned.com/Breach/2fast4u</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2fast4u">https://haveibeenpwned.com/Breach/2fast4u</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2fast4u">https://haveibeenpwned.com/Breach/2fast4u</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2fast4u">https://haveibeenpwned.com/Breach/2fast4u</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2fast4u">https://haveibeenpwned.com/Breach/2fast4u</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2fast4u">https://haveibeenpwned.com/Breach/2fast4u</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2fast4u">https://haveibeenpwned.com/Breach/2fast4u</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/2fast4u">https://haveibeenpwned.com/Breach/2fast4u</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/500px">https://haveibeenpwned.com/Breach/500px</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/500px">https://haveibeenpwned.com/Breach/500px</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/500px">https://haveibeenpwned.com/Breach/500px</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/500px">https://haveibeenpwned.com/Breach/500px</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/500px">https://haveibeenpwned.com/Breach/500px</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/500px">https://haveibeenpwned.com/Breach/500px</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/500px">https://haveibeenpwned.com/Breach/500px</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/500px">https://haveibeenpwned.com/Breach/500px</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/500px">https://haveibeenpwned.com/Breach/500px</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/500px">https://haveibeenpwned.com/Breach/500px</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/500px">https://haveibeenpwned.com/Breach/500px</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/500px">https://haveibeenpwned.com/Breach/500px</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/7k7k">https://haveibeenpwned.com/Breach/7k7k</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/7k7k">https://haveibeenpwned.com/Breach/7k7k</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/7k7k">https://haveibeenpwned.com/Breach/7k7k</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/7k7k">https://haveibeenpwned.com/Breach/7k7k</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/7k7k">https://haveibeenpwned.com/Breach/7k7k</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/7k7k">https://haveibeenpwned.com/Breach/7k7k</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/7k7k">https://haveibeenpwned.com/Breach/7k7k</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/7k7k">https://haveibeenpwned.com/Breach/7k7k</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/7k7k">https://haveibeenpwned.com/Breach/7k7k</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/7k7k">https://haveibeenpwned.com/Breach/7k7k</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/7k7k">https://haveibeenpwned.com/Breach/7k7k</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/7k7k">https://haveibeenpwned.com/Breach/7k7k</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8fit">https://haveibeenpwned.com/Breach/8fit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8fit">https://haveibeenpwned.com/Breach/8fit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8fit">https://haveibeenpwned.com/Breach/8fit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8fit">https://haveibeenpwned.com/Breach/8fit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8fit">https://haveibeenpwned.com/Breach/8fit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8fit">https://haveibeenpwned.com/Breach/8fit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8fit">https://haveibeenpwned.com/Breach/8fit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8fit">https://haveibeenpwned.com/Breach/8fit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8fit">https://haveibeenpwned.com/Breach/8fit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8fit">https://haveibeenpwned.com/Breach/8fit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8fit">https://haveibeenpwned.com/Breach/8fit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8fit">https://haveibeenpwned.com/Breach/8fit</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8tracks">https://haveibeenpwned.com/Breach/8tracks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8tracks">https://haveibeenpwned.com/Breach/8tracks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8tracks">https://haveibeenpwned.com/Breach/8tracks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8tracks">https://haveibeenpwned.com/Breach/8tracks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8tracks">https://haveibeenpwned.com/Breach/8tracks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8tracks">https://haveibeenpwned.com/Breach/8tracks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8tracks">https://haveibeenpwned.com/Breach/8tracks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8tracks">https://haveibeenpwned.com/Breach/8tracks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8tracks">https://haveibeenpwned.com/Breach/8tracks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8tracks">https://haveibeenpwned.com/Breach/8tracks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8tracks">https://haveibeenpwned.com/Breach/8tracks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/8tracks">https://haveibeenpwned.com/Breach/8tracks</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/9Lives">https://haveibeenpwned.com/Breach/9Lives</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/9Lives">https://haveibeenpwned.com/Breach/9Lives</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/9Lives">https://haveibeenpwned.com/Breach/9Lives</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/9Lives">https://haveibeenpwned.com/Breach/9Lives</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/9Lives">https://haveibeenpwned.com/Breach/9Lives</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/9Lives">https://haveibeenpwned.com/Breach/9Lives</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/9Lives">https://haveibeenpwned.com/Breach/9Lives</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/9Lives">https://haveibeenpwned.com/Breach/9Lives</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/9Lives">https://haveibeenpwned.com/Breach/9Lives</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/9Lives">https://haveibeenpwned.com/Breach/9Lives</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/9Lives">https://haveibeenpwned.com/Breach/9Lives</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/9Lives">https://haveibeenpwned.com/Breach/9Lives</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia">https://haveibeenpwned.com/Breach/Abandonia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia">https://haveibeenpwned.com/Breach/Abandonia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia">https://haveibeenpwned.com/Breach/Abandonia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia">https://haveibeenpwned.com/Breach/Abandonia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia">https://haveibeenpwned.com/Breach/Abandonia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia">https://haveibeenpwned.com/Breach/Abandonia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia">https://haveibeenpwned.com/Breach/Abandonia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia">https://haveibeenpwned.com/Breach/Abandonia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia">https://haveibeenpwned.com/Breach/Abandonia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia">https://haveibeenpwned.com/Breach/Abandonia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia">https://haveibeenpwned.com/Breach/Abandonia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia">https://haveibeenpwned.com/Breach/Abandonia</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia2022">https://haveibeenpwned.com/Breach/Abandonia2022</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia2022">https://haveibeenpwned.com/Breach/Abandonia2022</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia2022">https://haveibeenpwned.com/Breach/Abandonia2022</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia2022">https://haveibeenpwned.com/Breach/Abandonia2022</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia2022">https://haveibeenpwned.com/Breach/Abandonia2022</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia2022">https://haveibeenpwned.com/Breach/Abandonia2022</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia2022">https://haveibeenpwned.com/Breach/Abandonia2022</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia2022">https://haveibeenpwned.com/Breach/Abandonia2022</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia2022">https://haveibeenpwned.com/Breach/Abandonia2022</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia2022">https://haveibeenpwned.com/Breach/Abandonia2022</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia2022">https://haveibeenpwned.com/Breach/Abandonia2022</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Abandonia2022">https://haveibeenpwned.com/Breach/Abandonia2022</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ABFRL">https://haveibeenpwned.com/Breach/ABFRL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ABFRL">https://haveibeenpwned.com/Breach/ABFRL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ABFRL">https://haveibeenpwned.com/Breach/ABFRL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ABFRL">https://haveibeenpwned.com/Breach/ABFRL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ABFRL">https://haveibeenpwned.com/Breach/ABFRL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ABFRL">https://haveibeenpwned.com/Breach/ABFRL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ABFRL">https://haveibeenpwned.com/Breach/ABFRL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ABFRL">https://haveibeenpwned.com/Breach/ABFRL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ABFRL">https://haveibeenpwned.com/Breach/ABFRL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/ABFRL">https://haveibeenpwned.com/Breach/ABFRL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ABFRL">https://haveibeenpwned.com/Breach/ABFRL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ABFRL">https://haveibeenpwned.com/Breach/ABFRL</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AbuseWithUs">https://haveibeenpwned.com/Breach/AbuseWithUs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AbuseWithUs">https://haveibeenpwned.com/Breach/AbuseWithUs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AbuseWithUs">https://haveibeenpwned.com/Breach/AbuseWithUs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AbuseWithUs">https://haveibeenpwned.com/Breach/AbuseWithUs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AbuseWithUs">https://haveibeenpwned.com/Breach/AbuseWithUs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/AbuseWithUs">https://haveibeenpwned.com/Breach/AbuseWithUs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AbuseWithUs">https://haveibeenpwned.com/Breach/AbuseWithUs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AbuseWithUs">https://haveibeenpwned.com/Breach/AbuseWithUs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AbuseWithUs">https://haveibeenpwned.com/Breach/AbuseWithUs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AbuseWithUs">https://haveibeenpwned.com/Breach/AbuseWithUs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AbuseWithUs">https://haveibeenpwned.com/Breach/AbuseWithUs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AbuseWithUs">https://haveibeenpwned.com/Breach/AbuseWithUs</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AcneOrg">https://haveibeenpwned.com/Breach/AcneOrg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/AcneOrg">https://haveibeenpwned.com/Breach/AcneOrg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AcneOrg">https://haveibeenpwned.com/Breach/AcneOrg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AcneOrg">https://haveibeenpwned.com/Breach/AcneOrg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AcneOrg">https://haveibeenpwned.com/Breach/AcneOrg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AcneOrg">https://haveibeenpwned.com/Breach/AcneOrg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AcneOrg">https://haveibeenpwned.com/Breach/AcneOrg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AcneOrg">https://haveibeenpwned.com/Breach/AcneOrg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AcneOrg">https://haveibeenpwned.com/Breach/AcneOrg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AcneOrg">https://haveibeenpwned.com/Breach/AcneOrg</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AcneOrg">https://haveibeenpwned.com/Breach/AcneOrg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AcneOrg">https://haveibeenpwned.com/Breach/AcneOrg</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Activision">https://haveibeenpwned.com/Breach/Activision</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Activision">https://haveibeenpwned.com/Breach/Activision</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Activision">https://haveibeenpwned.com/Breach/Activision</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Activision">https://haveibeenpwned.com/Breach/Activision</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Activision">https://haveibeenpwned.com/Breach/Activision</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Activision">https://haveibeenpwned.com/Breach/Activision</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Activision">https://haveibeenpwned.com/Breach/Activision</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Activision">https://haveibeenpwned.com/Breach/Activision</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Activision">https://haveibeenpwned.com/Breach/Activision</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Activision">https://haveibeenpwned.com/Breach/Activision</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Activision">https://haveibeenpwned.com/Breach/Activision</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Activision">https://haveibeenpwned.com/Breach/Activision</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ActMobile">https://haveibeenpwned.com/Breach/ActMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ActMobile">https://haveibeenpwned.com/Breach/ActMobile</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ActMobile">https://haveibeenpwned.com/Breach/ActMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ActMobile">https://haveibeenpwned.com/Breach/ActMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ActMobile">https://haveibeenpwned.com/Breach/ActMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ActMobile">https://haveibeenpwned.com/Breach/ActMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ActMobile">https://haveibeenpwned.com/Breach/ActMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ActMobile">https://haveibeenpwned.com/Breach/ActMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ActMobile">https://haveibeenpwned.com/Breach/ActMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ActMobile">https://haveibeenpwned.com/Breach/ActMobile</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ActMobile">https://haveibeenpwned.com/Breach/ActMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ActMobile">https://haveibeenpwned.com/Breach/ActMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Acuity">https://haveibeenpwned.com/Breach/Acuity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Acuity">https://haveibeenpwned.com/Breach/Acuity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Acuity">https://haveibeenpwned.com/Breach/Acuity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Acuity">https://haveibeenpwned.com/Breach/Acuity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Acuity">https://haveibeenpwned.com/Breach/Acuity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Acuity">https://haveibeenpwned.com/Breach/Acuity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Acuity">https://haveibeenpwned.com/Breach/Acuity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Acuity">https://haveibeenpwned.com/Breach/Acuity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Acuity">https://haveibeenpwned.com/Breach/Acuity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Acuity">https://haveibeenpwned.com/Breach/Acuity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Acuity">https://haveibeenpwned.com/Breach/Acuity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Acuity">https://haveibeenpwned.com/Breach/Acuity</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adapt">https://haveibeenpwned.com/Breach/Adapt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Adapt">https://haveibeenpwned.com/Breach/Adapt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adapt">https://haveibeenpwned.com/Breach/Adapt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adapt">https://haveibeenpwned.com/Breach/Adapt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adapt">https://haveibeenpwned.com/Breach/Adapt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adapt">https://haveibeenpwned.com/Breach/Adapt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adapt">https://haveibeenpwned.com/Breach/Adapt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adapt">https://haveibeenpwned.com/Breach/Adapt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adapt">https://haveibeenpwned.com/Breach/Adapt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Adapt">https://haveibeenpwned.com/Breach/Adapt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adapt">https://haveibeenpwned.com/Breach/Adapt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adapt">https://haveibeenpwned.com/Breach/Adapt</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adecco">https://haveibeenpwned.com/Breach/Adecco</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adecco">https://haveibeenpwned.com/Breach/Adecco</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adecco">https://haveibeenpwned.com/Breach/Adecco</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adecco">https://haveibeenpwned.com/Breach/Adecco</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adecco">https://haveibeenpwned.com/Breach/Adecco</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adecco">https://haveibeenpwned.com/Breach/Adecco</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adecco">https://haveibeenpwned.com/Breach/Adecco</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adecco">https://haveibeenpwned.com/Breach/Adecco</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adecco">https://haveibeenpwned.com/Breach/Adecco</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adecco">https://haveibeenpwned.com/Breach/Adecco</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adecco">https://haveibeenpwned.com/Breach/Adecco</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adecco">https://haveibeenpwned.com/Breach/Adecco</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adobe">https://haveibeenpwned.com/Breach/Adobe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adobe">https://haveibeenpwned.com/Breach/Adobe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adobe">https://haveibeenpwned.com/Breach/Adobe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adobe">https://haveibeenpwned.com/Breach/Adobe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adobe">https://haveibeenpwned.com/Breach/Adobe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adobe">https://haveibeenpwned.com/Breach/Adobe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adobe">https://haveibeenpwned.com/Breach/Adobe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adobe">https://haveibeenpwned.com/Breach/Adobe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adobe">https://haveibeenpwned.com/Breach/Adobe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adobe">https://haveibeenpwned.com/Breach/Adobe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adobe">https://haveibeenpwned.com/Breach/Adobe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Adobe">https://haveibeenpwned.com/Breach/Adobe</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdoptMeTradingValues">https://haveibeenpwned.com/Breach/AdoptMeTradingValues</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdoptMeTradingValues">https://haveibeenpwned.com/Breach/AdoptMeTradingValues</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdoptMeTradingValues">https://haveibeenpwned.com/Breach/AdoptMeTradingValues</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdoptMeTradingValues">https://haveibeenpwned.com/Breach/AdoptMeTradingValues</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdoptMeTradingValues">https://haveibeenpwned.com/Breach/AdoptMeTradingValues</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdoptMeTradingValues">https://haveibeenpwned.com/Breach/AdoptMeTradingValues</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdoptMeTradingValues">https://haveibeenpwned.com/Breach/AdoptMeTradingValues</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdoptMeTradingValues">https://haveibeenpwned.com/Breach/AdoptMeTradingValues</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdoptMeTradingValues">https://haveibeenpwned.com/Breach/AdoptMeTradingValues</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdoptMeTradingValues">https://haveibeenpwned.com/Breach/AdoptMeTradingValues</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdoptMeTradingValues">https://haveibeenpwned.com/Breach/AdoptMeTradingValues</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdoptMeTradingValues">https://haveibeenpwned.com/Breach/AdoptMeTradingValues</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFanFiction">https://haveibeenpwned.com/Breach/AdultFanFiction</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFanFiction">https://haveibeenpwned.com/Breach/AdultFanFiction</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFanFiction">https://haveibeenpwned.com/Breach/AdultFanFiction</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFanFiction">https://haveibeenpwned.com/Breach/AdultFanFiction</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFanFiction">https://haveibeenpwned.com/Breach/AdultFanFiction</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFanFiction">https://haveibeenpwned.com/Breach/AdultFanFiction</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFanFiction">https://haveibeenpwned.com/Breach/AdultFanFiction</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFanFiction">https://haveibeenpwned.com/Breach/AdultFanFiction</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFanFiction">https://haveibeenpwned.com/Breach/AdultFanFiction</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/AdultFanFiction">https://haveibeenpwned.com/Breach/AdultFanFiction</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFanFiction">https://haveibeenpwned.com/Breach/AdultFanFiction</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFanFiction">https://haveibeenpwned.com/Breach/AdultFanFiction</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder">https://haveibeenpwned.com/Breach/AdultFriendFinder</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder">https://haveibeenpwned.com/Breach/AdultFriendFinder</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder">https://haveibeenpwned.com/Breach/AdultFriendFinder</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder">https://haveibeenpwned.com/Breach/AdultFriendFinder</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder">https://haveibeenpwned.com/Breach/AdultFriendFinder</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder">https://haveibeenpwned.com/Breach/AdultFriendFinder</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder">https://haveibeenpwned.com/Breach/AdultFriendFinder</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder">https://haveibeenpwned.com/Breach/AdultFriendFinder</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder">https://haveibeenpwned.com/Breach/AdultFriendFinder</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder">https://haveibeenpwned.com/Breach/AdultFriendFinder</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder">https://haveibeenpwned.com/Breach/AdultFriendFinder</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder">https://haveibeenpwned.com/Breach/AdultFriendFinder</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder2016">https://haveibeenpwned.com/Breach/AdultFriendFinder2016</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder2016">https://haveibeenpwned.com/Breach/AdultFriendFinder2016</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder2016">https://haveibeenpwned.com/Breach/AdultFriendFinder2016</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder2016">https://haveibeenpwned.com/Breach/AdultFriendFinder2016</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder2016">https://haveibeenpwned.com/Breach/AdultFriendFinder2016</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder2016">https://haveibeenpwned.com/Breach/AdultFriendFinder2016</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder2016">https://haveibeenpwned.com/Breach/AdultFriendFinder2016</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder2016">https://haveibeenpwned.com/Breach/AdultFriendFinder2016</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder2016">https://haveibeenpwned.com/Breach/AdultFriendFinder2016</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder2016">https://haveibeenpwned.com/Breach/AdultFriendFinder2016</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder2016">https://haveibeenpwned.com/Breach/AdultFriendFinder2016</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdultFriendFinder2016">https://haveibeenpwned.com/Breach/AdultFriendFinder2016</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdvanceAutoParts">https://haveibeenpwned.com/Breach/AdvanceAutoParts</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdvanceAutoParts">https://haveibeenpwned.com/Breach/AdvanceAutoParts</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdvanceAutoParts">https://haveibeenpwned.com/Breach/AdvanceAutoParts</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdvanceAutoParts">https://haveibeenpwned.com/Breach/AdvanceAutoParts</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdvanceAutoParts">https://haveibeenpwned.com/Breach/AdvanceAutoParts</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdvanceAutoParts">https://haveibeenpwned.com/Breach/AdvanceAutoParts</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdvanceAutoParts">https://haveibeenpwned.com/Breach/AdvanceAutoParts</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdvanceAutoParts">https://haveibeenpwned.com/Breach/AdvanceAutoParts</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdvanceAutoParts">https://haveibeenpwned.com/Breach/AdvanceAutoParts</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdvanceAutoParts">https://haveibeenpwned.com/Breach/AdvanceAutoParts</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdvanceAutoParts">https://haveibeenpwned.com/Breach/AdvanceAutoParts</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AdvanceAutoParts">https://haveibeenpwned.com/Breach/AdvanceAutoParts</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AerServ">https://haveibeenpwned.com/Breach/AerServ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AerServ">https://haveibeenpwned.com/Breach/AerServ</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AerServ">https://haveibeenpwned.com/Breach/AerServ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AerServ">https://haveibeenpwned.com/Breach/AerServ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AerServ">https://haveibeenpwned.com/Breach/AerServ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AerServ">https://haveibeenpwned.com/Breach/AerServ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AerServ">https://haveibeenpwned.com/Breach/AerServ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AerServ">https://haveibeenpwned.com/Breach/AerServ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AerServ">https://haveibeenpwned.com/Breach/AerServ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AerServ">https://haveibeenpwned.com/Breach/AerServ</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AerServ">https://haveibeenpwned.com/Breach/AerServ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AerServ">https://haveibeenpwned.com/Breach/AerServ</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AgusiQTorrents">https://haveibeenpwned.com/Breach/AgusiQTorrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AgusiQTorrents">https://haveibeenpwned.com/Breach/AgusiQTorrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AgusiQTorrents">https://haveibeenpwned.com/Breach/AgusiQTorrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AgusiQTorrents">https://haveibeenpwned.com/Breach/AgusiQTorrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AgusiQTorrents">https://haveibeenpwned.com/Breach/AgusiQTorrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AgusiQTorrents">https://haveibeenpwned.com/Breach/AgusiQTorrents</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AgusiQTorrents">https://haveibeenpwned.com/Breach/AgusiQTorrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AgusiQTorrents">https://haveibeenpwned.com/Breach/AgusiQTorrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AgusiQTorrents">https://haveibeenpwned.com/Breach/AgusiQTorrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AgusiQTorrents">https://haveibeenpwned.com/Breach/AgusiQTorrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AgusiQTorrents">https://haveibeenpwned.com/Breach/AgusiQTorrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AgusiQTorrents">https://haveibeenpwned.com/Breach/AgusiQTorrents</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AhaShare">https://haveibeenpwned.com/Breach/AhaShare</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AhaShare">https://haveibeenpwned.com/Breach/AhaShare</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AhaShare">https://haveibeenpwned.com/Breach/AhaShare</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AhaShare">https://haveibeenpwned.com/Breach/AhaShare</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AhaShare">https://haveibeenpwned.com/Breach/AhaShare</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AhaShare">https://haveibeenpwned.com/Breach/AhaShare</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AhaShare">https://haveibeenpwned.com/Breach/AhaShare</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AhaShare">https://haveibeenpwned.com/Breach/AhaShare</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AhaShare">https://haveibeenpwned.com/Breach/AhaShare</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AhaShare">https://haveibeenpwned.com/Breach/AhaShare</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AhaShare">https://haveibeenpwned.com/Breach/AhaShare</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AhaShare">https://haveibeenpwned.com/Breach/AhaShare</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aimware">https://haveibeenpwned.com/Breach/Aimware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aimware">https://haveibeenpwned.com/Breach/Aimware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aimware">https://haveibeenpwned.com/Breach/Aimware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aimware">https://haveibeenpwned.com/Breach/Aimware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aimware">https://haveibeenpwned.com/Breach/Aimware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aimware">https://haveibeenpwned.com/Breach/Aimware</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aimware">https://haveibeenpwned.com/Breach/Aimware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aimware">https://haveibeenpwned.com/Breach/Aimware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aimware">https://haveibeenpwned.com/Breach/Aimware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aimware">https://haveibeenpwned.com/Breach/Aimware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aimware">https://haveibeenpwned.com/Breach/Aimware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aimware">https://haveibeenpwned.com/Breach/Aimware</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aipai">https://haveibeenpwned.com/Breach/Aipai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aipai">https://haveibeenpwned.com/Breach/Aipai</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aipai">https://haveibeenpwned.com/Breach/Aipai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aipai">https://haveibeenpwned.com/Breach/Aipai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aipai">https://haveibeenpwned.com/Breach/Aipai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aipai">https://haveibeenpwned.com/Breach/Aipai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aipai">https://haveibeenpwned.com/Breach/Aipai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aipai">https://haveibeenpwned.com/Breach/Aipai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aipai">https://haveibeenpwned.com/Breach/Aipai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aipai">https://haveibeenpwned.com/Breach/Aipai</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aipai">https://haveibeenpwned.com/Breach/Aipai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aipai">https://haveibeenpwned.com/Breach/Aipai</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AIType">https://haveibeenpwned.com/Breach/AIType</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AIType">https://haveibeenpwned.com/Breach/AIType</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AIType">https://haveibeenpwned.com/Breach/AIType</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AIType">https://haveibeenpwned.com/Breach/AIType</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AIType">https://haveibeenpwned.com/Breach/AIType</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AIType">https://haveibeenpwned.com/Breach/AIType</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AIType">https://haveibeenpwned.com/Breach/AIType</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AIType">https://haveibeenpwned.com/Breach/AIType</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AIType">https://haveibeenpwned.com/Breach/AIType</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AIType">https://haveibeenpwned.com/Breach/AIType</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AIType">https://haveibeenpwned.com/Breach/AIType</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AIType">https://haveibeenpwned.com/Breach/AIType</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ajam">https://haveibeenpwned.com/Breach/Ajam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ajam">https://haveibeenpwned.com/Breach/Ajam</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ajam">https://haveibeenpwned.com/Breach/Ajam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ajam">https://haveibeenpwned.com/Breach/Ajam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ajam">https://haveibeenpwned.com/Breach/Ajam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ajam">https://haveibeenpwned.com/Breach/Ajam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ajam">https://haveibeenpwned.com/Breach/Ajam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ajam">https://haveibeenpwned.com/Breach/Ajam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ajam">https://haveibeenpwned.com/Breach/Ajam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ajam">https://haveibeenpwned.com/Breach/Ajam</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ajam">https://haveibeenpwned.com/Breach/Ajam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ajam">https://haveibeenpwned.com/Breach/Ajam</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AKP">https://haveibeenpwned.com/Breach/AKP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AKP">https://haveibeenpwned.com/Breach/AKP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AKP">https://haveibeenpwned.com/Breach/AKP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AKP">https://haveibeenpwned.com/Breach/AKP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AKP">https://haveibeenpwned.com/Breach/AKP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AKP">https://haveibeenpwned.com/Breach/AKP</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AKP">https://haveibeenpwned.com/Breach/AKP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AKP">https://haveibeenpwned.com/Breach/AKP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AKP">https://haveibeenpwned.com/Breach/AKP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AKP">https://haveibeenpwned.com/Breach/AKP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AKP">https://haveibeenpwned.com/Breach/AKP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AKP">https://haveibeenpwned.com/Breach/AKP</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlienStealerLogs">https://haveibeenpwned.com/Breach/AlienStealerLogs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlienStealerLogs">https://haveibeenpwned.com/Breach/AlienStealerLogs</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlienStealerLogs">https://haveibeenpwned.com/Breach/AlienStealerLogs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlienStealerLogs">https://haveibeenpwned.com/Breach/AlienStealerLogs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlienStealerLogs">https://haveibeenpwned.com/Breach/AlienStealerLogs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlienStealerLogs">https://haveibeenpwned.com/Breach/AlienStealerLogs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlienStealerLogs">https://haveibeenpwned.com/Breach/AlienStealerLogs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlienStealerLogs">https://haveibeenpwned.com/Breach/AlienStealerLogs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlienStealerLogs">https://haveibeenpwned.com/Breach/AlienStealerLogs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlienStealerLogs">https://haveibeenpwned.com/Breach/AlienStealerLogs</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlienStealerLogs">https://haveibeenpwned.com/Breach/AlienStealerLogs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlienStealerLogs">https://haveibeenpwned.com/Breach/AlienStealerLogs</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AllegedATT">https://haveibeenpwned.com/Breach/AllegedATT</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AllegedATT">https://haveibeenpwned.com/Breach/AllegedATT</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AllegedATT">https://haveibeenpwned.com/Breach/AllegedATT</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AllegedATT">https://haveibeenpwned.com/Breach/AllegedATT</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AllegedATT">https://haveibeenpwned.com/Breach/AllegedATT</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AllegedATT">https://haveibeenpwned.com/Breach/AllegedATT</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AllegedATT">https://haveibeenpwned.com/Breach/AllegedATT</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AllegedATT">https://haveibeenpwned.com/Breach/AllegedATT</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AllegedATT">https://haveibeenpwned.com/Breach/AllegedATT</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AllegedATT">https://haveibeenpwned.com/Breach/AllegedATT</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AllegedATT">https://haveibeenpwned.com/Breach/AllegedATT</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AllegedATT">https://haveibeenpwned.com/Breach/AllegedATT</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlpineReplay">https://haveibeenpwned.com/Breach/AlpineReplay</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlpineReplay">https://haveibeenpwned.com/Breach/AlpineReplay</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlpineReplay">https://haveibeenpwned.com/Breach/AlpineReplay</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlpineReplay">https://haveibeenpwned.com/Breach/AlpineReplay</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlpineReplay">https://haveibeenpwned.com/Breach/AlpineReplay</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlpineReplay">https://haveibeenpwned.com/Breach/AlpineReplay</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlpineReplay">https://haveibeenpwned.com/Breach/AlpineReplay</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlpineReplay">https://haveibeenpwned.com/Breach/AlpineReplay</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlpineReplay">https://haveibeenpwned.com/Breach/AlpineReplay</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlpineReplay">https://haveibeenpwned.com/Breach/AlpineReplay</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlpineReplay">https://haveibeenpwned.com/Breach/AlpineReplay</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AlpineReplay">https://haveibeenpwned.com/Breach/AlpineReplay</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Altenen">https://haveibeenpwned.com/Breach/Altenen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Altenen">https://haveibeenpwned.com/Breach/Altenen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Altenen">https://haveibeenpwned.com/Breach/Altenen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Altenen">https://haveibeenpwned.com/Breach/Altenen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Altenen">https://haveibeenpwned.com/Breach/Altenen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Altenen">https://haveibeenpwned.com/Breach/Altenen</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Altenen">https://haveibeenpwned.com/Breach/Altenen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Altenen">https://haveibeenpwned.com/Breach/Altenen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Altenen">https://haveibeenpwned.com/Breach/Altenen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Altenen">https://haveibeenpwned.com/Breach/Altenen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Altenen">https://haveibeenpwned.com/Breach/Altenen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Altenen">https://haveibeenpwned.com/Breach/Altenen</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AmartFurniture">https://haveibeenpwned.com/Breach/AmartFurniture</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AmartFurniture">https://haveibeenpwned.com/Breach/AmartFurniture</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AmartFurniture">https://haveibeenpwned.com/Breach/AmartFurniture</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AmartFurniture">https://haveibeenpwned.com/Breach/AmartFurniture</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AmartFurniture">https://haveibeenpwned.com/Breach/AmartFurniture</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AmartFurniture">https://haveibeenpwned.com/Breach/AmartFurniture</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AmartFurniture">https://haveibeenpwned.com/Breach/AmartFurniture</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AmartFurniture">https://haveibeenpwned.com/Breach/AmartFurniture</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AmartFurniture">https://haveibeenpwned.com/Breach/AmartFurniture</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AmartFurniture">https://haveibeenpwned.com/Breach/AmartFurniture</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AmartFurniture">https://haveibeenpwned.com/Breach/AmartFurniture</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AmartFurniture">https://haveibeenpwned.com/Breach/AmartFurniture</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ancestry">https://haveibeenpwned.com/Breach/Ancestry</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ancestry">https://haveibeenpwned.com/Breach/Ancestry</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ancestry">https://haveibeenpwned.com/Breach/Ancestry</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ancestry">https://haveibeenpwned.com/Breach/Ancestry</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ancestry">https://haveibeenpwned.com/Breach/Ancestry</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ancestry">https://haveibeenpwned.com/Breach/Ancestry</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ancestry">https://haveibeenpwned.com/Breach/Ancestry</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ancestry">https://haveibeenpwned.com/Breach/Ancestry</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ancestry">https://haveibeenpwned.com/Breach/Ancestry</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ancestry">https://haveibeenpwned.com/Breach/Ancestry</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ancestry">https://haveibeenpwned.com/Breach/Ancestry</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ancestry">https://haveibeenpwned.com/Breach/Ancestry</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidForums">https://haveibeenpwned.com/Breach/AndroidForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidForums">https://haveibeenpwned.com/Breach/AndroidForums</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidForums">https://haveibeenpwned.com/Breach/AndroidForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidForums">https://haveibeenpwned.com/Breach/AndroidForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidForums">https://haveibeenpwned.com/Breach/AndroidForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidForums">https://haveibeenpwned.com/Breach/AndroidForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidForums">https://haveibeenpwned.com/Breach/AndroidForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidForums">https://haveibeenpwned.com/Breach/AndroidForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidForums">https://haveibeenpwned.com/Breach/AndroidForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidForums">https://haveibeenpwned.com/Breach/AndroidForums</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidForums">https://haveibeenpwned.com/Breach/AndroidForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidForums">https://haveibeenpwned.com/Breach/AndroidForums</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidLista">https://haveibeenpwned.com/Breach/AndroidLista</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidLista">https://haveibeenpwned.com/Breach/AndroidLista</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidLista">https://haveibeenpwned.com/Breach/AndroidLista</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidLista">https://haveibeenpwned.com/Breach/AndroidLista</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidLista">https://haveibeenpwned.com/Breach/AndroidLista</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidLista">https://haveibeenpwned.com/Breach/AndroidLista</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidLista">https://haveibeenpwned.com/Breach/AndroidLista</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidLista">https://haveibeenpwned.com/Breach/AndroidLista</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidLista">https://haveibeenpwned.com/Breach/AndroidLista</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidLista">https://haveibeenpwned.com/Breach/AndroidLista</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidLista">https://haveibeenpwned.com/Breach/AndroidLista</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AndroidLista">https://haveibeenpwned.com/Breach/AndroidLista</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimalJam">https://haveibeenpwned.com/Breach/AnimalJam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimalJam">https://haveibeenpwned.com/Breach/AnimalJam</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimalJam">https://haveibeenpwned.com/Breach/AnimalJam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimalJam">https://haveibeenpwned.com/Breach/AnimalJam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimalJam">https://haveibeenpwned.com/Breach/AnimalJam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimalJam">https://haveibeenpwned.com/Breach/AnimalJam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimalJam">https://haveibeenpwned.com/Breach/AnimalJam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimalJam">https://haveibeenpwned.com/Breach/AnimalJam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimalJam">https://haveibeenpwned.com/Breach/AnimalJam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimalJam">https://haveibeenpwned.com/Breach/AnimalJam</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimalJam">https://haveibeenpwned.com/Breach/AnimalJam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimalJam">https://haveibeenpwned.com/Breach/AnimalJam</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeGame">https://haveibeenpwned.com/Breach/AnimeGame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeGame">https://haveibeenpwned.com/Breach/AnimeGame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeGame">https://haveibeenpwned.com/Breach/AnimeGame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeGame">https://haveibeenpwned.com/Breach/AnimeGame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeGame">https://haveibeenpwned.com/Breach/AnimeGame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeGame">https://haveibeenpwned.com/Breach/AnimeGame</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeGame">https://haveibeenpwned.com/Breach/AnimeGame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeGame">https://haveibeenpwned.com/Breach/AnimeGame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeGame">https://haveibeenpwned.com/Breach/AnimeGame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeGame">https://haveibeenpwned.com/Breach/AnimeGame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeGame">https://haveibeenpwned.com/Breach/AnimeGame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeGame">https://haveibeenpwned.com/Breach/AnimeGame</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeLeague">https://haveibeenpwned.com/Breach/AnimeLeague</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeLeague">https://haveibeenpwned.com/Breach/AnimeLeague</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeLeague">https://haveibeenpwned.com/Breach/AnimeLeague</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeLeague">https://haveibeenpwned.com/Breach/AnimeLeague</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeLeague">https://haveibeenpwned.com/Breach/AnimeLeague</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeLeague">https://haveibeenpwned.com/Breach/AnimeLeague</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeLeague">https://haveibeenpwned.com/Breach/AnimeLeague</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeLeague">https://haveibeenpwned.com/Breach/AnimeLeague</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeLeague">https://haveibeenpwned.com/Breach/AnimeLeague</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/AnimeLeague">https://haveibeenpwned.com/Breach/AnimeLeague</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeLeague">https://haveibeenpwned.com/Breach/AnimeLeague</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimeLeague">https://haveibeenpwned.com/Breach/AnimeLeague</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimePlanet">https://haveibeenpwned.com/Breach/AnimePlanet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimePlanet">https://haveibeenpwned.com/Breach/AnimePlanet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimePlanet">https://haveibeenpwned.com/Breach/AnimePlanet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimePlanet">https://haveibeenpwned.com/Breach/AnimePlanet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimePlanet">https://haveibeenpwned.com/Breach/AnimePlanet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/AnimePlanet">https://haveibeenpwned.com/Breach/AnimePlanet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimePlanet">https://haveibeenpwned.com/Breach/AnimePlanet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimePlanet">https://haveibeenpwned.com/Breach/AnimePlanet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimePlanet">https://haveibeenpwned.com/Breach/AnimePlanet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimePlanet">https://haveibeenpwned.com/Breach/AnimePlanet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimePlanet">https://haveibeenpwned.com/Breach/AnimePlanet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AnimePlanet">https://haveibeenpwned.com/Breach/AnimePlanet</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Animoto">https://haveibeenpwned.com/Breach/Animoto</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Animoto">https://haveibeenpwned.com/Breach/Animoto</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Animoto">https://haveibeenpwned.com/Breach/Animoto</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Animoto">https://haveibeenpwned.com/Breach/Animoto</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Animoto">https://haveibeenpwned.com/Breach/Animoto</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Animoto">https://haveibeenpwned.com/Breach/Animoto</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Animoto">https://haveibeenpwned.com/Breach/Animoto</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Animoto">https://haveibeenpwned.com/Breach/Animoto</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Animoto">https://haveibeenpwned.com/Breach/Animoto</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Animoto">https://haveibeenpwned.com/Breach/Animoto</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Animoto">https://haveibeenpwned.com/Breach/Animoto</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Animoto">https://haveibeenpwned.com/Breach/Animoto</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AntiPublic">https://haveibeenpwned.com/Breach/AntiPublic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AntiPublic">https://haveibeenpwned.com/Breach/AntiPublic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AntiPublic">https://haveibeenpwned.com/Breach/AntiPublic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AntiPublic">https://haveibeenpwned.com/Breach/AntiPublic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AntiPublic">https://haveibeenpwned.com/Breach/AntiPublic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/AntiPublic">https://haveibeenpwned.com/Breach/AntiPublic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AntiPublic">https://haveibeenpwned.com/Breach/AntiPublic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AntiPublic">https://haveibeenpwned.com/Breach/AntiPublic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AntiPublic">https://haveibeenpwned.com/Breach/AntiPublic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AntiPublic">https://haveibeenpwned.com/Breach/AntiPublic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AntiPublic">https://haveibeenpwned.com/Breach/AntiPublic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AntiPublic">https://haveibeenpwned.com/Breach/AntiPublic</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ApexSMS">https://haveibeenpwned.com/Breach/ApexSMS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/ApexSMS">https://haveibeenpwned.com/Breach/ApexSMS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ApexSMS">https://haveibeenpwned.com/Breach/ApexSMS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ApexSMS">https://haveibeenpwned.com/Breach/ApexSMS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ApexSMS">https://haveibeenpwned.com/Breach/ApexSMS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ApexSMS">https://haveibeenpwned.com/Breach/ApexSMS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ApexSMS">https://haveibeenpwned.com/Breach/ApexSMS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ApexSMS">https://haveibeenpwned.com/Breach/ApexSMS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ApexSMS">https://haveibeenpwned.com/Breach/ApexSMS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/ApexSMS">https://haveibeenpwned.com/Breach/ApexSMS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ApexSMS">https://haveibeenpwned.com/Breach/ApexSMS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ApexSMS">https://haveibeenpwned.com/Breach/ApexSMS</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/APKTW">https://haveibeenpwned.com/Breach/APKTW</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/APKTW">https://haveibeenpwned.com/Breach/APKTW</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/APKTW">https://haveibeenpwned.com/Breach/APKTW</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/APKTW">https://haveibeenpwned.com/Breach/APKTW</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/APKTW">https://haveibeenpwned.com/Breach/APKTW</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/APKTW">https://haveibeenpwned.com/Breach/APKTW</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/APKTW">https://haveibeenpwned.com/Breach/APKTW</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/APKTW">https://haveibeenpwned.com/Breach/APKTW</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/APKTW">https://haveibeenpwned.com/Breach/APKTW</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/APKTW">https://haveibeenpwned.com/Breach/APKTW</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/APKTW">https://haveibeenpwned.com/Breach/APKTW</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/APKTW">https://haveibeenpwned.com/Breach/APKTW</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Apollo">https://haveibeenpwned.com/Breach/Apollo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Apollo">https://haveibeenpwned.com/Breach/Apollo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Apollo">https://haveibeenpwned.com/Breach/Apollo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Apollo">https://haveibeenpwned.com/Breach/Apollo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Apollo">https://haveibeenpwned.com/Breach/Apollo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Apollo">https://haveibeenpwned.com/Breach/Apollo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Apollo">https://haveibeenpwned.com/Breach/Apollo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Apollo">https://haveibeenpwned.com/Breach/Apollo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Apollo">https://haveibeenpwned.com/Breach/Apollo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Apollo">https://haveibeenpwned.com/Breach/Apollo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Apollo">https://haveibeenpwned.com/Breach/Apollo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Apollo">https://haveibeenpwned.com/Breach/Apollo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appartoo">https://haveibeenpwned.com/Breach/Appartoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appartoo">https://haveibeenpwned.com/Breach/Appartoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appartoo">https://haveibeenpwned.com/Breach/Appartoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appartoo">https://haveibeenpwned.com/Breach/Appartoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appartoo">https://haveibeenpwned.com/Breach/Appartoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appartoo">https://haveibeenpwned.com/Breach/Appartoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appartoo">https://haveibeenpwned.com/Breach/Appartoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appartoo">https://haveibeenpwned.com/Breach/Appartoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appartoo">https://haveibeenpwned.com/Breach/Appartoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appartoo">https://haveibeenpwned.com/Breach/Appartoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appartoo">https://haveibeenpwned.com/Breach/Appartoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appartoo">https://haveibeenpwned.com/Breach/Appartoo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appen">https://haveibeenpwned.com/Breach/Appen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appen">https://haveibeenpwned.com/Breach/Appen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appen">https://haveibeenpwned.com/Breach/Appen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appen">https://haveibeenpwned.com/Breach/Appen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appen">https://haveibeenpwned.com/Breach/Appen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appen">https://haveibeenpwned.com/Breach/Appen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appen">https://haveibeenpwned.com/Breach/Appen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appen">https://haveibeenpwned.com/Breach/Appen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appen">https://haveibeenpwned.com/Breach/Appen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Appen">https://haveibeenpwned.com/Breach/Appen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appen">https://haveibeenpwned.com/Breach/Appen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Appen">https://haveibeenpwned.com/Breach/Appen</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aptoide">https://haveibeenpwned.com/Breach/Aptoide</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aptoide">https://haveibeenpwned.com/Breach/Aptoide</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aptoide">https://haveibeenpwned.com/Breach/Aptoide</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aptoide">https://haveibeenpwned.com/Breach/Aptoide</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aptoide">https://haveibeenpwned.com/Breach/Aptoide</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Aptoide">https://haveibeenpwned.com/Breach/Aptoide</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aptoide">https://haveibeenpwned.com/Breach/Aptoide</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aptoide">https://haveibeenpwned.com/Breach/Aptoide</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aptoide">https://haveibeenpwned.com/Breach/Aptoide</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aptoide">https://haveibeenpwned.com/Breach/Aptoide</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aptoide">https://haveibeenpwned.com/Breach/Aptoide</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Aptoide">https://haveibeenpwned.com/Breach/Aptoide</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmorGames">https://haveibeenpwned.com/Breach/ArmorGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmorGames">https://haveibeenpwned.com/Breach/ArmorGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmorGames">https://haveibeenpwned.com/Breach/ArmorGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmorGames">https://haveibeenpwned.com/Breach/ArmorGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmorGames">https://haveibeenpwned.com/Breach/ArmorGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmorGames">https://haveibeenpwned.com/Breach/ArmorGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmorGames">https://haveibeenpwned.com/Breach/ArmorGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmorGames">https://haveibeenpwned.com/Breach/ArmorGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmorGames">https://haveibeenpwned.com/Breach/ArmorGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/ArmorGames">https://haveibeenpwned.com/Breach/ArmorGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmorGames">https://haveibeenpwned.com/Breach/ArmorGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmorGames">https://haveibeenpwned.com/Breach/ArmorGames</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmyForceOnline">https://haveibeenpwned.com/Breach/ArmyForceOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmyForceOnline">https://haveibeenpwned.com/Breach/ArmyForceOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmyForceOnline">https://haveibeenpwned.com/Breach/ArmyForceOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmyForceOnline">https://haveibeenpwned.com/Breach/ArmyForceOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmyForceOnline">https://haveibeenpwned.com/Breach/ArmyForceOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/ArmyForceOnline">https://haveibeenpwned.com/Breach/ArmyForceOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmyForceOnline">https://haveibeenpwned.com/Breach/ArmyForceOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmyForceOnline">https://haveibeenpwned.com/Breach/ArmyForceOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmyForceOnline">https://haveibeenpwned.com/Breach/ArmyForceOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmyForceOnline">https://haveibeenpwned.com/Breach/ArmyForceOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmyForceOnline">https://haveibeenpwned.com/Breach/ArmyForceOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ArmyForceOnline">https://haveibeenpwned.com/Breach/ArmyForceOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artsy">https://haveibeenpwned.com/Breach/Artsy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artsy">https://haveibeenpwned.com/Breach/Artsy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artsy">https://haveibeenpwned.com/Breach/Artsy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artsy">https://haveibeenpwned.com/Breach/Artsy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artsy">https://haveibeenpwned.com/Breach/Artsy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artsy">https://haveibeenpwned.com/Breach/Artsy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artsy">https://haveibeenpwned.com/Breach/Artsy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artsy">https://haveibeenpwned.com/Breach/Artsy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artsy">https://haveibeenpwned.com/Breach/Artsy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Artsy">https://haveibeenpwned.com/Breach/Artsy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artsy">https://haveibeenpwned.com/Breach/Artsy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artsy">https://haveibeenpwned.com/Breach/Artsy</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artvalue">https://haveibeenpwned.com/Breach/Artvalue</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artvalue">https://haveibeenpwned.com/Breach/Artvalue</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artvalue">https://haveibeenpwned.com/Breach/Artvalue</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artvalue">https://haveibeenpwned.com/Breach/Artvalue</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artvalue">https://haveibeenpwned.com/Breach/Artvalue</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Artvalue">https://haveibeenpwned.com/Breach/Artvalue</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artvalue">https://haveibeenpwned.com/Breach/Artvalue</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artvalue">https://haveibeenpwned.com/Breach/Artvalue</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artvalue">https://haveibeenpwned.com/Breach/Artvalue</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artvalue">https://haveibeenpwned.com/Breach/Artvalue</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artvalue">https://haveibeenpwned.com/Breach/Artvalue</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Artvalue">https://haveibeenpwned.com/Breach/Artvalue</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AshleyMadison">https://haveibeenpwned.com/Breach/AshleyMadison</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/AshleyMadison">https://haveibeenpwned.com/Breach/AshleyMadison</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AshleyMadison">https://haveibeenpwned.com/Breach/AshleyMadison</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AshleyMadison">https://haveibeenpwned.com/Breach/AshleyMadison</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AshleyMadison">https://haveibeenpwned.com/Breach/AshleyMadison</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AshleyMadison">https://haveibeenpwned.com/Breach/AshleyMadison</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AshleyMadison">https://haveibeenpwned.com/Breach/AshleyMadison</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AshleyMadison">https://haveibeenpwned.com/Breach/AshleyMadison</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AshleyMadison">https://haveibeenpwned.com/Breach/AshleyMadison</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AshleyMadison">https://haveibeenpwned.com/Breach/AshleyMadison</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AshleyMadison">https://haveibeenpwned.com/Breach/AshleyMadison</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AshleyMadison">https://haveibeenpwned.com/Breach/AshleyMadison</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Astoria">https://haveibeenpwned.com/Breach/Astoria</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Astoria">https://haveibeenpwned.com/Breach/Astoria</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Astoria">https://haveibeenpwned.com/Breach/Astoria</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Astoria">https://haveibeenpwned.com/Breach/Astoria</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Astoria">https://haveibeenpwned.com/Breach/Astoria</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Astoria">https://haveibeenpwned.com/Breach/Astoria</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenowned.com/Breach/Astoria">https://haveibeenowned.com/Breach/Astoria</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenowned.com/Breach/Astoria">https://haveibeenowned.com/Breach/Astoria</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenowned.com/Breach/Astoria">https://haveibeenowned.com/Breach/Astoria</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenowned.com/Breach/Astoria">https://haveibeenowned.com/Breach/Astoria</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenowned.com/Breach/Astoria">https://haveibeenowned.com/Breach/Astoria</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenowned.com/Breach/Astoria">https://haveibeenowned.com/Breach/Astoria</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenowned.com/Breach/AstroPID">https://haveibeenowned.com/Breach/AstroPID</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/AstroPID">https://haveibeenpwned.com/Breach/AstroPID</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AstroPID">https://haveibeenpwned.com/Breach/AstroPID</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AstroPID">https://haveibeenpwned.com/Breach/AstroPID</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AstroPID">https://haveibeenpwned.com/Breach/AstroPID</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AstroPID">https://haveibeenpwned.com/Breach/AstroPID</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AstroPID">https://haveibeenpwned.com/Breach/AstroPID</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AstroPID">https://haveibeenpwned.com/Breach/AstroPID</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AstroPID">https://haveibeenpwned.com/Breach/AstroPID</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/AstroPID">https://haveibeenpwned.com/Breach/AstroPID</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AstroPID">https://haveibeenpwned.com/Breach/AstroPID</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AstroPID">https://haveibeenpwned.com/Breach/AstroPID</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Atemos">https://haveibeenpwned.com/Breach/Atemos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Atemos">https://haveibeenpwned.com/Breach/Atemos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Atemos">https://haveibeenpwned.com/Breach/Atemos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Atemos">https://haveibeenpwned.com/Breach/Atemos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Atemos">https://haveibeenpwned.com/Breach/Atemos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Atemos">https://haveibeenpwned.com/Breach/Atemos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Atemos">https://haveibeenpwned.com/Breach/Atemos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Atemos">https://haveibeenpwned.com/Breach/Atemos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Atemos">https://haveibeenpwned.com/Breach/Atemos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Atemos">https://haveibeenpwned.com/Breach/Atemos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Atemos">https://haveibeenpwned.com/Breach/Atemos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Atemos">https://haveibeenpwned.com/Breach/Atemos</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AtlasQuantum">https://haveibeenpwned.com/Breach/AtlasQuantum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/AtlasQuantum">https://haveibeenpwned.com/Breach/AtlasQuantum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AtlasQuantum">https://haveibeenpwned.com/Breach/AtlasQuantum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AtlasQuantum">https://haveibeenpwned.com/Breach/AtlasQuantum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AtlasQuantum">https://haveibeenpwned.com/Breach/AtlasQuantum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AtlasQuantum">https://haveibeenpwned.com/Breach/AtlasQuantum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AtlasQuantum">https://haveibeenpwned.com/Breach/AtlasQuantum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AtlasQuantum">https://haveibeenpwned.com/Breach/AtlasQuantum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AtlasQuantum">https://haveibeenpwned.com/Breach/AtlasQuantum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/AtlasQuantum">https://haveibeenpwned.com/Breach/AtlasQuantum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AtlasQuantum">https://haveibeenpwned.com/Breach/AtlasQuantum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AtlasQuantum">https://haveibeenpwned.com/Breach/AtlasQuantum</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Atmeltnomo">https://haveibeenpwned.com/Breach/Atmeltnomo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Atmeltnomo">https://haveibeenpwned.com/Breach/Atmeltnomo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Atmeltnomo">https://haveibeenpwned.com/Breach/Atmeltnomo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Atmeltnomo">https://haveibeenpwned.com/Breach/Atmeltnomo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Atmeltnomo">https://haveibeenpwned.com/Breach/Atmeltnomo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/AtmelTomo">https://haveibeenpwned.com/Breach/AtmelTomo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AtmelTomo">https://haveibeenpwned.com/Breach/AtmelTomo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AtmelTomo">https://haveibeenpwned.com/Breach/AtmelTomo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AtmelTomo">https://haveibeenpwned.com/Breach/AtmelTomo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AtmelTomo">https://haveibeenpwned.com/Breach/AtmelTomo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AtmelTomo">https://haveibeenpwned.com/Breach/AtmelTomo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/AtmelTomo">https://haveibeenpwned.com/Breach/AtmelTomo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Audi">https://haveibeenpwned.com/Breach/Audi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Audi">https://haveibeenpwned.com/Breach/Audi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Audi">https://haveibeenpwned.com/Breach/Audi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Audi">https://haveibeenpwned.com/Breach/Audi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Audi">https://haveibeenpwned.com/Breach/Audi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Audi">https://haveibeenpwned.com/Breach/Audi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Audi">https://haveibeenpwned.com/Breach/Audi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Audi">https://haveibeenpwned.com/Breach/Audi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Audi">https://haveibeenpwned.com/Breach/Audi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Audi">https://haveibeenpwned.com/Breach/Audi</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Audi">https://haveibeenpwned.com/Breach/Audi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Audi">https://haveibeenpwned.com/Breach/Audi</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autocentrum">https://haveibeenpwned.com/Breach/Autocentrum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autocentrum">https://haveibeenpwned.com/Breach/Autocentrum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autocentrum">https://haveibeenpwned.com/Breach/Autocentrum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autocentrum">https://haveibeenpwned.com/Breach/Autocentrum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autocentrum">https://haveibeenpwned.com/Breach/Autocentrum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Autocentrum">https://haveibeenpwned.com/Breach/Autocentrum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autocentrum">https://haveibeenpwned.com/Breach/Autocentrum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autocentrum">https://haveibeenpwned.com/Breach/Autocentrum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autocentrum">https://haveibeenpwned.com/Breach/Autocentrum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autocentrum">https://haveibeenpwned.com/Breach/Autocentrum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autocentrum">https://haveibeenpwned.com/Breach/Autocentrum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autocentrum">https://haveibeenpwned.com/Breach/Autocentrum</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autotrader">https://haveibeenpwned.com/Breach/Autotrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Autotrader">https://haveibeenpwned.com/Breach/Autotrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autotrader">https://haveibeenpwned.com/Breach/Autotrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autotrader">https://haveibeenpwned.com/Breach/Autotrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autotrader">https://haveibeenpwned.com/Breach/Autotrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autotrader">https://haveibeenpwned.com/Breach/Autotrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autotrader">https://haveibeenpwned.com/Breach/Autotrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autotrader">https://haveibeenpwned.com/Breach/Autotrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autotrader">https://haveibeenpwned.com/Breach/Autotrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Autotrader">https://haveibeenpwned.com/Breach/Autotrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autotrader">https://haveibeenpwned.com/Breach/Autotrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Autotrader">https://haveibeenpwned.com/Breach/Autotrader</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avast">https://haveibeenpwned.com/Breach/Avast</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avast">https://haveibeenpwned.com/Breach/Avast</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avast">https://haveibeenpwned.com/Breach/Avast</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avast">https://haveibeenpwned.com/Breach/Avast</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avast">https://haveibeenpwned.com/Breach/Avast</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Avast">https://haveibeenpwned.com/Breach/Avast</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avast">https://haveibeenpwned.com/Breach/Avast</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avast">https://haveibeenpwned.com/Breach/Avast</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avast">https://haveibeenpwned.com/Breach/Avast</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avast">https://haveibeenpwned.com/Breach/Avast</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avast">https://haveibeenpwned.com/Breach/Avast</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avast">https://haveibeenpwned.com/Breach/Avast</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avito">https://haveibeenpwned.com/Breach/Avito</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Avito">https://haveibeenpwned.com/Breach/Avito</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avito">https://haveibeenpwned.com/Breach/Avito</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avito">https://haveibeenpwned.com/Breach/Avito</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avito">https://haveibeenpwned.com/Breach/Avito</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avito">https://haveibeenpwned.com/Breach/Avito</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avito">https://haveibeenpwned.com/Breach/Avito</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avito">https://haveibeenpwned.com/Breach/Avito</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avito">https://haveibeenpwned.com/Breach/Avito</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avito">https://haveibeenpwned.com/Breach/Avito</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avito">https://haveibeenpwned.com/Breach/Avito</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Avito">https://haveibeenpwned.com/Breach/Avito</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Awo">https://haveibeenpwned.com/Breach/Awo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Awo">https://haveibeenpwned.com/Breach/Awo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Awo">https://haveibeenpwned.com/Breach/Awo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Awo">https://haveibeenpwned.com/Breach/Awo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Awo">https://haveibeenpwned.com/Breach/Awo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Awo">https://haveibeenpwned.com/Breach/Awo</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Awo">https://haveibeenpwned.com/Breach/Awo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Awo">https://haveibeenpwned.com/Breach/Awo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Awo">https://haveibeenpwned.com/Breach/Awo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Awo">https://haveibeenpwned.com/Breach/Awo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Awo">https://haveibeenpwned.com/Breach/Awo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Awo">https://haveibeenpwned.com/Breach/Awo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/B2BUSABusinesses">https://haveibeenpwned.com/Breach/B2BUSABusinesses</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/B2BUSABusinesses">https://haveibeenpwned.com/Breach/B2BUSABusinesses</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/B2BUSABusinesses">https://haveibeenpwned.com/Breach/B2BUSABusinesses</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/B2BUSABusinesses">https://haveibeenpwned.com/Breach/B2BUSABusinesses</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/B2BUSABusinesses">https://haveibeenpwned.com/Breach/B2BUSABusinesses</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/B2BUSABusinesses">https://haveibeenpwned.com/Breach/B2BUSABusinesses</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/B2BUSABusinesses">https://haveibeenpwned.com/Breach/B2BUSABusinesses</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/B2BUSABusinesses">https://haveibeenpwned.com/Breach/B2BUSABusinesses</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/B2BUSABusinesses">https://haveibeenpwned.com/Breach/B2BUSABusinesses</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/B2BUSABusinesses">https://haveibeenpwned.com/Breach/B2BUSABusinesses</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/B2BUSABusinesses">https://haveibeenpwned.com/Breach/B2BUSABusinesses</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/B2BUSABusinesses">https://haveibeenpwned.com/Breach/B2BUSABusinesses</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BabyNames">https://haveibeenpwned.com/Breach/BabyNames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BabyNames">https://haveibeenpwned.com/Breach/BabyNames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BabyNames">https://haveibeenpwned.com/Breach/BabyNames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BabyNames">https://haveibeenpwned.com/Breach/BabyNames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BabyNames">https://haveibeenpwned.com/Breach/BabyNames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BabyNames">https://haveibeenpwned.com/Breach/BabyNames</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BabyNames">https://haveibeenpwned.com/Breach/BabyNames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BabyNames">https://haveibeenpwned.com/Breach/BabyNames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BabyNames">https://haveibeenpwned.com/Breach/BabyNames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BabyNames">https://haveibeenpwned.com/Breach/BabyNames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BabyNames">https://haveibeenpwned.com/Breach/BabyNames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BabyNames">https://haveibeenpwned.com/Breach/BabyNames</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Badoo">https://haveibeenpwned.com/Breach/Badoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Badoo">https://haveibeenpwned.com/Breach/Badoo</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Badoo">https://haveibeenpwned.com/Breach/Badoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Badoo">https://haveibeenpwned.com/Breach/Badoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Badoo">https://haveibeenpwned.com/Breach/Badoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Badoo">https://haveibeenpwned.com/Breach/Badoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Badoo">https://haveibeenpwned.com/Breach/Badoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Badoo">https://haveibeenpwned.com/Breach/Badoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Badoo">https://haveibeenpwned.com/Breach/Badoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Badoo">https://haveibeenpwned.com/Breach/Badoo</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Badoo">https://haveibeenpwned.com/Breach/Badoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Badoo">https://haveibeenpwned.com/Breach/Badoo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BannerBit">https://haveibeenpwned.com/Breach/BannerBit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BannerBit">https://haveibeenpwned.com/Breach/BannerBit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BannerBit">https://haveibeenpwned.com/Breach/BannerBit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BannerBit">https://haveibeenpwned.com/Breach/BannerBit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BannerBit">https://haveibeenpwned.com/Breach/BannerBit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BannerBit">https://haveibeenpwned.com/Breach/BannerBit</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BannerBit">https://haveibeenpwned.com/Breach/BannerBit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BannerBit">https://haveibeenpwned.com/Breach/BannerBit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BannerBit">https://haveibeenpwned.com/Breach/BannerBit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BannerBit">https://haveibeenpwned.com/Breach/BannerBit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BannerBit">https://haveibeenpwned.com/Breach/BannerBit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BannerBit">https://haveibeenpwned.com/Breach/BannerBit</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Banorte">https://haveibeenpwned.com/Breach/Banorte</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Banorte">https://haveibeenpwned.com/Breach/Banorte</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Banorte">https://haveibeenpwned.com/Breach/Banorte</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Banorte">https://haveibeenpwned.com/Breach/Banorte</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Banorte">https://haveibeenpwned.com/Breach/Banorte</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Banorte">https://haveibeenpwned.com/Breach/Banorte</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Banorte">https://haveibeenpwned.com/Breach/Banorte</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Banorte">https://haveibeenpwned.com/Breach/Banorte</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Banorte">https://haveibeenpwned.com/Breach/Banorte</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Banorte">https://haveibeenpwned.com/Breach/Banorte</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Banorte">https://haveibeenpwned.com/Breach/Banorte</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Banorte">https://haveibeenpwned.com/Breach/Banorte</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BattlefieldHeroes">https://haveibeenpwned.com/Breach/BattlefieldHeroes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BattlefieldHeroes">https://haveibeenpwned.com/Breach/BattlefieldHeroes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BattlefieldHeroes">https://haveibeenpwned.com/Breach/BattlefieldHeroes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BattlefieldHeroes">https://haveibeenpwned.com/Breach/BattlefieldHeroes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BattlefieldHeroes">https://haveibeenpwned.com/Breach/BattlefieldHeroes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BattlefieldHeroes">https://haveibeenpwned.com/Breach/BattlefieldHeroes</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BattlefieldHeroes">https://haveibeenpwned.com/Breach/BattlefieldHeroes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BattlefieldHeroes">https://haveibeenpwned.com/Breach/BattlefieldHeroes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BattlefieldHeroes">https://haveibeenpwned.com/Breach/BattlefieldHeroes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BattlefieldHeroes">https://haveibeenpwned.com/Breach/BattlefieldHeroes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BattlefieldHeroes">https://haveibeenpwned.com/Breach/BattlefieldHeroes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BattlefieldHeroes">https://haveibeenpwned.com/Breach/BattlefieldHeroes</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Battlefly">https://haveibeenpwned.com/Breach/Battlefly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Battlefly">https://haveibeenpwned.com/Breach/Battlefly</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Battlefy">https://haveibeenpwned.com/Breach/Battlefy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Battlefy">https://haveibeenpwned.com/Breach/Battlefy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Battlefy">https://haveibeenpwned.com/Breach/Battlefy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Battlefy">https://haveibeenpwned.com/Breach/Battlefy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Battlefy">https://haveibeenpwned.com/Breach/Battlefy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Battlefy">https://haveibeenpwned.com/Breach/Battlefy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Battlefy">https://haveibeenpwned.com/Breach/Battlefy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Battlefy">https://haveibeenpwned.com/Breach/Battlefy</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Battlefy">https://haveibeenpwned.com/Breach/Battlefy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Battlefy">https://haveibeenpwned.com/Breach/Battlefy</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BeautifulPeople">https://haveibeenpwned.com/Breach/BeautifulPeople</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BeautifulPeople">https://haveibeenpwned.com/Breach/BeautifulPeople</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BeautifulPeople">https://haveibeenpwned.com/Breach/BeautifulPeople</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BeautifulPeople">https://haveibeenpwned.com/Breach/BeautifulPeople</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BeautifulPeople">https://haveibeenpwned.com/Breach/BeautifulPeople</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BeautifulPeople">https://haveibeenpwned.com/Breach/BeautifulPeople</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BeautifulPeople">https://haveibeenpwned.com/Breach/BeautifulPeople</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BeautifulPeople">https://haveibeenpwned.com/Breach/BeautifulPeople</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BeautifulPeople">https://haveibeenpwned.com/Breach/BeautifulPeople</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BeautifulPeople">https://haveibeenpwned.com/Breach/BeautifulPeople</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BeautifulPeople">https://haveibeenpwned.com/Breach/BeautifulPeople</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BeautifulPeople">https://haveibeenpwned.com/Breach/BeautifulPeople</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell">https://haveibeenpwned.com/Breach/Bell</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell">https://haveibeenpwned.com/Breach/Bell</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell">https://haveibeenpwned.com/Breach/Bell</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell">https://haveibeenpwned.com/Breach/Bell</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell">https://haveibeenpwned.com/Breach/Bell</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell">https://haveibeenpwned.com/Breach/Bell</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell">https://haveibeenpwned.com/Breach/Bell</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell">https://haveibeenpwned.com/Breach/Bell</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell">https://haveibeenpwned.com/Breach/Bell</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell">https://haveibeenpwned.com/Breach/Bell</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell">https://haveibeenpwned.com/Breach/Bell</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell">https://haveibeenpwned.com/Breach/Bell</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell2017">https://haveibeenpwned.com/Breach/Bell2017</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell2017">https://haveibeenpwned.com/Breach/Bell2017</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell2017">https://haveibeenpwned.com/Breach/Bell2017</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell2017">https://haveibeenpwned.com/Breach/Bell2017</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell2017">https://haveibeenpwned.com/Breach/Bell2017</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell2017">https://haveibeenpwned.com/Breach/Bell2017</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell2017">https://haveibeenpwned.com/Breach/Bell2017</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell2017">https://haveibeenpwned.com/Breach/Bell2017</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell2017">https://haveibeenpwned.com/Breach/Bell2017</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell2017">https://haveibeenpwned.com/Breach/Bell2017</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell2017">https://haveibeenpwned.com/Breach/Bell2017</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bell2017">https://haveibeenpwned.com/Breach/Bell2017</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Benchmark">https://haveibeenpwned.com/Breach/Benchmark</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Benchmark">https://haveibeenpwned.com/Breach/Benchmark</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Benchmark">https://haveibeenpwned.com/Breach/Benchmark</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Benchmark">https://haveibeenpwned.com/Breach/Benchmark</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Benchmark">https://haveibeenpwned.com/Breach/Benchmark</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Benchmark">https://haveibeenpwned.com/Breach/Benchmark</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Benchmark">https://haveibeenpwned.com/Breach/Benchmark</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Benchmark">https://haveibeenpwned.com/Breach/Benchmark</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Benchmark">https://haveibeenpwned.com/Breach/Benchmark</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Benchmark">https://haveibeenpwned.com/Breach/Benchmark</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Benchmark">https://haveibeenpwned.com/Breach/Benchmark</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Benchmark">https://haveibeenpwned.com/Breach/Benchmark</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bestialitysextaboo">https://haveibeenpwned.com/Breach/Bestialitysextaboo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bestialitysextaboo">https://haveibeenpwned.com/Breach/Bestialitysextaboo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bestialitysextaboo">https://haveibeenpwned.com/Breach/Bestialitysextaboo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bestialitysextaboo">https://haveibeenpwned.com/Breach/Bestialitysextaboo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bestialitysextaboo">https://haveibeenpwned.com/Breach/Bestialitysextaboo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bestialitysextaboo">https://haveibeenpwned.com/Breach/Bestialitysextaboo</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bestialitysextaboo">https://haveibeenpwned.com/Breach/Bestialitysextaboo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bestialitysextaboo">https://haveibeenpwned.com/Breach/Bestialitysextaboo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bestialitysextaboo">https://haveibeenpwned.com/Breach/Bestialitysextaboo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bestialitysextaboo">https://haveibeenpwned.com/Breach/Bestialitysextaboo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bestialitysextaboo">https://haveibeenpwned.com/Breach/Bestialitysextaboo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bestialitysextaboo">https://haveibeenpwned.com/Breach/Bestialitysextaboo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bhinneka">https://haveibeenpwned.com/Breach/Bhinneka</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bhinneka">https://haveibeenpwned.com/Breach/Bhinneka</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bhinneka">https://haveibeenpwned.com/Breach/Bhinneka</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bhinneka">https://haveibeenpwned.com/Breach/Bhinneka</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bhinneka">https://haveibeenpwned.com/Breach/Bhinneka</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bhinneka">https://haveibeenpwned.com/Breach/Bhinneka</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bhinneka">https://haveibeenpwned.com/Breach/Bhinneka</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bhinneka">https://haveibeenpwned.com/Breach/Bhinneka</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bhinneka">https://haveibeenpwned.com/Breach/Bhinneka</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bhinneka">https://haveibeenpwned.com/Breach/Bhinneka</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bhinneka">https://haveibeenpwned.com/Breach/Bhinneka</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bhinneka">https://haveibeenpwned.com/Breach/Bhinneka</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/bigbasket">https://haveibeenpwned.com/Breach/bigbasket</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/bigbasket">https://haveibeenpwned.com/Breach/bigbasket</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/bigbasket">https://haveibeenpwned.com/Breach/bigbasket</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/bigbasket">https://haveibeenpwned.com/Breach/bigbasket</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/bigbasket">https://haveibeenpwned.com/Breach/bigbasket</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/bigbasket">https://haveibeenpwned.com/Breach/bigbasket</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/bigbasket">https://haveibeenpwned.com/Breach/bigbasket</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/bigbasket">https://haveibeenpwned.com/Breach/bigbasket</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/bigbasket">https://haveibeenpwned.com/Breach/bigbasket</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/bigbasket">https://haveibeenpwned.com/Breach/bigbasket</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/bigbasket">https://haveibeenpwned.com/Breach/bigbasket</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/bigbasket">https://haveibeenpwned.com/Breach/bigbasket</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BigMoneyJobs">https://haveibeenpwned.com/Breach/BigMoneyJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BigMoneyJobs">https://haveibeenpwned.com/Breach/BigMoneyJobs</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BigMoneyJobs">https://haveibeenpwned.com/Breach/BigMoneyJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BigMoneyJobs">https://haveibeenpwned.com/Breach/BigMoneyJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BigMoneyJobs">https://haveibeenpwned.com/Breach/BigMoneyJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BigMoneyJobs">https://haveibeenpwned.com/Breach/BigMoneyJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BigMoneyJobs">https://haveibeenpwned.com/Breach/BigMoneyJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BigMoneyJobs">https://haveibeenpwned.com/Breach/BigMoneyJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BigMoneyJobs">https://haveibeenpwned.com/Breach/BigMoneyJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BigMoneyJobs">https://haveibeenpwned.com/Breach/BigMoneyJobs</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BigMoneyJobs">https://haveibeenpwned.com/Breach/BigMoneyJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BigMoneyJobs">https://haveibeenpwned.com/Breach/BigMoneyJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BinWeevils">https://haveibeenpwned.com/Breach/BinWeevils</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BinWeevils">https://haveibeenpwned.com/Breach/BinWeevils</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BinWeevils">https://haveibeenpwned.com/Breach/BinWeevils</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BinWeevils">https://haveibeenpwned.com/Breach/BinWeevils</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BinWeevils">https://haveibeenpwned.com/Breach/BinWeevils</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BinWeevils">https://haveibeenpwned.com/Breach/BinWeevils</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BinWeevils">https://haveibeenpwned.com/Breach/BinWeevils</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BinWeevils">https://haveibeenpwned.com/Breach/BinWeevils</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BinWeevils">https://haveibeenpwned.com/Breach/BinWeevils</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BinWeevils">https://haveibeenpwned.com/Breach/BinWeevils</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BinWeevils">https://haveibeenpwned.com/Breach/BinWeevils</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BinWeevils">https://haveibeenpwned.com/Breach/BinWeevils</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BiohackMe">https://haveibeenpwned.com/Breach/BiohackMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BiohackMe">https://haveibeenpwned.com/Breach/BiohackMe</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BiohackMe">https://haveibeenpwned.com/Breach/BiohackMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BiohackMe">https://haveibeenpwned.com/Breach/BiohackMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BiohackMe">https://haveibeenpwned.com/Breach/BiohackMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BiohackMe">https://haveibeenpwned.com/Breach/BiohackMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BiohackMe">https://haveibeenpwned.com/Breach/BiohackMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BiohackMe">https://haveibeenpwned.com/Breach/BiohackMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BiohackMe">https://haveibeenpwned.com/Breach/BiohackMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BiohackMe">https://haveibeenpwned.com/Breach/BiohackMe</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BiohackMe">https://haveibeenpwned.com/Breach/BiohackMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BiohackMe">https://haveibeenpwned.com/Breach/BiohackMe</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitcoinTalk">https://haveibeenpwned.com/Breach/BitcoinTalk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitcoinTalk">https://haveibeenpwned.com/Breach/BitcoinTalk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitcoinTalk">https://haveibeenpwned.com/Breach/BitcoinTalk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitcoinTalk">https://haveibeenpwned.com/Breach/BitcoinTalk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitcoinTalk">https://haveibeenpwned.com/Breach/BitcoinTalk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitcoinTalk">https://haveibeenpwned.com/Breach/BitcoinTalk</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitcoinTalk">https://haveibeenpwned.com/Breach/BitcoinTalk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitcoinTalk">https://haveibeenpwned.com/Breach/BitcoinTalk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitcoinTalk">https://haveibeenpwned.com/Breach/BitcoinTalk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitcoinTalk">https://haveibeenpwned.com/Breach/BitcoinTalk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitcoinTalk">https://haveibeenpwned.com/Breach/BitcoinTalk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitcoinTalk">https://haveibeenpwned.com/Breach/BitcoinTalk</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bitly">https://haveibeenpwned.com/Breach/Bitly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bitly">https://haveibeenpwned.com/Breach/Bitly</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bitly">https://haveibeenpwned.com/Breach/Bitly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bitly">https://haveibeenpwned.com/Breach/Bitly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bitly">https://haveibeenpwned.com/Breach/Bitly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bitly">https://haveibeenpwned.com/Breach/Bitly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bitly">https://haveibeenpwned.com/Breach/Bitly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bitly">https://haveibeenpwned.com/Breach/Bitly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bitly">https://haveibeenpwned.com/Breach/Bitly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bitly">https://haveibeenpwned.com/Breach/Bitly</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bitly">https://haveibeenpwned.com/Breach/Bitly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bitly">https://haveibeenpwned.com/Breach/Bitly</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitTorrent">https://haveibeenpwned.com/Breach/BitTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitTorrent">https://haveibeenpwned.com/Breach/BitTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitTorrent">https://haveibeenpwned.com/Breach/BitTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitTorrent">https://haveibeenpwned.com/Breach/BitTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitTorrent">https://haveibeenpwned.com/Breach/BitTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitTorrent">https://haveibeenpwned.com/Breach/BitTorrent</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitTorrent">https://haveibeenpwned.com/Breach/BitTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitTorrent">https://haveibeenpwned.com/Breach/BitTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitTorrent">https://haveibeenpwned.com/Breach/BitTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitTorrent">https://haveibeenpwned.com/Breach/BitTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitTorrent">https://haveibeenpwned.com/Breach/BitTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitTorrent">https://haveibeenpwned.com/Breach/BitTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitView">https://haveibeenpwned.com/Breach/BitView</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitView">https://haveibeenpwned.com/Breach/BitView</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitView">https://haveibeenpwned.com/Breach/BitView</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitView">https://haveibeenpwned.com/Breach/BitView</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitView">https://haveibeenpwned.com/Breach/BitView</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitView">https://haveibeenpwned.com/Breach/BitView</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitView">https://haveibeenpwned.com/Breach/BitView</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitView">https://haveibeenpwned.com/Breach/BitView</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitView">https://haveibeenpwned.com/Breach/BitView</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitView">https://haveibeenpwned.com/Breach/BitView</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitView">https://haveibeenpwned.com/Breach/BitView</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BitView">https://haveibeenpwned.com/Breach/BitView</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackBerryFans">https://haveibeenpwned.com/Breach/BlackBerryFans</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackBerryFans">https://haveibeenpwned.com/Breach/BlackBerryFans</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackBerryFans">https://haveibeenpwned.com/Breach/BlackBerryFans</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackBerryFans">https://haveibeenpwned.com/Breach/BlackBerryFans</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackBerryFans">https://haveibeenpwned.com/Breach/BlackBerryFans</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackBerryFans">https://haveibeenpwned.com/Breach/BlackBerryFans</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackBerryFans">https://haveibeenpwned.com/Breach/BlackBerryFans</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackBerryFans">https://haveibeenpwned.com/Breach/BlackBerryFans</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackBerryFans">https://haveibeenpwned.com/Breach/BlackBerryFans</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackBerryFans">https://haveibeenpwned.com/Breach/BlackBerryFans</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackBerryFans">https://haveibeenpwned.com/Breach/BlackBerryFans</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackBerryFans">https://haveibeenpwned.com/Breach/BlackBerryFans</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackHatWorld">https://haveibeenpwned.com/Breach/BlackHatWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackHatWorld">https://haveibeenpwned.com/Breach/BlackHatWorld</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackHatWorld">https://haveibeenpwned.com/Breach/BlackHatWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackHatWorld">https://haveibeenpwned.com/Breach/BlackHatWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackHatWorld">https://haveibeenpwned.com/Breach/BlackHatWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackHatWorld">https://haveibeenpwned.com/Breach/BlackHatWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackHatWorld">https://haveibeenpwned.com/Breach/BlackHatWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackHatWorld">https://haveibeenpwned.com/Breach/BlackHatWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackHatWorld">https://haveibeenpwned.com/Breach/BlackHatWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackHatWorld">https://haveibeenpwned.com/Breach/BlackHatWorld</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackHatWorld">https://haveibeenpwned.com/Breach/BlackHatWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackHatWorld">https://haveibeenpwned.com/Breach/BlackHatWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackSpigotMC">https://haveibeenpwned.com/Breach/BlackSpigotMC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackSpigotMC">https://haveibeenpwned.com/Breach/BlackSpigotMC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackSpigotMC">https://haveibeenpwned.com/Breach/BlackSpigotMC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackSpigotMC">https://haveibeenpwned.com/Breach/BlackSpigotMC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackSpigotMC">https://haveibeenpwned.com/Breach/BlackSpigotMC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackSpigotMC">https://haveibeenpwned.com/Breach/BlackSpigotMC</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackSpigotMC">https://haveibeenpwned.com/Breach/BlackSpigotMC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackSpigotMC">https://haveibeenpwned.com/Breach/BlackSpigotMC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackSpigotMC">https://haveibeenpwned.com/Breach/BlackSpigotMC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackSpigotMC">https://haveibeenpwned.com/Breach/BlackSpigotMC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackSpigotMC">https://haveibeenpwned.com/Breach/BlackSpigotMC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlackSpigotMC">https://haveibeenpwned.com/Breach/BlackSpigotMC</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlankMediaGames">https://haveibeenpwned.com/Breach/BlankMediaGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlankMediaGames">https://haveibeenpwned.com/Breach/BlankMediaGames</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlankMediaGames">https://haveibeenpwned.com/Breach/BlankMediaGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlankMediaGames">https://haveibeenpwned.com/Breach/BlankMediaGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlankMediaGames">https://haveibeenpwned.com/Breach/BlankMediaGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlankMediaGames">https://haveibeenpwned.com/Breach/BlankMediaGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlankMediaGames">https://haveibeenpwned.com/Breach/BlankMediaGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlankMediaGames">https://haveibeenpwned.com/Breach/BlankMediaGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlankMediaGames">https://haveibeenpwned.com/Breach/BlankMediaGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlankMediaGames">https://haveibeenpwned.com/Breach/BlankMediaGames</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlankMediaGames">https://haveibeenpwned.com/Breach/BlankMediaGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlankMediaGames">https://haveibeenpwned.com/Breach/BlankMediaGames</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BleachAnime">https://haveibeenpwned.com/Breach/BleachAnime</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BleachAnime">https://haveibeenpwned.com/Breach/BleachAnime</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BleachAnime">https://haveibeenpwned.com/Breach/BleachAnime</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BleachAnime">https://haveibeenpwned.com/Breach/BleachAnime</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BleachAnime">https://haveibeenpwned.com/Breach/BleachAnime</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BleachAnime">https://haveibeenpwned.com/Breach/BleachAnime</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BleachAnime">https://haveibeenpwned.com/Breach/BleachAnime</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BleachAnime">https://haveibeenpwned.com/Breach/BleachAnime</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BleachAnime">https://haveibeenpwned.com/Breach/BleachAnime</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BleachAnime">https://haveibeenpwned.com/Breach/BleachAnime</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BleachAnime">https://haveibeenpwned.com/Breach/BleachAnime</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BleachAnime">https://haveibeenpwned.com/Breach/BleachAnime</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BloomsToday">https://haveibeenpwned.com/Breach/BloomsToday</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BloomsToday">https://haveibeenpwned.com/Breach/BloomsToday</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BloomsToday">https://haveibeenpwned.com/Breach/BloomsToday</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BloomsToday">https://haveibeenpwned.com/Breach/BloomsToday</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BloomsToday">https://haveibeenpwned.com/Breach/BloomsToday</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BloomsToday">https://haveibeenpwned.com/Breach/BloomsToday</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BloomsToday">https://haveibeenpwned.com/Breach/BloomsToday</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BloomsToday">https://haveibeenpwned.com/Breach/BloomsToday</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BloomsToday">https://haveibeenpwned.com/Breach/BloomsToday</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BloomsToday">https://haveibeenpwned.com/Breach/BloomsToday</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BloomsToday">https://haveibeenpwned.com/Breach/BloomsToday</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BloomsToday">https://haveibeenpwned.com/Breach/BloomsToday</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlueSnapRegpack">https://haveibeenpwned.com/Breach/BlueSnapRegpack</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlueSnapRegpack">https://haveibeenpwned.com/Breach/BlueSnapRegpack</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlueSnapRegpack">https://haveibeenpwned.com/Breach/BlueSnapRegpack</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlueSnapRegpack">https://haveibeenpwned.com/Breach/BlueSnapRegpack</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlueSnapRegpack">https://haveibeenpwned.com/Breach/BlueSnapRegpack</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlueSnapRegpack">https://haveibeenpwned.com/Breach/BlueSnapRegpack</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlueSnapRegpack">https://haveibeenpwned.com/Breach/BlueSnapRegpack</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlueSnapRegpack">https://haveibeenpwned.com/Breach/BlueSnapRegpack</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlueSnapRegpack">https://haveibeenpwned.com/Breach/BlueSnapRegpack</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlueSnapRegpack">https://haveibeenpwned.com/Breach/BlueSnapRegpack</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlueSnapRegpack">https://haveibeenpwned.com/Breach/BlueSnapRegpack</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BlueSnapRegpack">https://haveibeenpwned.com/Breach/BlueSnapRegpack</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/boAt">https://haveibeenpwned.com/Breach/boAt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/boAt">https://haveibeenpwned.com/Breach/boAt</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/boAt">https://haveibeenpwned.com/Breach/boAt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/boAt">https://haveibeenpwned.com/Breach/boAt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/boAt">https://haveibeenpwned.com/Breach/boAt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/boAt">https://haveibeenpwned.com/Breach/boAt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/boAt">https://haveibeenpwned.com/Breach/boAt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/boAt">https://haveibeenpwned.com/Breach/boAt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/boAt">https://haveibeenpwned.com/Breach/boAt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/boAt">https://haveibeenpwned.com/Breach/boAt</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/boAt">https://haveibeenpwned.com/Breach/boAt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/boAt">https://haveibeenpwned.com/Breach/boAt</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bolt">https://haveibeenpwned.com/Breach/Bolt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bolt">https://haveibeenpwned.com/Breach/Bolt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bolt">https://haveibeenpwned.com/Breach/Bolt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bolt">https://haveibeenpwned.com/Breach/Bolt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bolt">https://haveibeenpwned.com/Breach/Bolt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bolt">https://haveibeenpwned.com/Breach/Bolt</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bolt">https://haveibeenpwned.com/Breach/Bolt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bolt">https://haveibeenpwned.com/Breach/Bolt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bolt">https://haveibeenpwned.com/Breach/Bolt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bolt">https://haveibeenpwned.com/Breach/Bolt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bolt">https://haveibeenpwned.com/Breach/Bolt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bolt">https://haveibeenpwned.com/Breach/Bolt</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BombyjEu">https://haveibeenpwned.com/Breach/BombyjEu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BombyjEu">https://haveibeenpwned.com/Breach/BombyjEu</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BombujEu">https://haveibeenpwned.com/Breach/BombujEu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BombujEu">https://haveibeenpwned.com/Breach/BombujEu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BombujEu">https://haveibeenpwned.com/Breach/BombujEu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BombujEu">https://haveibeenpwned.com/Breach/BombujEu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BombujEu">https://haveibeenpwned.com/Breach/BombujEu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BombujEu">https://haveibeenpwned.com/Breach/BombujEu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BombujEu">https://haveibeenpwned.com/Breach/BombujEu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BombujEu">https://haveibeenpwned.com/Breach/BombujEu</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BombujEu">https://haveibeenpwned.com/Breach/BombujEu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BombujEu">https://haveibeenpwned.com/Breach/BombujEu</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bonobos">https://haveibeenpwned.com/Breach/Bonobos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bonobos">https://haveibeenpwned.com/Breach/Bonobos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bonobos">https://haveibeenpwned.com/Breach/Bonobos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bonobos">https://haveibeenpwned.com/Breach/Bonobos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bonobos">https://haveibeenpwned.com/Breach/Bonobos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bonobos">https://haveibeenpwned.com/Breach/Bonobos</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bonobos">https://haveibeenpwned.com/Breach/Bonobos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bonobos">https://haveibeenpwned.com/Breach/Bonobos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bonobos">https://haveibeenpwned.com/Breach/Bonobos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bonobos">https://haveibeenpwned.com/Breach/Bonobos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bonobos">https://haveibeenpwned.com/Breach/Bonobos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bonobos">https://haveibeenpwned.com/Breach/Bonobos</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookchor">https://haveibeenpwned.com/Breach/Bookchor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookchor">https://haveibeenpwned.com/Breach/Bookchor</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookchor">https://haveibeenpwned.com/Breach/Bookchor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookchor">https://haveibeenpwned.com/Breach/Bookchor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookchor">https://haveibeenpwned.com/Breach/Bookchor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookchor">https://haveibeenpwned.com/Breach/Bookchor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookchor">https://haveibeenpwned.com/Breach/Bookchor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookchor">https://haveibeenpwned.com/Breach/Bookchor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookchor">https://haveibeenpwned.com/Breach/Bookchor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookchor">https://haveibeenpwned.com/Breach/Bookchor</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookchor">https://haveibeenpwned.com/Breach/Bookchor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookchor">https://haveibeenpwned.com/Breach/Bookchor</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BookCrossing">https://haveibeenpwned.com/Breach/BookCrossing</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BookCrossing">https://haveibeenpwned.com/Breach/BookCrossing</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BookCrossing">https://haveibeenpwned.com/Breach/BookCrossing</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BookCrossing">https://haveibeenpwned.com/Breach/BookCrossing</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BookCrossing">https://haveibeenpwned.com/Breach/BookCrossing</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BookCrossing">https://haveibeenpwned.com/Breach/BookCrossing</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BookCrossing">https://haveibeenpwned.com/Breach/BookCrossing</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BookCrossing">https://haveibeenpwned.com/Breach/BookCrossing</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BookCrossing">https://haveibeenpwned.com/Breach/BookCrossing</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BookCrossing">https://haveibeenpwned.com/Breach/BookCrossing</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BookCrossing">https://haveibeenpwned.com/Breach/BookCrossing</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BookCrossing">https://haveibeenpwned.com/Breach/BookCrossing</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookmate">https://haveibeenpwned.com/Breach/Bookmate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookmate">https://haveibeenpwned.com/Breach/Bookmate</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookmate">https://haveibeenpwned.com/Breach/Bookmate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookmate">https://haveibeenpwned.com/Breach/Bookmate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookmate">https://haveibeenpwned.com/Breach/Bookmate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookmate">https://haveibeenpwned.com/Breach/Bookmate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookmate">https://haveibeenpwned.com/Breach/Bookmate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookmate">https://haveibeenpwned.com/Breach/Bookmate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookmate">https://haveibeenpwned.com/Breach/Bookmate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookmate">https://haveibeenpwned.com/Breach/Bookmate</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookmate">https://haveibeenpwned.com/Breach/Bookmate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bookmate">https://haveibeenpwned.com/Breach/Bookmate</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BotOfLegends">https://haveibeenpwned.com/Breach/BotOfLegends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BotOfLegends">https://haveibeenpwned.com/Breach/BotOfLegends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BotOfLegends">https://haveibeenpwned.com/Breach/BotOfLegends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BotOfLegends">https://haveibeenpwned.com/Breach/BotOfLegends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BotOfLegends">https://haveibeenpwned.com/Breach/BotOfLegends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BotOfLegends">https://haveibeenpwned.com/Breach/BotOfLegends</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BotOfLegends">https://haveibeenpwned.com/Breach/BotOfLegends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BotOfLegends">https://haveibeenpwned.com/Breach/BotOfLegends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BotOfLegends">https://haveibeenpwned.com/Breach/BotOfLegends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BotOfLegends">https://haveibeenpwned.com/Breach/BotOfLegends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BotOfLegends">https://haveibeenpwned.com/Breach/BotOfLegends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BotOfLegends">https://haveibeenpwned.com/Breach/BotOfLegends</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boulanger">https://haveibeenpwned.com/Breach/Boulanger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boulanger">https://haveibeenpwned.com/Breach/Boulanger</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boulanger">https://haveibeenpwned.com/Breach/Boulanger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boulanger">https://haveibeenpwned.com/Breach/Boulanger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boulanger">https://haveibeenpwned.com/Breach/Boulanger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boulanger">https://haveibeenpwned.com/Breach/Boulanger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boulanger">https://haveibeenpwned.com/Breach/Boulanger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boulanger">https://haveibeenpwned.com/Breach/Boulanger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boulanger">https://haveibeenpwned.com/Breach/Boulanger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boulanger">https://haveibeenpwned.com/Breach/Boulanger</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boulanger">https://haveibeenpwned.com/Breach/Boulanger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boulanger">https://haveibeenpwned.com/Breach/Boulanger</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BourseDesVols">https://haveibeenpwned.com/Breach/BourseDesVols</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BourseDesVols">https://haveibeenpwned.com/Breach/BourseDesVols</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BourseDesVols">https://haveibeenpwned.com/Breach/BourseDesVols</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BourseDesVols">https://haveibeenpwned.com/Breach/BourseDesVols</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BourseDesVols">https://haveibeenpwned.com/Breach/BourseDesVols</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BourseDesVols">https://haveibeenpwned.com/Breach/BourseDesVols</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BourseDesVols">https://haveibeenpwned.com/Breach/BourseDesVols</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BourseDesVols">https://haveibeenpwned.com/Breach/BourseDesVols</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BourseDesVols">https://haveibeenpwned.com/Breach/BourseDesVols</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BourseDesVols">https://haveibeenpwned.com/Breach/BourseDesVols</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BourseDesVols">https://haveibeenpwned.com/Breach/BourseDesVols</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BourseDesVols">https://haveibeenpwned.com/Breach/BourseDesVols</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boxee">https://haveibeenpwned.com/Breach/Boxee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boxee">https://haveibeenpwned.com/Breach/Boxee</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boxee">https://haveibeenpwned.com/Breach/Boxee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boxee">https://haveibeenpwned.com/Breach/Boxee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boxee">https://haveibeenpwned.com/Breach/Boxee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boxee">https://haveibeenpwned.com/Breach/Boxee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boxee">https://haveibeenpwned.com/Breach/Boxee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boxee">https://haveibeenpwned.com/Breach/Boxee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boxee">https://haveibeenpwned.com/Breach/Boxee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boxee">https://haveibeenpwned.com/Breach/Boxee</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boxee">https://haveibeenpwned.com/Breach/Boxee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Boxee">https://haveibeenpwned.com/Breach/Boxee</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BrandNewTube">https://haveibeenpwned.com/Breach/BrandNewTube</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BrandNewTube">https://haveibeenpwned.com/Breach/BrandNewTube</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BrandNewTube">https://haveibeenpwned.com/Breach/BrandNewTube</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BrandNewTube">https://haveibeenpwned.com/Breach/BrandNewTube</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BrandNewTube">https://haveibeenpwned.com/Breach/BrandNewTube</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BrandNewTube">https://haveibeenpwned.com/Breach/BrandNewTube</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BrandNewTube">https://haveibeenpwned.com/Breach/BrandNewTube</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BrandNewTube">https://haveibeenpwned.com/Breach/BrandNewTube</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BrandNewTube">https://haveibeenpwned.com/Breach/BrandNewTube</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BrandNewTube">https://haveibeenpwned.com/Breach/BrandNewTube</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BrandNewTube">https://haveibeenpwned.com/Breach/BrandNewTube</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BrandNewTube">https://haveibeenpwned.com/Breach/BrandNewTube</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Brazzers">https://haveibeenpwned.com/Breach/Brazzers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Brazzers">https://haveibeenpwned.com/Breach/Brazzers</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Brazzers">https://haveibeenpwned.com/Breach/Brazzers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Brazzers">https://haveibeenpwned.com/Breach/Brazzers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Brazzers">https://haveibeenpwned.com/Breach/Brazzers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Brazzers">https://haveibeenpwned.com/Breach/Brazzers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Brazzers">https://haveibeenpwned.com/Breach/Brazzers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Brazzers">https://haveibeenpwned.com/Breach/Brazzers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Brazzers">https://haveibeenpwned.com/Breach/Brazzers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Brazzers">https://haveibeenpwned.com/Breach/Brazzers</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Brazzers">https://haveibeenpwned.com/Breach/Brazzers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Brazzers">https://haveibeenpwned.com/Breach/Brazzers</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForums">https://haveibeenpwned.com/Breach/BreachForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForums">https://haveibeenpwned.com/Breach/BreachForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForums">https://haveibeenpwned.com/Breach/BreachForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForums">https://haveibeenpwned.com/Breach/BreachForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForums">https://haveibeenpwned.com/Breach/BreachForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForums">https://haveibeenpwned.com/Breach/BreachForums</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForums">https://haveibeenpwned.com/Breach/BreachForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForums">https://haveibeenpwned.com/Breach/BreachForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForums">https://haveibeenpwned.com/Breach/BreachForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForums">https://haveibeenpwned.com/Breach/BreachForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForums">https://haveibeenpwned.com/Breach/BreachForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForums">https://haveibeenpwned.com/Breach/BreachForums</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForumsClone">https://haveibeenpwned.com/Breach/BreachForumsClone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForumsClone">https://haveibeenpwned.com/Breach/BreachForumsClone</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForumsClone">https://haveibeenpwned.com/Breach/BreachForumsClone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForumsClone">https://haveibeenpwned.com/Breach/BreachForumsClone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForumsClone">https://haveibeenpwned.com/Breach/BreachForumsClone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForumsClone">https://haveibeenpwned.com/Breach/BreachForumsClone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForumsClone">https://haveibeenpwned.com/Breach/BreachForumsClone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForumsClone">https://haveibeenpwned.com/Breach/BreachForumsClone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForumsClone">https://haveibeenpwned.com/Breach/BreachForumsClone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForumsClone">https://haveibeenpwned.com/Breach/BreachForumsClone</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForumsClone">https://haveibeenpwned.com/Breach/BreachForumsClone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BreachForumsClone">https://haveibeenpwned.com/Breach/BreachForumsClone</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCAlpha">https://haveibeenpwned.com/Breach/BTCAlpha</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCAlpha">https://haveibeenpwned.com/Breach/BTCAlpha</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCAlpha">https://haveibeenpwned.com/Breach/BTCAlpha</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCAlpha">https://haveibeenpwned.com/Breach/BTCAlpha</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCAlpha">https://haveibeenpwned.com/Breach/BTCAlpha</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCAlpha">https://haveibeenpwned.com/Breach/BTCAlpha</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCAlpha">https://haveibeenpwned.com/Breach/BTCAlpha</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCAlpha">https://haveibeenpwned.com/Breach/BTCAlpha</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCAlpha">https://haveibeenpwned.com/Breach/BTCAlpha</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCAlpha">https://haveibeenpwned.com/Breach/BTCAlpha</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCAlpha">https://haveibeenpwned.com/Breach/BTCAlpha</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCAlpha">https://haveibeenpwned.com/Breach/BTCAlpha</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCE">https://haveibeenpwned.com/Breach/BTCE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCE">https://haveibeenpwned.com/Breach/BTCE</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCE">https://haveibeenpwned.com/Breach/BTCE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCE">https://haveibeenpwned.com/Breach/BTCE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCE">https://haveibeenpwned.com/Breach/BTCE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCE">https://haveibeenpwned.com/Breach/BTCE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCE">https://haveibeenpwned.com/Breach/BTCE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCE">https://haveibeenpwned.com/Breach/BTCE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCE">https://haveibeenpwned.com/Breach/BTCE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCE">https://haveibeenpwned.com/Breach/BTCE</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCE">https://haveibeenpwned.com/Breach/BTCE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTCE">https://haveibeenpwned.com/Breach/BTCE</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BtoBet">https://haveibeenpwned.com/Breach/BtoBet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BtoBet">https://haveibeenpwned.com/Breach/BtoBet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BtoBet">https://haveibeenpwned.com/Breach/BtoBet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BtoBet">https://haveibeenpwned.com/Breach/BtoBet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BtoBet">https://haveibeenpwned.com/Breach/BtoBet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BtoBet">https://haveibeenpwned.com/Breach/BtoBet</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BtoBet">https://haveibeenpwned.com/Breach/BtoBet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BtoBet">https://haveibeenpwned.com/Breach/BtoBet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BtoBet">https://haveibeenpwned.com/Breach/BtoBet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BtoBet">https://haveibeenpwned.com/Breach/BtoBet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BtoBet">https://haveibeenpwned.com/Breach/BtoBet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BtoBet">https://haveibeenpwned.com/Breach/BtoBet</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTSec">https://haveibeenpwned.com/Breach/BTSec</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTSec">https://haveibeenpwned.com/Breach/BTSec</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTSec">https://haveibeenpwned.com/Breach/BTSec</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTSec">https://haveibeenpwned.com/Breach/BTSec</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTSec">https://haveibeenpwned.com/Breach/BTSec</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTSec">https://haveibeenpwned.com/Breach/BTSec</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTSec">https://haveibeenpwned.com/Breach/BTSec</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTSec">https://haveibeenpwned.com/Breach/BTSec</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTSec">https://haveibeenpwned.com/Breach/BTSec</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTSec">https://haveibeenpwned.com/Breach/BTSec</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTSec">https://haveibeenpwned.com/Breach/BTSec</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BTSec">https://haveibeenpwned.com/Breach/BTSec</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BudTrader">https://haveibeenpwned.com/Breach/BudTrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BudTrader">https://haveibeenpwned.com/Breach/BudTrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BudTrader">https://haveibeenpwned.com/Breach/BudTrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BudTrader">https://haveibeenpwned.com/Breach/BudTrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BudTrader">https://haveibeenpwned.com/Breach/BudTrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BudTrader">https://haveibeenpwned.com/Breach/BudTrader</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BudTrader">https://haveibeenpwned.com/Breach/BudTrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BudTrader">https://haveibeenpwned.com/Breach/BudTrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BudTrader">https://haveibeenpwned.com/Breach/BudTrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BudTrader">https://haveibeenpwned.com/Breach/BudTrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BudTrader">https://haveibeenpwned.com/Breach/BudTrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BudTrader">https://haveibeenpwned.com/Breach/BudTrader</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bukalapak">https://haveibeenpwned.com/Breach/Bukalapak</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bukalapak">https://haveibeenpwned.com/Breach/Bukalapak</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bukalapak">https://haveibeenpwned.com/Breach/Bukalapak</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bukalapak">https://haveibeenpwned.com/Breach/Bukalapak</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bukalapak">https://haveibeenpwned.com/Breach/Bukalapak</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bukalapak">https://haveibeenpwned.com/Breach/Bukalapak</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bukalapak">https://haveibeenpwned.com/Breach/Bukalapak</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bukalapak">https://haveibeenpwned.com/Breach/Bukalapak</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bukalapak">https://haveibeenpwned.com/Breach/Bukalapak</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bukalapak">https://haveibeenpwned.com/Breach/Bukalapak</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bukalapak">https://haveibeenpwned.com/Breach/Bukalapak</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Bukalapak">https://haveibeenpwned.com/Breach/Bukalapak</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency">https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency">https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency">https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency">https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency">https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency">https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency">https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency">https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency">https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency">https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency">https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency">https://haveibeenpwned.com/Breach/BulgarianNationalRevenueAgency</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BusinessAcumen">https://haveibeenpwned.com/Breach/BusinessAcumen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BusinessAcumen">https://haveibeenpwned.com/Breach/BusinessAcumen</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BusinessAcumen">https://haveibeenpwned.com/Breach/BusinessAcumen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BusinessAcumen">https://haveibeenpwned.com/Breach/BusinessAcumen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BusinessAcumen">https://haveibeenpwned.com/Breach/BusinessAcumen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BusinessAcumen">https://haveibeenpwned.com/Breach/BusinessAcumen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BusinessAcumen">https://haveibeenpwned.com/Breach/BusinessAcumen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BusinessAcumen">https://haveibeenpwned.com/Breach/BusinessAcumen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BusinessAcumen">https://haveibeenpwned.com/Breach/BusinessAcumen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BusinessAcumen">https://haveibeenpwned.com/Breach/BusinessAcumen</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BusinessAcumen">https://haveibeenpwned.com/Breach/BusinessAcumen</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BusinessAcumen">https://haveibeenpwned.com/Breach/BusinessAcumen</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BVD">https://haveibeenpwned.com/Breach/BVD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BVD">https://haveibeenpwned.com/Breach/BVD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BVD">https://haveibeenpwned.com/Breach/BVD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BVD">https://haveibeenpwned.com/Breach/BVD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BVD">https://haveibeenpwned.com/Breach/BVD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BVD">https://haveibeenpwned.com/Breach/BVD</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BVD">https://haveibeenpwned.com/Breach/BVD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BVD">https://haveibeenpwned.com/Breach/BVD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BVD">https://haveibeenpwned.com/Breach/BVD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BVD">https://haveibeenpwned.com/Breach/BVD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BVD">https://haveibeenpwned.com/Breach/BVD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/BVD">https://haveibeenpwned.com/Breach/BVD</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafeMom">https://haveibeenpwned.com/Breach/CafeMom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafeMom">https://haveibeenpwned.com/Breach/CafeMom</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafeMom">https://haveibeenpwned.com/Breach/CafeMom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafeMom">https://haveibeenpwned.com/Breach/CafeMom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafeMom">https://haveibeenpwned.com/Breach/CafeMom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafeMom">https://haveibeenpwned.com/Breach/CafeMom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafeMom">https://haveibeenpwned.com/Breach/CafeMom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafeMom">https://haveibeenpwned.com/Breach/CafeMom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafeMom">https://haveibeenpwned.com/Breach/CafeMom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafeMom">https://haveibeenpwned.com/Breach/CafeMom</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafeMom">https://haveibeenpwned.com/Breach/CafeMom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafeMom">https://haveibeenpwned.com/Breach/CafeMom</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafePress">https://haveibeenpwned.com/Breach/CafePress</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafePress">https://haveibeenpwned.com/Breach/CafePress</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafePress">https://haveibeenpwned.com/Breach/CafePress</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafePress">https://haveibeenpwned.com/Breach/CafePress</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafePress">https://haveibeenpwned.com/Breach/CafePress</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafePress">https://haveibeenpwned.com/Breach/CafePress</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafePress">https://haveibeenpwned.com/Breach/CafePress</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafePress">https://haveibeenpwned.com/Breach/CafePress</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafePress">https://haveibeenpwned.com/Breach/CafePress</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafePress">https://haveibeenpwned.com/Breach/CafePress</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafePress">https://haveibeenpwned.com/Breach/CafePress</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CafePress">https://haveibeenpwned.com/Breach/CafePress</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CannabisForum">https://haveibeenpwned.com/Breach/CannabisForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CannabisForum">https://haveibeenpwned.com/Breach/CannabisForum</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CannabisForum">https://haveibeenpwned.com/Breach/CannabisForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CannabisForum">https://haveibeenpwned.com/Breach/CannabisForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CannabisForum">https://haveibeenpwned.com/Breach/CannabisForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CannabisForum">https://haveibeenpwned.com/Breach/CannabisForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CannabisForum">https://haveibeenpwned.com/Breach/CannabisForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CannabisForum">https://haveibeenpwned.com/Breach/CannabisForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CannabisForum">https://haveibeenpwned.com/Breach/CannabisForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CannabisForum">https://haveibeenpwned.com/Breach/CannabisForum</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CannabisForum">https://haveibeenpwned.com/Breach/CannabisForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CannabisForum">https://haveibeenpwned.com/Breach/CannabisForum</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Canva">https://haveibeenpwned.com/Breach/Canva</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Canva">https://haveibeenpwned.com/Breach/Canva</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Canva">https://haveibeenpwned.com/Breach/Canva</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Canva">https://haveibeenpwned.com/Breach/Canva</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Canva">https://haveibeenpwned.com/Breach/Canva</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Canva">https://haveibeenpwned.com/Breach/Canva</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Canva">https://haveibeenpwned.com/Breach/Canva</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Canva">https://haveibeenpwned.com/Breach/Canva</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Canva">https://haveibeenpwned.com/Breach/Canva</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Canva">https://haveibeenpwned.com/Breach/Canva</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Canva">https://haveibeenpwned.com/Breach/Canva</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Canva">https://haveibeenpwned.com/Breach/Canva</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CapitalEconomics">https://haveibeenpwned.com/Breach/CapitalEconomics</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CapitalEconomics">https://haveibeenpwned.com/Breach/CapitalEconomics</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CapitalEconomics">https://haveibeenpwned.com/Breach/CapitalEconomics</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CapitalEconomics">https://haveibeenpwned.com/Breach/CapitalEconomics</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CapitalEconomics">https://haveibeenpwned.com/Breach/CapitalEconomics</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CapitalEconomics">https://haveibeenpwned.com/Breach/CapitalEconomics</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CapitalEconomics">https://haveibeenpwned.com/Breach/CapitalEconomics</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CapitalEconomics">https://haveibeenpwned.com/Breach/CapitalEconomics</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CapitalEconomics">https://haveibeenpwned.com/Breach/CapitalEconomics</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CapitalEconomics">https://haveibeenpwned.com/Breach/CapitalEconomics</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CapitalEconomics">https://haveibeenpwned.com/Breach/CapitalEconomics</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CapitalEconomics">https://haveibeenpwned.com/Breach/CapitalEconomics</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafia">https://haveibeenpwned.com/Breach/CardingMafia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafia">https://haveibeenpwned.com/Breach/CardingMafia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafia">https://haveibeenpwned.com/Breach/CardingMafia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafia">https://haveibeenpwned.com/Breach/CardingMafia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafia">https://haveibeenpwned.com/Breach/CardingMafia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafia">https://haveibeenpwned.com/Breach/CardingMafia</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafia">https://haveibeenpwned.com/Breach/CardingMafia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafia">https://haveibeenpwned.com/Breach/CardingMafia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafia">https://haveibeenpwned.com/Breach/CardingMafia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafia">https://haveibeenpwned.com/Breach/CardingMafia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafia">https://haveibeenpwned.com/Breach/CardingMafia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafia">https://haveibeenpwned.com/Breach/CardingMafia</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafiaDec2021">https://haveibeenpwned.com/Breach/CardingMafiaDec2021</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafiaDec2021">https://haveibeenpwned.com/Breach/CardingMafiaDec2021</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafiaDec2021">https://haveibeenpwned.com/Breach/CardingMafiaDec2021</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafiaDec2021">https://haveibeenpwned.com/Breach/CardingMafiaDec2021</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafiaDec2021">https://haveibeenpwned.com/Breach/CardingMafiaDec2021</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafiaDec2021">https://haveibeenpwned.com/Breach/CardingMafiaDec2021</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafiaDec2021">https://haveibeenpwned.com/Breach/CardingMafiaDec2021</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafiaDec2021">https://haveibeenpwned.com/Breach/CardingMafiaDec2021</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafiaDec2021">https://haveibeenpwned.com/Breach/CardingMafiaDec2021</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafiaDec2021">https://haveibeenpwned.com/Breach/CardingMafiaDec2021</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafiaDec2021">https://haveibeenpwned.com/Breach/CardingMafiaDec2021</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CardingMafiaDec2021">https://haveibeenpwned.com/Breach/CardingMafiaDec2021</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CashCrat">https://haveibeenpwned.com/Breach/CashCrat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CashCrat">https://haveibeenpwned.com/Breach/CashCrat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CashCrat">https://haveibeenpwned.com/Breach/CashCrat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CashCrat">https://haveibeenpwned.com/Breach/CashCrat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CashCrat">https://haveibeenpwned.com/Breach/CashCrat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CashCrat">https://haveibeenpwned.com/Breach/CashCrat</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CashCrate">https://haveibeenpwned.com/Breach/CashCrate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CashCrate">https://haveibeenpwned.com/Breach/CashCrate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CashCrate">https://haveibeenpwned.com/Breach/CashCrate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CashCrate">https://haveibeenpwned.com/Breach/CashCrate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CashCrate">https://haveibeenpwned.com/Breach/CashCrate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CashCrate">https://haveibeenpwned.com/Breach/CashCrate</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Catho">https://haveibeenpwned.com/Breach/Catho</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Catho">https://haveibeenpwned.com/Breach/Catho</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Catho">https://haveibeenpwned.com/Breach/Catho</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Catho">https://haveibeenpwned.com/Breach/Catho</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Catho">https://haveibeenpwned.com/Breach/Catho</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Catho">https://haveibeenpwned.com/Breach/Catho</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Catho">https://haveibeenpwned.com/Breach/Catho</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Catho">https://haveibeenpwned.com/Breach/Catho</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Catho">https://haveibeenpwned.com/Breach/Catho</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Catho">https://haveibeenpwned.com/Breach/Catho</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Catho">https://haveibeenpwned.com/Breach/Catho</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Catho">https://haveibeenpwned.com/Breach/Catho</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDEK">https://haveibeenpwned.com/Breach/CDEK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDEK">https://haveibeenpwned.com/Breach/CDEK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDEK">https://haveibeenpwned.com/Breach/CDEK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDEK">https://haveibeenpwned.com/Breach/CDEK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDEK">https://haveibeenpwned.com/Breach/CDEK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDEK">https://haveibeenpwned.com/Breach/CDEK</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDEK">https://haveibeenpwned.com/Breach/CDEK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDEK">https://haveibeenpwned.com/Breach/CDEK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDEK">https://haveibeenpwned.com/Breach/CDEK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDEK">https://haveibeenpwned.com/Breach/CDEK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDEK">https://haveibeenpwned.com/Breach/CDEK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDEK">https://haveibeenpwned.com/Breach/CDEK</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDProjektRed">https://haveibeenpwned.com/Breach/CDProjektRed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDProjektRed">https://haveibeenpwned.com/Breach/CDProjektRed</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDProjektRed">https://haveibeenpwned.com/Breach/CDProjektRed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDProjektRed">https://haveibeenpwned.com/Breach/CDProjektRed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDProjektRed">https://haveibeenpwned.com/Breach/CDProjektRed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDProjektRed">https://haveibeenpwned.com/Breach/CDProjektRed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDProjektRed">https://haveibeenpwned.com/Breach/CDProjektRed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDProjektRed">https://haveibeenpwned.com/Breach/CDProjektRed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDProjektRed">https://haveibeenpwned.com/Breach/CDProjektRed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDProjektRed">https://haveibeenpwned.com/Breach/CDProjektRed</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDProjektRed">https://haveibeenpwned.com/Breach/CDProjektRed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CDProjektRed">https://haveibeenpwned.com/Breach/CDProjektRed</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CentralTickets">https://haveibeenpwned.com/Breach/CentralTickets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CentralTickets">https://haveibeenpwned.com/Breach/CentralTickets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CentralTickets">https://haveibeenpwned.com/Breach/CentralTickets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CentralTickets">https://haveibeenpwned.com/Breach/CentralTickets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CentralTickets">https://haveibeenpwned.com/Breach/CentralTickets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CentralTickets">https://haveibeenpwned.com/Breach/CentralTickets</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CentralTickets">https://haveibeenpwned.com/Breach/CentralTickets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CentralTickets">https://haveibeenpwned.com/Breach/CentralTickets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CentralTickets">https://haveibeenpwned.com/Breach/CentralTickets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CentralTickets">https://haveibeenpwned.com/Breach/CentralTickets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CentralTickets">https://haveibeenpwned.com/Breach/CentralTickets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CentralTickets">https://haveibeenpwned.com/Breach/CentralTickets</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CERTPolandPhish">https://haveibeenpwned.com/Breach/CERTPolandPhish</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CERTPolandPhish">https://haveibeenpwned.com/Breach/CERTPolandPhish</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CERTPolandPhish">https://haveibeenpwned.com/Breach/CERTPolandPhish</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CERTPolandPhish">https://haveibeenpwned.com/Breach/CERTPolandPhish</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CERTPolandPhish">https://haveibeenpwned.com/Breach/CERTPolandPhish</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CERTPolandPhish">https://haveibeenpwned.com/Breach/CERTPolandPhish</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CERTPolandPhish">https://haveibeenpwned.com/Breach/CERTPolandPhish</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CERTPolandPhish">https://haveibeenpwned.com/Breach/CERTPolandPhish</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CERTPolandPhish">https://haveibeenpwned.com/Breach/CERTPolandPhish</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CERTPolandPhish">https://haveibeenpwned.com/Breach/CERTPolandPhish</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CERTPolandPhish">https://haveibeenpwned.com/Breach/CERTPolandPhish</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CERTPolandPhish">https://haveibeenpwned.com/Breach/CERTPolandPhish</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chatbooks">https://haveibeenpwned.com/Breach/Chatbooks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chatbooks">https://haveibeenpwned.com/Breach/Chatbooks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chatbooks">https://haveibeenpwned.com/Breach/Chatbooks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chatbooks">https://haveibeenpwned.com/Breach/Chatbooks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chatbooks">https://haveibeenpwned.com/Breach/Chatbooks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chatbooks">https://haveibeenpwned.com/Breach/Chatbooks</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chatbooks">https://haveibeenpwned.com/Breach/Chatbooks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chatbooks">https://haveibeenpwned.com/Breach/Chatbooks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chatbooks">https://haveibeenpwned.com/Breach/Chatbooks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chatbooks">https://haveibeenpwned.com/Breach/Chatbooks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chatbooks">https://haveibeenpwned.com/Breach/Chatbooks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chatbooks">https://haveibeenpwned.com/Breach/Chatbooks</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CheapAssGamer">https://haveibeenpwned.com/Breach/CheapAssGamer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CheapAssGamer">https://haveibeenpwned.com/Breach/CheapAssGamer</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CheapAssGamer">https://haveibeenpwned.com/Breach/CheapAssGamer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CheapAssGamer">https://haveibeenpwned.com/Breach/CheapAssGamer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CheapAssGamer">https://haveibeenpwned.com/Breach/CheapAssGamer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CheapAssGamer">https://haveibeenpwned.com/Breach/CheapAssGamer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CheapAssGamer">https://haveibeenpwned.com/Breach/CheapAssGamer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CheapAssGamer">https://haveibeenpwned.com/Breach/CheapAssGamer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CheapAssGamer">https://haveibeenpwned.com/Breach/CheapAssGamer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CheapAssGamer">https://haveibeenpwned.com/Breach/CheapAssGamer</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CheapAssGamer">https://haveibeenpwned.com/Breach/CheapAssGamer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CheapAssGamer">https://haveibeenpwned.com/Breach/CheapAssGamer</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chegg">https://haveibeenpwned.com/Breach/Chegg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chegg">https://haveibeenpwned.com/Breach/Chegg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chegg">https://haveibeenpwned.com/Breach/Chegg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chegg">https://haveibeenpwned.com/Breach/Chegg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chegg">https://haveibeenpwned.com/Breach/Chegg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chegg">https://haveibeenpwned.com/Breach/Chegg</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chegg">https://haveibeenpwned.com/Breach/Chegg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chegg">https://haveibeenpwned.com/Breach/Chegg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chegg">https://haveibeenpwned.com/Breach/Chegg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chegg">https://haveibeenpwned.com/Breach/Chegg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chegg">https://haveibeenpwned.com/Breach/Chegg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chegg">https://haveibeenpwned.com/Breach/Chegg</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chess">https://haveibeenpwned.com/Breach/Chess</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chess">https://haveibeenpwned.com/Breach/Chess</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chess">https://haveibeenpwned.com/Breach/Chess</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chess">https://haveibeenpwned.com/Breach/Chess</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chess">https://haveibeenpwned.com/Breach/Chess</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chess">https://haveibeenpwned.com/Breach/Chess</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chess">https://haveibeenpwned.com/Breach/Chess</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chess">https://haveibeenpwned.com/Breach/Chess</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chess">https://haveibeenpwned.com/Breach/Chess</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chess">https://haveibeenpwned.com/Breach/Chess</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chess">https://haveibeenpwned.com/Breach/Chess</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chess">https://haveibeenpwned.com/Breach/Chess</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chowbus">https://haveibeenpwned.com/Breach/Chowbus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chowbus">https://haveibeenpwned.com/Breach/Chowbus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chowbus">https://haveibeenpwned.com/Breach/Chowbus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chowbus">https://haveibeenpwned.com/Breach/Chowbus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chowbus">https://haveibeenpwned.com/Breach/Chowbus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chowbus">https://haveibeenpwned.com/Breach/Chowbus</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chowbus">https://haveibeenpwned.com/Breach/Chowbus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chowbus">https://haveibeenpwned.com/Breach/Chowbus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chowbus">https://haveibeenpwned.com/Breach/Chowbus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chowbus">https://haveibeenpwned.com/Breach/Chowbus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chowbus">https://haveibeenpwned.com/Breach/Chowbus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Chowbus">https://haveibeenpwned.com/Breach/Chowbus</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ChrisLeong">https://haveibeenpwned.com/Breach/ChrisLeong</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ChrisLeong">https://haveibeenpwned.com/Breach/ChrisLeong</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ChrisLeong">https://haveibeenpwned.com/Breach/ChrisLeong</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ChrisLeong">https://haveibeenpwned.com/Breach/ChrisLeong</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ChrisLeong">https://haveibeenpwned.com/Breach/ChrisLeong</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ChrisLeong">https://haveibeenpwned.com/Breach/ChrisLeong</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ChrisLeong">https://haveibeenpwned.com/Breach/ChrisLeong</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ChrisLeong">https://haveibeenpwned.com/Breach/ChrisLeong</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ChrisLeong">https://haveibeenpwned.com/Breach/ChrisLeong</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ChrisLeong">https://haveibeenpwned.com/Breach/ChrisLeong</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ChrisLeong">https://haveibeenpwned.com/Breach/ChrisLeong</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ChrisLeong">https://haveibeenpwned.com/Breach/ChrisLeong</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cit0day">https://haveibeenpwned.com/Breach/Cit0day</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cit0day">https://haveibeenpwned.com/Breach/Cit0day</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cit0day">https://haveibeenpwned.com/Breach/Cit0day</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cit0day">https://haveibeenpwned.com/Breach/Cit0day</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cit0day">https://haveibeenpwned.com/Breach/Cit0day</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cit0day">https://haveibeenpwned.com/Breach/Cit0day</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cit0day">https://haveibeenpwned.com/Breach/Cit0day</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cit0day">https://haveibeenpwned.com/Breach/Cit0day</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cit0day">https://haveibeenpwned.com/Breach/Cit0day</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cit0day">https://haveibeenpwned.com/Breach/Cit0day</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cit0day">https://haveibeenpwned.com/Breach/Cit0day</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cit0day">https://haveibeenpwned.com/Breach/Cit0day</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityBee">https://haveibeenpwned.com/Breach/CityBee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityBee">https://haveibeenpwned.com/Breach/CityBee</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityBee">https://haveibeenpwned.com/Breach/CityBee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityBee">https://haveibeenpwned.com/Breach/CityBee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityBee">https://haveibeenpwned.com/Breach/CityBee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityBee">https://haveibeenpwned.com/Breach/CityBee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityBee">https://haveibeenpwned.com/Breach/CityBee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityBee">https://haveibeenpwned.com/Breach/CityBee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityBee">https://haveibeenpwned.com/Breach/CityBee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityBee">https://haveibeenpwned.com/Breach/CityBee</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityBee">https://haveibeenpwned.com/Breach/CityBee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityBee">https://haveibeenpwned.com/Breach/CityBee</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityJerks">https://haveibeenpwned.com/Breach/CityJerks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityJerks">https://haveibeenpwned.com/Breach/CityJerks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityJerks">https://haveibeenpwned.com/Breach/CityJerks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityJerks">https://haveibeenpwned.com/Breach/CityJerks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityJerks">https://haveibeenpwned.com/Breach/CityJerks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityJerks">https://haveibeenpwned.com/Breach/CityJerks</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityJerks">https://haveibeenpwned.com/Breach/CityJerks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityJerks">https://haveibeenpwned.com/Breach/CityJerks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityJerks">https://haveibeenpwned.com/Breach/CityJerks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityJerks">https://haveibeenpwned.com/Breach/CityJerks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityJerks">https://haveibeenpwned.com/Breach/CityJerks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CityJerks">https://haveibeenpwned.com/Breach/CityJerks</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CivilOnline">https://haveibeenpwned.com/Breach/CivilOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CivilOnline">https://haveibeenpwned.com/Breach/CivilOnline</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CivilOnline">https://haveibeenpwned.com/Breach/CivilOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CivilOnline">https://haveibeenpwned.com/Breach/CivilOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CivilOnline">https://haveibeenpwned.com/Breach/CivilOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CivilOnline">https://haveibeenpwned.com/Breach/CivilOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CivilOnline">https://haveibeenpwned.com/Breach/CivilOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CivilOnline">https://haveibeenpwned.com/Breach/CivilOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CivilOnline">https://haveibeenpwned.com/Breach/CivilOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CivilOnline">https://haveibeenpwned.com/Breach/CivilOnline</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CivilOnline">https://haveibeenpwned.com/Breach/CivilOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CivilOnline">https://haveibeenpwned.com/Breach/CivilOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClashOfKings">https://haveibeenpwned.com/Breach/ClashOfKings</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClashOfKings">https://haveibeenpwned.com/Breach/ClashOfKings</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClashOfKings">https://haveibeenpwned.com/Breach/ClashOfKings</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClashOfKings">https://haveibeenpwned.com/Breach/ClashOfKings</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClashOfKings">https://haveibeenpwned.com/Breach/ClashOfKings</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClashOfKings">https://haveibeenpwned.com/Breach/ClashOfKings</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClashOfKings">https://haveibeenpwned.com/Breach/ClashOfKings</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClashOfKings">https://haveibeenpwned.com/Breach/ClashOfKings</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClashOfKings">https://haveibeenpwned.com/Breach/ClashOfKings</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClashOfKings">https://haveibeenpwned.com/Breach/ClashOfKings</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClashOfKings">https://haveibeenpwned.com/Breach/ClashOfKings</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClashOfKings">https://haveibeenpwned.com/Breach/ClashOfKings</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClearVoiceSurveys">https://haveibeenpwned.com/Breach/ClearVoiceSurveys</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClearVoiceSurveys">https://haveibeenpwned.com/Breach/ClearVoiceSurveys</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClearVoiceSurveys">https://haveibeenpwned.com/Breach/ClearVoiceSurveys</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClearVoiceSurveys">https://haveibeenpwned.com/Breach/ClearVoiceSurveys</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClearVoiceSurveys">https://haveibeenpwned.com/Breach/ClearVoiceSurveys</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClearVoiceSurveys">https://haveibeenpwned.com/Breach/ClearVoiceSurveys</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClearVoiceSurveys">https://haveibeenpwned.com/Breach/ClearVoiceSurveys</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClearVoiceSurveys">https://haveibeenpwned.com/Breach/ClearVoiceSurveys</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClearVoiceSurveys">https://haveibeenpwned.com/Breach/ClearVoiceSurveys</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClearVoiceSurveys">https://haveibeenpwned.com/Breach/ClearVoiceSurveys</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClearVoiceSurveys">https://haveibeenpwned.com/Breach/ClearVoiceSurveys</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClearVoiceSurveys">https://haveibeenpwned.com/Breach/ClearVoiceSurveys</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClickASnap">https://haveibeenpwned.com/Breach/ClickASnap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClickASnap">https://haveibeenpwned.com/Breach/ClickASnap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClickASnap">https://haveibeenpwned.com/Breach/ClickASnap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClickASnap">https://haveibeenpwned.com/Breach/ClickASnap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClickASnap">https://haveibeenpwned.com/Breach/ClickASnap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClickASnap">https://haveibeenpwned.com/Breach/ClickASnap</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClickASnap">https://haveibeenpwned.com/Breach/ClickASnap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClickASnap">https://haveibeenpwned.com/Breach/ClickASnap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClickASnap">https://haveibeenpwned.com/Breach/ClickASnap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClickASnap">https://haveibeenpwned.com/Breach/ClickASnap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClickASnap">https://haveibeenpwned.com/Breach/ClickASnap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClickASnap">https://haveibeenpwned.com/Breach/ClickASnap</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClixSense">https://haveibeenpwned.com/Breach/ClixSense</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClixSense">https://haveibeenpwned.com/Breach/ClixSense</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClixSense">https://haveibeenpwned.com/Breach/ClixSense</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClixSense">https://haveibeenpwned.com/Breach/ClixSense</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClixSense">https://haveibeenpwned.com/Breach/ClixSense</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClixSense">https://haveibeenpwned.com/Breach/ClixSense</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClixSense">https://haveibeenpwned.com/Breach/ClixSense</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClixSense">https://haveibeenpwned.com/Breach/ClixSense</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClixSense">https://haveibeenpwned.com/Breach/ClixSense</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClixSense">https://haveibeenpwned.com/Breach/ClixSense</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClixSense">https://haveibeenpwned.com/Breach/ClixSense</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClixSense">https://haveibeenpwned.com/Breach/ClixSense</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CloudPets">https://haveibeenpwned.com/Breach/CloudPets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CloudPets">https://haveibeenpwned.com/Breach/CloudPets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CloudPets">https://haveibeenpwned.com/Breach/CloudPets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CloudPets">https://haveibeenpwned.com/Breach/CloudPets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CloudPets">https://haveibeenpwned.com/Breach/CloudPets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CloudPets">https://haveibeenpwned.com/Breach/CloudPets</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CloudPets">https://haveibeenpwned.com/Breach/CloudPets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CloudPets">https://haveibeenpwned.com/Breach/CloudPets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CloudPets">https://haveibeenpwned.com/Breach/CloudPets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CloudPets">https://haveibeenpwned.com/Breach/CloudPets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CloudPets">https://haveibeenpwned.com/Breach/CloudPets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CloudPets">https://haveibeenpwned.com/Breach/CloudPets</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewritten">https://haveibeenpwned.com/Breach/ClubPenguinRewritten</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewritten">https://haveibeenpwned.com/Breach/ClubPenguinRewritten</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewritten">https://haveibeenpwned.com/Breach/ClubPenguinRewritten</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewritten">https://haveibeenpwned.com/Breach/ClubPenguinRewritten</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewritten">https://haveibeenpwned.com/Breach/ClubPenguinRewritten</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewritten">https://haveibeenpwned.com/Breach/ClubPenguinRewritten</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewritten">https://haveibeenpwned.com/Breach/ClubPenguinRewritten</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewritten">https://haveibeenpwned.com/Breach/ClubPenguinRewritten</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewritten">https://haveibeenpwned.com/Breach/ClubPenguinRewritten</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewritten">https://haveibeenpwned.com/Breach/ClubPenguinRewritten</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewritten">https://haveibeenpwned.com/Breach/ClubPenguinRewritten</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewritten">https://haveibeenpwned.com/Breach/ClubPenguinRewritten</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019">https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019">https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019">https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019">https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019">https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019">https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019">https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019">https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019">https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019">https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019">https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019">https://haveibeenpwned.com/Breach/ClubPenguinRewrittenJul2019</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coachella">https://haveibeenpwned.com/Breach/Coachella</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coachella">https://haveibeenpwned.com/Breach/Coachella</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coachella">https://haveibeenpwned.com/Breach/Coachella</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coachella">https://haveibeenpwned.com/Breach/Coachella</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coachella">https://haveibeenpwned.com/Breach/Coachella</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coachella">https://haveibeenpwned.com/Breach/Coachella</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coachella">https://haveibeenpwned.com/Breach/Coachella</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coachella">https://haveibeenpwned.com/Breach/Coachella</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coachella">https://haveibeenpwned.com/Breach/Coachella</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coachella">https://haveibeenpwned.com/Breach/Coachella</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coachella">https://haveibeenpwned.com/Breach/Coachella</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coachella">https://haveibeenpwned.com/Breach/Coachella</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cocospy">https://haveibeenpwned.com/Breach/Cocospy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cocospy">https://haveibeenpwned.com/Breach/Cocospy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cocospy">https://haveibeenpwned.com/Breach/Cocospy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cocospy">https://haveibeenpwned.com/Breach/Cocospy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cocospy">https://haveibeenpwned.com/Breach/Cocospy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cocospy">https://haveibeenpwned.com/Breach/Cocospy</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cocospy">https://haveibeenpwned.com/Breach/Cocospy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cocospy">https://haveibeenpwned.com/Breach/Cocospy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cocospy">https://haveibeenpwned.com/Breach/Cocospy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cocospy">https://haveibeenpwned.com/Breach/Cocospy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cocospy">https://haveibeenpwned.com/Breach/Cocospy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Cocospy">https://haveibeenpwned.com/Breach/Cocospy</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coinmama">https://haveibeenpwned.com/Breach/Coinmama</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coinmama">https://haveibeenpwned.com/Breach/Coinmama</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coinmama">https://haveibeenpwned.com/Breach/Coinmama</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coinmama">https://haveibeenpwned.com/Breach/Coinmama</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coinmama">https://haveibeenpwned.com/Breach/Coinmama</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coinmama">https://haveibeenpwned.com/Breach/Coinmama</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coinmama">https://haveibeenpwned.com/Breach/Coinmama</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coinmama">https://haveibeenpwned.com/Breach/Coinmama</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coinmama">https://haveibeenpwned.com/Breach/Coinmama</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coinmama">https://haveibeenpwned.com/Breach/Coinmama</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coinmama">https://haveibeenpwned.com/Breach/Coinmama</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Coinmama">https://haveibeenpwned.com/Breach/Coinmama</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinMarketCap">https://haveibeenpwned.com/Breach/CoinMarketCap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinMarketCap">https://haveibeenpwned.com/Breach/CoinMarketCap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinMarketCap">https://haveibeenpwned.com/Breach/CoinMarketCap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinMarketCap">https://haveibeenpwned.com/Breach/CoinMarketCap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinMarketCap">https://haveibeenpwned.com/Breach/CoinMarketCap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinMarketCap">https://haveibeenpwned.com/Breach/CoinMarketCap</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinMarketCap">https://haveibeenpwned.com/Breach/CoinMarketCap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinMarketCap">https://haveibeenpwned.com/Breach/CoinMarketCap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinMarketCap">https://haveibeenpwned.com/Breach/CoinMarketCap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinMarketCap">https://haveibeenpwned.com/Breach/CoinMarketCap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinMarketCap">https://haveibeenpwned.com/Breach/CoinMarketCap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinMarketCap">https://haveibeenpwned.com/Breach/CoinMarketCap</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinTracker">https://haveibeenpwned.com/Breach/CoinTracker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinTracker">https://haveibeenpwned.com/Breach/CoinTracker</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinTracker">https://haveibeenpwned.com/Breach/CoinTracker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinTracker">https://haveibeenpwned.com/Breach/CoinTracker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinTracker">https://haveibeenpwned.com/Breach/CoinTracker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinTracker">https://haveibeenpwned.com/Breach/CoinTracker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinTracker">https://haveibeenpwned.com/Breach/CoinTracker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinTracker">https://haveibeenpwned.com/Breach/CoinTracker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinTracker">https://haveibeenpwned.com/Breach/CoinTracker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinTracker">https://haveibeenpwned.com/Breach/CoinTracker</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinTracker">https://haveibeenpwned.com/Breach/CoinTracker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CoinTracker">https://haveibeenpwned.com/Breach/CoinTracker</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Collection1">https://haveibeenpwned.com/Breach/Collection1</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Collection1">https://haveibeenpwned.com/Breach/Collection1</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Collection1">https://haveibeenpwned.com/Breach/Collection1</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Collection1">https://haveibeenpwned.com/Breach/Collection1</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Collection1">https://haveibeenpwned.com/Breach/Collection1</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Collection1">https://haveibeenpwned.com/Breach/Collection1</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Collection1">https://haveibeenpwned.com/Breach/Collection1</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Collection1">https://haveibeenpwned.com/Breach/Collection1</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Collection1">https://haveibeenpwned.com/Breach/Collection1</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Collection1">https://haveibeenpwned.com/Breach/Collection1</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Collection1">https://haveibeenpwned.com/Breach/Collection1</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Collection1">https://haveibeenpwned.com/Breach/Collection1</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColoCrossing">https://haveibeenpwned.com/Breach/ColoCrossing</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColoCrossing">https://haveibeenpwned.com/Breach/ColoCrossing</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColoCrossing">https://haveibeenpwned.com/Breach/ColoCrossing</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColoCrossing">https://haveibeenpwned.com/Breach/ColoCrossing</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColoCrossing">https://haveibeenpwned.com/Breach/ColoCrossing</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColoCrossing">https://haveibeenpwned.com/Breach/ColoCrossing</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColoCrossing">https://haveibeenpwned.com/Breach/ColoCrossing</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColoCrossing">https://haveibeenpwned.com/Breach/ColoCrossing</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColoCrossing">https://haveibeenpwned.com/Breach/ColoCrossing</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColoCrossing">https://haveibeenpwned.com/Breach/ColoCrossing</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColoCrossing">https://haveibeenpwned.com/Breach/ColoCrossing</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColoCrossing">https://haveibeenpwned.com/Breach/ColoCrossing</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColorDating">https://haveibeenpwned.com/Breach/ColorDating</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColorDating">https://haveibeenpwned.com/Breach/ColorDating</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColorDating">https://haveibeenpwned.com/Breach/ColorDating</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColorDating">https://haveibeenpwned.com/Breach/ColorDating</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColorDating">https://haveibeenpwned.com/Breach/ColorDating</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColorDating">https://haveibeenpwned.com/Breach/ColorDating</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColorDating">https://haveibeenpwned.com/Breach/ColorDating</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColorDating">https://haveibeenpwned.com/Breach/ColorDating</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColorDating">https://haveibeenpwned.com/Breach/ColorDating</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColorDating">https://haveibeenpwned.com/Breach/ColorDating</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColorDating">https://haveibeenpwned.com/Breach/ColorDating</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ColorDating">https://haveibeenpwned.com/Breach/ColorDating</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Comcast">https://haveibeenpwned.com/Breach/Comcast</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Comcast">https://haveibeenpwned.com/Breach/Comcast</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Comcast">https://haveibeenpwned.com/Breach/Comcast</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Comcast">https://haveibeenpwned.com/Breach/Comcast</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Comcast">https://haveibeenpwned.com/Breach/Comcast</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Comcast">https://haveibeenpwned.com/Breach/Comcast</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Comcast">https://haveibeenpwned.com/Breach/Comcast</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Comcast">https://haveibeenpwned.com/Breach/Comcast</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Comcast">https://haveibeenpwned.com/Breach/Comcast</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Comcast">https://haveibeenpwned.com/Breach/Comcast</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Comcast">https://haveibeenpwned.com/Breach/Comcast</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Comcast">https://haveibeenpwned.com/Breach/Comcast</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/COMELEC">https://haveibeenpwned.com/Breach/COMELEC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/COMELEC">https://haveibeenpwned.com/Breach/COMELEC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/COMELEC">https://haveibeenpwned.com/Breach/COMELEC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/COMELEC">https://haveibeenpwned.com/Breach/COMELEC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/COMELEC">https://haveibeenpwned.com/Breach/COMELEC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/COMELEC">https://haveibeenpwned.com/Breach/COMELEC</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/COMELEC">https://haveibeenpwned.com/Breach/COMELEC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/COMELEC">https://haveibeenpwned.com/Breach/COMELEC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/COMELEC">https://haveibeenpwned.com/Breach/COMELEC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/COMELEC">https://haveibeenpwned.com/Breach/COMELEC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/COMELEC">https://haveibeenpwned.com/Breach/COMELEC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/COMELEC">https://haveibeenpwned.com/Breach/COMELEC</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CondoCom">https://haveibeenpwned.com/Breach/CondoCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CondoCom">https://haveibeenpwned.com/Breach/CondoCom</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CondoCom">https://haveibeenpwned.com/Breach/CondoCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CondoCom">https://haveibeenpwned.com/Breach/CondoCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CondoCom">https://haveibeenpwned.com/Breach/CondoCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CondoCom">https://haveibeenpwned.com/Breach/CondoCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CondoCom">https://haveibeenpwned.com/Breach/CondoCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CondoCom">https://haveibeenpwned.com/Breach/CondoCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CondoCom">https://haveibeenpwned.com/Breach/CondoCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CondoCom">https://haveibeenpwned.com/Breach/CondoCom</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CondoCom">https://haveibeenpwned.com/Breach/CondoCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CondoCom">https://haveibeenpwned.com/Breach/CondoCom</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Convex">https://haveibeenpwned.com/Breach/Convex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Convex">https://haveibeenpwned.com/Breach/Convex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Convex">https://haveibeenpwned.com/Breach/Convex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Convex">https://haveibeenpwned.com/Breach/Convex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Convex">https://haveibeenpwned.com/Breach/Convex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Convex">https://haveibeenpwned.com/Breach/Convex</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Convex">https://haveibeenpwned.com/Breach/Convex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Convex">https://haveibeenpwned.com/Breach/Convex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Convex">https://haveibeenpwned.com/Breach/Convex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Convex">https://haveibeenpwned.com/Breach/Convex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Convex">https://haveibeenpwned.com/Breach/Convex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Convex">https://haveibeenpwned.com/Breach/Convex</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CouponMomAndArmorGames">https://haveibeenpwned.com/Breach/CouponMomAndArmorGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CouponMomAndArmorGames">https://haveibeenpwned.com/Breach/CouponMomAndArmorGames</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CouponMomAndArmorGames">https://haveibeenpwned.com/Breach/CouponMomAndArmorGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CouponMomAndArmorGames">https://haveibeenpwned.com/Breach/CouponMomAndArmorGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CouponMomAndArmorGames">https://haveibeenpwned.com/Breach/CouponMomAndArmorGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CouponMomAndArmorGames">https://haveibeenpwned.com/Breach/CouponMomAndArmorGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CouponMomAndArmorGames">https://haveibeenpwned.com/Breach/CouponMomAndArmorGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CouponMomAndArmorGames">https://haveibeenpwned.com/Breach/CouponMomAndArmorGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CouponMomAndArmorGames">https://haveibeenpwned.com/Breach/CouponMomAndArmorGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CouponMomAndArmorGames">https://haveibeenpwned.com/Breach/CouponMomAndArmorGames</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CouponMomAndArmorGames">https://haveibeenpwned.com/Breach/CouponMomAndArmorGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CouponMomAndArmorGames">https://haveibeenpwned.com/Breach/CouponMomAndArmorGames</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackCommunity">https://haveibeenpwned.com/Breach/CrackCommunity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackCommunity">https://haveibeenpwned.com/Breach/CrackCommunity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackCommunity">https://haveibeenpwned.com/Breach/CrackCommunity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackCommunity">https://haveibeenpwned.com/Breach/CrackCommunity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackCommunity">https://haveibeenpwned.com/Breach/CrackCommunity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackCommunity">https://haveibeenpwned.com/Breach/CrackCommunity</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackCommunity">https://haveibeenpwned.com/Breach/CrackCommunity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackCommunity">https://haveibeenpwned.com/Breach/CrackCommunity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackCommunity">https://haveibeenpwned.com/Breach/CrackCommunity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackCommunity">https://haveibeenpwned.com/Breach/CrackCommunity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackCommunity">https://haveibeenpwned.com/Breach/CrackCommunity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackCommunity">https://haveibeenpwned.com/Breach/CrackCommunity</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackedTO">https://haveibeenpwned.com/Breach/CrackedTO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackedTO">https://haveibeenpwned.com/Breach/CrackedTO</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackedTO">https://haveibeenpwned.com/Breach/CrackedTO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackedTO">https://haveibeenpwned.com/Breach/CrackedTO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackedTO">https://haveibeenpwned.com/Breach/CrackedTO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackedTO">https://haveibeenpwned.com/Breach/CrackedTO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackedTO">https://haveibeenpwned.com/Breach/CrackedTO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackedTO">https://haveibeenpwned.com/Breach/CrackedTO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackedTO">https://haveibeenpwned.com/Breach/CrackedTO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackedTO">https://haveibeenpwned.com/Breach/CrackedTO</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackedTO">https://haveibeenpwned.com/Breach/CrackedTO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackedTO">https://haveibeenpwned.com/Breach/CrackedTO</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackingForum">https://haveibeenpwned.com/Breach/CrackingForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackingForum">https://haveibeenpwned.com/Breach/CrackingForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackingForum">https://haveibeenpwned.com/Breach/CrackingForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackingForum">https://haveibeenpwned.com/Breach/CrackingForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackingForum">https://haveibeenpwned.com/Breach/CrackingForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackingForum">https://haveibeenpwned.com/Breach/CrackingForum</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackingForum">https://haveibeenpwned.com/Breach/CrackingForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackingForum">https://haveibeenpwned.com/Breach/CrackingForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackingForum">https://haveibeenpwned.com/Breach/CrackingForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackingForum">https://haveibeenpwned.com/Breach/CrackingForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackingForum">https://haveibeenpwned.com/Breach/CrackingForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrackingForum">https://haveibeenpwned.com/Breach/CrackingForum</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CraftRise">https://haveibeenpwned.com/Breach/CraftRise</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CraftRise">https://haveibeenpwned.com/Breach/CraftRise</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CraftRise">https://haveibeenpwned.com/Breach/CraftRise</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CraftRise">https://haveibeenpwned.com/Breach/CraftRise</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CraftRise">https://haveibeenpwned.com/Breach/CraftRise</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CraftRise">https://haveibeenpwned.com/Breach/CraftRise</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CraftRise">https://haveibeenpwned.com/Breach/CraftRise</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CraftRise">https://haveibeenpwned.com/Breach/CraftRise</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CraftRise">https://haveibeenpwned.com/Breach/CraftRise</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CraftRise">https://haveibeenpwned.com/Breach/CraftRise</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CraftRise">https://haveibeenpwned.com/Breach/CraftRise</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CraftRise">https://haveibeenpwned.com/Breach/CraftRise</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Creative">https://haveibeenpwned.com/Breach/Creative</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Creative">https://haveibeenpwned.com/Breach/Creative</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Creative">https://haveibeenpwned.com/Breach/Creative</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Creative">https://haveibeenpwned.com/Breach/Creative</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Creative">https://haveibeenpwned.com/Breach/Creative</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Creative">https://haveibeenpwned.com/Breach/Creative</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Creative">https://haveibeenpwned.com/Breach/Creative</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Creative">https://haveibeenpwned.com/Breach/Creative</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Creative">https://haveibeenpwned.com/Breach/Creative</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Creative">https://haveibeenpwned.com/Breach/Creative</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Creative">https://haveibeenpwned.com/Breach/Creative</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Creative">https://haveibeenpwned.com/Breach/Creative</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin">https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin">https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin">https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin">https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin">https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin">https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin">https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin">https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin">https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin">https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin">https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin">https://haveibeenpwned.com/Breach/CrimeAgencyVBulletin</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrossFire">https://haveibeenpwned.com/Breach/CrossFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrossFire">https://haveibeenpwned.com/Breach/CrossFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrossFire">https://haveibeenpwned.com/Breach/CrossFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrossFire">https://haveibeenpwned.com/Breach/CrossFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrossFire">https://haveibeenpwned.com/Breach/CrossFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrossFire">https://haveibeenpwned.com/Breach/CrossFire</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrossFire">https://haveibeenpwned.com/Breach/CrossFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrossFire">https://haveibeenpwned.com/Breach/CrossFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrossFire">https://haveibeenpwned.com/Breach/CrossFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrossFire">https://haveibeenpwned.com/Breach/CrossFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrossFire">https://haveibeenpwned.com/Breach/CrossFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CrossFire">https://haveibeenpwned.com/Breach/CrossFire</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CTARS">https://haveibeenpwned.com/Breach/CTARS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CTARS">https://haveibeenpwned.com/Breach/CTARS</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CTARS">https://haveibeenpwned.com/Breach/CTARS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CTARS">https://haveibeenpwned.com/Breach/CTARS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CTARS">https://haveibeenpwned.com/Breach/CTARS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CTARS">https://haveibeenpwned.com/Breach/CTARS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CTARS">https://haveibeenpwned.com/Breach/CTARS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CTARS">https://haveibeenpwned.com/Breach/CTARS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CTARS">https://haveibeenpwned.com/Breach/CTARS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CTARS">https://haveibeenpwned.com/Breach/CTARS</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CTARS">https://haveibeenpwned.com/Breach/CTARS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CTARS">https://haveibeenpwned.com/Breach/CTARS</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CutoutPro">https://haveibeenpwned.com/Breach/CutoutPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CutoutPro">https://haveibeenpwned.com/Breach/CutoutPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CutoutPro">https://haveibeenpwned.com/Breach/CutoutPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CutoutPro">https://haveibeenpwned.com/Breach/CutoutPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CutoutPro">https://haveibeenpwned.com/Breach/CutoutPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CutoutPro">https://haveibeenpwned.com/Breach/CutoutPro</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CutoutPro">https://haveibeenpwned.com/Breach/CutoutPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CutoutPro">https://haveibeenpwned.com/Breach/CutoutPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CutoutPro">https://haveibeenpwned.com/Breach/CutoutPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CutoutPro">https://haveibeenpwned.com/Breach/CutoutPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CutoutPro">https://haveibeenpwned.com/Breach/CutoutPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CutoutPro">https://haveibeenpwned.com/Breach/CutoutPro</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CyberServe">https://haveibeenpwned.com/Breach/CyberServe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CyberServe">https://haveibeenpwned.com/Breach/CyberServe</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CyberServe">https://haveibeenpwned.com/Breach/CyberServe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CyberServe">https://haveibeenpwned.com/Breach/CyberServe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CyberServe">https://haveibeenpwned.com/Breach/CyberServe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CyberServe">https://haveibeenpwned.com/Breach/CyberServe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CyberServe">https://haveibeenpwned.com/Breach/CyberServe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CyberServe">https://haveibeenpwned.com/Breach/CyberServe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CyberServe">https://haveibeenpwned.com/Breach/CyberServe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CyberServe">https://haveibeenpwned.com/Breach/CyberServe</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CyberServe">https://haveibeenpwned.com/Breach/CyberServe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/CyberServe">https://haveibeenpwned.com/Breach/CyberServe</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/D3scene">https://haveibeenpwned.com/Breach/D3scene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/D3scene">https://haveibeenpwned.com/Breach/D3scene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/D3scene">https://haveibeenpwned.com/Breach/D3scene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/D3scene">https://haveibeenpwned.com/Breach/D3scene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/D3scene">https://haveibeenpwned.com/Breach/D3scene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/D3scene">https://haveibeenpwned.com/Breach/D3scene</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/D3scene">https://haveibeenpwned.com/Breach/D3scene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/D3scene">https://haveibeenpwned.com/Breach/D3scene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/D3scene">https://haveibeenpwned.com/Breach/D3scene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/D3scene">https://haveibeenpwned.com/Breach/D3scene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/D3scene">https://haveibeenpwned.com/Breach/D3scene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/D3scene">https://haveibeenpwned.com/Breach/D3scene</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaFont">https://haveibeenpwned.com/Breach/DaFont</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaFont">https://haveibeenpwned.com/Breach/DaFont</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaFont">https://haveibeenpwned.com/Breach/DaFont</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaFont">https://haveibeenpwned.com/Breach/DaFont</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaFont">https://haveibeenpwned.com/Breach/DaFont</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaFont">https://haveibeenpwned.com/Breach/DaFont</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaFont">https://haveibeenpwned.com/Breach/DaFont</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaFont">https://haveibeenpwned.com/Breach/DaFont</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaFont">https://haveibeenpwned.com/Breach/DaFont</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaFont">https://haveibeenpwned.com/Breach/DaFont</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaFont">https://haveibeenpwned.com/Breach/DaFont</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaFont">https://haveibeenpwned.com/Breach/DaFont</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dailymotion">https://haveibeenpwned.com/Breach/Dailymotion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dailymotion">https://haveibeenpwned.com/Breach/Dailymotion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dailymotion">https://haveibeenpwned.com/Breach/Dailymotion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dailymotion">https://haveibeenpwned.com/Breach/Dailymotion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dailymotion">https://haveibeenpwned.com/Breach/Dailymotion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dailymotion">https://haveibeenpwned.com/Breach/Dailymotion</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dailymotion">https://haveibeenpwned.com/Breach/Dailymotion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dailymotion">https://haveibeenpwned.com/Breach/Dailymotion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dailymotion">https://haveibeenpwned.com/Breach/Dailymotion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dailymotion">https://haveibeenpwned.com/Breach/Dailymotion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dailymotion">https://haveibeenpwned.com/Breach/Dailymotion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dailymotion">https://haveibeenpwned.com/Breach/Dailymotion</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyObjects">https://haveibeenpwned.com/Breach/DailyObjects</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyObjects">https://haveibeenpwned.com/Breach/DailyObjects</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyObjects">https://haveibeenpwned.com/Breach/DailyObjects</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyObjects">https://haveibeenpwned.com/Breach/DailyObjects</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyObjects">https://haveibeenpwned.com/Breach/DailyObjects</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyObjects">https://haveibeenpwned.com/Breach/DailyObjects</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyObjects">https://haveibeenpwned.com/Breach/DailyObjects</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyObjects">https://haveibeenpwned.com/Breach/DailyObjects</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyObjects">https://haveibeenpwned.com/Breach/DailyObjects</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyObjects">https://haveibeenpwned.com/Breach/DailyObjects</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyObjects">https://haveibeenpwned.com/Breach/DailyObjects</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyObjects">https://haveibeenpwned.com/Breach/DailyObjects</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyQuiz">https://haveibeenpwned.com/Breach/DailyQuiz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyQuiz">https://haveibeenpwned.com/Breach/DailyQuiz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyQuiz">https://haveibeenpwned.com/Breach/DailyQuiz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyQuiz">https://haveibeenpwned.com/Breach/DailyQuiz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyQuiz">https://haveibeenpwned.com/Breach/DailyQuiz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyQuiz">https://haveibeenpwned.com/Breach/DailyQuiz</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyQuiz">https://haveibeenpwned.com/Breach/DailyQuiz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyQuiz">https://haveibeenpwned.com/Breach/DailyQuiz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyQuiz">https://haveibeenpwned.com/Breach/DailyQuiz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyQuiz">https://haveibeenpwned.com/Breach/DailyQuiz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyQuiz">https://haveibeenpwned.com/Breach/DailyQuiz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DailyQuiz">https://haveibeenpwned.com/Breach/DailyQuiz</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dangdang">https://haveibeenpwned.com/Breach/Dangdang</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dangdang">https://haveibeenpwned.com/Breach/Dangdang</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dangdang">https://haveibeenpwned.com/Breach/Dangdang</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dangdang">https://haveibeenpwned.com/Breach/Dangdang</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dangdang">https://haveibeenpwned.com/Breach/Dangdang</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dangdang">https://haveibeenpwned.com/Breach/Dangdang</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dangdang">https://haveibeenpwned.com/Breach/Dangdang</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dangdang">https://haveibeenpwned.com/Breach/Dangdang</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dangdang">https://haveibeenpwned.com/Breach/Dangdang</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dangdang">https://haveibeenpwned.com/Breach/Dangdang</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dangdang">https://haveibeenpwned.com/Breach/Dangdang</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dangdang">https://haveibeenpwned.com/Breach/Dangdang</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaniWeb">https://haveibeenpwned.com/Breach/DaniWeb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaniWeb">https://haveibeenpwned.com/Breach/DaniWeb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaniWeb">https://haveibeenpwned.com/Breach/DaniWeb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaniWeb">https://haveibeenpwned.com/Breach/DaniWeb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaniWeb">https://haveibeenpwned.com/Breach/DaniWeb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaniWeb">https://haveibeenpwned.com/Breach/DaniWeb</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaniWeb">https://haveibeenpwned.com/Breach/DaniWeb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaniWeb">https://haveibeenpwned.com/Breach/DaniWeb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaniWeb">https://haveibeenpwned.com/Breach/DaniWeb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaniWeb">https://haveibeenpwned.com/Breach/DaniWeb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaniWeb">https://haveibeenpwned.com/Breach/DaniWeb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DaniWeb">https://haveibeenpwned.com/Breach/DaniWeb</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataAndLeads">https://haveibeenpwned.com/Breach/DataAndLeads</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataAndLeads">https://haveibeenpwned.com/Breach/DataAndLeads</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataAndLeads">https://haveibeenpwned.com/Breach/DataAndLeads</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataAndLeads">https://haveibeenpwned.com/Breach/DataAndLeads</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataAndLeads">https://haveibeenpwned.com/Breach/DataAndLeads</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataAndLeads">https://haveibeenpwned.com/Breach/DataAndLeads</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataAndLeads">https://haveibeenpwned.com/Breach/DataAndLeads</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataAndLeads">https://haveibeenpwned.com/Breach/DataAndLeads</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataAndLeads">https://haveibeenpwned.com/Breach/DataAndLeads</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataAndLeads">https://haveibeenpwned.com/Breach/DataAndLeads</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataAndLeads">https://haveibeenpwned.com/Breach/DataAndLeads</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataAndLeads">https://haveibeenpwned.com/Breach/DataAndLeads</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataCamp">https://haveibeenpwned.com/Breach/DataCamp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataCamp">https://haveibeenpwned.com/Breach/DataCamp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataCamp">https://haveibeenpwned.com/Breach/DataCamp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataCamp">https://haveibeenpwned.com/Breach/DataCamp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataCamp">https://haveibeenpwned.com/Breach/DataCamp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataCamp">https://haveibeenpwned.com/Breach/DataCamp</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataCamp">https://haveibeenpwned.com/Breach/DataCamp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataCamp">https://haveibeenpwned.com/Breach/DataCamp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataCamp">https://haveibeenpwned.com/Breach/DataCamp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataCamp">https://haveibeenpwned.com/Breach/DataCamp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataCamp">https://haveibeenpwned.com/Breach/DataCamp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataCamp">https://haveibeenpwned.com/Breach/DataCamp</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataEnrichment">https://haveibeenpwned.com/Breach/DataEnrichment</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataEnrichment">https://haveibeenpwned.com/Breach/DataEnrichment</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataEnrichment">https://haveibeenpwned.com/Breach/DataEnrichment</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataEnrichment">https://haveibeenpwned.com/Breach/DataEnrichment</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataEnrichment">https://haveibeenpwned.com/Breach/DataEnrichment</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataEnrichment">https://haveibeenpwned.com/Breach/DataEnrichment</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataEnrichment">https://haveibeenpwned.com/Breach/DataEnrichment</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataEnrichment">https://haveibeenpwned.com/Breach/DataEnrichment</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataEnrichment">https://haveibeenpwned.com/Breach/DataEnrichment</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataEnrichment">https://haveibeenpwned.com/Breach/DataEnrichment</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataEnrichment">https://haveibeenpwned.com/Breach/DataEnrichment</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DataEnrichment">https://haveibeenpwned.com/Breach/DataEnrichment</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DateHotBrunettes">https://haveibeenpwned.com/Breach/DateHotBrunettes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DateHotBrunettes">https://haveibeenpwned.com/Breach/DateHotBrunettes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DateHotBrunettes">https://haveibeenpwned.com/Breach/DateHotBrunettes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DateHotBrunettes">https://haveibeenpwned.com/Breach/DateHotBrunettes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DateHotBrunettes">https://haveibeenpwned.com/Breach/DateHotBrunettes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DateHotBrunettes">https://haveibeenpwned.com/Breach/DateHotBrunettes</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DateHotBrunettes">https://haveibeenpwned.com/Breach/DateHotBrunettes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DateHotBrunettes">https://haveibeenpwned.com/Breach/DateHotBrunettes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DateHotBrunettes">https://haveibeenpwned.com/Breach/DateHotBrunettes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DateHotBrunettes">https://haveibeenpwned.com/Breach/DateHotBrunettes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DateHotBrunettes">https://haveibeenpwned.com/Breach/DateHotBrunettes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DateHotBrunettes">https://haveibeenpwned.com/Breach/DateHotBrunettes</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DatPiff">https://haveibeenpwned.com/Breach/DatPiff</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DatPiff">https://haveibeenpwned.com/Breach/DatPiff</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DatPiff">https://haveibeenpwned.com/Breach/DatPiff</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DatPiff">https://haveibeenpwned.com/Breach/DatPiff</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DatPiff">https://haveibeenpwned.com/Breach/DatPiff</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DatPiff">https://haveibeenpwned.com/Breach/DatPiff</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DatPiff">https://haveibeenpwned.com/Breach/DatPiff</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DatPiff">https://haveibeenpwned.com/Breach/DatPiff</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DatPiff">https://haveibeenpwned.com/Breach/DatPiff</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DatPiff">https://haveibeenpwned.com/Breach/DatPiff</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DatPiff">https://haveibeenpwned.com/Breach/DatPiff</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DatPiff">https://haveibeenpwned.com/Breach/DatPiff</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dave">https://haveibeenpwned.com/Breach/Dave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dave">https://haveibeenpwned.com/Breach/Dave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dave">https://haveibeenpwned.com/Breach/Dave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dave">https://haveibeenpwned.com/Breach/Dave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dave">https://haveibeenpwned.com/Breach/Dave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dave">https://haveibeenpwned.com/Breach/Dave</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dave">https://haveibeenpwned.com/Breach/Dave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dave">https://haveibeenpwned.com/Breach/Dave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dave">https://haveibeenpwned.com/Breach/Dave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dave">https://haveibeenpwned.com/Breach/Dave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dave">https://haveibeenpwned.com/Breach/Dave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dave">https://haveibeenpwned.com/Breach/Dave</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/db8151dd">https://haveibeenpwned.com/Breach/db8151dd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/db8151dd">https://haveibeenpwned.com/Breach/db8151dd</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/db8151dd">https://haveibeenpwned.com/Breach/db8151dd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/db8151dd">https://haveibeenpwned.com/Breach/db8151dd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/db8151dd">https://haveibeenpwned.com/Breach/db8151dd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/db8151dd">https://haveibeenpwned.com/Breach/db8151dd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/db8151dd">https://haveibeenpwned.com/Breach/db8151dd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/db8151dd">https://haveibeenpwned.com/Breach/db8151dd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/db8151dd">https://haveibeenpwned.com/Breach/db8151dd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/db8151dd">https://haveibeenpwned.com/Breach/db8151dd</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/db8151dd">https://haveibeenpwned.com/Breach/db8151dd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/db8151dd">https://haveibeenpwned.com/Breach/db8151dd</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/dBforums">https://haveibeenpwned.com/Breach/dBforums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/dBforums">https://haveibeenpwned.com/Breach/dBforums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/dBforums">https://haveibeenpwned.com/Breach/dBforums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/dBforums">https://haveibeenpwned.com/Breach/dBforums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/dBforums">https://haveibeenpwned.com/Breach/dBforums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/dBforums">https://haveibeenpwned.com/Breach/dBforums</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/dBforums">https://haveibeenpwned.com/Breach/dBforums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/dBforums">https://haveibeenpwned.com/Breach/dBforums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/dBforums">https://haveibeenpwned.com/Breach/dBforums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/dBforums">https://haveibeenpwned.com/Breach/dBforums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/dBforums">https://haveibeenpwned.com/Breach/dBforums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/dBforums">https://haveibeenpwned.com/Breach/dBforums</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DCHealth">https://haveibeenpwned.com/Breach/DCHealth</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DCHealth">https://haveibeenpwned.com/Breach/DCHealth</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DCHealth">https://haveibeenpwned.com/Breach/DCHealth</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DCHealth">https://haveibeenpwned.com/Breach/DCHealth</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DCHealth">https://haveibeenpwned.com/Breach/DCHealth</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DCHealth">https://haveibeenpwned.com/Breach/DCHealth</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DCHealth">https://haveibeenpwned.com/Breach/DCHealth</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DCHealth">https://haveibeenpwned.com/Breach/DCHealth</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DCHealth">https://haveibeenpwned.com/Breach/DCHealth</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DCHealth">https://haveibeenpwned.com/Breach/DCHealth</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DCHealth">https://haveibeenpwned.com/Breach/DCHealth</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DCHealth">https://haveibeenpwned.com/Breach/DCHealth</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DDO">https://haveibeenpwned.com/Breach/DDO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DDO">https://haveibeenpwned.com/Breach/DDO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DDO">https://haveibeenpwned.com/Breach/DDO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DDO">https://haveibeenpwned.com/Breach/DDO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DDO">https://haveibeenpwned.com/Breach/DDO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DDO">https://haveibeenpwned.com/Breach/DDO</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DDO">https://haveibeenpwned.com/Breach/DDO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DDO">https://haveibeenpwned.com/Breach/DDO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DDO">https://haveibeenpwned.com/Breach/DDO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DDO">https://haveibeenpwned.com/Breach/DDO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DDO">https://haveibeenpwned.com/Breach/DDO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DDO">https://haveibeenpwned.com/Breach/DDO</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DecoratingTheHouse">https://haveibeenpwned.com/Breach/DecoratingTheHouse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DecoratingTheHouse">https://haveibeenpwned.com/Breach/DecoratingTheHouse</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DecoratingTheHouse">https://haveibeenpwned.com/Breach/DecoratingTheHouse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DecoratingTheHouse">https://haveibeenpwned.com/Breach/DecoratingTheHouse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DecoratingTheHouse">https://haveibeenpwned.com/Breach/DecoratingTheHouse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DecoratingTheHouse">https://haveibeenpwned.com/Breach/DecoratingTheHouse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DecoratingTheHouse">https://haveibeenpwned.com/Breach/DecoratingTheHouse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DecoratingTheHouse">https://haveibeenpwned.com/Breach/DecoratingTheHouse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DecoratingTheHouse">https://haveibeenpwned.com/Breach/DecoratingTheHouse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DecoratingTheHouse">https://haveibeenpwned.com/Breach/DecoratingTheHouse</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DecoratingTheHouse">https://haveibeenpwned.com/Breach/DecoratingTheHouse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DecoratingTheHouse">https://haveibeenpwned.com/Breach/DecoratingTheHouse</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Deezer">https://haveibeenpwned.com/Breach/Deezer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Deezer">https://haveibeenpwned.com/Breach/Deezer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Deezer">https://haveibeenpwned.com/Breach/Deezer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Deezer">https://haveibeenpwned.com/Breach/Deezer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Deezer">https://haveibeenpwned.com/Breach/Deezer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Deezer">https://haveibeenpwned.com/Breach/Deezer</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Deezer">https://haveibeenpwned.com/Breach/Deezer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Deezer">https://haveibeenpwned.com/Breach/Deezer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Deezer">https://haveibeenpwned.com/Breach/Deezer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Deezer">https://haveibeenpwned.com/Breach/Deezer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Deezer">https://haveibeenpwned.com/Breach/Deezer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Deezer">https://haveibeenpwned.com/Breach/Deezer</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemandScience">https://haveibeenpwned.com/Breach/DemandScience</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemandScience">https://haveibeenpwned.com/Breach/DemandScience</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemandScience">https://haveibeenpwned.com/Breach/DemandScience</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemandScience">https://haveibeenpwned.com/Breach/DemandScience</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemandScience">https://haveibeenpwned.com/Breach/DemandScience</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemandScience">https://haveibeenpwned.com/Breach/DemandScience</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemandScience">https://haveibeenpwned.com/Breach/DemandScience</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemandScience">https://haveibeenpwned.com/Breach/DemandScience</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemandScience">https://haveibeenpwned.com/Breach/DemandScience</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemandScience">https://haveibeenpwned.com/Breach/DemandScience</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemandScience">https://haveibeenpwned.com/Breach/DemandScience</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemandScience">https://haveibeenpwned.com/Breach/DemandScience</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemonForums">https://haveibeenpwned.com/Breach/DemonForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemonForums">https://haveibeenpwned.com/Breach/DemonForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemonForums">https://haveibeenpwned.com/Breach/DemonForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemonForums">https://haveibeenpwned.com/Breach/DemonForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemonForums">https://haveibeenpwned.com/Breach/DemonForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemonForums">https://haveibeenpwned.com/Breach/DemonForums</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemonForums">https://haveibeenpwned.com/Breach/DemonForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemonForums">https://haveibeenpwned.com/Breach/DemonForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemonForums">https://haveibeenpwned.com/Breach/DemonForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemonForums">https://haveibeenpwned.com/Breach/DemonForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemonForums">https://haveibeenpwned.com/Breach/DemonForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DemonForums">https://haveibeenpwned.com/Breach/DemonForums</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DennisKirk">https://haveibeenpwned.com/Breach/DennisKirk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DennisKirk">https://haveibeenpwned.com/Breach/DennisKirk</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DennisKirk">https://haveibeenpwned.com/Breach/DennisKirk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DennisKirk">https://haveibeenpwned.com/Breach/DennisKirk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DennisKirk">https://haveibeenpwned.com/Breach/DennisKirk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DennisKirk">https://haveibeenpwned.com/Breach/DennisKirk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DennisKirk">https://haveibeenpwned.com/Breach/DennisKirk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DennisKirk">https://haveibeenpwned.com/Breach/DennisKirk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DennisKirk">https://haveibeenpwned.com/Breach/DennisKirk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DennisKirk">https://haveibeenpwned.com/Breach/DennisKirk</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DennisKirk">https://haveibeenpwned.com/Breach/DennisKirk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DennisKirk">https://haveibeenpwned.com/Breach/DennisKirk</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Descomplica">https://haveibeenpwned.com/Breach/Descomplica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Descomplica">https://haveibeenpwned.com/Breach/Descomplica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Descomplica">https://haveibeenpwned.com/Breach/Descomplica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Descomplica">https://haveibeenpwned.com/Breach/Descomplica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Descomplica">https://haveibeenpwned.com/Breach/Descomplica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Descomplica">https://haveibeenpwned.com/Breach/Descomplica</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Descomplica">https://haveibeenpwned.com/Breach/Descomplica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Descomplica">https://haveibeenpwned.com/Breach/Descomplica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Descomplica">https://haveibeenpwned.com/Breach/Descomplica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Descomplica">https://haveibeenpwned.com/Breach/Descomplica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Descomplica">https://haveibeenpwned.com/Breach/Descomplica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Descomplica">https://haveibeenpwned.com/Breach/Descomplica</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DevilTorrents">https://haveibeenpwned.com/Breach/DevilTorrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DevilTorrents">https://haveibeenpwned.com/Breach/DevilTorrents</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DevilTorrents">https://haveibeenpwned.com/Breach/DevilTorrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DevilTorrents">https://haveibeenpwned.com/Breach/DevilTorrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DevilTorrents">https://haveibeenpwned.com/Breach/DevilTorrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DevilTorrents">https://haveibeenpwned.com/Breach/DevilTorrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DevilTorrents">https://haveibeenpwned.com/Breach/DevilTorrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DevilTorrents">https://haveibeenpwned.com/Breach/DevilTorrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DevilTorrents">https://haveibeenpwned.com/Breach/DevilTorrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DevilTorrents">https://haveibeenpwned.com/Breach/DevilTorrents</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DevilTorrents">https://haveibeenpwned.com/Breach/DevilTorrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DevilTorrents">https://haveibeenpwned.com/Breach/DevilTorrents</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/devkitPro">https://haveibeenpwned.com/Breach/devkitPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/devkitPro">https://haveibeenpwned.com/Breach/devkitPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/devkitPro">https://haveibeenpwned.com/Breach/devkitPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/devkitPro">https://haveibeenpwned.com/Breach/devkitPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/devkitPro">https://haveibeenpwned.com/Breach/devkitPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/devkitPro">https://haveibeenpwned.com/Breach/devkitPro</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/devkitPro">https://haveibeenpwned.com/Breach/devkitPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/devkitPro">https://haveibeenpwned.com/Breach/devkitPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/devkitPro">https://haveibeenpwned.com/Breach/devkitPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/devkitPro">https://haveibeenpwned.com/Breach/devkitPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/devkitPro">https://haveibeenpwned.com/Breach/devkitPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/devkitPro">https://haveibeenpwned.com/Breach/devkitPro</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DietCom">https://haveibeenpwned.com/Breach/DietCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DietCom">https://haveibeenpwned.com/Breach/DietCom</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DietCom">https://haveibeenpwned.com/Breach/DietCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DietCom">https://haveibeenpwned.com/Breach/DietCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DietCom">https://haveibeenpwned.com/Breach/DietCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DietCom">https://haveibeenpwned.com/Breach/DietCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DietCom">https://haveibeenpwned.com/Breach/DietCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DietCom">https://haveibeenpwned.com/Breach/DietCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DietCom">https://haveibeenpwned.com/Breach/DietCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DietCom">https://haveibeenpwned.com/Breach/DietCom</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DietCom">https://haveibeenpwned.com/Breach/DietCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DietCom">https://haveibeenpwned.com/Breach/DietCom</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/digiDirect">https://haveibeenpwned.com/Breach/digiDirect</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/digiDirect">https://haveibeenpwned.com/Breach/digiDirect</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/digiDirect">https://haveibeenpwned.com/Breach/digiDirect</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/digiDirect">https://haveibeenpwned.com/Breach/digiDirect</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/digiDirect">https://haveibeenpwned.com/Breach/digiDirect</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/digiDirect">https://haveibeenpwned.com/Breach/digiDirect</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/digiDirect">https://haveibeenpwned.com/Breach/digiDirect</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/digiDirect">https://haveibeenpwned.com/Breach/digiDirect</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/digiDirect">https://haveibeenpwned.com/Breach/digiDirect</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/digiDirect">https://haveibeenpwned.com/Breach/digiDirect</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/digiDirect">https://haveibeenpwned.com/Breach/digiDirect</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/digiDirect">https://haveibeenpwned.com/Breach/digiDirect</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Digimon">https://haveibeenpwned.com/Breach/Digimon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Digimon">https://haveibeenpwned.com/Breach/Digimon</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Digimon">https://haveibeenpwned.com/Breach/Digimon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Digimon">https://haveibeenpwned.com/Breach/Digimon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Digimon">https://haveibeenpwned.com/Breach/Digimon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Digimon">https://haveibeenpwned.com/Breach/Digimon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Digimon">https://haveibeenpwned.com/Breach/Digimon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Digimon">https://haveibeenpwned.com/Breach/Digimon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Digimon">https://haveibeenpwned.com/Breach/Digimon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Digimon">https://haveibeenpwned.com/Breach/Digimon</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Digimon">https://haveibeenpwned.com/Breach/Digimon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Digimon">https://haveibeenpwned.com/Breach/Digimon</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DiskUnion">https://haveibeenpwned.com/Breach/DiskUnion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DiskUnion">https://haveibeenpwned.com/Breach/DiskUnion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DiskUnion">https://haveibeenpwned.com/Breach/DiskUnion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DiskUnion">https://haveibeenpwned.com/Breach/DiskUnion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DiskUnion">https://haveibeenpwned.com/Breach/DiskUnion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DiskUnion">https://haveibeenpwned.com/Breach/DiskUnion</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DiskUnion">https://haveibeenpwned.com/Breach/DiskUnion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DiskUnion">https://haveibeenpwned.com/Breach/DiskUnion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DiskUnion">https://haveibeenpwned.com/Breach/DiskUnion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DiskUnion">https://haveibeenpwned.com/Breach/DiskUnion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DiskUnion">https://haveibeenpwned.com/Breach/DiskUnion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DiskUnion">https://haveibeenpwned.com/Breach/DiskUnion</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ Disqus">https://haveibeenpwned.com/Breach/ Disqus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ Disqus">https://haveibeenpwned.com/Breach/ Disqus</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ Disqus">https://haveibeenpwned.com/Breach/ Disqus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ Disqus">https://haveibeenpwned.com/Breach/ Disqus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ Disqus">https://haveibeenpwned.com/Breach/ Disqus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ Disqus">https://haveibeenpwned.com/Breach/ Disqus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ Disqus">https://haveibeenpwned.com/Breach/ Disqus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ Disqus">https://haveibeenpwned.com/Breach/ Disqus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ Disqus">https://haveibeenpwned.com/Breach/ Disqus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ Disqus">https://haveibeenpwned.com/Breach/ Disqus</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Disqus">https://haveibeenpwned.com/Breach/Disqus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Disqus">https://haveibeenpwned.com/Breach/Disqus</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DivXSubTitles">https://haveibeenpwned.com/Breach/DivXSubTitles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DivXSubTitles">https://haveibeenpwned.com/Breach/DivXSubTitles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DivXSubTitles">https://haveibeenpwned.com/Breach/DivXSubTitles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DivXSubTitles">https://haveibeenpwned.com/Breach/DivXSubTitles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DivXSubTitles">https://haveibeenpwned.com/Breach/DivXSubTitles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DivXSubTitles">https://haveibeenpwned.com/Breach/DivXSubTitles</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DivXSubTitles">https://haveibeenpwned.com/Breach/DivXSubTitles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DivXSubTitles">https://haveibeenpwned.com/Breach/DivXSubTitles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DivXSubTitles">https://haveibeenpwned.com/Breach/DivXSubTitles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DivXSubTitles">https://haveibeenpwned.com/Breach/DivXSubTitles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DivXSubTitles">https://haveibeenpwned.com/Breach/DivXSubTitles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DivXSubTitles">https://haveibeenpwned.com/Breach/DivXSubTitles</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DLH">https://haveibeenpwned.com/Breach/DLH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DLH">https://haveibeenpwned.com/Breach/DLH</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DLH">https://haveibeenpwned.com/Breach/DLH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DLH">https://haveibeenpwned.com/Breach/DLH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DLH">https://haveibeenpwned.com/Breach/DLH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DLH">https://haveibeenpwned.com/Breach/DLH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DLH">https://haveibeenpwned.com/Breach/DLH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DLH">https://haveibeenpwned.com/Breach/DLH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DLH">https://haveibeenpwned.com/Breach/DLH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DLH">https://haveibeenpwned.com/Breach/DLH</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DLH">https://haveibeenpwned.com/Breach/DLH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DLH">https://haveibeenpwned.com/Breach/DLH</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dodonew">https://haveibeenpwned.com/Breach/Dodonew</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dodonew">https://haveibeenpwned.com/Breach/Dodonew</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dodonew">https://haveibeenpwned.com/Breach/Dodonew</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dodonew">https://haveibeenpwned.com/Breach/Dodonew</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dodonew">https://haveibeenpwned.com/Breach/Dodonew</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dodonew">https://haveibeenpwned.com/Breach/Dodonew</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dodonew">https://haveibeenpwned.com/Breach/Dodonew</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dodonew">https://haveibeenpwned.com/Breach/Dodonew</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dodonew">https://haveibeenpwned.com/Breach/Dodonew</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dodonew">https://haveibeenpwned.com/Breach/Dodonew</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dodonew">https://haveibeenpwned.com/Breach/Dodonew</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dodonew">https://haveibeenpwned.com/Breach/Dodonew</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dominoes">https://haveibeenpwned.com/Breach/Dominoes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dominoes">https://haveibeenpwned.com/Breach/Dominoes</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dominoes">https://haveibeenpwned.com/Breach/Dominoes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dominoes">https://haveibeenpwned.com/Breach/Dominoes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dominoes">https://haveibeenpwned.com/Breach/Dominoes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dominoes">https://haveibeenpwned.com/Breach/Dominoes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dominoes">https://haveibeenpwned.com/Breach/Dominoes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dominoes">https://haveibeenpwned.com/Breach/Dominoes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dominoes">https://haveibeenpwned.com/Breach/Dominoes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dominoes">https://haveibeenpwned.com/Breach/Dominoes</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dominoes">https://haveibeenpwned.com/Breach/Dominoes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dominoes">https://haveibeenpwned.com/Breach/Dominoes</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DominoesIndia">https://haveibeenpwned.com/Breach/DominoesIndia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DominoesIndia">https://haveibeenpwned.com/Breach/DominoesIndia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DominoesIndia">https://haveibeenpwned.com/Breach/DominoesIndia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DominoesIndia">https://haveibeenpwned.com/Breach/DominoesIndia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DominoesIndia">https://haveibeenpwned.com/Breach/DominoesIndia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DominoesIndia">https://haveibeenpwned.com/Breach/DominoesIndia</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DominosIndia">https://haveibeenpwned.com/Breach/DominosIndia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DominosIndia">https://haveibeenpwned.com/Breach/DominosIndia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DominosIndia">https://haveibeenpwned.com/Breach/DominosIndia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DominosIndia">https://haveibeenpwned.com/Breach/DominosIndia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DominosIndia">https://haveibeenpwned.com/Breach/DominosIndia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DominosIndia">https://haveibeenpwned.com/Breach/DominosIndia</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doomworld">https://haveibeenpwned.com/Breach/Doomworld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doomworld">https://haveibeenpwned.com/Breach/Doomworld</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doomworld">https://haveibeenpwned.com/Breach/Doomworld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doomworld">https://haveibeenpwned.com/Breach/Doomworld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doomworld">https://haveibeenpwned.com/Breach/Doomworld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doomworld">https://haveibeenpwned.com/Breach/Doomworld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doomworld">https://haveibeenpwned.com/Breach/Doomworld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doomworld">https://haveibeenpwned.com/Breach/Doomworld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doomworld">https://haveibeenpwned.com/Breach/Doomworld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doomworld">https://haveibeenpwned.com/Breach/Doomworld</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doomworld">https://haveibeenpwned.com/Breach/Doomworld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doomworld">https://haveibeenpwned.com/Breach/Doomworld</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoorDash">https://haveibeenpwned.com/Breach/DoorDash</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoorDash">https://haveibeenpwned.com/Breach/DoorDash</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoorDash">https://haveibeenpwned.com/Breach/DoorDash</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoorDash">https://haveibeenpwned.com/Breach/DoorDash</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoorDash">https://haveibeenpwned.com/Breach/DoorDash</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoorDash">https://haveibeenpwned.com/Breach/DoorDash</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoorDash">https://haveibeenpwned.com/Breach/DoorDash</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoorDash">https://haveibeenpwned.com/Breach/DoorDash</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoorDash">https://haveibeenpwned.com/Breach/DoorDash</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoorDash">https://haveibeenpwned.com/Breach/DoorDash</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoorDash">https://haveibeenpwned.com/Breach/DoorDash</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoorDash">https://haveibeenpwned.com/Breach/DoorDash</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dota2">https://haveibeenpwned.com/Breach/Dota2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dota2">https://haveibeenpwned.com/Breach/Dota2</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dota2">https://haveibeenpwned.com/Breach/Dota2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dota2">https://haveibeenpwned.com/Breach/Dota2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dota2">https://haveibeenpwned.com/Breach/Dota2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dota2">https://haveibeenpwned.com/Breach/Dota2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dota2">https://haveibeenpwned.com/Breach/Dota2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dota2">https://haveibeenpwned.com/Breach/Dota2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dota2">https://haveibeenpwned.com/Breach/Dota2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dota2">https://haveibeenpwned.com/Breach/Dota2</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dota2">https://haveibeenpwned.com/Breach/Dota2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dota2">https://haveibeenpwned.com/Breach/Dota2</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doxbin">https://haveibeenpwned.com/Breach/Doxbin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doxbin">https://haveibeenpwned.com/Breach/Doxbin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doxbin">https://haveibeenpwned.com/Breach/Doxbin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doxbin">https://haveibeenpwned.com/Breach/Doxbin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doxbin">https://haveibeenpwned.com/Breach/Doxbin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doxbin">https://haveibeenpwned.com/Breach/Doxbin</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doxbin">https://haveibeenpwned.com/Breach/Doxbin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doxbin">https://haveibeenpwned.com/Breach/Doxbin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doxbin">https://haveibeenpwned.com/Breach/Doxbin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doxbin">https://haveibeenpwned.com/Breach/Doxbin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doxbin">https://haveibeenpwned.com/Breach/Doxbin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Doxbin">https://haveibeenpwned.com/Breach/Doxbin</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinScrape">https://haveibeenpwned.com/Breach/DoxbinScrape</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinScrape">https://haveibeenpwned.com/Breach/DoxbinScrape</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinScrape">https://haveibeenpwned.com/Breach/DoxbinScrape</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinScrape">https://haveibeenpwned.com/Breach/DoxbinScrape</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinScrape">https://haveibeenpwned.com/Breach/DoxbinScrape</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinScrape">https://haveibeenpwned.com/Breach/DoxbinScrape</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinScrape">https://haveibeenpwned.com/Breach/DoxbinScrape</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinScrape">https://haveibeenpwned.com/Breach/DoxbinScrape</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinScrape">https://haveibeenpwned.com/Breach/DoxbinScrape</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinScrape">https://haveibeenpwned.com/Breach/DoxbinScrape</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinScrape">https://haveibeenpwned.com/Breach/DoxbinScrape</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinScrape">https://haveibeenpwned.com/Breach/DoxbinScrape</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinTOoDA">https://haveibeenpwned.com/Breach/DoxbinTOoDA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinTOoDA">https://haveibeenpwned.com/Breach/DoxbinTOoDA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinTOoDA">https://haveibeenpwned.com/Breach/DoxbinTOoDA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinTOoDA">https://haveibeenpwned.com/Breach/DoxbinTOoDA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinTOoDA">https://haveibeenpwned.com/Breach/DoxbinTOoDA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinTOoDA">https://haveibeenpwned.com/Breach/DoxbinTOoDA</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinTOoDA">https://haveibeenpwned.com/Breach/DoxbinTOoDA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinTOoDA">https://haveibeenpwned.com/Breach/DoxbinTOoDA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinTOoDA">https://haveibeenpwned.com/Breach/DoxbinTOoDA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinTOoDA">https://haveibeenpwned.com/Breach/DoxbinTOoDA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinTOoDA">https://haveibeenpwned.com/Breach/DoxbinTOoDA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DoxbinTOoDA">https://haveibeenpwned.com/Breach/DoxbinTOoDA</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DragonNest">https://haveibeenpwned.com/Breach/DragonNest</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DragonNest">https://haveibeenpwned.com/Breach/DragonNest</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DragonNest">https://haveibeenpwned.com/Breach/DragonNest</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DragonNest">https://haveibeenpwned.com/Breach/DragonNest</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DragonNest">https://haveibeenpwned.com/Breach/DragonNest</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DragonNest">https://haveibeenpwned.com/Breach/DragonNest</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DragonNest">https://haveibeenpwned.com/Breach/DragonNest</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DragonNest">https://haveibeenpwned.com/Breach/DragonNest</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DragonNest">https://haveibeenpwned.com/Breach/DragonNest</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DragonNest">https://haveibeenpwned.com/Breach/DragonNest</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DragonNest">https://haveibeenpwned.com/Breach/DragonNest</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DragonNest">https://haveibeenpwned.com/Breach/DragonNest</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DriveSure">https://haveibeenpwned.com/Breach/DriveSure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DriveSure">https://haveibeenpwned.com/Breach/DriveSure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DriveSure">https://haveibeenpwned.com/Breach/DriveSure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DriveSure">https://haveibeenpwned.com/Breach/DriveSure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DriveSure">https://haveibeenpwned.com/Breach/DriveSure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DriveSure">https://haveibeenpwned.com/Breach/DriveSure</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DriveSure">https://haveibeenpwned.com/Breach/DriveSure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DriveSure">https://haveibeenpwned.com/Breach/DriveSure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DriveSure">https://haveibeenpwned.com/Breach/DriveSure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DriveSure">https://haveibeenpwned.com/Breach/DriveSure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DriveSure">https://haveibeenpwned.com/Breach/DriveSure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DriveSure">https://haveibeenpwned.com/Breach/DriveSure</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Drizly">https://haveibeenpwned.com/Breach/Drizly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Drizly">https://haveibeenpwned.com/Breach/Drizly</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Drizly">https://haveibeenpwned.com/Breach/Drizly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Drizly">https://haveibeenpwned.com/Breach/Drizly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Drizly">https://haveibeenpwned.com/Breach/Drizly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Drizly">https://haveibeenpwned.com/Breach/Drizly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Drizly">https://haveibeenpwned.com/Breach/Drizly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Drizly">https://haveibeenpwned.com/Breach/Drizly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Drizly">https://haveibeenpwned.com/Breach/Drizly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Drizly">https://haveibeenpwned.com/Breach/Drizly</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Drizly">https://haveibeenpwned.com/Breach/Drizly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Drizly">https://haveibeenpwned.com/Breach/Drizly</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dropbox">https://haveibeenpwned.com/Breach/Dropbox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dropbox">https://haveibeenpwned.com/Breach/Dropbox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dropbox">https://haveibeenpwned.com/Breach/Dropbox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dropbox">https://haveibeenpwned.com/Breach/Dropbox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dropbox">https://haveibeenpwned.com/Breach/Dropbox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dropbox">https://haveibeenpwned.com/Breach/Dropbox</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dropbox">https://haveibeenpwned.com/Breach/Dropbox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dropbox">https://haveibeenpwned.com/Breach/Dropbox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dropbox">https://haveibeenpwned.com/Breach/Dropbox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dropbox">https://haveibeenpwned.com/Breach/Dropbox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dropbox">https://haveibeenpwned.com/Breach/Dropbox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dropbox">https://haveibeenpwned.com/Breach/Dropbox</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dubsmash">https://haveibeenpwned.com/Breach/Dubsmash</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dubsmash">https://haveibeenpwned.com/Breach/Dubsmash</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dubsmash">https://haveibeenpwned.com/Breach/Dubsmash</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dubsmash">https://haveibeenpwned.com/Breach/Dubsmash</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dubsmash">https://haveibeenpwned.com/Breach/Dubsmash</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dubsmash">https://haveibeenpwned.com/Breach/Dubsmash</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dubsmash">https://haveibeenpwned.com/Breach/Dubsmash</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dubsmash">https://haveibeenpwned.com/Breach/Dubsmash</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dubsmash">https://haveibeenpwned.com/Breach/Dubsmash</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dubsmash">https://haveibeenpwned.com/Breach/Dubsmash</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dubsmash">https://haveibeenpwned.com/Breach/Dubsmash</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dubsmash">https://haveibeenpwned.com/Breach/Dubsmash</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DucksUnlimited">https://haveibeenpwned.com/Breach/DucksUnlimited</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DucksUnlimited">https://haveibeenpwned.com/Breach/DucksUnlimited</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DucksUnlimited">https://haveibeenpwned.com/Breach/DucksUnlimited</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DucksUnlimited">https://haveibeenpwned.com/Breach/DucksUnlimited</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DucksUnlimited">https://haveibeenpwned.com/Breach/DucksUnlimited</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DucksUnlimited">https://haveibeenpwned.com/Breach/DucksUnlimited</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DucksUnlimited">https://haveibeenpwned.com/Breach/DucksUnlimited</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DucksUnlimited">https://haveibeenpwned.com/Breach/DucksUnlimited</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DucksUnlimited">https://haveibeenpwned.com/Breach/DucksUnlimited</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DucksUnlimited">https://haveibeenpwned.com/Breach/DucksUnlimited</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DucksUnlimited">https://haveibeenpwned.com/Breach/DucksUnlimited</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DucksUnlimited">https://haveibeenpwned.com/Breach/DucksUnlimited</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DuelingNetwork">https://haveibeenpwned.com/Breach/DuelingNetwork</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DuelingNetwork">https://haveibeenpwned.com/Breach/DuelingNetwork</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DuelingNetwork">https://haveibeenpwned.com/Breach/DuelingNetwork</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DuelingNetwork">https://haveibeenpwned.com/Breach/DuelingNetwork</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DuelingNetwork">https://haveibeenpwned.com/Breach/DuelingNetwork</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DuelingNetwork">https://haveibeenpwned.com/Breach/DuelingNetwork</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DuelingNetwork">https://haveibeenpwned.com/Breach/DuelingNetwork</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DuelingNetwork">https://haveibeenpwned.com/Breach/DuelingNetwork</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DuelingNetwork">https://haveibeenpwned.com/Breach/DuelingNetwork</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DuelingNetwork">https://haveibeenpwned.com/Breach/DuelingNetwork</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DuelingNetwork">https://haveibeenpwned.com/Breach/DuelingNetwork</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DuelingNetwork">https://haveibeenpwned.com/Breach/DuelingNetwork</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dunzo">https://haveibeenpwned.com/Breach/Dunzo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dunzo">https://haveibeenpwned.com/Breach/Dunzo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dunzo">https://haveibeenpwned.com/Breach/Dunzo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dunzo">https://haveibeenpwned.com/Breach/Dunzo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dunzo">https://haveibeenpwned.com/Breach/Dunzo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dunzo">https://haveibeenpwned.com/Breach/Dunzo</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dunzo">https://haveibeenpwned.com/Breach/Dunzo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dunzo">https://haveibeenpwned.com/Breach/Dunzo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dunzo">https://haveibeenpwned.com/Breach/Dunzo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dunzo">https://haveibeenpwned.com/Breach/Dunzo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dunzo">https://haveibeenpwned.com/Breach/Dunzo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dunzo">https://haveibeenpwned.com/Breach/Dunzo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duolingo">https://haveibeenpwned.com/Breach/Duolingo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duolingo">https://haveibeenpwned.com/Breach/Duolingo</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duolingo">https://haveibeenpwned.com/Breach/Duolingo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duolingo">https://haveibeenpwned.com/Breach/Duolingo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duolingo">https://haveibeenpwned.com/Breach/Duolingo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duolingo">https://haveibeenpwned.com/Breach/Duolingo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duolingo">https://haveibeenpwned.com/Breach/Duolingo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duolingo">https://haveibeenpwned.com/Breach/Duolingo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duolingo">https://haveibeenpwned.com/Breach/Duolingo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duolingo">https://haveibeenpwned.com/Breach/Duolingo</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duolingo">https://haveibeenpwned.com/Breach/Duolingo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duolingo">https://haveibeenpwned.com/Breach/Duolingo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duowan">https://haveibeenpwned.com/Breach/Duowan</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duowan">https://haveibeenpwned.com/Breach/Duowan</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duowan">https://haveibeenpwned.com/Breach/Duowan</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duowan">https://haveibeenpwned.com/Breach/Duowan</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duowan">https://haveibeenpwned.com/Breach/Duowan</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duowan">https://haveibeenpwned.com/Breach/Duowan</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duowan">https://haveibeenpwned.com/Breach/Duowan</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duowan">https://haveibeenpwned.com/Breach/Duowan</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duowan">https://haveibeenpwned.com/Breach/Duowan</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duowan">https://haveibeenpwned.com/Breach/Duowan</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duowan">https://haveibeenpwned.com/Breach/Duowan</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Duowan">https://haveibeenpwned.com/Breach/Duowan</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DVDShopCH">https://haveibeenpwned.com/Breach/DVDShopCH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DVDShopCH">https://haveibeenpwned.com/Breach/DVDShopCH</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DVDShopCH">https://haveibeenpwned.com/Breach/DVDShopCH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DVDShopCH">https://haveibeenpwned.com/Breach/DVDShopCH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DVDShopCH">https://haveibeenpwned.com/Breach/DVDShopCH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DVDShopCH">https://haveibeenpwned.com/Breach/DVDShopCH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DVDShopCH">https://haveibeenpwned.com/Breach/DVDShopCH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DVDShopCH">https://haveibeenpwned.com/Breach/DVDShopCH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DVDShopCH">https://haveibeenpwned.com/Breach/DVDShopCH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DVDShopCH">https://haveibeenpwned.com/Breach/DVDShopCH</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DVDShopCH">https://haveibeenpwned.com/Breach/DVDShopCH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/DVDShopCH">https://haveibeenpwned.com/Breach/DVDShopCH</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dymocks">https://haveibeenpwned.com/Breach/Dymocks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dymocks">https://haveibeenpwned.com/Breach/Dymocks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dymocks">https://haveibeenpwned.com/Breach/Dymocks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dymocks">https://haveibeenpwned.com/Breach/Dymocks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dymocks">https://haveibeenpwned.com/Breach/Dymocks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dymocks">https://haveibeenpwned.com/Breach/Dymocks</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dymocks">https://haveibeenpwned.com/Breach/Dymocks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dymocks">https://haveibeenpwned.com/Breach/Dymocks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dymocks">https://haveibeenpwned.com/Breach/Dymocks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dymocks">https://haveibeenpwned.com/Breach/Dymocks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dymocks">https://haveibeenpwned.com/Breach/Dymocks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Dymocks">https://haveibeenpwned.com/Breach/Dymocks</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Earth2">https://haveibeenpwned.com/Breach/Earth2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Earth2">https://haveibeenpwned.com/Breach/Earth2</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Earth2">https://haveibeenpwned.com/Breach/Earth2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Earth2">https://haveibeenpwned.com/Breach/Earth2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Earth2">https://haveibeenpwned.com/Breach/Earth2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Earth2">https://haveibeenpwned.com/Breach/Earth2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Earth2">https://haveibeenpwned.com/Breach/Earth2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Earth2">https://haveibeenpwned.com/Breach/Earth2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Earth2">https://haveibeenpwned.com/Breach/Earth2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Earth2">https://haveibeenpwned.com/Breach/Earth2</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Earth2">https://haveibeenpwned.com/Breach/Earth2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Earth2">https://haveibeenpwned.com/Breach/Earth2</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eatigo">https://haveibeenpwned.com/Breach/Eatigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eatigo">https://haveibeenpwned.com/Breach/Eatigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eatigo">https://haveibeenpwned.com/Breach/Eatigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eatigo">https://haveibeenpwned.com/Breach/Eatigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eatigo">https://haveibeenpwned.com/Breach/Eatigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eatigo">https://haveibeenpwned.com/Breach/Eatigo</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eatigo">https://haveibeenpwned.com/Breach/Eatigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eatigo">https://haveibeenpwned.com/Breach/Eatigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eatigo">https://haveibeenpwned.com/Breach/Eatigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eatigo">https://haveibeenpwned.com/Breach/Eatigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eatigo">https://haveibeenpwned.com/Breach/Eatigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eatigo">https://haveibeenpwned.com/Breach/Eatigo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EatStreet">https://haveibeenpwned.com/Breach/EatStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EatStreet">https://haveibeenpwned.com/Breach/EatStreet</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EatStreet">https://haveibeenpwned.com/Breach/EatStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EatStreet">https://haveibeenpwned.com/Breach/EatStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EatStreet">https://haveibeenpwned.com/Breach/EatStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EatStreet">https://haveibeenpwned.com/Breach/EatStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EatStreet">https://haveibeenpwned.com/Breach/EatStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EatStreet">https://haveibeenpwned.com/Breach/EatStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EatStreet">https://haveibeenpwned.com/Breach/EatStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EatStreet">https://haveibeenpwned.com/Breach/EatStreet</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EatStreet">https://haveibeenpwned.com/Breach/EatStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EatStreet">https://haveibeenpwned.com/Breach/EatStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECB">https://haveibeenpwned.com/Breach/ECB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECB">https://haveibeenpwned.com/Breach/ECB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECB">https://haveibeenpwned.com/Breach/ECB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECB">https://haveibeenpwned.com/Breach/ECB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECB">https://haveibeenpwned.com/Breach/ECB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECB">https://haveibeenpwned.com/Breach/ECB</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECB">https://haveibeenpwned.com/Breach/ECB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECB">https://haveibeenpwned.com/Breach/ECB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECB">https://haveibeenpwned.com/Breach/ECB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECB">https://haveibeenpwned.com/Breach/ECB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECB">https://haveibeenpwned.com/Breach/ECB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECB">https://haveibeenpwned.com/Breach/ECB</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECCIE">https://haveibeenpwned.com/Breach/ECCIE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECCIE">https://haveibeenpwned.com/Breach/ECCIE</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECCIE">https://haveibeenpwned.com/Breach/ECCIE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECCIE">https://haveibeenpwned.com/Breach/ECCIE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECCIE">https://haveibeenpwned.com/Breach/ECCIE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECCIE">https://haveibeenpwned.com/Breach/ECCIE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECCIE">https://haveibeenpwned.com/Breach/ECCIE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECCIE">https://haveibeenpwned.com/Breach/ECCIE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECCIE">https://haveibeenpwned.com/Breach/ECCIE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECCIE">https://haveibeenpwned.com/Breach/ECCIE</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECCIE">https://haveibeenpwned.com/Breach/ECCIE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ECCIE">https://haveibeenpwned.com/Breach/ECCIE</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Edmodo">https://haveibeenpwned.com/Breach/Edmodo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Edmodo">https://haveibeenpwned.com/Breach/Edmodo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Edmodo">https://haveibeenpwned.com/Breach/Edmodo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Edmodo">https://haveibeenpwned.com/Breach/Edmodo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Edmodo">https://haveibeenpwned.com/Breach/Edmodo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Edmodo">https://haveibeenpwned.com/Breach/Edmodo</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Edmodo">https://haveibeenpwned.com/Breach/Edmodo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Edmodo">https://haveibeenpwned.com/Breach/Edmodo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Edmodo">https://haveibeenpwned.com/Breach/Edmodo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Edmodo">https://haveibeenpwned.com/Breach/Edmodo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Edmodo">https://haveibeenpwned.com/Breach/Edmodo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Edmodo">https://haveibeenpwned.com/Breach/Edmodo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elance">https://haveibeenpwned.com/Breach/Elance</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elance">https://haveibeenpwned.com/Breach/Elance</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elance">https://haveibeenpwned.com/Breach/Elance</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elance">https://haveibeenpwned.com/Breach/Elance</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elance">https://haveibeenpwned.com/Breach/Elance</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elance">https://haveibeenpwned.com/Breach/Elance</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elance">https://haveibeenpwned.com/Breach/Elance</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elance">https://haveibeenpwned.com/Breach/Elance</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elance">https://haveibeenpwned.com/Breach/Elance</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elance">https://haveibeenpwned.com/Breach/Elance</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elance">https://haveibeenpwned.com/Breach/Elance</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elance">https://haveibeenpwned.com/Breach/Elance</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elanic">https://haveibeenpwned.com/Breach/Elanic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elanic">https://haveibeenpwned.com/Breach/Elanic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elanic">https://haveibeenpwned.com/Breach/Elanic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elanic">https://haveibeenpwned.com/Breach/Elanic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elanic">https://haveibeenpwned.com/Breach/Elanic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elanic">https://haveibeenpwned.com/Breach/Elanic</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elanic">https://haveibeenpwned.com/Breach/Elanic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elanic">https://haveibeenpwned.com/Breach/Elanic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elanic">https://haveibeenpwned.com/Breach/Elanic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elanic">https://haveibeenpwned.com/Breach/Elanic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elanic">https://haveibeenpwned.com/Breach/Elanic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Elanic">https://haveibeenpwned.com/Breach/Elanic</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads">https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads">https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads">https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads">https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads">https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads">https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads">https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads">https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads">https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads">https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads">https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads">https://haveibeenpwned.com/Breach/ElasticsearchSalesLeads</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emotet">https://haveibeenpwned.com/Breach/Emotet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emotet">https://haveibeenpwned.com/Breach/Emotet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emotet">https://haveibeenpwned.com/Breach/Emotet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emotet">https://haveibeenpwned.com/Breach/Emotet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emotet">https://haveibeenpwned.com/Breach/Emotet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emotet">https://haveibeenpwned.com/Breach/Emotet</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emotet">https://haveibeenpwned.com/Breach/Emotet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emotet">https://haveibeenpwned.com/Breach/Emotet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emotet">https://haveibeenpwned.com/Breach/Emotet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emotet">https://haveibeenpwned.com/Breach/Emotet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emotet">https://haveibeenpwned.com/Breach/Emotet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emotet">https://haveibeenpwned.com/Breach/Emotet</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emuparadise">https://haveibeenpwned.com/Breach/Emuparadise</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emuparadise">https://haveibeenpwned.com/Breach/Emuparadise</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emuparadise">https://haveibeenpwned.com/Breach/Emuparadise</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emuparadise">https://haveibeenpwned.com/Breach/Emuparadise</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emuparadise">https://haveibeenpwned.com/Breach/Emuparadise</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emuparadise">https://haveibeenpwned.com/Breach/Emuparadise</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emuparadise">https://haveibeenpwned.com/Breach/Emuparadise</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emuparadise">https://haveibeenpwned.com/Breach/Emuparadise</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emuparadise">https://haveibeenpwned.com/Breach/Emuparadise</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emuparadise">https://haveibeenpwned.com/Breach/Emuparadise</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emuparadise">https://haveibeenpwned.com/Breach/Emuparadise</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Emuparadise">https://haveibeenpwned.com/Breach/Emuparadise</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EPal">https://haveibeenpwned.com/Breach/EPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EPal">https://haveibeenpwned.com/Breach/EPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EPal">https://haveibeenpwned.com/Breach/EPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EPal">https://haveibeenpwned.com/Breach/EPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EPal">https://haveibeenpwned.com/Breach/EPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EPal">https://haveibeenpwned.com/Breach/EPal</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EPal">https://haveibeenpwned.com/Breach/EPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EPal">https://haveibeenpwned.com/Breach/EPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EPal">https://haveibeenpwned.com/Breach/EPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EPal">https://haveibeenpwned.com/Breach/EPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EPal">https://haveibeenpwned.com/Breach/EPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EPal">https://haveibeenpwned.com/Breach/EPal</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicBot">https://haveibeenpwned.com/Breach/EpicBot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicBot">https://haveibeenpwned.com/Breach/EpicBot</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicBot">https://haveibeenpwned.com/Breach/EpicBot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicBot">https://haveibeenpwned.com/Breach/EpicBot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicBot">https://haveibeenpwned.com/Breach/EpicBot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicBot">https://haveibeenpwned.com/Breach/EpicBot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicBot">https://haveibeenpwned.com/Breach/EpicBot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicBot">https://haveibeenpwned.com/Breach/EpicBot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicBot">https://haveibeenpwned.com/Breach/EpicBot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicBot">https://haveibeenpwned.com/Breach/EpicBot</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicBot">https://haveibeenpwned.com/Breach/EpicBot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicBot">https://haveibeenpwned.com/Breach/EpicBot</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicGames">https://haveibeenpwned.com/Breach/EpicGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicGames">https://haveibeenpwned.com/Breach/EpicGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicGames">https://haveibeenpwned.com/Breach/EpicGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicGames">https://haveibeenpwned.com/Breach/EpicGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicGames">https://haveibeenpwned.com/Breach/EpicGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicGames">https://haveibeenpwned.com/Breach/EpicGames</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicGames">https://haveibeenpwned.com/Breach/EpicGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicGames">https://haveibeenpwned.com/Breach/EpicGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicGames">https://haveibeenpwned.com/Breach/EpicGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicGames">https://haveibeenpwned.com/Breach/EpicGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicGames">https://haveibeenpwned.com/Breach/EpicGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicGames">https://haveibeenpwned.com/Breach/EpicGames</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicNPC">https://haveibeenpwned.com/Breach/EpicNPC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicNPC">https://haveibeenpwned.com/Breach/EpicNPC</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicNPC">https://haveibeenpwned.com/Breach/EpicNPC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicNPC">https://haveibeenpwned.com/Breach/EpicNPC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicNPC">https://haveibeenpwned.com/Breach/EpicNPC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicNPC">https://haveibeenpwned.com/Breach/EpicNPC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicNPC">https://haveibeenpwned.com/Breach/EpicNPC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicNPC">https://haveibeenpwned.com/Breach/EpicNPC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicNPC">https://haveibeenpwned.com/Breach/EpicNPC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicNPC">https://haveibeenpwned.com/Breach/EpicNPC</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicNPC">https://haveibeenpwned.com/Breach/EpicNPC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EpicNPC">https://haveibeenpwned.com/Breach/EpicNPC</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Epik">https://haveibeenpwned.com/Breach/Epik</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Epik">https://haveibeenpwned.com/Breach/Epik</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Epik">https://haveibeenpwned.com/Breach/Epik</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Epik">https://haveibeenpwned.com/Breach/Epik</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Epik">https://haveibeenpwned.com/Breach/Epik</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Epik">https://haveibeenpwned.com/Breach/Epik</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Epik">https://haveibeenpwned.com/Breach/Epik</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Epik">https://haveibeenpwned.com/Breach/Epik</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Epik">https://haveibeenpwned.com/Breach/Epik</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Epik">https://haveibeenpwned.com/Breach/Epik</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Epik">https://haveibeenpwned.com/Breach/Epik</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Epik">https://haveibeenpwned.com/Breach/Epik</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eroticy">https://haveibeenpwned.com/Breach/Eroticy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eroticy">https://haveibeenpwned.com/Breach/Eroticy</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eroticy">https://haveibeenpwned.com/Breach/Eroticy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eroticy">https://haveibeenpwned.com/Breach/Eroticy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eroticy">https://haveibeenpwned.com/Breach/Eroticy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eroticy">https://haveibeenpwned.com/Breach/Eroticy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eroticy">https://haveibeenpwned.com/Breach/Eroticy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eroticy">https://haveibeenpwned.com/Breach/Eroticy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eroticy">https://haveibeenpwned.com/Breach/Eroticy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eroticy">https://haveibeenpwned.com/Breach/Eroticy</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eroticy">https://haveibeenpwned.com/Breach/Eroticy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eroticy">https://haveibeenpwned.com/Breach/Eroticy</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eskimi">https://haveibeenpwned.com/Breach/Eskimi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eskimi">https://haveibeenpwned.com/Breach/Eskimi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eskimi">https://haveibeenpwned.com/Breach/Eskimi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eskimi">https://haveibeenpwned.com/Breach/Eskimi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eskimi">https://haveibeenpwned.com/Breach/Eskimi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eskimi">https://haveibeenpwned.com/Breach/Eskimi</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eskimi">https://haveibeenpwned.com/Breach/Eskimi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eskimi">https://haveibeenpwned.com/Breach/Eskimi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eskimi">https://haveibeenpwned.com/Breach/Eskimi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eskimi">https://haveibeenpwned.com/Breach/Eskimi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eskimi">https://haveibeenpwned.com/Breach/Eskimi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eskimi">https://haveibeenpwned.com/Breach/Eskimi</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EstanteVirtual">https://haveibeenpwned.com/Breach/EstanteVirtual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EstanteVirtual">https://haveibeenpwned.com/Breach/EstanteVirtual</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EstanteVirtual">https://haveibeenpwned.com/Breach/EstanteVirtual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EstanteVirtual">https://haveibeenpwned.com/Breach/EstanteVirtual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EstanteVirtual">https://haveibeenpwned.com/Breach/EstanteVirtual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EstanteVirtual">https://haveibeenpwned.com/Breach/EstanteVirtual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EstanteVirtual">https://haveibeenpwned.com/Breach/EstanteVirtual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EstanteVirtual">https://haveibeenpwned.com/Breach/EstanteVirtual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EstanteVirtual">https://haveibeenpwned.com/Breach/EstanteVirtual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EstanteVirtual">https://haveibeenpwned.com/Breach/EstanteVirtual</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EstanteVirtual">https://haveibeenpwned.com/Breach/EstanteVirtual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EstanteVirtual">https://haveibeenpwned.com/Breach/EstanteVirtual</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Estonia">https://haveibeenpwned.com/Breach/Estonia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Estonia">https://haveibeenpwned.com/Breach/Estonia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Estonia">https://haveibeenpwned.com/Breach/Estonia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Estonia">https://haveibeenpwned.com/Breach/Estonia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Estonia">https://haveibeenpwned.com/Breach/Estonia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Estonia">https://haveibeenpwned.com/Breach/Estonia</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Estonia">https://haveibeenpwned.com/Breach/Estonia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Estonia">https://haveibeenpwned.com/Breach/Estonia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Estonia">https://haveibeenpwned.com/Breach/Estonia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Estonia">https://haveibeenpwned.com/Breach/Estonia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Estonia">https://haveibeenpwned.com/Breach/Estonia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Estonia">https://haveibeenpwned.com/Breach/Estonia</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/eThekwiMunicipality">https://haveibeenpwned.com/Breach/eThekwiMunicipality</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/eThekwiMunicipality">https://haveibeenpwned.com/Breach/eThekwiMunicipality</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/eThekwiniMunicipality">https://haveibeenpwned.com/Breach/eThekwiniMunicipality</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/eThekwiniMunicipality">https://haveibeenpwned.com/Breach/eThekwiniMunicipality</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/eThekwiniMunicipality">https://haveibeenpwned.com/Breach/eThekwiniMunicipality</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/eThekwiniMunicipality">https://haveibeenpwned.com/Breach/eThekwiniMunicipality</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/eThekwiniMunicipality">https://haveibeenpwned.com/Breach/eThekwiniMunicipality</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/eThekwiniMunicipality">https://haveibeenpwned.com/Breach/eThekwiniMunicipality</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/eThekwiniMunicipality">https://haveibeenpwned.com/Breach/eThekwiniMunicipality</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/eThekwiniMunicipality">https://haveibeenpwned.com/Breach/eThekwiniMunicipality</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/eThekiniMunicipality">https://haveibeenpwned.com/Breach/eThekiniMunicipality</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/eThekiniMunicipality">https://haveibeenpwned.com/Breach/eThekiniMunicipality</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ethereum">https://haveibeenpwned.com/Breach/Ethereum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ethereum">https://haveibeenpwned.com/Breach/Ethereum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ethereum">https://haveibeenpwned.com/Breach/Ethereum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ethereum">https://haveibeenpwned.com/Breach/Ethereum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ethereum">https://haveibeenpwned.com/Breach/Ethereum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ethereum">https://haveibeenpwned.com/Breach/Ethereum</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ethereum">https://haveibeenpwned.com/Breach/Ethereum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ethereum">https://haveibeenpwned.com/Breach/Ethereum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ethereum">https://haveibeenpwned.com/Breach/Ethereum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ethereum">https://haveibeenpwned.com/Breach/Ethereum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ethereum">https://haveibeenpwned.com/Breach/Ethereum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ethereum">https://haveibeenpwned.com/Breach/Ethereum</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EuropaJobs">https://haveibeenpwned.com/Breach/EuropaJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EuropaJobs">https://haveibeenpwned.com/Breach/EuropaJobs</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EuropaJobs">https://haveibeenpwned.com/Breach/EuropaJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EuropaJobs">https://haveibeenpwned.com/Breach/EuropaJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EuropaJobs">https://haveibeenpwned.com/Breach/EuropaJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EuropaJobs">https://haveibeenpwned.com/Breach/EuropaJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EuropaJobs">https://haveibeenpwned.com/Breach/EuropaJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EuropaJobs">https://haveibeenpwned.com/Breach/EuropaJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EuropaJobs">https://haveibeenpwned.com/Breach/EuropaJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EuropaJobs">https://haveibeenpwned.com/Breach/EuropaJobs</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EuropaJobs">https://haveibeenpwned.com/Breach/EuropaJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EuropaJobs">https://haveibeenpwned.com/Breach/EuropaJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evermotion">https://haveibeenpwned.com/Breach/Evermotion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evermotion">https://haveibeenpwned.com/Breach/Evermotion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evermotion">https://haveibeenpwned.com/Breach/Evermotion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evermotion">https://haveibeenpwned.com/Breach/Evermotion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evermotion">https://haveibeenpwned.com/Breach/Evermotion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evermotion">https://haveibeenpwned.com/Breach/Evermotion</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evermotion">https://haveibeenpwned.com/Breach/Evermotion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evermotion">https://haveibeenpwned.com/Breach/Evermotion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evermotion">https://haveibeenpwned.com/Breach/Evermotion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evermotion">https://haveibeenpwned.com/Breach/Evermotion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evermotion">https://haveibeenpwned.com/Breach/Evermotion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evermotion">https://haveibeenpwned.com/Breach/Evermotion</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EverybodyEdits">https://haveibeenpwned.com/Breach/EverybodyEdits</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EverybodyEdits">https://haveibeenpwned.com/Breach/EverybodyEdits</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EverybodyEdits">https://haveibeenpwned.com/Breach/EverybodyEdits</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EverybodyEdits">https://haveibeenpwned.com/Breach/EverybodyEdits</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EverybodyEdits">https://haveibeenpwned.com/Breach/EverybodyEdits</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EverybodyEdits">https://haveibeenpwned.com/Breach/EverybodyEdits</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EverybodyEdits">https://haveibeenpwned.com/Breach/EverybodyEdits</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EverybodyEdits">https://haveibeenpwned.com/Breach/EverybodyEdits</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EverybodyEdits">https://haveibeenpwned.com/Breach/EverybodyEdits</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EverybodyEdits">https://haveibeenpwned.com/Breach/EverybodyEdits</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EverybodyEdits">https://haveibeenpwned.com/Breach/EverybodyEdits</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EverybodyEdits">https://haveibeenpwned.com/Breach/EverybodyEdits</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evite">https://haveibeenpwned.com/Breach/Evite</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evite">https://haveibeenpwned.com/Breach/Evite</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evite">https://haveibeenpwned.com/Breach/Evite</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evite">https://haveibeenpwned.com/Breach/Evite</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evite">https://haveibeenpwned.com/Breach/Evite</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evite">https://haveibeenpwned.com/Breach/Evite</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evite">https://haveibeenpwned.com/Breach/Evite</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evite">https://haveibeenpwned.com/Breach/Evite</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evite">https://haveibeenpwned.com/Breach/Evite</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evite">https://haveibeenpwned.com/Breach/Evite</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evite">https://haveibeenpwned.com/Breach/Evite</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evite">https://haveibeenpwned.com/Breach/Evite</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evony">https://haveibeenpwned.com/Breach/Evony</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evony">https://haveibeenpwned.com/Breach/Evony</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evony">https://haveibeenpwned.com/Breach/Evony</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evony">https://haveibeenpwned.com/Breach/Evony</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evony">https://haveibeenpwned.com/Breach/Evony</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evony">https://haveibeenpwned.com/Breach/Evony</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evony">https://haveibeenpwned.com/Breach/Evony</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evony">https://haveibeenpwned.com/Breach/Evony</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evony">https://haveibeenpwned.com/Breach/Evony</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evony">https://haveibeenpwned.com/Breach/Evony</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evony">https://haveibeenpwned.com/Breach/Evony</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Evony">https://haveibeenpwned.com/Breach/Evony</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exactis">https://haveibeenpwned.com/Breach/Exactis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exactis">https://haveibeenpwned.com/Breach/Exactis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exactis">https://haveibeenpwned.com/Breach/Exactis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exactis">https://haveibeenpwned.com/Breach/Exactis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exactis">https://haveibeenpwned.com/Breach/Exactis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exactis">https://haveibeenpwned.com/Breach/Exactis</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exactis">https://haveibeenpwned.com/Breach/Exactis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exactis">https://haveibeenpwned.com/Breach/Exactis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exactis">https://haveibeenpwned.com/Breach/Exactis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exactis">https://haveibeenpwned.com/Breach/Exactis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exactis">https://haveibeenpwned.com/Breach/Exactis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exactis">https://haveibeenpwned.com/Breach/Exactis</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian">https://haveibeenpwned.com/Breach/Experian</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian">https://haveibeenpwned.com/Breach/Experian</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian">https://haveibeenpwned.com/Breach/Experian</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian">https://haveibeenpwned.com/Breach/Experian</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian">https://haveibeenpwned.com/Breach/Experian</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian">https://haveibeenpwned.com/Breach/Experian</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian">https://haveibeenpwned.com/Breach/Experian</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian">https://haveibeenpwned.com/Breach/Experian</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian">https://haveibeenpwned.com/Breach/Experian</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian">https://haveibeenpwned.com/Breach/Experian</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian">https://haveibeenpwned.com/Breach/Experian</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian">https://haveibeenpwned.com/Breach/Experian</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian2020">https://haveibeenpwned.com/Breach/Experian2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian2020">https://haveibeenpwned.com/Breach/Experian2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian2020">https://haveibeenpwned.com/Breach/Experian2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian2020">https://haveibeenpwned.com/Breach/Experian2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian2020">https://haveibeenpwned.com/Breach/Experian2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian2020">https://haveibeenpwned.com/Breach/Experian2020</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian2020">https://haveibeenpwned.com/Breach/Experian2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian2020">https://haveibeenpwned.com/Breach/Experian2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian2020">https://haveibeenpwned.com/Breach/Experian2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian2020">https://haveibeenpwned.com/Breach/Experian2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian2020">https://haveibeenpwned.com/Breach/Experian2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Experian2020">https://haveibeenpwned.com/Breach/Experian2020</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploitIn">https://haveibeenpwned.com/Breach/ExploitIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploitIn">https://haveibeenpwned.com/Breach/ExploitIn</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploitIn">https://haveibeenpwned.com/Breach/ExploitIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploitIn">https://haveibeenpwned.com/Breach/ExploitIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploitIn">https://haveibeenpwned.com/Breach/ExploitIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploitIn">https://haveibeenpwned.com/Breach/ExploitIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploitIn">https://haveibeenpwned.com/Breach/ExploitIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploitIn">https://haveibeenpwned.com/Breach/ExploitIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploitIn">https://haveibeenpwned.com/Breach/ExploitIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploitIn">https://haveibeenpwned.com/Breach/ExploitIn</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploitIn">https://haveibeenpwned.com/Breach/ExploitIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploitIn">https://haveibeenpwned.com/Breach/ExploitIn</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalent">https://haveibeenpwned.com/Breach/ExploreTalent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalent">https://haveibeenpwned.com/Breach/ExploreTalent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalent">https://haveibeenpwned.com/Breach/ExploreTalent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalent">https://haveibeenpwned.com/Breach/ExploreTalent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalent">https://haveibeenpwned.com/Breach/ExploreTalent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalent">https://haveibeenpwned.com/Breach/ExploreTalent</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalent">https://haveibeenpwned.com/Breach/ExploreTalent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalent">https://haveibeenpwned.com/Breach/ExploreTalent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalent">https://haveibeenpwned.com/Breach/ExploreTalent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalent">https://haveibeenpwned.com/Breach/ExploreTalent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalent">https://haveibeenpwned.com/Breach/ExploreTalent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalent">https://haveibeenpwned.com/Breach/ExploreTalent</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalentAug2024">https://haveibeenpwned.com/Breach/ExploreTalentAug2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalentAug2024">https://haveibeenpwned.com/Breach/ExploreTalentAug2024</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalentAug2024">https://haveibeenpwned.com/Breach/ExploreTalentAug2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalentAug2024">https://haveibeenpwned.com/Breach/ExploreTalentAug2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalentAug2024">https://haveibeenpwned.com/Breach/ExploreTalentAug2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalentAug2024">https://haveibeenpwned.com/Breach/ExploreTalentAug2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalentAug2024">https://haveibeenpwned.com/Breach/ExploreTalentAug2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalentAug2024">https://haveibeenpwned.com/Breach/ExploreTalentAug2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalentAug2024">https://haveibeenpwned.com/Breach/ExploreTalentAug2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalentAug2024">https://haveibeenpwned.com/Breach/ExploreTalentAug2024</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalentAug2024">https://haveibeenpwned.com/Breach/ExploreTalentAug2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ExploreTalentAug2024">https://haveibeenpwned.com/Breach/ExploreTalentAug2024</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exvagos">https://haveibeenpwned.com/Breach/Exvagos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exvagos">https://haveibeenpwned.com/Breach/Exvagos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exvagos">https://haveibeenpwned.com/Breach/Exvagos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exvagos">https://haveibeenpwned.com/Breach/Exvagos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exvagos">https://haveibeenpwned.com/Breach/Exvagos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exvagos">https://haveibeenpwned.com/Breach/Exvagos</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exvagos">https://haveibeenpwned.com/Breach/Exvagos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exvagos">https://haveibeenpwned.com/Breach/Exvagos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exvagos">https://haveibeenpwned.com/Breach/Exvagos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exvagos">https://haveibeenpwned.com/Breach/Exvagos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exvagos">https://haveibeenpwned.com/Breach/Exvagos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Exvagos">https://haveibeenpwned.com/Breach/Exvagos</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eye4Fraud">https://haveibeenpwned.com/Breach/Eye4Fraud</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eye4Fraud">https://haveibeenpwned.com/Breach/Eye4Fraud</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eye4Fraud">https://haveibeenpwned.com/Breach/Eye4Fraud</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eye4Fraud">https://haveibeenpwned.com/Breach/Eye4Fraud</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eye4Fraud">https://haveibeenpwned.com/Breach/Eye4Fraud</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eye4Fraud">https://haveibeenpwned.com/Breach/Eye4Fraud</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eye4Fraud">https://haveibeenpwned.com/Breach/Eye4Fraud</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eye4Fraud">https://haveibeenpwned.com/Breach/Eye4Fraud</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eye4Fraud">https://haveibeenpwned.com/Breach/Eye4Fraud</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eye4Fraud">https://haveibeenpwned.com/Breach/Eye4Fraud</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eye4Fraud">https://haveibeenpwned.com/Breach/Eye4Fraud</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Eye4Fraud">https://haveibeenpwned.com/Breach/Eye4Fraud</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EyeEm">https://haveibeenpwned.com/Breach/EyeEm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EyeEm">https://haveibeenpwned.com/Breach/EyeEm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EyeEm">https://haveibeenpwned.com/Breach/EyeEm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EyeEm">https://haveibeenpwned.com/Breach/EyeEm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EyeEm">https://haveibeenpwned.com/Breach/EyeEm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EyeEm">https://haveibeenpwned.com/Breach/EyeEm</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EyeEm">https://haveibeenpwned.com/Breach/EyeEm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EyeEm">https://haveibeenpwned.com/Breach/EyeEm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EyeEm">https://haveibeenpwned.com/Breach/EyeEm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EyeEm">https://haveibeenpwned.com/Breach/EyeEm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EyeEm">https://haveibeenpwned.com/Breach/EyeEm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/EyeEm">https://haveibeenpwned.com/Breach/EyeEm</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facebook">https://haveibeenpwned.com/Breach/Facebook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facebook">https://haveibeenpwned.com/Breach/Facebook</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facebook">https://haveibeenpwned.com/Breach/Facebook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facebook">https://haveibeenpwned.com/Breach/Facebook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facebook">https://haveibeenpwned.com/Breach/Facebook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facebook">https://haveibeenpwned.com/Breach/Facebook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facebook">https://haveibeenpwned.com/Breach/Facebook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facebook">https://haveibeenpwned.com/Breach/Facebook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facebook">https://haveibeenpwned.com/Breach/Facebook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facebook">https://haveibeenpwned.com/Breach/Facebook</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facebook">https://haveibeenpwned.com/Breach/Facebook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facebook">https://haveibeenpwned.com/Breach/Facebook</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FacebookMarketplace">https://haveibeenpwned.com/Breach/FacebookMarketplace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FacebookMarketplace">https://haveibeenpwned.com/Breach/FacebookMarketplace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FacebookMarketplace">https://haveibeenpwned.com/Breach/FacebookMarketplace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FacebookMarketplace">https://haveibeenpwned.com/Breach/FacebookMarketplace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FacebookMarketplace">https://haveibeenpwned.com/Breach/FacebookMarketplace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FacebookMarketplace">https://haveibeenpwned.com/Breach/FacebookMarketplace</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FacebookMarketplace">https://haveibeenpwned.com/Breach/FacebookMarketplace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FacebookMarketplace">https://haveibeenpwned.com/Breach/FacebookMarketplace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FacebookMarketplace">https://haveibeenpwned.com/Breach/FacebookMarketplace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FacebookMarketplace">https://haveibeenpwned.com/Breach/FacebookMarketplace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FacebookMarketplace">https://haveibeenpwned.com/Breach/FacebookMarketplace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FacebookMarketplace">https://haveibeenpwned.com/Breach/FacebookMarketplace</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facepunch">https://haveibeenpwned.com/Breach/Facepunch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facepunch">https://haveibeenpwned.com/Breach/Facepunch</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facepunch">https://haveibeenpwned.com/Breach/Facepunch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facepunch">https://haveibeenpwned.com/Breach/Facepunch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facepunch">https://haveibeenpwned.com/Breach/Facepunch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facepunch">https://haveibeenpwned.com/Breach/Facepunch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facepunch">https://haveibeenpwned.com/Breach/Facepunch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facepunch">https://haveibeenpwned.com/Breach/Facepunch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facepunch">https://haveibeenpwned.com/Breach/Facepunch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facepunch">https://haveibeenpwned.com/Breach/Facepunch</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facepunch">https://haveibeenpwned.com/Breach/Facepunch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Facepunch">https://haveibeenpwned.com/Breach/Facepunch</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FaceUP">https://haveibeenpwned.com/Breach/FaceUP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FaceUP">https://haveibeenpwned.com/Breach/FaceUP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FaceUP">https://haveibeenpwned.com/Breach/FaceUP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FaceUP">https://haveibeenpwned.com/Breach/FaceUP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FaceUP">https://haveibeenpwned.com/Breach/FaceUP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FaceUP">https://haveibeenpwned.com/Breach/FaceUP</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FaceUP">https://haveibeenpwned.com/Breach/FaceUP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FaceUP">https://haveibeenpwned.com/Breach/FaceUP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FaceUP">https://haveibeenpwned.com/Breach/FaceUP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FaceUP">https://haveibeenpwned.com/Breach/FaceUP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FaceUP">https://haveibeenpwned.com/Breach/FaceUP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FaceUP">https://haveibeenpwned.com/Breach/FaceUP</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Factual">https://haveibeenpwned.com/Breach/Factual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Factual">https://haveibeenpwned.com/Breach/Factual</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Factual">https://haveibeenpwned.com/Breach/Factual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Factual">https://haveibeenpwned.com/Breach/Factual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Factual">https://haveibeenpwned.com/Breach/Factual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Factual">https://haveibeenpwned.com/Breach/Factual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Factual">https://haveibeenpwned.com/Breach/Factual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Factual">https://haveibeenpwned.com/Breach/Factual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Factual">https://haveibeenpwned.com/Breach/Factual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Factual">https://haveibeenpwned.com/Breach/Factual</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Factual">https://haveibeenpwned.com/Breach/Factual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Factual">https://haveibeenpwned.com/Breach/Factual</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FairVoteCanada">https://haveibeenpwned.com/Breach/FairVoteCanada</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FairVoteCanada">https://haveibeenpwned.com/Breach/FairVoteCanada</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FairVoteCanada">https://haveibeenpwned.com/Breach/FairVoteCanada</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FairVoteCanada">https://haveibeenpwned.com/Breach/FairVoteCanada</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FairVoteCanada">https://haveibeenpwned.com/Breach/FairVoteCanada</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FairVoteCanada">https://haveibeenpwned.com/Breach/FairVoteCanada</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FairVoteCanada">https://haveibeenpwned.com/Breach/FairVoteCanada</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FairVoteCanada">https://haveibeenpwned.com/Breach/FairVoteCanada</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FairVoteCanada">https://haveibeenpwned.com/Breach/FairVoteCanada</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FairVoteCanada">https://haveibeenpwned.com/Breach/FairVoteCanada</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FairVoteCanada">https://haveibeenpwned.com/Breach/FairVoteCanada</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FairVoteCanada">https://haveibeenpwned.com/Breach/FairVoteCanada</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Famm">https://haveibeenpwned.com/Breach/Famm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Famm">https://haveibeenpwned.com/Breach/Famm</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Famm">https://haveibeenpwned.com/Breach/Famm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Famm">https://haveibeenpwned.com/Breach/Famm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Famm">https://haveibeenpwned.com/Breach/Famm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Famm">https://haveibeenpwned.com/Breach/Famm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Famm">https://haveibeenpwned.com/Breach/Famm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Famm">https://haveibeenpwned.com/Breach/Famm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Famm">https://haveibeenpwned.com/Breach/Famm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Famm">https://haveibeenpwned.com/Breach/Famm</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Famm">https://haveibeenpwned.com/Breach/Famm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Famm">https://haveibeenpwned.com/Breach/Famm</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fanpass">https://haveibeenpwned.com/Breach/Fanpass</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fanpass">https://haveibeenpwned.com/Breach/Fanpass</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fanpass">https://haveibeenpwned.com/Breach/Fanpass</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fanpass">https://haveibeenpwned.com/Breach/Fanpass</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fanpass">https://haveibeenpwned.com/Breach/Fanpass</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fanpass">https://haveibeenpwned.com/Breach/Fanpass</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fanpass">https://haveibeenpwned.com/Breach/Fanpass</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fanpass">https://haveibeenpwned.com/Breach/Fanpass</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fanpass">https://haveibeenpwned.com/Breach/Fanpass</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fanpass">https://haveibeenpwned.com/Breach/Fanpass</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fanpass">https://haveibeenpwned.com/Breach/Fanpass</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fanpass">https://haveibeenpwned.com/Breach/Fanpass</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FantasyFootballHub">https://haveibeenpwned.com/Breach/FantasyFootballHub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FantasyFootballHub">https://haveibeenpwned.com/Breach/FantasyFootballHub</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FantasyFootballHub">https://haveibeenpwned.com/Breach/FantasyFootballHub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FantasyFootballHub">https://haveibeenpwned.com/Breach/FantasyFootballHub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FantasyFootballHub">https://haveibeenpwned.com/Breach/FantasyFootballHub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FantasyFootballHub">https://haveibeenpwned.com/Breach/FantasyFootballHub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FantasyFootballHub">https://haveibeenpwned.com/Breach/FantasyFootballHub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FantasyFootballHub">https://haveibeenpwned.com/Breach/FantasyFootballHub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FantasyFootballHub">https://haveibeenpwned.com/Breach/FantasyFootballHub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FantasyFootballHub">https://haveibeenpwned.com/Breach/FantasyFootballHub</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FantasyFootballHub">https://haveibeenpwned.com/Breach/FantasyFootballHub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FantasyFootballHub">https://haveibeenpwned.com/Breach/FantasyFootballHub</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FashionFantasyGame">https://haveibeenpwned.com/Breach/FashionFantasyGame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FashionFantasyGame">https://haveibeenpwned.com/Breach/FashionFantasyGame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FashionFantasyGame">https://haveibeenpwned.com/Breach/FashionFantasyGame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FashionFantasyGame">https://haveibeenpwned.com/Breach/FashionFantasyGame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FashionFantasyGame">https://haveibeenpwned.com/Breach/FashionFantasyGame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FashionFantasyGame">https://haveibeenpwned.com/Breach/FashionFantasyGame</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FashionFantasyGame">https://haveibeenpwned.com/Breach/FashionFantasyGame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FashionFantasyGame">https://haveibeenpwned.com/Breach/FashionFantasyGame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FashionFantasyGame">https://haveibeenpwned.com/Breach/FashionFantasyGame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FashionFantasyGame">https://haveibeenpwned.com/Breach/FashionFantasyGame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FashionFantasyGame">https://haveibeenpwned.com/Breach/FashionFantasyGame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FashionFantasyGame">https://haveibeenpwned.com/Breach/FashionFantasyGame</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFR">https://haveibeenpwned.com/Breach/FFR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFR">https://haveibeenpwned.com/Breach/FFR</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFR">https://haveibeenpwned.com/Breach/FFR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFR">https://haveibeenpwned.com/Breach/FFR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFR">https://haveibeenpwned.com/Breach/FFR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFR">https://haveibeenpwned.com/Breach/FFR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFR">https://haveibeenpwned.com/Breach/FFR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFR">https://haveibeenpwned.com/Breach/FFR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFR">https://haveibeenpwned.com/Breach/FFR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFR">https://haveibeenpwned.com/Breach/FFR</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFR">https://haveibeenpwned.com/Breach/FFR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFR">https://haveibeenpwned.com/Breach/FFR</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFShrine">https://haveibeenpwned.com/Breach/FFShrine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFShrine">https://haveibeenpwned.com/Breach/FFShrine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFShrine">https://haveibeenpwned.com/Breach/FFShrine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFShrine">https://haveibeenpwned.com/Breach/FFShrine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFShrine">https://haveibeenpwned.com/Breach/FFShrine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFShrine">https://haveibeenpwned.com/Breach/FFShrine</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFShrine">https://haveibeenpwned.com/Breach/FFShrine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFShrine">https://haveibeenpwned.com/Breach/FFShrine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFShrine">https://haveibeenpwned.com/Breach/FFShrine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFShrine">https://haveibeenpwned.com/Breach/FFShrine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFShrine">https://haveibeenpwned.com/Breach/FFShrine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FFShrine">https://haveibeenpwned.com/Breach/FFShrine</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Filmail">https://haveibeenpwned.com/Breach/Filmail</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Filmail">https://haveibeenpwned.com/Breach/Filmail</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Filmaln">https://haveibeenpwned.com/Breach/Filmaln</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Filmaln">https://haveibeenpwned.com/Breach/Filmaln</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Filmaln">https://haveibeenpwned.com/Breach/Filmaln</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Filmaln">https://haveibeenpwned.com/Breach/Filmaln</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Filmaln">https://haveibeenpwned.com/Breach/Filmaln</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Filmaln">https://haveibeenpwned.com/Breach/Filmaln</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Filmaln">https://haveibeenpwned.com/Breach/Filmaln</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Filmaln">https://haveibeenpwned.com/Breach/Filmaln</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Filmaln">https://haveibeenpwned.com/Breach/Filmaln</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Filmaln">https://haveibeenpwned.com/Breach/Filmaln</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Finsure">https://haveibeenpwned.com/Breach/Finsure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Finsure">https://haveibeenpwned.com/Breach/Finsure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Finsure">https://haveibeenpwned.com/Breach/Finsure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Finsure">https://haveibeenpwned.com/Breach/Finsure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Finsure">https://haveibeenpwned.com/Breach/Finsure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Finsure">https://haveibeenpwned.com/Breach/Finsure</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Finsure">https://haveibeenpwned.com/Breach/Finsure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Finsure">https://haveibeenpwned.com/Breach/Finsure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Finsure">https://haveibeenpwned.com/Breach/Finsure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Finsure">https://haveibeenpwned.com/Breach/Finsure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Finsure">https://haveibeenpwned.com/Breach/Finsure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Finsure">https://haveibeenpwned.com/Breach/Finsure</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fitmart">https://haveibeenpwned.com/Breach/Fitmart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fitmart">https://haveibeenpwned.com/Breach/Fitmart</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fitmart">https://haveibeenpwned.com/Breach/Fitmart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fitmart">https://haveibeenpwned.com/Breach/Fitmart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fitmart">https://haveibeenpwned.com/Breach/Fitmart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fitmart">https://haveibeenpwned.com/Breach/Fitmart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fitmart">https://haveibeenpwned.com/Breach/Fitmart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fitmart">https://haveibeenpwned.com/Breach/Fitmart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fitmart">https://haveibeenpwned.com/Breach/Fitmart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fitmart">https://haveibeenpwned.com/Breach/Fitmart</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fitmart">https://haveibeenpwned.com/Breach/Fitmart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fitmart">https://haveibeenpwned.com/Breach/Fitmart</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flashback">https://haveibeenpwned.com/Breach/Flashback</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flashback">https://haveibeenpwned.com/Breach/Flashback</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flashback">https://haveibeenpwned.com/Breach/Flashback</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flashback">https://haveibeenpwned.com/Breach/Flashback</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flashback">https://haveibeenpwned.com/Breach/Flashback</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flashback">https://haveibeenpwned.com/Breach/Flashback</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flashback">https://haveibeenpwned.com/Breach/Flashback</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flashback">https://haveibeenpwned.com/Breach/Flashback</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flashback">https://haveibeenpwned.com/Breach/Flashback</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flashback">https://haveibeenpwned.com/Breach/Flashback</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flashback">https://haveibeenpwned.com/Breach/Flashback</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flashback">https://haveibeenpwned.com/Breach/Flashback</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution">https://haveibeenpwned.com/Breach/FlashFlashRevolution</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution">https://haveibeenpwned.com/Breach/FlashFlashRevolution</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution">https://haveibeenpwned.com/Breach/FlashFlashRevolution</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution">https://haveibeenpwned.com/Breach/FlashFlashRevolution</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution">https://haveibeenpwned.com/Breach/FlashFlashRevolution</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution">https://haveibeenpwned.com/Breach/FlashFlashRevolution</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution">https://haveibeenpwned.com/Breach/FlashFlashRevolution</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution">https://haveibeenpwned.com/Breach/FlashFlashRevolution</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution">https://haveibeenpwned.com/Breach/FlashFlashRevolution</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution">https://haveibeenpwned.com/Breach/FlashFlashRevolution</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution">https://haveibeenpwned.com/Breach/FlashFlashRevolution</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution">https://haveibeenpwned.com/Breach/FlashFlashRevolution</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution2019">https://haveibeenpwned.com/Breach/FlashFlashRevolution2019</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution2019">https://haveibeenpwned.com/Breach/FlashFlashRevolution2019</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution2019">https://haveibeenpwned.com/Breach/FlashFlashRevolution2019</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution2019">https://haveibeenpwned.com/Breach/FlashFlashRevolution2019</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution2019">https://haveibeenpwned.com/Breach/FlashFlashRevolution2019</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution2019">https://haveibeenpwned.com/Breach/FlashFlashRevolution2019</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution2019">https://haveibeenpwned.com/Breach/FlashFlashRevolution2019</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution2019">https://haveibeenpwned.com/Breach/FlashFlashRevolution2019</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution2019">https://haveibeenpwned.com/Breach/FlashFlashRevolution2019</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution2019">https://haveibeenpwned.com/Breach/FlashFlashRevolution2019</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution2019">https://haveibeenpwned.com/Breach/FlashFlashRevolution2019</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlashFlashRevolution2019">https://haveibeenpwned.com/Breach/FlashFlashRevolution2019</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlatEarthDave">https://haveibeenpwned.com/Breach/FlatEarthDave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlatEarthDave">https://haveibeenpwned.com/Breach/FlatEarthDave</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlatEarthDave">https://haveibeenpwned.com/Breach/FlatEarthDave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlatEarthDave">https://haveibeenpwned.com/Breach/FlatEarthDave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlatEarthDave">https://haveibeenpwned.com/Breach/FlatEarthDave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlatEarthDave">https://haveibeenpwned.com/Breach/FlatEarthDave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlatEarthDave">https://haveibeenpwned.com/Breach/FlatEarthDave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlatEarthDave">https://haveibeenpwned.com/Breach/FlatEarthDave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlatEarthDave">https://haveibeenpwned.com/Breach/FlatEarthDave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlatEarthDave">https://haveibeenpwned.com/Breach/FlatEarthDave</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlatEarthDave">https://haveibeenpwned.com/Breach/FlatEarthDave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlatEarthDave">https://haveibeenpwned.com/Breach/FlatEarthDave</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlexBooker">https://haveibeenpwned.com/Breach/FlexBooker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlexBooker">https://haveibeenpwned.com/Breach/FlexBooker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlexBooker">https://haveibeenpwned.com/Breach/FlexBooker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlexBooker">https://haveibeenpwned.com/Breach/FlexBooker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlexBooker">https://haveibeenpwned.com/Breach/FlexBooker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlexBooker">https://haveibeenpwned.com/Breach/FlexBooker</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlexBooker">https://haveibeenpwned.com/Breach/FlexBooker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlexBooker">https://haveibeenpwned.com/Breach/FlexBooker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlexBooker">https://haveibeenpwned.com/Breach/FlexBooker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlexBooker">https://haveibeenpwned.com/Breach/FlexBooker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlexBooker">https://haveibeenpwned.com/Breach/FlexBooker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlexBooker">https://haveibeenpwned.com/Breach/FlexBooker</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fling">https://haveibeenpwned.com/Breach/Fling</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fling">https://haveibeenpwned.com/Breach/Fling</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fling">https://haveibeenpwned.com/Breach/Fling</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fling">https://haveibeenpwned.com/Breach/Fling</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fling">https://haveibeenpwned.com/Breach/Fling</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fling">https://haveibeenpwned.com/Breach/Fling</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fling">https://haveibeenpwned.com/Breach/Fling</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fling">https://haveibeenpwned.com/Breach/Fling</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fling">https://haveibeenpwned.com/Breach/Fling</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fling">https://haveibeenpwned.com/Breach/Fling</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fling">https://haveibeenpwned.com/Breach/Fling</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fling">https://haveibeenpwned.com/Breach/Fling</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlipaClip">https://haveibeenpwned.com/Breach/FlipaClip</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlipaClip">https://haveibeenpwned.com/Breach/FlipaClip</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlipaClip">https://haveibeenpwned.com/Breach/FlipaClip</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlipaClip">https://haveibeenpwned.com/Breach/FlipaClip</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlipaClip">https://haveibeenpwned.com/Breach/FlipaClip</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlipaClip">https://haveibeenpwned.com/Breach/FlipaClip</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlipaClip">https://haveibeenpwned.com/Breach/FlipaClip</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlipaClip">https://haveibeenpwned.com/Breach/FlipaClip</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlipaClip">https://haveibeenpwned.com/Breach/FlipaClip</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlipaClip">https://haveibeenpwned.com/Breach/FlipaClip</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlipaClip">https://haveibeenpwned.com/Breach/FlipaClip</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FlipaClip">https://haveibeenpwned.com/Breach/FlipaClip</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flipkart">https://haveibeenpwned.com/Breach/Flipkart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flipkart">https://haveibeenpwned.com/Breach/Flipkart</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flipkart">https://haveibeenpwned.com/Breach/Flipkart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flipkart">https://haveibeenpwned.com/Breach/Flipkart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flipkart">https://haveibeenpwned.com/Breach/Flipkart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flipkart">https://haveibeenpwned.com/Breach/Flipkart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flipkart">https://haveibeenpwned.com/Breach/Flipkart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flipkart">https://haveibeenpwned.com/Breach/Flipkart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flipkart">https://haveibeenpwned.com/Breach/Flipkart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flipkart">https://haveibeenpwned.com/Breach/Flipkart</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flipkart">https://haveibeenpwned.com/Breach/Flipkart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Flipkart">https://haveibeenpwned.com/Breach/Flipkart</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FLVS">https://haveibeenpwned.com/Breach/FLVS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FLVS">https://haveibeenpwned.com/Breach/FLVS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FLVS">https://haveibeenpwned.com/Breach/FLVS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FLVS">https://haveibeenpwned.com/Breach/FLVS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FLVS">https://haveibeenpwned.com/Breach/FLVS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FLVS">https://haveibeenpwned.com/Breach/FLVS</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FLVS">https://haveibeenpwned.com/Breach/FLVS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FLVS">https://haveibeenpwned.com/Breach/FLVS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FLVS">https://haveibeenpwned.com/Breach/FLVS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FLVS">https://haveibeenpwned.com/Breach/FLVS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FLVS">https://haveibeenpwned.com/Breach/FLVS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FLVS">https://haveibeenpwned.com/Breach/FLVS</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Foodora">https://haveibeenpwned.com/Breach/Foodora</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Foodora">https://haveibeenpwned.com/Breach/Foodora</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Foodora">https://haveibeenpwned.com/Breach/Foodora</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Foodora">https://haveibeenpwned.com/Breach/Foodora</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Foodora">https://haveibeenpwned.com/Breach/Foodora</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Foodora">https://haveibeenpwned.com/Breach/Foodora</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Foodora">https://haveibeenpwned.com/Breach/Foodora</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Foodora">https://haveibeenpwned.com/Breach/Foodora</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Foodora">https://haveibeenpwned.com/Breach/Foodora</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Foodora">https://haveibeenpwned.com/Breach/Foodora</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Foodora">https://haveibeenpwned.com/Breach/Foodora</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Foodora">https://haveibeenpwned.com/Breach/Foodora</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Forbes">https://haveibeenpwned.com/Breach/Forbes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Forbes">https://haveibeenpwned.com/Breach/Forbes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Forbes">https://haveibeenpwned.com/Breach/Forbes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Forbes">https://haveibeenpwned.com/Breach/Forbes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Forbes">https://haveibeenpwned.com/Breach/Forbes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Forbes">https://haveibeenpwned.com/Breach/Forbes</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Forbes">https://haveibeenpwned.com/Breach/Forbes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Forbes">https://haveibeenpwned.com/Breach/Forbes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Forbes">https://haveibeenpwned.com/Breach/Forbes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Forbes">https://haveibeenpwned.com/Breach/Forbes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Forbes">https://haveibeenpwned.com/Breach/Forbes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Forbes">https://haveibeenpwned.com/Breach/Forbes</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ForumCommunity">https://haveibeenpwned.com/Breach/ForumCommunity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ForumCommunity">https://haveibeenpwned.com/Breach/ForumCommunity</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ForumCommunity">https://haveibeenpwned.com/Breach/ForumCommunity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ForumCommunity">https://haveibeenpwned.com/Breach/ForumCommunity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ForumCommunity">https://haveibeenpwned.com/Breach/ForumCommunity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ForumCommunity">https://haveibeenpwned.com/Breach/ForumCommunity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ForumCommunity">https://haveibeenpwned.com/Breach/ForumCommunity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ForumCommunity">https://haveibeenpwned.com/Breach/ForumCommunity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ForumCommunity">https://haveibeenpwned.com/Breach/ForumCommunity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ForumCommunity">https://haveibeenpwned.com/Breach/ForumCommunity</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ForumCommunity">https://haveibeenpwned.com/Breach/ForumCommunity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ForumCommunity">https://haveibeenpwned.com/Breach/ForumCommunity</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fotolog">https://haveibeenpwned.com/Breach/Fotolog</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fotolog">https://haveibeenpwned.com/Breach/Fotolog</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fotolog">https://haveibeenpwned.com/Breach/Fotolog</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fotolog">https://haveibeenpwned.com/Breach/Fotolog</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fotolog">https://haveibeenpwned.com/Breach/Fotolog</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fotolog">https://haveibeenpwned.com/Breach/Fotolog</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fotolog">https://haveibeenpwned.com/Breach/Fotolog</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fotolog">https://haveibeenpwned.com/Breach/Fotolog</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fotolog">https://haveibeenpwned.com/Breach/Fotolog</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fotolog">https://haveibeenpwned.com/Breach/Fotolog</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fotolog">https://haveibeenpwned.com/Breach/Fotolog</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fotolog">https://haveibeenpwned.com/Breach/Fotolog</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FoxyBingo">https://haveibeenpwned.com/Breach/FoxyBingo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FoxyBingo">https://haveibeenpwned.com/Breach/FoxyBingo</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FoxyBingo">https://haveibeenpwned.com/Breach/FoxyBingo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FoxyBingo">https://haveibeenpwned.com/Breach/FoxyBingo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FoxyBingo">https://haveibeenpwned.com/Breach/FoxyBingo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FoxyBingo">https://haveibeenpwned.com/Breach/FoxyBingo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FoxyBingo">https://haveibeenpwned.com/Breach/FoxyBingo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FoxyBingo">https://haveibeenpwned.com/Breach/FoxyBingo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FoxyBingo">https://haveibeenpwned.com/Breach/FoxyBingo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FoxyBingo">https://haveibeenpwned.com/Breach/FoxyBingo</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FoxyBingo">https://haveibeenpwned.com/Breach/FoxyBingo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FoxyBingo">https://haveibeenpwned.com/Breach/FoxyBingo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrameAndOptic">https://haveibeenpwned.com/Breach/FrameAndOptic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrameAndOptic">https://haveibeenpwned.com/Breach/FrameAndOptic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrameAndOptic">https://haveibeenpwned.com/Breach/FrameAndOptic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrameAndOptic">https://haveibeenpwned.com/Breach/FrameAndOptic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrameAndOptic">https://haveibeenpwned.com/Breach/FrameAndOptic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrameAndOptic">https://haveibeenpwned.com/Breach/FrameAndOptic</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrameAndOptic">https://haveibeenpwned.com/Breach/FrameAndOptic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrameAndOptic">https://haveibeenpwned.com/Breach/FrameAndOptic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrameAndOptic">https://haveibeenpwned.com/Breach/FrameAndOptic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrameAndOptic">https://haveibeenpwned.com/Breach/FrameAndOptic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrameAndOptic">https://haveibeenpwned.com/Breach/FrameAndOptic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrameAndOptic">https://haveibeenpwned.com/Breach/FrameAndOptic</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreedomHostingII">https://haveibeenpwned.com/Breach/FreedomHostingII</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreedomHostingII">https://haveibeenpwned.com/Breach/FreedomHostingII</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreedomHostingII">https://haveibeenpwned.com/Breach/FreedomHostingII</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreedomHostingII">https://haveibeenpwned.com/Breach/FreedomHostingII</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreedomHostingII">https://haveibeenpwned.com/Breach/FreedomHostingII</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreedomHostingII">https://haveibeenpwned.com/Breach/FreedomHostingII</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreedomHostingII">https://haveibeenpwned.com/Breach/FreedomHostingII</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreedomHostingII">https://haveibeenpwned.com/Breach/FreedomHostingII</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreedomHostingII">https://haveibeenpwned.com/Breach/FreedomHostingII</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreedomHostingII">https://haveibeenpwned.com/Breach/FreedomHostingII</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreedomHostingII">https://haveibeenpwned.com/Breach/FreedomHostingII</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreedomHostingII">https://haveibeenpwned.com/Breach/FreedomHostingII</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreeMobile">https://haveibeenpwned.com/Breach/FreeMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreeMobile">https://haveibeenpwned.com/Breach/FreeMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreeMobile">https://haveibeenpwned.com/Breach/FreeMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreeMobile">https://haveibeenpwned.com/Breach/FreeMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreeMobile">https://haveibeenpwned.com/Breach/FreeMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreeMobile">https://haveibeenpwned.com/Breach/FreeMobile</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreeMobile">https://haveibeenpwned.com/Breach/FreeMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreeMobile">https://haveibeenpwned.com/Breach/FreeMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreeMobile">https://haveibeenpwned.com/Breach/FreeMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreeMobile">https://haveibeenpwned.com/Breach/FreeMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreeMobile">https://haveibeenpwned.com/Breach/FreeMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreeMobile">https://haveibeenpwned.com/Breach/FreeMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrenchCitizens">https://haveibeenpwned.com/Breach/FrenchCitizens</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrenchCitizens">https://haveibeenpwned.com/Breach/FrenchCitizens</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrenchCitizens">https://haveibeenpwned.com/Breach/FrenchCitizens</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrenchCitizens">https://haveibeenpwned.com/Breach/FrenchCitizens</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrenchCitizens">https://haveibeenpwned.com/Breach/FrenchCitizens</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrenchCitizens">https://haveibeenpwned.com/Breach/FrenchCitizens</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrenchCitizens">https://haveibeenpwned.com/Breach/FrenchCitizens</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrenchCitizens">https://haveibeenpwned.com/Breach/FrenchCitizens</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrenchCitizens">https://haveibeenpwned.com/Breach/FrenchCitizens</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrenchCitizens">https://haveibeenpwned.com/Breach/FrenchCitizens</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrenchCitizens">https://haveibeenpwned.com/Breach/FrenchCitizens</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FrenchCitizens">https://haveibeenpwned.com/Breach/FrenchCitizens</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreshMenu">https://haveibeenpwned.com/Breach/FreshMenu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreshMenu">https://haveibeenpwned.com/Breach/FreshMenu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreshMenu">https://haveibeenpwned.com/Breach/FreshMenu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreshMenu">https://haveibeenpwned.com/Breach/FreshMenu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreshMenu">https://haveibeenpwned.com/Breach/FreshMenu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreshMenu">https://haveibeenpwned.com/Breach/FreshMenu</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreshMenu">https://haveibeenpwned.com/Breach/FreshMenu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreshMenu">https://haveibeenpwned.com/Breach/FreshMenu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreshMenu">https://haveibeenpwned.com/Breach/FreshMenu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreshMenu">https://haveibeenpwned.com/Breach/FreshMenu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreshMenu">https://haveibeenpwned.com/Breach/FreshMenu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FreshMenu">https://haveibeenpwned.com/Breach/FreshMenu</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fridae">https://haveibeenpwned.com/Breach/Fridae</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fridae">https://haveibeenpwned.com/Breach/Fridae</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fridae">https://haveibeenpwned.com/Breach/Fridae</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fridae">https://haveibeenpwned.com/Breach/Fridae</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fridae">https://haveibeenpwned.com/Breach/Fridae</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fridae">https://haveibeenpwned.com/Breach/Fridae</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fridae">https://haveibeenpwned.com/Breach/Fridae</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fridae">https://haveibeenpwned.com/Breach/Fridae</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fridae">https://haveibeenpwned.com/Breach/Fridae</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fridae">https://haveibeenpwned.com/Breach/Fridae</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fridae">https://haveibeenpwned.com/Breach/Fridae</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Fridae">https://haveibeenpwned.com/Breach/Fridae</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Funimation">https://haveibeenpwned.com/Breach/Funimation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Funimation">https://haveibeenpwned.com/Breach/Funimation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Funimation">https://haveibeenpwned.com/Breach/Funimation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Funimation">https://haveibeenpwned.com/Breach/Funimation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Funimation">https://haveibeenpwned.com/Breach/Funimation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Funimation">https://haveibeenpwned.com/Breach/Funimation</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Funimation">https://haveibeenpwned.com/Breach/Funimation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Funimation">https://haveibeenpwned.com/Breach/Funimation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Funimation">https://haveibeenpwned.com/Breach/Funimation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Funimation">https://haveibeenpwned.com/Breach/Funimation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Funimation">https://haveibeenpwned.com/Breach/Funimation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Funimation">https://haveibeenpwned.com/Breach/Funimation</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FunnyGames">https://haveibeenpwned.com/Breach/FunnyGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FunnyGames">https://haveibeenpwned.com/Breach/FunnyGames</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FunnyGames">https://haveibeenpwned.com/Breach/FunnyGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FunnyGames">https://haveibeenpwned.com/Breach/FunnyGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FunnyGames">https://haveibeenpwned.com/Breach/FunnyGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FunnyGames">https://haveibeenpwned.com/Breach/FunnyGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FunnyGames">https://haveibeenpwned.com/Breach/FunnyGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FunnyGames">https://haveibeenpwned.com/Breach/FunnyGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FunnyGames">https://haveibeenpwned.com/Breach/FunnyGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FunnyGames">https://haveibeenpwned.com/Breach/FunnyGames</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FunnyGames">https://haveibeenpwned.com/Breach/FunnyGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FunnyGames">https://haveibeenpwned.com/Breach/FunnyGames</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FurAffinity">https://haveibeenpwned.com/Breach/FurAffinity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FurAffinity">https://haveibeenpwned.com/Breach/FurAffinity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FurAffinity">https://haveibeenpwned.com/Breach/FurAffinity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FurAffinity">https://haveibeenpwned.com/Breach/FurAffinity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FurAffinity">https://haveibeenpwned.com/Breach/FurAffinity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FurAffinity">https://haveibeenpwned.com/Breach/FurAffinity</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FurAffinity">https://haveibeenpwned.com/Breach/FurAffinity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FurAffinity">https://haveibeenpwned.com/Breach/FurAffinity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FurAffinity">https://haveibeenpwned.com/Breach/FurAffinity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FurAffinity">https://haveibeenpwned.com/Breach/FurAffinity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FurAffinity">https://haveibeenpwned.com/Breach/FurAffinity</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/FurAffinity">https://haveibeenpwned.com/Breach/FurAffinity</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gaadi">https://haveibeenpwned.com/Breach/Gaadi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gaadi">https://haveibeenpwned.com/Breach/Gaadi</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gaadi">https://haveibeenpwned.com/Breach/Gaadi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gaadi">https://haveibeenpwned.com/Breach/Gaadi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gaadi">https://haveibeenpwned.com/Breach/Gaadi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gaadi">https://haveibeenpwned.com/Breach/Gaadi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gaadi">https://haveibeenpwned.com/Breach/Gaadi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gaadi">https://haveibeenpwned.com/Breach/Gaadi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gaadi">https://haveibeenpwned.com/Breach/Gaadi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gaadi">https://haveibeenpwned.com/Breach/Gaadi</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gaadi">https://haveibeenpwned.com/Breach/Gaadi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gaadi">https://haveibeenpwned.com/Breach/Gaadi</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gab">https://haveibeenpwned.com/Breach/Gab</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gab">https://haveibeenpwned.com/Breach/Gab</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gab">https://haveibeenpwned.com/Breach/Gab</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gab">https://haveibeenpwned.com/Breach/Gab</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gab">https://haveibeenpwned.com/Breach/Gab</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gab">https://haveibeenpwned.com/Breach/Gab</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gab">https://haveibeenpwned.com/Breach/Gab</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gab">https://haveibeenpwned.com/Breach/Gab</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gab">https://haveibeenpwned.com/Breach/Gab</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gab">https://haveibeenpwned.com/Breach/Gab</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gab">https://haveibeenpwned.com/Breach/Gab</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gab">https://haveibeenpwned.com/Breach/Gab</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamerzPlanet">https://haveibeenpwned.com/Breach/GamerzPlanet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamerzPlanet">https://haveibeenpwned.com/Breach/GamerzPlanet</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamerzPlanet">https://haveibeenpwned.com/Breach/GamerzPlanet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamerzPlanet">https://haveibeenpwned.com/Breach/GamerzPlanet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamerzPlanet">https://haveibeenpwned.com/Breach/GamerzPlanet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamerzPlanet">https://haveibeenpwned.com/Breach/GamerzPlanet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamerzPlanet">https://haveibeenpwned.com/Breach/GamerzPlanet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamerzPlanet">https://haveibeenpwned.com/Breach/GamerzPlanet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamerzPlanet">https://haveibeenpwned.com/Breach/GamerzPlanet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamerzPlanet">https://haveibeenpwned.com/Breach/GamerzPlanet</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamerzPlanet">https://haveibeenpwned.com/Breach/GamerzPlanet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamerzPlanet">https://haveibeenpwned.com/Breach/GamerzPlanet</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSalad">https://haveibeenpwned.com/Breach/GameSalad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSalad">https://haveibeenpwned.com/Breach/GameSalad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSalad">https://haveibeenpwned.com/Breach/GameSalad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSalad">https://haveibeenpwned.com/Breach/GameSalad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSalad">https://haveibeenpwned.com/Breach/GameSalad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSalad">https://haveibeenpwned.com/Breach/GameSalad</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSalad">https://haveibeenpwned.com/Breach/GameSalad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSalad">https://haveibeenpwned.com/Breach/GameSalad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSalad">https://haveibeenpwned.com/Breach/GameSalad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSalad">https://haveibeenpwned.com/Breach/GameSalad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSalad">https://haveibeenpwned.com/Breach/GameSalad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSalad">https://haveibeenpwned.com/Breach/GameSalad</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamesBox">https://haveibeenpwned.com/Breach/GamesBox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamesBox">https://haveibeenpwned.com/Breach/GamesBox</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamesBox">https://haveibeenpwned.com/Breach/GamesBox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamesBox">https://haveibeenpwned.com/Breach/GamesBox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamesBox">https://haveibeenpwned.com/Breach/GamesBox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamesBox">https://haveibeenpwned.com/Breach/GamesBox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamesBox">https://haveibeenpwned.com/Breach/GamesBox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamesBox">https://haveibeenpwned.com/Breach/GamesBox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamesBox">https://haveibeenpwned.com/Breach/GamesBox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamesBox">https://haveibeenpwned.com/Breach/GamesBox</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamesBox">https://haveibeenpwned.com/Breach/GamesBox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamesBox">https://haveibeenpwned.com/Breach/GamesBox</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSprite">https://haveibeenpwned.com/Breach/GameSprite</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSprite">https://haveibeenpwned.com/Breach/GameSprite</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSprite">https://haveibeenpwned.com/Breach/GameSprite</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSprite">https://haveibeenpwned.com/Breach/GameSprite</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSprite">https://haveibeenpwned.com/Breach/GameSprite</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSprite">https://haveibeenpwned.com/Breach/GameSprite</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSprite">https://haveibeenpwned.com/Breach/GameSprite</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSprite">https://haveibeenpwned.com/Breach/GameSprite</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSprite">https://haveibeenpwned.com/Breach/GameSprite</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSprite">https://haveibeenpwned.com/Breach/GameSprite</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSprite">https://haveibeenpwned.com/Breach/GameSprite</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameSprite">https://haveibeenpwned.com/Breach/GameSprite</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameTuts">https://haveibeenpwned.com/Breach/GameTuts</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameTuts">https://haveibeenpwned.com/Breach/GameTuts</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameTuts">https://haveibeenpwned.com/Breach/GameTuts</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameTuts">https://haveibeenpwned.com/Breach/GameTuts</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameTuts">https://haveibeenpwned.com/Breach/GameTuts</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameTuts">https://haveibeenpwned.com/Breach/GameTuts</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameTuts">https://haveibeenpwned.com/Breach/GameTuts</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameTuts">https://haveibeenpwned.com/Breach/GameTuts</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameTuts">https://haveibeenpwned.com/Breach/GameTuts</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameTuts">https://haveibeenpwned.com/Breach/GameTuts</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameTuts">https://haveibeenpwned.com/Breach/GameTuts</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameTuts">https://haveibeenpwned.com/Breach/GameTuts</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameVN">https://haveibeenpwned.com/Breach/GameVN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameVN">https://haveibeenpwned.com/Breach/GameVN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameVN">https://haveibeenpwned.com/Breach/GameVN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameVN">https://haveibeenpwned.com/Breach/GameVN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameVN">https://haveibeenpwned.com/Breach/GameVN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameVN">https://haveibeenpwned.com/Breach/GameVN</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameVN">https://haveibeenpwned.com/Breach/GameVN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameVN">https://haveibeenpwned.com/Breach/GameVN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameVN">https://haveibeenpwned.com/Breach/GameVN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameVN">https://haveibeenpwned.com/Breach/GameVN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameVN">https://haveibeenpwned.com/Breach/GameVN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GameVN">https://haveibeenpwned.com/Breach/GameVN</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gamigo">https://haveibeenpwned.com/Breach/Gamigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gamigo">https://haveibeenpwned.com/Breach/Gamigo</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gamigo">https://haveibeenpwned.com/Breach/Gamigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gamigo">https://haveibeenpwned.com/Breach/Gamigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gamigo">https://haveibeenpwned.com/Breach/Gamigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gamigo">https://haveibeenpwned.com/Breach/Gamigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gamigo">https://haveibeenpwned.com/Breach/Gamigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gamigo">https://haveibeenpwned.com/Breach/Gamigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gamigo">https://haveibeenpwned.com/Breach/Gamigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gamigo">https://haveibeenpwned.com/Breach/Gamigo</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gamigo">https://haveibeenpwned.com/Breach/Gamigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gamigo">https://haveibeenpwned.com/Breach/Gamigo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamingMonk">https://haveibeenpwned.com/Breach/GamingMonk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamingMonk">https://haveibeenpwned.com/Breach/GamingMonk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamingMonk">https://haveibeenpwned.com/Breach/GamingMonk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamingMonk">https://haveibeenpwned.com/Breach/GamingMonk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamingMonk">https://haveibeenpwned.com/Breach/GamingMonk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamingMonk">https://haveibeenpwned.com/Breach/GamingMonk</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamingMonk">https://haveibeenpwned.com/Breach/GamingMonk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamingMonk">https://haveibeenpwned.com/Breach/GamingMonk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamingMonk">https://haveibeenpwned.com/Breach/GamingMonk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamingMonk">https://haveibeenpwned.com/Breach/GamingMonk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamingMonk">https://haveibeenpwned.com/Breach/GamingMonk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GamingMonk">https://haveibeenpwned.com/Breach/GamingMonk</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GateHub">https://haveibeenpwned.com/Breach/GateHub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GateHub">https://haveibeenpwned.com/Breach/GateHub</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GateHub">https://haveibeenpwned.com/Breach/GateHub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GateHub">https://haveibeenpwned.com/Breach/GateHub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GateHub">https://haveibeenpwned.com/Breach/GateHub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GateHub">https://haveibeenpwned.com/Breach/GateHub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GateHub">https://haveibeenpwned.com/Breach/GateHub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GateHub">https://haveibeenpwned.com/Breach/GateHub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GateHub">https://haveibeenpwned.com/Breach/GateHub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GateHub">https://haveibeenpwned.com/Breach/GateHub</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GateHub">https://haveibeenpwned.com/Breach/GateHub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GateHub">https://haveibeenpwned.com/Breach/GateHub</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gawker">https://haveibeenpwned.com/Breach/Gawker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gawker">https://haveibeenpwned.com/Breach/Gawker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gawker">https://haveibeenpwned.com/Breach/Gawker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gawker">https://haveibeenpwned.com/Breach/Gawker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gawker">https://haveibeenpwned.com/Breach/Gawker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gawker">https://haveibeenpwned.com/Breach/Gawker</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gawker">https://haveibeenpwned.com/Breach/Gawker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gawker">https://haveibeenpwned.com/Breach/Gawker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gawker">https://haveibeenpwned.com/Breach/Gawker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gawker">https://haveibeenpwned.com/Breach/Gawker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gawker">https://haveibeenpwned.com/Breach/Gawker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gawker">https://haveibeenpwned.com/Breach/Gawker</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeekedIn">https://haveibeenpwned.com/Breach/GeekedIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeekedIn">https://haveibeenpwned.com/Breach/GeekedIn</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeekedIn">https://haveibeenpwned.com/Breach/GeekedIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeekedIn">https://haveibeenpwned.com/Breach/GeekedIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeekedIn">https://haveibeenpwned.com/Breach/GeekedIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeekedIn">https://haveibeenpwned.com/Breach/GeekedIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeekedIn">https://haveibeenpwned.com/Breach/GeekedIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeekedIn">https://haveibeenpwned.com/Breach/GeekedIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeekedIn">https://haveibeenpwned.com/Breach/GeekedIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeekedIn">https://haveibeenpwned.com/Breach/GeekedIn</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeekedIn">https://haveibeenpwned.com/Breach/GeekedIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeekedIn">https://haveibeenpwned.com/Breach/GeekedIn</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemini">https://haveibeenpwned.com/Breach/Gemini</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemini">https://haveibeenpwned.com/Breach/Gemini</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemini">https://haveibeenpwned.com/Breach/Gemini</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemini">https://haveibeenpwned.com/Breach/Gemini</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemini">https://haveibeenpwned.com/Breach/Gemini</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemini">https://haveibeenpwned.com/Breach/Gemini</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemini">https://haveibeenpwned.com/Breach/Gemini</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemini">https://haveibeenpwned.com/Breach/Gemini</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemini">https://haveibeenpwned.com/Breach/Gemini</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemini">https://haveibeenpwned.com/Breach/Gemini</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemini">https://haveibeenpwned.com/Breach/Gemini</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemini">https://haveibeenpwned.com/Breach/Gemini</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemplex">https://haveibeenpwned.com/Breach/Gemplex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemplex">https://haveibeenpwned.com/Breach/Gemplex</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemplex">https://haveibeenpwned.com/Breach/Gemplex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemplex">https://haveibeenpwned.com/Breach/Gemplex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemplex">https://haveibeenpwned.com/Breach/Gemplex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemplex">https://haveibeenpwned.com/Breach/Gemplex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemplex">https://haveibeenpwned.com/Breach/Gemplex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemplex">https://haveibeenpwned.com/Breach/Gemplex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemplex">https://haveibeenpwned.com/Breach/Gemplex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemplex">https://haveibeenpwned.com/Breach/Gemplex</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemplex">https://haveibeenpwned.com/Breach/Gemplex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gemplex">https://haveibeenpwned.com/Breach/Gemplex</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GenesisMarket">https://haveibeenpwned.com/Breach/GenesisMarket</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GenesisMarket">https://haveibeenpwned.com/Breach/GenesisMarket</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GenesisMarket">https://haveibeenpwned.com/Breach/GenesisMarket</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GenesisMarket">https://haveibeenpwned.com/Breach/GenesisMarket</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GenesisMarket">https://haveibeenpwned.com/Breach/GenesisMarket</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GenesisMarket">https://haveibeenpwned.com/Breach/GenesisMarket</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GenesisMarket">https://haveibeenpwned.com/Breach/GenesisMarket</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GenesisMarket">https://haveibeenpwned.com/Breach/GenesisMarket</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GenesisMarket">https://haveibeenpwned.com/Breach/GenesisMarket</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GenesisMarket">https://haveibeenpwned.com/Breach/GenesisMarket</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GenesisMarket">https://haveibeenpwned.com/Breach/GenesisMarket</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GenesisMarket">https://haveibeenpwned.com/Breach/GenesisMarket</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeniusU">https://haveibeenpwned.com/Breach/GeniusU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeniusU">https://haveibeenpwned.com/Breach/GeniusU</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeniusU">https://haveibeenpwned.com/Breach/GeniusU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeniusU">https://haveibeenpwned.com/Breach/GeniusU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeniusU">https://haveibeenpwned.com/Breach/GeniusU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeniusU">https://haveibeenpwned.com/Breach/GeniusU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeniusU">https://haveibeenpwned.com/Breach/GeniusU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeniusU">https://haveibeenpwned.com/Breach/GeniusU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeniusU">https://haveibeenpwned.com/Breach/GeniusU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeniusU">https://haveibeenpwned.com/Breach/GeniusU</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeniusU">https://haveibeenpwned.com/Breach/GeniusU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GeniusU">https://haveibeenpwned.com/Breach/GeniusU</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GermanDonerKebab">https://haveibeenpwned.com/Breach/GermanDonerKebab</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GermanDonerKebab">https://haveibeenpwned.com/Breach/GermanDonerKebab</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GermanDonerKebab">https://haveibeenpwned.com/Breach/GermanDonerKebab</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GermanDonerKebab">https://haveibeenpwned.com/Breach/GermanDonerKebab</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GermanDonerKebab">https://haveibeenpwned.com/Breach/GermanDonerKebab</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GermanDonerKebab">https://haveibeenpwned.com/Breach/GermanDonerKebab</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GermanDonerKebab">https://haveibeenpwned.com/Breach/GermanDonerKebab</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GermanDonerKebab">https://haveibeenpwned.com/Breach/GermanDonerKebab</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GermanDonerKebab">https://haveibeenpwned.com/Breach/GermanDonerKebab</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GermanDonerKebab">https://haveibeenpwned.com/Breach/GermanDonerKebab</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GermanDonerKebab">https://haveibeenpwned.com/Breach/GermanDonerKebab</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GermanDonerKebab">https://haveibeenpwned.com/Breach/GermanDonerKebab</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GetRevengeOnYourEx">https://haveibeenpwned.com/Breach/GetRevengeOnYourEx</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GetRevengeOnYourEx">https://haveibeenpwned.com/Breach/GetRevengeOnYourEx</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GetRevengeOnYourEx">https://haveibeenpwned.com/Breach/GetRevengeOnYourEx</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GetRevengeOnYourEx">https://haveibeenpwned.com/Breach/GetRevengeOnYourEx</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GetRevengeOnYourEx">https://haveibeenpwned.com/Breach/GetRevengeOnYourEx</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GetRevengeOnYourEx">https://haveibeenpwned.com/Breach/GetRevengeOnYourEx</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GetRevengeOnYourEx">https://haveibeenpwned.com/Breach/GetRevengeOnYourEx</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GetRevengeOnYourEx">https://haveibeenpwned.com/Breach/GetRevengeOnYourEx</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GetRevengeOnYourEx">https://haveibeenpwned.com/Breach/GetRevengeOnYourEx</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GetRevengeOnYourEx">https://haveibeenpwned.com/Breach/GetRevengeOnYourEx</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GetRevengeOnYourEx">https://haveibeenpwned.com/Breach/GetRevengeOnYourEx</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GetRevengeOnYourEx">https://haveibeenpwned.com/Breach/GetRevengeOnYourEx</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Get">https://haveibeenpwned.com/Breach/Get</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Get">https://haveibeenpwned.com/Breach/Get</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Get">https://haveibeenpwned.com/Breach/Get</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Get">https://haveibeenpwned.com/Breach/Get</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Get">https://haveibeenpwned.com/Breach/Get</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Get">https://haveibeenpwned.com/Breach/Get</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gett">https://haveibeenpwned.com/Breach/Gett</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gett">https://haveibeenpwned.com/Breach/Gett</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gett">https://haveibeenpwned.com/Breach/Gett</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gett">https://haveibeenpwned.com/Breach/Gett</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gett">https://haveibeenpwned.com/Breach/Gett</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gett">https://haveibeenpwned.com/Breach/Gett</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GFAN">https://haveibeenpwned.com/Breach/GFAN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GFAN">https://haveibeenpwned.com/Breach/GFAN</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GFAN">https://haveibeenpwned.com/Breach/GFAN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GFAN">https://haveibeenpwned.com/Breach/GFAN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GFAN">https://haveibeenpwned.com/Breach/GFAN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GFAN">https://haveibeenpwned.com/Breach/GFAN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GFAN">https://haveibeenpwned.com/Breach/GFAN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GFAN">https://haveibeenpwned.com/Breach/GFAN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GFAN">https://haveibeenpwned.com/Breach/GFAN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GFAN">https://haveibeenpwned.com/Breach/GFAN</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GFAN">https://haveibeenpwned.com/Breach/GFAN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GFAN">https://haveibeenpwned.com/Breach/GFAN</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GGCorp">https://haveibeenpwned.com/Breach/GGCorp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GGCorp">https://haveibeenpwned.com/Breach/GGCorp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GGCorp">https://haveibeenpwned.com/Breach/GGCorp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GGCorp">https://haveibeenpwned.com/Breach/GGCorp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GGCorp">https://haveibeenpwned.com/Breach/GGCorp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GGCorp">https://haveibeenpwned.com/Breach/GGCorp</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GGCorp">https://haveibeenpwned.com/Breach/GGCorp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GGCorp">https://haveibeenpwned.com/Breach/GGCorp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GGCorp">https://haveibeenpwned.com/Breach/GGCorp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GGCorp">https://haveibeenpwned.com/Breach/GGCorp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GGCorp">https://haveibeenpwned.com/Breach/GGCorp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GGCorp">https://haveibeenpwned.com/Breach/GGCorp</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiantTiger">https://haveibeenpwned.com/Breach/GiantTiger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiantTiger">https://haveibeenpwned.com/Breach/GiantTiger</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiantTiger">https://haveibeenpwned.com/Breach/GiantTiger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiantTiger">https://haveibeenpwned.com/Breach/GiantTiger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiantTiger">https://haveibeenpwned.com/Breach/GiantTiger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiantTiger">https://haveibeenpwned.com/Breach/GiantTiger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiantTiger">https://haveibeenpwned.com/Breach/GiantTiger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiantTiger">https://haveibeenpwned.com/Breach/GiantTiger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiantTiger">https://haveibeenpwned.com/Breach/GiantTiger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiantTiger">https://haveibeenpwned.com/Breach/GiantTiger</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiantTiger">https://haveibeenpwned.com/Breach/GiantTiger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiantTiger">https://haveibeenpwned.com/Breach/GiantTiger</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiveSendGo">https://haveibeenpwned.com/Breach/GiveSendGo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiveSendGo">https://haveibeenpwned.com/Breach/GiveSendGo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiveSendGo">https://haveibeenpwned.com/Breach/GiveSendGo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiveSendGo">https://haveibeenpwned.com/Breach/GiveSendGo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiveSendGo">https://haveibeenpwned.com/Breach/GiveSendGo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiveSendGo">https://haveibeenpwned.com/Breach/GiveSendGo</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiveSendGo">https://haveibeenpwned.com/Breach/GiveSendGo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiveSendGo">https://haveibeenpwned.com/Breach/GiveSendGo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiveSendGo">https://haveibeenpwned.com/Breach/GiveSendGo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiveSendGo">https://haveibeenpwned.com/Breach/GiveSendGo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiveSendGo">https://haveibeenpwned.com/Breach/GiveSendGo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GiveSendGo">https://haveibeenpwned.com/Breach/GiveSendGo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GLAMIRA">https://haveibeenpwned.com/Breach/GLAMIRA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GLAMIRA">https://haveibeenpwned.com/Breach/GLAMIRA</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GLAMIRA">https://haveibeenpwned.com/Breach/GLAMIRA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GLAMIRA">https://haveibeenpwned.com/Breach/GLAMIRA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GLAMIRA">https://haveibeenpwned.com/Breach/GLAMIRA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GLAMIRA">https://haveibeenpwned.com/Breach/GLAMIRA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GLAMIRA">https://haveibeenpwned.com/Breach/GLAMIRA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GLAMIRA">https://haveibeenpwned.com/Breach/GLAMIRA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GLAMIRA">https://haveibeenpwned.com/Breach/GLAMIRA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GLAMIRA">https://haveibeenpwned.com/Breach/GLAMIRA</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GLAMIRA">https://haveibeenpwned.com/Breach/GLAMIRA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GLAMIRA">https://haveibeenpwned.com/Breach/GLAMIRA</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Glofox">https://haveibeenpwned.com/Breach/Glofox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Glofox">https://haveibeenpwned.com/Breach/Glofox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Glofox">https://haveibeenpwned.com/Breach/Glofox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Glofox">https://haveibeenpwned.com/Breach/Glofox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Glofox">https://haveibeenpwned.com/Breach/Glofox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Glofox">https://haveibeenpwned.com/Breach/Glofox</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Glofox">https://haveibeenpwned.com/Breach/Glofox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Glofox">https://haveibeenpwned.com/Breach/Glofox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Glofox">https://haveibeenpwned.com/Breach/Glofox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Glofox">https://haveibeenpwned.com/Breach/Glofox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Glofox">https://haveibeenpwned.com/Breach/Glofox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Glofox">https://haveibeenpwned.com/Breach/Glofox</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoGames">https://haveibeenpwned.com/Breach/GoGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoGames">https://haveibeenpwned.com/Breach/GoGames</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoGames">https://haveibeenpwned.com/Breach/GoGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoGames">https://haveibeenpwned.com/Breach/GoGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoGames">https://haveibeenpwned.com/Breach/GoGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoGames">https://haveibeenpwned.com/Breach/GoGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoGames">https://haveibeenpwned.com/Breach/GoGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoGames">https://haveibeenpwned.com/Breach/GoGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoGames">https://haveibeenpwned.com/Breach/GoGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoGames">https://haveibeenpwned.com/Breach/GoGames</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoGames">https://haveibeenpwned.com/Breach/GoGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoGames">https://haveibeenpwned.com/Breach/GoGames</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoldSilver">https://haveibeenpwned.com/Breach/GoldSilver</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoldSilver">https://haveibeenpwned.com/Breach/GoldSilver</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoldSilver">https://haveibeenpwned.com/Breach/GoldSilver</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoldSilver">https://haveibeenpwned.com/Breach/GoldSilver</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoldSilver">https://haveibeenpwned.com/Breach/GoldSilver</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoldSilver">https://haveibeenpwned.com/Breach/GoldSilver</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoldSilver">https://haveibeenpwned.com/Breach/GoldSilver</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoldSilver">https://haveibeenpwned.com/Breach/GoldSilver</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoldSilver">https://haveibeenpwned.com/Breach/GoldSilver</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoldSilver">https://haveibeenpwned.com/Breach/GoldSilver</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoldSilver">https://haveibeenpwned.com/Breach/GoldSilver</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoldSilver">https://haveibeenpwned.com/Breach/GoldSilver</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoNinja">https://haveibeenpwned.com/Breach/GoNinja</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoNinja">https://haveibeenpwned.com/Breach/GoNinja</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoNinja">https://haveibeenpwned.com/Breach/GoNinja</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoNinja">https://haveibeenpwned.com/Breach/GoNinja</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoNinja">https://haveibeenpwned.com/Breach/GoNinja</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoNinja">https://haveibeenpwned.com/Breach/GoNinja</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoNinja">https://haveibeenpwned.com/Breach/GoNinja</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoNinja">https://haveibeenpwned.com/Breach/GoNinja</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoNinja">https://haveibeenpwned.com/Breach/GoNinja</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoNinja">https://haveibeenpwned.com/Breach/GoNinja</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoNinja">https://haveibeenpwned.com/Breach/GoNinja</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GoNinja">https://haveibeenpwned.com/Breach/GoNinja</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/gPotato">https://haveibeenpwned.com/Breach/gPotato</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/gPotato">https://haveibeenpwned.com/Breach/gPotato</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/gPotato">https://haveibeenpwned.com/Breach/gPotato</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/gPotato">https://haveibeenpwned.com/Breach/gPotato</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/gPotato">https://haveibeenpwned.com/Breach/gPotato</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/gPotato">https://haveibeenpwned.com/Breach/gPotato</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/gPotato">https://haveibeenpwned.com/Breach/gPotato</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/gPotato">https://haveibeenpwned.com/Breach/gPotato</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/gPotato">https://haveibeenpwned.com/Breach/gPotato</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/gPotato">https://haveibeenpwned.com/Breach/gPotato</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/gPotato">https://haveibeenpwned.com/Breach/gPotato</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/gPotato">https://haveibeenpwned.com/Breach/gPotato</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GPSUnderground">https://haveibeenpwned.com/Breach/GPSUnderground</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GPSUnderground">https://haveibeenpwned.com/Breach/GPSUnderground</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GPSUnderground">https://haveibeenpwned.com/Breach/GPSUnderground</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GPSUnderground">https://haveibeenpwned.com/Breach/GPSUnderground</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GPSUnderground">https://haveibeenpwned.com/Breach/GPSUnderground</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GPSUnderground">https://haveibeenpwned.com/Breach/GPSUnderground</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GPSUnderground">https://haveibeenpwned.com/Breach/GPSUnderground</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GPSUnderground">https://haveibeenpwned.com/Breach/GPSUnderground</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GPSUnderground">https://haveibeenpwned.com/Breach/GPSUnderground</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GPSUnderground">https://haveibeenpwned.com/Breach/GPSUnderground</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GPSUnderground">https://haveibeenpwned.com/Breach/GPSUnderground</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GPSUnderground">https://haveibeenpwned.com/Breach/GPSUnderground</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gravatar">https://haveibeenpwned.com/Breach/Gravatar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gravatar">https://haveibeenpwned.com/Breach/Gravatar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gravatar">https://haveibeenpwned.com/Breach/Gravatar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gravatar">https://haveibeenpwned.com/Breach/Gravatar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gravatar">https://haveibeenpwned.com/Breach/Gravatar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gravatar">https://haveibeenpwned.com/Breach/Gravatar</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gravatar">https://haveibeenpwned.com/Breach/Gravatar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gravatar">https://haveibeenpwned.com/Breach/Gravatar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gravatar">https://haveibeenpwned.com/Breach/Gravatar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gravatar">https://haveibeenpwned.com/Breach/Gravatar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gravatar">https://haveibeenpwned.com/Breach/Gravatar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Gravatar">https://haveibeenpwned.com/Breach/Gravatar</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GSMHosting">https://haveibeenpwned.com/Breach/GSMHosting</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GSMHosting">https://haveibeenpwned.com/Breach/GSMHosting</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GSMHosting">https://haveibeenpwned.com/Breach/GSMHosting</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GSMHosting">https://haveibeenpwned.com/Breach/GSMHosting</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GSMHosting">https://haveibeenpwned.com/Breach/GSMHosting</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GSMHosting">https://haveibeenpwned.com/Breach/GSMHosting</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GSMHosting">https://haveibeenpwned.com/Breach/GSMHosting</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GSMHosting">https://haveibeenpwned.com/Breach/GSMHosting</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GSMHosting">https://haveibeenpwned.com/Breach/GSMHosting</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GSMHosting">https://haveibeenpwned.com/Breach/GSMHosting</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GSMHosting">https://haveibeenpwned.com/Breach/GSMHosting</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GSMHosting">https://haveibeenpwned.com/Breach/GSMHosting</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GTAGaming">https://haveibeenpwned.com/Breach/GTAGaming</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GTAGaming">https://haveibeenpwned.com/Breach/GTAGaming</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GTAGaming">https://haveibeenpwned.com/Breach/GTAGaming</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GTAGaming">https://haveibeenpwned.com/Breach/GTAGaming</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GTAGaming">https://haveibeenpwned.com/Breach/GTAGaming</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GTAGaming">https://haveibeenpwned.com/Breach/GTAGaming</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GTAGaming">https://haveibeenpwned.com/Breach/GTAGaming</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GTAGaming">https://haveibeenpwned.com/Breach/GTAGaming</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GTAGaming">https://haveibeenpwned.com/Breach/GTAGaming</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GTAGaming">https://haveibeenpwned.com/Breach/GTAGaming</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GTAGaming">https://haveibeenpwned.com/Breach/GTAGaming</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GTAGaming">https://haveibeenpwned.com/Breach/GTAGaming</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunAuction">https://haveibeenpwned.com/Breach/GunAuction</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunAuction">https://haveibeenpwned.com/Breach/GunAuction</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunAuction">https://haveibeenpwned.com/Breach/GunAuction</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunAuction">https://haveibeenpwned.com/Breach/GunAuction</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunAuction">https://haveibeenpwned.com/Breach/GunAuction</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunAuction">https://haveibeenpwned.com/Breach/GunAuction</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunAuction">https://haveibeenpwned.com/Breach/GunAuction</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunAuction">https://haveibeenpwned.com/Breach/GunAuction</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunAuction">https://haveibeenpwned.com/Breach/GunAuction</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunAuction">https://haveibeenpwned.com/Breach/GunAuction</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunAuction">https://haveibeenpwned.com/Breach/GunAuction</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunAuction">https://haveibeenpwned.com/Breach/GunAuction</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunsDotCom">https://haveibeenpwned.com/Breach/GunsDotCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunsDotCom">https://haveibeenpwned.com/Breach/GunsDotCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunsDotCom">https://haveibeenpwned.com/Breach/GunsDotCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunsDotCom">https://haveibeenpwned.com/Breach/GunsDotCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunsDotCom">https://haveibeenpwned.com/Breach/GunsDotCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunsDotCom">https://haveibeenpwned.com/Breach/GunsDotCom</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunsDotCom">https://haveibeenpwned.com/Breach/GunsDotCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunsDotCom">https://haveibeenpwned.com/Breach/GunsDotCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunsDotCom">https://haveibeenpwned.com/Breach/GunsDotCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunsDotCom">https://haveibeenpwned.com/Breach/GunsDotCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunsDotCom">https://haveibeenpwned.com/Breach/GunsDotCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/GunsDotCom">https://haveibeenpwned.com/Breach/GunsDotCom</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Guntrader">https://haveibeenpwned.com/Breach/Guntrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Guntrader">https://haveibeenpwned.com/Breach/Guntrader</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Guntrader">https://haveibeenpwned.com/Breach/Guntrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Guntrader">https://haveibeenpwned.com/Breach/Guntrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Guntrader">https://haveibeenpwned.com/Breach/Guntrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Guntrader">https://haveibeenpwned.com/Breach/Guntrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Guntrader">https://haveibeenpwned.com/Breach/Guntrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Guntrader">https://haveibeenpwned.com/Breach/Guntrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Guntrader">https://haveibeenpwned.com/Breach/Guntrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Guntrader">https://haveibeenpwned.com/Breach/Guntrader</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Guntrader">https://haveibeenpwned.com/Breach/Guntrader</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Guntrader">https://haveibeenpwned.com/Breach/Guntrader</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Habibs">https://haveibeenpwned.com/Breach/Habibs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Habibs">https://haveibeenpwned.com/Breach/Habibs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Habibs">https://haveibeenpwned.com/Breach/Habibs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Habibs">https://haveibeenpwned.com/Breach/Habibs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Habibs">https://haveibeenpwned.com/Breach/Habibs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Habibs">https://haveibeenpwned.com/Breach/Habibs</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Habibs">https://haveibeenpwned.com/Breach/Habibs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Habibs">https://haveibeenpwned.com/Breach/Habibs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Habibs">https://haveibeenpwned.com/Breach/Habibs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Habibs">https://haveibeenpwned.com/Breach/Habibs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Habibs">https://haveibeenpwned.com/Breach/Habibs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Habibs">https://haveibeenpwned.com/Breach/Habibs</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackForums">https://haveibeenpwned.com/Breach/HackForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackForums">https://haveibeenpwned.com/Breach/HackForums</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackForums">https://haveibeenpwned.com/Breach/HackForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackForums">https://haveibeenpwned.com/Breach/HackForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackForums">https://haveibeenpwned.com/Breach/HackForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackForums">https://haveibeenpwned.com/Breach/HackForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackForums">https://haveibeenpwned.com/Breach/HackForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackForums">https://haveibeenpwned.com/Breach/HackForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackForums">https://haveibeenpwned.com/Breach/HackForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackForums">https://haveibeenpwned.com/Breach/HackForums</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackForums">https://haveibeenpwned.com/Breach/HackForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackForums">https://haveibeenpwned.com/Breach/HackForums</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackingTeam">https://haveibeenpwned.com/Breach/HackingTeam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackingTeam">https://haveibeenpwned.com/Breach/HackingTeam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackingTeam">https://haveibeenpwned.com/Breach/HackingTeam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackingTeam">https://haveibeenpwned.com/Breach/HackingTeam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackingTeam">https://haveibeenpwned.com/Breach/HackingTeam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackingTeam">https://haveibeenpwned.com/Breach/HackingTeam</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackingTeam">https://haveibeenpwned.com/Breach/HackingTeam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackingTeam">https://haveibeenpwned.com/Breach/HackingTeam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackingTeam">https://haveibeenpwned.com/Breach/HackingTeam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackingTeam">https://haveibeenpwned.com/Breach/HackingTeam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackingTeam">https://haveibeenpwned.com/Breach/HackingTeam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HackingTeam">https://haveibeenpwned.com/Breach/HackingTeam</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hakko">https://haveibeenpwned.com/Breach/Hakko</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hakko">https://haveibeenpwned.com/Breach/Hakko</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hakko">https://haveibeenpwned.com/Breach/Hakko</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hakko">https://haveibeenpwned.com/Breach/Hakko</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hakko">https://haveibeenpwned.com/Breach/Hakko</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hakko">https://haveibeenpwned.com/Breach/Hakko</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hakko">https://haveibeenpwned.com/Breach/Hakko</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hakko">https://haveibeenpwned.com/Breach/Hakko</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hakko">https://haveibeenpwned.com/Breach/Hakko</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hakko">https://haveibeenpwned.com/Breach/Hakko</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hakko">https://haveibeenpwned.com/Breach/Hakko</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hakko">https://haveibeenpwned.com/Breach/Hakko</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HalloweenSpot">https://haveibeenpwned.com/Breach/HalloweenSpot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HalloweenSpot">https://haveibeenpwned.com/Breach/HalloweenSpot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HalloweenSpot">https://haveibeenpwned.com/Breach/HalloweenSpot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HalloweenSpot">https://haveibeenpwned.com/Breach/HalloweenSpot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HalloweenSpot">https://haveibeenpwned.com/Breach/HalloweenSpot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HalloweenSpot">https://haveibeenpwned.com/Breach/HalloweenSpot</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HalloweenSpot">https://haveibeenpwned.com/Breach/HalloweenSpot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HalloweenSpot">https://haveibeenpwned.com/Breach/HalloweenSpot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HalloweenSpot">https://haveibeenpwned.com/Breach/HalloweenSpot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HalloweenSpot">https://haveibeenpwned.com/Breach/HalloweenSpot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HalloweenSpot">https://haveibeenpwned.com/Breach/HalloweenSpot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HalloweenSpot">https://haveibeenpwned.com/Breach/HalloweenSpot</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hathway">https://haveibeenpwned.com/Breach/Hathway</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hathway">https://haveibeenpwned.com/Breach/Hathway</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hathway">https://haveibeenpwned.com/Breach/Hathway</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hathway">https://haveibeenpwned.com/Breach/Hathway</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hathway">https://haveibeenpwned.com/Breach/Hathway</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hathway">https://haveibeenpwned.com/Breach/Hathway</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hathway">https://haveibeenpwned.com/Breach/Hathway</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hathway">https://haveibeenpwned.com/Breach/Hathway</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hathway">https://haveibeenpwned.com/Breach/Hathway</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hathway">https://haveibeenpwned.com/Breach/Hathway</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hathway">https://haveibeenpwned.com/Breach/Hathway</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hathway">https://haveibeenpwned.com/Breach/Hathway</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HautelLook">https://haveibeenpwned.com/Breach/HautelLook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HautelLook">https://haveibeenpwned.com/Breach/HautelLook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HautelLook">https://haveibeenpwned.com/Breach/HautelLook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HautelLook">https://haveibeenpwned.com/Breach/HautelLook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HautelLook">https://haveibeenpwned.com/Breach/HautelLook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HautelLook">https://haveibeenpwned.com/Breach/HautelLook</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hautelook">https://haveibeenpwned.com/Breach/Hautelook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hautelook">https://haveibeenpwned.com/Breach/Hautelook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hautelook">https://haveibeenpwned.com/Breach/Hautelook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hautelook">https://haveibeenpwned.com/Breach/Hautelook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hautelook">https://haveibeenpwned.com/Breach/Hautelook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hautelook">https://haveibeenpwned.com/Breach/Hautelook</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Havenly">https://haveibeenpwned.com/Breach/Havenly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Havenly">https://haveibeenpwned.com/Breach/Havenly</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Havenly">https://haveibeenpwned.com/Breach/Havenly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Havenly">https://haveibeenpwned.com/Breach/Havenly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Havenly">https://haveibeenpwned.com/Breach/Havenly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Havenly">https://haveibeenpwned.com/Breach/Havenly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Havenly">https://haveibeenpwned.com/Breach/Havenly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Havenly">https://haveibeenpwned.com/Breach/Havenly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Havenly">https://haveibeenpwned.com/Breach/Havenly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Havenly">https://haveibeenpwned.com/Breach/Havenly</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Havenly">https://haveibeenpwned.com/Breach/Havenly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Havenly">https://haveibeenpwned.com/Breach/Havenly</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HDBFinancialServices">https://haveibeenpwned.com/Breach/HDBFinancialServices</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HDBFinancialServices">https://haveibeenpwned.com/Breach/HDBFinancialServices</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HDBFinancialServices">https://haveibeenpwned.com/Breach/HDBFinancialServices</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HDBFinancialServices">https://haveibeenpwned.com/Breach/HDBFinancialServices</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HDBFinancialServices">https://haveibeenpwned.com/Breach/HDBFinancialServices</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HDBFinancialServices">https://haveibeenpwned.com/Breach/HDBFinancialServices</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HDBFinancialServices">https://haveibeenpwned.com/Breach/HDBFinancialServices</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HDBFinancialServices">https://haveibeenpwned.com/Breach/HDBFinancialServices</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HDBFinancialServices">https://haveibeenpwned.com/Breach/HDBFinancialServices</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HDBFinancialServices">https://haveibeenpwned.com/Breach/HDBFinancialServices</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HDBFinancialServices">https://haveibeenpwned.com/Breach/HDBFinancialServices</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HDBFinancialServices">https://haveibeenpwned.com/Breach/HDBFinancialServices</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HealthNowNetworks">https://haveibeenpwned.com/Breach/HealthNowNetworks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/HealthNowNetworks">https://haveibeenpwned.com/Breach/HealthNowNetworks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HealthNowNetworks">https://haveibeenpwned.com/Breach/HealthNowNetworks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HealthNowNetworks">https://haveibeenpwned.com/Breach/HealthNowNetworks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HealthNowNetworks">https://haveibeenpwned.com/Breach/HealthNowNetworks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HealthNowNetworks">https://haveibeenpwned.com/Breach/HealthNowNetworks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HealthNowNetworks">https://haveibeenpwned.com/Breach/HealthNowNetworks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HealthNowNetworks">https://haveibeenpwned.com/Breach/HealthNowNetworks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HealthNowNetworks">https://haveibeenpwned.com/Breach/HealthNowNetworks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HealthNowNetworks">https://haveibeenpwned.com/Breach/HealthNowNetworks</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HealthNowNetworks">https://haveibeenpwned.com/Breach/HealthNowNetworks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HealthNowNetworks">https://haveibeenpwned.com/Breach/HealthNowNetworks</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeatGames">https://haveibeenpwned.com/Breach/HeatGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeatGames">https://haveibeenpwned.com/Breach/HeatGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeatGames">https://haveibeenpwned.com/Breach/HeatGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeatGames">https://haveibeenpwned.com/Breach/HeatGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeatGames">https://haveibeenpwned.com/Breach/HeatGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeatGames">https://haveibeenpwned.com/Breach/HeatGames</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeatGames">https://haveibeenpwned.com/Breach/HeatGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeatGames">https://haveibeenpwned.com/Breach/HeatGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeatGames">https://haveibeenpwned.com/Breach/HeatGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeatGames">https://haveibeenpwned.com/Breach/HeatGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeatGames">https://haveibeenpwned.com/Breach/HeatGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeatGames">https://haveibeenpwned.com/Breach/HeatGames</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmakvall">https://haveibeenpwned.com/Breach/Hemmakvall</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmakvall">https://haveibeenpwned.com/Breach/Hemmakvall</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmakvall">https://haveibeenpwned.com/Breach/Hemmakvall</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmakvall">https://haveibeenpwned.com/Breach/Hemmakvall</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmakvall">https://haveibeenpwned.com/Breach/Hemmakvall</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmakvall">https://haveibeenpwned.com/Breach/Hemmakvall</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmakvall">https://haveibeenpwned.com/Breach/Hemmakvall</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmakvall">https://haveibeenpwned.com/Breach/Hemmakvall</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmakvall">https://haveibeenpwned.com/Breach/Hemmakvall</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmakvall">https://haveibeenpwned.com/Breach/Hemmakvall</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmakvall">https://haveibeenpwned.com/Breach/Hemmakvall</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmakvall">https://haveibeenpwned.com/Breach/Hemmakvall</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmelig">https://haveibeenpwned.com/Breach/Hemmelig</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmelig">https://haveibeenpwned.com/Breach/Hemmelig</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmelig">https://haveibeenpwned.com/Breach/Hemmelig</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmelig">https://haveibeenpwned.com/Breach/Hemmelig</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmelig">https://haveibeenpwned.com/Breach/Hemmelig</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmelig">https://haveibeenpwned.com/Breach/Hemmelig</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmelig">https://haveibeenpwned.com/Breach/Hemmelig</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmelig">https://haveibeenpwned.com/Breach/Hemmelig</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmelig">https://haveibeenpwned.com/Breach/Hemmelig</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmelig">https://haveibeenpwned.com/Breach/Hemmelig</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmelig">https://haveibeenpwned.com/Breach/Hemmelig</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hemmelig">https://haveibeenpwned.com/Breach/Hemmelig</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfGaia">https://haveibeenpwned.com/Breach/HeroesOfGaia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfGaia">https://haveibeenpwned.com/Breach/HeroesOfGaia</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfGaia">https://haveibeenpwned.com/Breach/HeroesOfGaia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfGaia">https://haveibeenpwned.com/Breach/HeroesOfGaia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfGaia">https://haveibeenpwned.com/Breach/HeroesOfGaia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfGaia">https://haveibeenpwned.com/Breach/HeroesOfGaia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfGaia">https://haveibeenpwned.com/Breach/HeroesOfGaia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfGaia">https://haveibeenpwned.com/Breach/HeroesOfGaia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfGaia">https://haveibeenpwned.com/Breach/HeroesOfGaia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfGaia">https://haveibeenpwned.com/Breach/HeroesOfGaia</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfGaia">https://haveibeenpwned.com/Breach/HeroesOfGaia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfGaia">https://haveibeenpwned.com/Breach/HeroesOfGaia</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfNewerth">https://haveibeenpwned.com/Breach/HeroesOfNewerth</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfNewerth">https://haveibeenpwned.com/Breach/HeroesOfNewerth</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfNewerth">https://haveibeenpwned.com/Breach/HeroesOfNewerth</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfNewerth">https://haveibeenpwned.com/Breach/HeroesOfNewerth</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfNewerth">https://haveibeenpwned.com/Breach/HeroesOfNewerth</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfNewerth">https://haveibeenpwned.com/Breach/HeroesOfNewerth</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfNewerth">https://haveibeenpwned.com/Breach/HeroesOfNewerth</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfNewerth">https://haveibeenpwned.com/Breach/HeroesOfNewerth</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfNewerth">https://haveibeenpwned.com/Breach/HeroesOfNewerth</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfNewerth">https://haveibeenpwned.com/Breach/HeroesOfNewerth</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfNewerth">https://haveibeenpwned.com/Breach/HeroesOfNewerth</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HeroesOfNewerth">https://haveibeenpwned.com/Breach/HeroesOfNewerth</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HIAPK">https://haveibeenpwned.com/Breach/HIAPK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HIAPK">https://haveibeenpwned.com/Breach/HIAPK</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HIAPK">https://haveibeenpwned.com/Breach/HIAPK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HIAPK">https://haveibeenpwned.com/Breach/HIAPK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HIAPK">https://haveibeenpwned.com/Breach/HIAPK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HIAPK">https://haveibeenpwned.com/Breach/HIAPK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HIAPK">https://haveibeenpwned.com/Breach/HIAPK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HIAPK">https://haveibeenpwned.com/Breach/HIAPK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HIAPK">https://haveibeenpwned.com/Breach/HIAPK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HIAPK">https://haveibeenpwned.com/Breach/HIAPK</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HIAPK">https://haveibeenpwned.com/Breach/HIAPK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HIAPK">https://haveibeenpwned.com/Breach/HIAPK</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hjedd">https://haveibeenpwned.com/Breach/Hjedd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hjedd">https://haveibeenpwned.com/Breach/Hjedd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hjedd">https://haveibeenpwned.com/Breach/Hjedd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hjedd">https://haveibeenpwned.com/Breach/Hjedd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hjedd">https://haveibeenpwned.com/Breach/Hjedd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hjedd">https://haveibeenpwned.com/Breach/Hjedd</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hjedd">https://haveibeenpwned.com/Breach/Hjedd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hjedd">https://haveibeenpwned.com/Breach/Hjedd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hjedd">https://haveibeenpwned.com/Breach/Hjedd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hjedd">https://haveibeenpwned.com/Breach/Hjedd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hjedd">https://haveibeenpwned.com/Breach/Hjedd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hjedd">https://haveibeenpwned.com/Breach/Hjedd</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTLV">https://haveibeenpwned.com/Breach/HTLV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTLV">https://haveibeenpwned.com/Breach/HTLV</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTLV">https://haveibeenpwned.com/Breach/HTLV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTLV">https://haveibeenpwned.com/Breach/HTLV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTLV">https://haveibeenpwned.com/Breach/HTLV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTLV">https://haveibeenpwned.com/Breach/HTLV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTLV">https://haveibeenpwned.com/Breach/HTLV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTLV">https://haveibeenpwned.com/Breach/HTLV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTLV">https://haveibeenpwned.com/Breach/HTLV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTLV">https://haveibeenpwned.com/Breach/HTLV</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTLV">https://haveibeenpwned.com/Breach/HTLV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTLV">https://haveibeenpwned.com/Breach/HTLV</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HomeChef">https://haveibeenpwned.com/Breach/HomeChef</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HomeChef">https://haveibeenpwned.com/Breach/HomeChef</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HomeChef">https://haveibeenpwned.com/Breach/HomeChef</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HomeChef">https://haveibeenpwned.com/Breach/HomeChef</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HomeChef">https://haveibeenpwned.com/Breach/HomeChef</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HomeChef">https://haveibeenpwned.com/Breach/HomeChef</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HomeChef">https://haveibeenpwned.com/Breach/HomeChef</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HomeChef">https://haveibeenpwned.com/Breach/HomeChef</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HomeChef">https://haveibeenpwned.com/Breach/HomeChef</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HomeChef">https://haveibeenpwned.com/Breach/HomeChef</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HomeChef">https://haveibeenpwned.com/Breach/HomeChef</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HomeChef">https://haveibeenpwned.com/Breach/HomeChef</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HongFire">https://haveibeenpwned.com/Breach/HongFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HongFire">https://haveibeenpwned.com/Breach/HongFire</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HongFire">https://haveibeenpwned.com/Breach/HongFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HongFire">https://haveibeenpwned.com/Breach/HongFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HongFire">https://haveibeenpwned.com/Breach/HongFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HongFire">https://haveibeenpwned.com/Breach/HongFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HongFire">https://haveibeenpwned.com/Breach/HongFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HongFire">https://haveibeenpwned.com/Breach/HongFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HongFire">https://haveibeenpwned.com/Breach/HongFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HongFire">https://haveibeenpwned.com/Breach/HongFire</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HongFire">https://haveibeenpwned.com/Breach/HongFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HongFire">https://haveibeenpwned.com/Breach/HongFire</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HookersNL">https://haveibeenpwned.com/Breach/HookersNL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HookersNL">https://haveibeenpwned.com/Breach/HookersNL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HookersNL">https://haveibeenpwned.com/Breach/HookersNL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HookersNL">https://haveibeenpwned.com/Breach/HookersNL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HookersNL">https://haveibeenpwned.com/Breach/HookersNL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HookersNL">https://haveibeenpwned.com/Breach/HookersNL</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HookersNL">https://haveibeenpwned.com/Breach/HookersNL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HookersNL">https://haveibeenpwned.com/Breach/HookersNL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HookersNL">https://haveibeenpwned.com/Breach/HookersNL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HookersNL">https://haveibeenpwned.com/Breach/HookersNL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HookersNL">https://haveibeenpwned.com/Breach/HookersNL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HookersNL">https://haveibeenpwned.com/Breach/HookersNL</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hopamedia">https://haveibeenpwned.com/Breach/Hopamedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hopamedia">https://haveibeenpwned.com/Breach/Hopamedia</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hopamedia">https://haveibeenpwned.com/Breach/Hopamedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hopamedia">https://haveibeenpwned.com/Breach/Hopamedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hopamedia">https://haveibeenpwned.com/Breach/Hopamedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hopamedia">https://haveibeenpwned.com/Breach/Hopamedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hopamedia">https://haveibeenpwned.com/Breach/Hopamedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hopamedia">https://haveibeenpwned.com/Breach/Hopamedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hopamedia">https://haveibeenpwned.com/Breach/Hopamedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hopamedia">https://haveibeenpwned.com/Breach/Hopamedia</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hopamedia">https://haveibeenpwned.com/Breach/Hopamedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hopamedia">https://haveibeenpwned.com/Breach/Hopamedia</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Horselsle">https://haveibeenpwned.com/Breach/Horselsle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Horselsle">https://haveibeenpwned.com/Breach/Horselsle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Horselsle">https://haveibeenpwned.com/Breach/Horselsle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Horselsle">https://haveibeenpwned.com/Breach/Horselsle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Horselsle">https://haveibeenpwned.com/Breach/Horselsle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Horselsle">https://haveibeenpwned.com/Breach/Horselsle</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Horselsle">https://haveibeenpwned.com/Breach/Horselsle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Horselsle">https://haveibeenpwned.com/Breach/Horselsle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Horselsle">https://haveibeenpwned.com/Breach/Horselsle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Horselsle">https://haveibeenpwned.com/Breach/Horselsle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Horselsle">https://haveibeenpwned.com/Breach/Horselsle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Horselsle">https://haveibeenpwned.com/Breach/Horselsle</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HotTopic">https://haveibeenpwned.com/Breach/HotTopic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HotTopic">https://haveibeenpwned.com/Breach/HotTopic</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HotTopic">https://haveibeenpwned.com/Breach/HotTopic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HotTopic">https://haveibeenpwned.com/Breach/HotTopic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HotTopic">https://haveibeenpwned.com/Breach/HotTopic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HotTopic">https://haveibeenpwned.com/Breach/HotTopic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HotTopic">https://haveibeenpwned.com/Breach/HotTopic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HotTopic">https://haveibeenpwned.com/Breach/HotTopic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HotTopic">https://haveibeenpwned.com/Breach/HotTopic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HotTopic">https://haveibeenpwned.com/Breach/HotTopic</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HotTopic">https://haveibeenpwned.com/Breach/HotTopic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HotTopic">https://haveibeenpwned.com/Breach/HotTopic</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HoundDawgs">https://haveibeenpwned.com/Breach/HoundDawgs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HoundDawgs">https://haveibeenpwned.com/Breach/HoundDawgs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HoundDawgs">https://haveibeenpwned.com/Breach/HoundDawgs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HoundDawgs">https://haveibeenpwned.com/Breach/HoundDawgs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HoundDawgs">https://haveibeenpwned.com/Breach/HoundDawgs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HoundDawgs">https://haveibeenpwned.com/Breach/HoundDawgs</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HoundDawgs">https://haveibeenpwned.com/Breach/HoundDawgs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HoundDawgs">https://haveibeenpwned.com/Breach/HoundDawgs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HoundDawgs">https://haveibeenpwned.com/Breach/HoundDawgs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HoundDawgs">https://haveibeenpwned.com/Breach/HoundDawgs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HoundDawgs">https://haveibeenpwned.com/Breach/HoundDawgs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HoundDawgs">https://haveibeenpwned.com/Breach/HoundDawgs</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Houzz">https://haveibeenpwned.com/Breach/Houzz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Houzz">https://haveibeenpwned.com/Breach/Houzz</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Houzz">https://haveibeenpwned.com/Breach/Houzz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Houzz">https://haveibeenpwned.com/Breach/Houzz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Houzz">https://haveibeenpwned.com/Breach/Houzz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Houzz">https://haveibeenpwned.com/Breach/Houzz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Houzz">https://haveibeenpwned.com/Breach/Houzz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Houzz">https://haveibeenpwned.com/Breach/Houzz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Houzz">https://haveibeenpwned.com/Breach/Houzz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Houzz">https://haveibeenpwned.com/Breach/Houzz</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Houzz">https://haveibeenpwned.com/Breach/Houzz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Houzz">https://haveibeenpwned.com/Breach/Houzz</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTCMania">https://haveibeenpwned.com/Breach/HTCMania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTCMania">https://haveibeenpwned.com/Breach/HTCMania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTCMania">https://haveibeenpwned.com/Breach/HTCMania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTCMania">https://haveibeenpwned.com/Breach/HTCMania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTCMania">https://haveibeenpwned.com/Breach/HTCMania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTCMania">https://haveibeenpwned.com/Breach/HTCMania</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTCMania">https://haveibeenpwned.com/Breach/HTCMania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTCMania">https://haveibeenpwned.com/Breach/HTCMania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTCMania">https://haveibeenpwned.com/Breach/HTCMania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTCMania">https://haveibeenpwned.com/Breach/HTCMania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTCMania">https://haveibeenpwned.com/Breach/HTCMania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTCMania">https://haveibeenpwned.com/Breach/HTCMania</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTHStudios">https://haveibeenpwned.com/Breach/HTHStudios</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTHStudios">https://haveibeenpwned.com/Breach/HTHStudios</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTHStudios">https://haveibeenpwned.com/Breach/HTHStudios</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTHStudios">https://haveibeenpwned.com/Breach/HTHStudios</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTHStudios">https://haveibeenpwned.com/Breach/HTHStudios</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTHStudios">https://haveibeenpwned.com/Breach/HTHStudios</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTHStudios">https://haveibeenpwned.com/Breach/HTHStudios</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTHStudios">https://haveibeenpwned.com/Breach/HTHStudios</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTHStudios">https://haveibeenpwned.com/Breach/HTHStudios</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTHStudios">https://haveibeenpwned.com/Breach/HTHStudios</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTHStudios">https://haveibeenpwned.com/Breach/HTHStudios</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HTHStudios">https://haveibeenpwned.com/Breach/HTHStudios</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hub4Tech">https://haveibeenpwned.com/Breach/Hub4Tech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hub4Tech">https://haveibeenpwned.com/Breach/Hub4Tech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hub4Tech">https://haveibeenpwned.com/Breach/Hub4Tech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hub4Tech">https://haveibeenpwned.com/Breach/Hub4Tech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hub4Tech">https://haveibeenpwned.com/Breach/Hub4Tech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hub4Tech">https://haveibeenpwned.com/Breach/Hub4Tech</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hub4Tech">https://haveibeenpwned.com/Breach/Hub4Tech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hub4Tech">https://haveibeenpwned.com/Breach/Hub4Tech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hub4Tech">https://haveibeenpwned.com/Breach/Hub4Tech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hub4Tech">https://haveibeenpwned.com/Breach/Hub4Tech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hub4Tech">https://haveibeenpwned.com/Breach/Hub4Tech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hub4Tech">https://haveibeenpwned.com/Breach/Hub4Tech</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuntStand">https://haveibeenpwned.com/Breach/HuntStand</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuntStand">https://haveibeenpwned.com/Breach/HuntStand</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuntStand">https://haveibeenpwned.com/Breach/HuntStand</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuntStand">https://haveibeenpwned.com/Breach/HuntStand</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuntStand">https://haveibeenpwned.com/Breach/HuntStand</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuntStand">https://haveibeenpwned.com/Breach/HuntStand</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuntStand">https://haveibeenpwned.com/Breach/HuntStand</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuntStand">https://haveibeenpwned.com/Breach/HuntStand</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuntStand">https://haveibeenpwned.com/Breach/HuntStand</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuntStand">https://haveibeenpwned.com/Breach/HuntStand</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuntStand">https://haveibeenpwned.com/Breach/HuntStand</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuntStand">https://haveibeenpwned.com/Breach/HuntStand</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hurb">https://haveibeenpwned.com/Breach/Hurb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hurb">https://haveibeenpwned.com/Breach/Hurb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hurb">https://haveibeenpwned.com/Breach/Hurb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hurb">https://haveibeenpwned.com/Breach/Hurb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hurb">https://haveibeenpwned.com/Breach/Hurb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hurb">https://haveibeenpwned.com/Breach/Hurb</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hurb">https://haveibeenpwned.com/Breach/Hurb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hurb">https://haveibeenpwned.com/Breach/Hurb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hurb">https://haveibeenpwned.com/Breach/Hurb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hurb">https://haveibeenpwned.com/Breach/Hurb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hurb">https://haveibeenpwned.com/Breach/Hurb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Hurb">https://haveibeenpwned.com/Breach/Hurb</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuskyOwners">https://haveibeenpwned.com/Breach/HuskyOwners</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuskyOwners">https://haveibeenpwned.com/Breach/HuskyOwners</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuskyOwners">https://haveibeenpwned.com/Breach/HuskyOwners</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuskyOwners">https://haveibeenpwned.com/Breach/HuskyOwners</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuskyOwners">https://haveibeenpwned.com/Breach/HuskyOwners</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuskyOwners">https://haveibeenpwned.com/Breach/HuskyOwners</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuskyOwners">https://haveibeenpwned.com/Breach/HuskyOwners</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuskyOwners">https://haveibeenpwned.com/Breach/HuskyOwners</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuskyOwners">https://haveibeenpwned.com/Breach/HuskyOwners</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuskyOwners">https://haveibeenpwned.com/Breach/HuskyOwners</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuskyOwners">https://haveibeenpwned.com/Breach/HuskyOwners</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/HuskyOwners">https://haveibeenpwned.com/Breach/HuskyOwners</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IDCGames">https://haveibeenpwned.com/Breach/IDCGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IDCGames">https://haveibeenpwned.com/Breach/IDCGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IDCGames">https://haveibeenpwned.com/Breach/IDCGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IDCGames">https://haveibeenpwned.com/Breach/IDCGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IDCGames">https://haveibeenpwned.com/Breach/IDCGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IDCGames">https://haveibeenpwned.com/Breach/IDCGames</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IDCGames">https://haveibeenpwned.com/Breach/IDCGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IDCGames">https://haveibeenpwned.com/Breach/IDCGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IDCGames">https://haveibeenpwned.com/Breach/IDCGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IDCGames">https://haveibeenpwned.com/Breach/IDCGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IDCGames">https://haveibeenpwned.com/Breach/IDCGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IDCGames">https://haveibeenpwned.com/Breach/IDCGames</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDressup">https://haveibeenpwned.com/Breach/iDressup</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDressup">https://haveibeenpwned.com/Breach/iDressup</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDressup">https://haveibeenpwned.com/Breach/iDressup</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDressup">https://haveibeenpwned.com/Breach/iDressup</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDressup">https://haveibeenpwned.com/Breach/iDressup</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDressup">https://haveibeenpwned.com/Breach/iDressup</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDressup">https://haveibeenpwned.com/Breach/iDressup</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDressup">https://haveibeenpwned.com/Breach/iDressup</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDressup">https://haveibeenpwned.com/Breach/iDressup</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDressup">https://haveibeenpwned.com/Breach/iDressup</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDressup">https://haveibeenpwned.com/Breach/iDressup</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDressup">https://haveibeenpwned.com/Breach/iDressup</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDTech">https://haveibeenpwned.com/Breach/iDTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDTech">https://haveibeenpwned.com/Breach/iDTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDTech">https://haveibeenpwned.com/Breach/iDTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDTech">https://haveibeenpwned.com/Breach/iDTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDTech">https://haveibeenpwned.com/Breach/iDTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDTech">https://haveibeenpwned.com/Breach/iDTech</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDTech">https://haveibeenpwned.com/Breach/iDTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDTech">https://haveibeenpwned.com/Breach/iDTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDTech">https://haveibeenpwned.com/Breach/iDTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDTech">https://haveibeenpwned.com/Breach/iDTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDTech">https://haveibeenpwned.com/Breach/iDTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iDTech">https://haveibeenpwned.com/Breach/iDTech</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IGF">https://haveibeenpwned.com/Breach/IGF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IGF">https://haveibeenpwned.com/Breach/IGF</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IGF">https://haveibeenpwned.com/Breach/IGF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IGF">https://haveibeenpwned.com/Breach/IGF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IGF">https://haveibeenpwned.com/Breach/IGF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IGF">https://haveibeenpwned.com/Breach/IGF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IGF">https://haveibeenpwned.com/Breach/IGF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IGF">https://haveibeenpwned.com/Breach/IGF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IGF">https://haveibeenpwned.com/Breach/IGF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IGF">https://haveibeenpwned.com/Breach/IGF</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IGF">https://haveibeenpwned.com/Breach/IGF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IGF">https://haveibeenpwned.com/Breach/IGF</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IIMJobs">https://haveibeenpwned.com/Breach/IIMJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IIMJobs">https://haveibeenpwned.com/Breach/IIMJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IIMJobs">https://haveibeenpwned.com/Breach/IIMJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IIMJobs">https://haveibeenpwned.com/Breach/IIMJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IIMJobs">https://haveibeenpwned.com/Breach/IIMJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IIMJobs">https://haveibeenpwned.com/Breach/IIMJobs</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IIMJobs">https://haveibeenpwned.com/Breach/IIMJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IIMJobs">https://haveibeenpwned.com/Breach/IIMJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IIMJobs">https://haveibeenpwned.com/Breach/IIMJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IIMJobs">https://haveibeenpwned.com/Breach/IIMJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IIMJobs">https://haveibeenpwned.com/Breach/IIMJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IIMJobs">https://haveibeenpwned.com/Breach/IIMJobs</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IILikeCheats">https://haveibeenpwned.com/Breach/IILikeCheats</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IILikeCheats">https://haveibeenpwned.com/Breach/IILikeCheats</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IILikeCheats">https://haveibeenpwned.com/Breach/IILikeCheats</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IILikeCheats">https://haveibeenpwned.com/Breach/IILikeCheats</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IILikeCheats">https://haveibeenpwned.com/Breach/IILikeCheats</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IILikeCheats">https://haveibeenpwned.com/Breach/IILikeCheats</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IILikeCheats">https://haveibeenpwned.com/Breach/IILikeCheats</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IILikeCheats">https://haveibeenpwned.com/Breach/IILikeCheats</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IILikeCheats">https://haveibeenpwned.com/Breach/IILikeCheats</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IILikeCheats">https://haveibeenpwned.com/Breach/IILikeCheats</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IILikeCheats">https://haveibeenpwned.com/Breach/IILikeCheats</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IILikeCheats">https://haveibeenpwned.com/Breach/IILikeCheats</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Imavex">https://haveibeenpwned.com/Breach/Imavex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Imavex">https://haveibeenpwned.com/Breach/Imavex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Imavex">https://haveibeenpwned.com/Breach/Imavex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Imavex">https://haveibeenpwned.com/Breach/Imavex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Imavex">https://haveibeenpwned.com/Breach/Imavex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Imavex">https://haveibeenpwned.com/Breach/Imavex</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/lmavex">https://haveibeenpwned.com/Breach/lmavex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/lmavex">https://haveibeenpwned.com/Breach/lmavex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/lmavex">https://haveibeenpwned.com/Breach/lmavex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/lmavex">https://haveibeenpwned.com/Breach/lmavex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/lmavex">https://haveibeenpwned.com/Breach/lmavex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/lmavex">https://haveibeenpwned.com/Breach/lmavex</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMenu360">https://haveibeenpwned.com/Breach/iMenu360</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMenu360">https://haveibeenpwned.com/Breach/iMenu360</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMenu360">https://haveibeenpwned.com/Breach/iMenu360</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMenu360">https://haveibeenpwned.com/Breach/iMenu360</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMenu360">https://haveibeenpwned.com/Breach/iMenu360</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMenu360">https://haveibeenpwned.com/Breach/iMenu360</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMenu360">https://haveibeenpwned.com/Breach/iMenu360</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMenu360">https://haveibeenpwned.com/Breach/iMenu360</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMenu360">https://haveibeenpwned.com/Breach/iMenu360</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMenu360">https://haveibeenpwned.com/Breach/iMenu360</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMenu360">https://haveibeenpwned.com/Breach/iMenu360</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMenu360">https://haveibeenpwned.com/Breach/iMenu360</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMesh">https://haveibeenpwned.com/Breach/iMesh</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMesh">https://haveibeenpwned.com/Breach/iMesh</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMesh">https://haveibeenpwned.com/Breach/iMesh</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMesh">https://haveibeenpwned.com/Breach/iMesh</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMesh">https://haveibeenpwned.com/Breach/iMesh</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMesh">https://haveibeenpwned.com/Breach/iMesh</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMesh">https://haveibeenpwned.com/Breach/iMesh</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMesh">https://haveibeenpwned.com/Breach/iMesh</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMesh">https://haveibeenpwned.com/Breach/iMesh</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMesh">https://haveibeenpwned.com/Breach/iMesh</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMesh">https://haveibeenpwned.com/Breach/iMesh</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iMesh">https://haveibeenpwned.com/Breach/iMesh</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/imgur">https://haveibeenpwned.com/Breach/imgur</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/imgur">https://haveibeenpwned.com/Breach/imgur</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/imgur">https://haveibeenpwned.com/Breach/imgur</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/imgur">https://haveibeenpwned.com/Breach/imgur</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/imgur">https://haveibeenpwned.com/Breach/imgur</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/imgur">https://haveibeenpwned.com/Breach/imgur</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/imgur">https://haveibeenpwned.com/Breach/imgur</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/imgur">https://haveibeenpwned.com/Breach/imgur</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/imgur">https://haveibeenpwned.com/Breach/imgur</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/imgur">https://haveibeenpwned.com/Breach/imgur</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/imgur">https://haveibeenpwned.com/Breach/imgur</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/imgur">https://haveibeenpwned.com/Breach/imgur</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiaMART">https://haveibeenpwned.com/Breach/IndiaMART</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiaMART">https://haveibeenpwned.com/Breach/IndiaMART</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiaMART">https://haveibeenpwned.com/Breach/IndiaMART</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiaMART">https://haveibeenpwned.com/Breach/IndiaMART</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiaMART">https://haveibeenpwned.com/Breach/IndiaMART</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiaMART">https://haveibeenpwned.com/Breach/IndiaMART</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiaMART">https://haveibeenpwned.com/Breach/IndiaMART</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiaMART">https://haveibeenpwned.com/Breach/IndiaMART</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiaMART">https://haveibeenpwned.com/Breach/IndiaMART</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiaMART">https://haveibeenpwned.com/Breach/IndiaMART</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiaMART">https://haveibeenpwned.com/Breach/IndiaMART</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiaMART">https://haveibeenpwned.com/Breach/IndiaMART</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndianRailways">https://haveibeenpwned.com/Breach/IndianRailways</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndianRailways">https://haveibeenpwned.com/Breach/IndianRailways</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndianRailways">https://haveibeenpwned.com/Breach/IndianRailways</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndianRailways">https://haveibeenpwned.com/Breach/IndianRailways</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndianRailways">https://haveibeenpwned.com/Breach/IndianRailways</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndianRailways">https://haveibeenpwned.com/Breach/IndianRailways</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndianRailways">https://haveibeenpwned.com/Breach/IndianRailways</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndianRailways">https://haveibeenpwned.com/Breach/IndianRailways</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndianRailways">https://haveibeenpwned.com/Breach/IndianRailways</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndianRailways">https://haveibeenpwned.com/Breach/IndianRailways</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndianRailways">https://haveibeenpwned.com/Breach/IndianRailways</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndianRailways">https://haveibeenpwned.com/Breach/IndianRailways</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiHome">https://haveibeenpwned.com/Breach/IndiHome</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiHome">https://haveibeenpwned.com/Breach/IndiHome</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiHome">https://haveibeenpwned.com/Breach/IndiHome</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiHome">https://haveibeenpwned.com/Breach/IndiHome</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiHome">https://haveibeenpwned.com/Breach/IndiHome</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiHome">https://haveibeenpwned.com/Breach/IndiHome</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiHome">https://haveibeenpwned.com/Breach/IndiHome</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiHome">https://haveibeenpwned.com/Breach/IndiHome</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiHome">https://haveibeenpwned.com/Breach/IndiHome</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiHome">https://haveibeenpwned.com/Breach/IndiHome</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiHome">https://haveibeenpwned.com/Breach/IndiHome</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/IndiHome">https://haveibeenpwned.com/Breach/IndiHome</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InflateVids">https://haveibeenpwned.com/Breach/InflateVids</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InflateVids">https://haveibeenpwned.com/Breach/InflateVids</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InflateVids">https://haveibeenpwned.com/Breach/InflateVids</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InflateVids">https://haveibeenpwned.com/Breach/InflateVids</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InflateVids">https://haveibeenpwned.com/Breach/InflateVids</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InflateVids">https://haveibeenpwned.com/Breach/InflateVids</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InflateVids">https://haveibeenpwned.com/Breach/InflateVids</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InflateVids">https://haveibeenpwned.com/Breach/InflateVids</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InflateVids">https://haveibeenpwned.com/Breach/InflateVids</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InflateVids">https://haveibeenpwned.com/Breach/InflateVids</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InflateVids">https://haveibeenpwned.com/Breach/InflateVids</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InflateVids">https://haveibeenpwned.com/Breach/InflateVids</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Insanelyi">https://haveibeenpwned.com/Breach/Insanelyi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Insanelyi">https://haveibeenpwned.com/Breach/Insanelyi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Insanelyi">https://haveibeenpwned.com/Breach/Insanelyi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Insanelyi">https://haveibeenpwned.com/Breach/Insanelyi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Insanelyi">https://haveibeenpwned.com/Breach/Insanelyi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Insanelyi">https://haveibeenpwned.com/Breach/Insanelyi</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Insanelyi">https://haveibeenpwned.com/Breach/Insanelyi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Insanelyi">https://haveibeenpwned.com/Breach/Insanelyi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Insanelyi">https://haveibeenpwned.com/Breach/Insanelyi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Insanelyi">https://haveibeenpwned.com/Breach/Insanelyi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Insanelyi">https://haveibeenpwned.com/Breach/Insanelyi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Insanelyi">https://haveibeenpwned.com/Breach/Insanelyi</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstantCheckmate">https://haveibeenpwned.com/Breach/InstantCheckmate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstantCheckmate">https://haveibeenpwned.com/Breach/InstantCheckmate</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstantCheckmate">https://haveibeenpwned.com/Breach/InstantCheckmate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstantCheckmate">https://haveibeenpwned.com/Breach/InstantCheckmate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstantCheckmate">https://haveibeenpwned.com/Breach/InstantCheckmate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstantCheckmate">https://haveibeenpwned.com/Breach/InstantCheckmate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstantCheckmate">https://haveibeenpwned.com/Breach/InstantCheckmate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstantCheckmate">https://haveibeenpwned.com/Breach/InstantCheckmate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstantCheckmate">https://haveibeenpwned.com/Breach/InstantCheckmate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstantCheckmate">https://haveibeenpwned.com/Breach/InstantCheckmate</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstantCheckmate">https://haveibeenpwned.com/Breach/InstantCheckmate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstantCheckmate">https://haveibeenpwned.com/Breach/InstantCheckmate</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile">https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile">https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile">https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile">https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile">https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile">https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile">https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile">https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile">https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile">https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile">https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile">https://haveibeenpwned.com/Breach/InstitutoNacionalDeDeportesDeChile</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Intelimost">https://haveibeenpwned.com/Breach/Intelimost</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Intelimost">https://haveibeenpwned.com/Breach/Intelimost</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Intelimost">https://haveibeenpwned.com/Breach/Intelimost</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Intelimost">https://haveibeenpwned.com/Breach/Intelimost</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Intelimost">https://haveibeenpwned.com/Breach/Intelimost</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Intelimost">https://haveibeenpwned.com/Breach/Intelimost</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Intelimost">https://haveibeenpwned.com/Breach/Intelimost</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Intelimost">https://haveibeenpwned.com/Breach/Intelimost</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Intelimost">https://haveibeenpwned.com/Breach/Intelimost</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Intelimost">https://haveibeenpwned.com/Breach/Intelimost</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Intelimost">https://haveibeenpwned.com/Breach/Intelimost</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Intelimost">https://haveibeenpwned.com/Breach/Intelimost</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InternetArchive">https://haveibeenpwned.com/Breach/InternetArchive</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InternetArchive">https://haveibeenpwned.com/Breach/InternetArchive</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InternetArchive">https://haveibeenpwned.com/Breach/InternetArchive</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InternetArchive">https://haveibeenpwned.com/Breach/InternetArchive</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InternetArchive">https://haveibeenpwned.com/Breach/InternetArchive</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InternetArchive">https://haveibeenpwned.com/Breach/InternetArchive</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InternetArchive">https://haveibeenpwned.com/Breach/InternetArchive</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InternetArchive">https://haveibeenpwned.com/Breach/InternetArchive</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InternetArchive">https://haveibeenpwned.com/Breach/InternetArchive</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InternetArchive">https://haveibeenpwned.com/Breach/InternetArchive</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InternetArchive">https://haveibeenpwned.com/Breach/InternetArchive</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/InternetArchive">https://haveibeenpwned.com/Breach/InternetArchive</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Interpals">https://haveibeenpwned.com/Breach/Interpals</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Interpals">https://haveibeenpwned.com/Breach/Interpals</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Interpals">https://haveibeenpwned.com/Breach/Interpals</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Interpals">https://haveibeenpwned.com/Breach/Interpals</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Interpals">https://haveibeenpwned.com/Breach/Interpals</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Interpals">https://haveibeenpwned.com/Breach/Interpals</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Interpals">https://haveibeenpwned.com/Breach/Interpals</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Interpals">https://haveibeenpwned.com/Breach/Interpals</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Interpals">https://haveibeenpwned.com/Breach/Interpals</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Interpals">https://haveibeenpwned.com/Breach/Interpals</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Interpals">https://haveibeenpwned.com/Breach/Interpals</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Interpals">https://haveibeenpwned.com/Breach/Interpals</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iPmart">https://haveibeenpwned.com/Breach/iPmart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iPmart">https://haveibeenpwned.com/Breach/iPmart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iPmart">https://haveibeenpwned.com/Breach/iPmart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iPmart">https://haveibeenpwned.com/Breach/iPmart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iPmart">https://haveibeenpwned.com/Breach/iPmart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iPmart">https://haveibeenpwned.com/Breach/iPmart</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iPmart">https://haveibeenpwned.com/Breach/iPmart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iPmart">https://haveibeenpwned.com/Breach/iPmart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iPmart">https://haveibeenpwned.com/Breach/iPmart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iPmart">https://haveibeenpwned.com/Breach/iPmart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iPmart">https://haveibeenpwned.com/Breach/iPmart</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/iPmart">https://haveibeenpwned.com/Breach/iPmart</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ixigo">https://haveibeenpwned.com/Breach/ixigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ixigo">https://haveibeenpwned.com/Breach/ixigo</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ixigo">https://haveibeenpwned.com/Breach/ixigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ixigo">https://haveibeenpwned.com/Breach/ixigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ixigo">https://haveibeenpwned.com/Breach/ixigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ixigo">https://haveibeenpwned.com/Breach/ixigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ixigo">https://haveibeenpwned.com/Breach/ixigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ixigo">https://haveibeenpwned.com/Breach/ixigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ixigo">https://haveibeenpwned.com/Breach/ixigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ixigo">https://haveibeenpwned.com/Breach/ixigo</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ixigo">https://haveibeenpwned.com/Breach/ixigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ixigo">https://haveibeenpwned.com/Breach/ixigo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/James">https://haveibeenpwned.com/Breach/James</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/James">https://haveibeenpwned.com/Breach/James</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/James">https://haveibeenpwned.com/Breach/James</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/James">https://haveibeenpwned.com/Breach/James</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/James">https://haveibeenpwned.com/Breach/James</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/James">https://haveibeenpwned.com/Breach/James</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/James">https://haveibeenpwned.com/Breach/James</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/James">https://haveibeenpwned.com/Breach/James</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/James">https://haveibeenpwned.com/Breach/James</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/James">https://haveibeenpwned.com/Breach/James</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/James">https://haveibeenpwned.com/Breach/James</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/James">https://haveibeenpwned.com/Breach/James</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JamTangan">https://haveibeenpwned.com/Breach/JamTangan</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JamTangan">https://haveibeenpwned.com/Breach/JamTangan</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JamTangan">https://haveibeenpwned.com/Breach/JamTangan</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JamTangan">https://haveibeenpwned.com/Breach/JamTangan</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JamTangan">https://haveibeenpwned.com/Breach/JamTangan</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JamTangan">https://haveibeenpwned.com/Breach/JamTangan</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JamTangan">https://haveibeenpwned.com/Breach/JamTangan</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JamTangan">https://haveibeenpwned.com/Breach/JamTangan</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JamTangan">https://haveibeenpwned.com/Breach/JamTangan</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JamTangan">https://haveibeenpwned.com/Breach/JamTangan</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JamTangan">https://haveibeenpwned.com/Breach/JamTangan</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JamTangan">https://haveibeenpwned.com/Breach/JamTangan</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JD">https://haveibeenpwned.com/Breach/JD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JD">https://haveibeenpwned.com/Breach/JD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JD">https://haveibeenpwned.com/Breach/JD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JD">https://haveibeenpwned.com/Breach/JD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JD">https://haveibeenpwned.com/Breach/JD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JD">https://haveibeenpwned.com/Breach/JD</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JD">https://haveibeenpwned.com/Breach/JD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JD">https://haveibeenpwned.com/Breach/JD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JD">https://haveibeenpwned.com/Breach/JD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JD">https://haveibeenpwned.com/Breach/JD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JD">https://haveibeenpwned.com/Breach/JD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JD">https://haveibeenpwned.com/Breach/JD</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JDGroup">https://haveibeenpwned.com/Breach/JDGroup</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JDGroup">https://haveibeenpwned.com/Breach/JDGroup</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JDGroup">https://haveibeenpwned.com/Breach/JDGroup</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JDGroup">https://haveibeenpwned.com/Breach/JDGroup</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JDGroup">https://haveibeenpwned.com/Breach/JDGroup</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JDGroup">https://haveibeenpwned.com/Breach/JDGroup</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JDGroup">https://haveibeenpwned.com/Breach/JDGroup</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JDGroup">https://haveibeenpwned.com/Breach/JDGroup</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JDGroup">https://haveibeenpwned.com/Breach/JDGroup</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JDGroup">https://haveibeenpwned.com/Breach/JDGroup</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JDGroup">https://haveibeenpwned.com/Breach/JDGroup</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JDGroup">https://haveibeenpwned.com/Breach/JDGroup</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jefit">https://haveibeenpwned.com/Breach/Jefit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jefit">https://haveibeenpwned.com/Breach/Jefit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jefit">https://haveibeenpwned.com/Breach/Jefit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jefit">https://haveibeenpwned.com/Breach/Jefit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jefit">https://haveibeenpwned.com/Breach/Jefit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jefit">https://haveibeenpwned.com/Breach/Jefit</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jefit">https://haveibeenpwned.com/Breach/Jefit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jefit">https://haveibeenpwned.com/Breach/Jefit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jefit">https://haveibeenpwned.com/Breach/Jefit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jefit">https://haveibeenpwned.com/Breach/Jefit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jefit">https://haveibeenpwned.com/Breach/Jefit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jefit">https://haveibeenpwned.com/Breach/Jefit</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobAndTalent">https://haveibeenpwned.com/Breach/JobAndTalent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobAndTalent">https://haveibeenpwned.com/Breach/JobAndTalent</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobAndTalent">https://haveibeenpwned.com/Breach/JobAndTalent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobAndTalent">https://haveibeenpwned.com/Breach/JobAndTalent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobAndTalent">https://haveibeenpwned.com/Breach/JobAndTalent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobAndTalent">https://haveibeenpwned.com/Breach/JobAndTalent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobAndTalent">https://haveibeenpwned.com/Breach/JobAndTalent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobAndTalent">https://haveibeenpwned.com/Breach/JobAndTalent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobAndTalent">https://haveibeenpwned.com/Breach/JobAndTalent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobAndTalent">https://haveibeenpwned.com/Breach/JobAndTalent</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobAndTalent">https://haveibeenpwned.com/Breach/JobAndTalent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobAndTalent">https://haveibeenpwned.com/Breach/JobAndTalent</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobStreet">https://haveibeenpwned.com/Breach/JobStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobStreet">https://haveibeenpwned.com/Breach/JobStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobStreet">https://haveibeenpwned.com/Breach/JobStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobStreet">https://haveibeenpwned.com/Breach/JobStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobStreet">https://haveibeenpwned.com/Breach/JobStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobStreet">https://haveibeenpwned.com/Breach/JobStreet</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobStreet">https://haveibeenpwned.com/Breach/JobStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobStreet">https://haveibeenpwned.com/Breach/JobStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobStreet">https://haveibeenpwned.com/Breach/JobStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobStreet">https://haveibeenpwned.com/Breach/JobStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobStreet">https://haveibeenpwned.com/Breach/JobStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JobStreet">https://haveibeenpwned.com/Breach/JobStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jobzone">https://haveibeenpwned.com/Breach/Jobzone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jobzone">https://haveibeenpwned.com/Breach/Jobzone</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jobzone">https://haveibeenpwned.com/Breach/Jobzone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jobzone">https://haveibeenpwned.com/Breach/Jobzone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jobzone">https://haveibeenpwned.com/Breach/Jobzone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jobzone">https://haveibeenpwned.com/Breach/Jobzone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jobzone">https://haveibeenpwned.com/Breach/Jobzone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jobzone">https://haveibeenpwned.com/Breach/Jobzone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jobzone">https://haveibeenpwned.com/Breach/Jobzone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jobzone">https://haveibeenpwned.com/Breach/Jobzone</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jobzone">https://haveibeenpwned.com/Breach/Jobzone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Jobzone">https://haveibeenpwned.com/Breach/Jobzone</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoomlArt">https://haveibeenpwned.com/Breach/JoomlArt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoomlArt">https://haveibeenpwned.com/Breach/JoomlArt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoomlArt">https://haveibeenpwned.com/Breach/JoomlArt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoomlArt">https://haveibeenpwned.com/Breach/JoomlArt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoomlArt">https://haveibeenpwned.com/Breach/JoomlArt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoomlArt">https://haveibeenpwned.com/Breach/JoomlArt</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoomlArt">https://haveibeenpwned.com/Breach/JoomlArt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoomlArt">https://haveibeenpwned.com/Breach/JoomlArt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoomlArt">https://haveibeenpwned.com/Breach/JoomlArt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoomlArt">https://haveibeenpwned.com/Breach/JoomlArt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoomlArt">https://haveibeenpwned.com/Breach/JoomlArt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoomlArt">https://haveibeenpwned.com/Breach/JoomlArt</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoyGames">https://haveibeenpwned.com/Breach/JoyGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoyGames">https://haveibeenpwned.com/Breach/JoyGames</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoyGames">https://haveibeenpwned.com/Breach/JoyGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoyGames">https://haveibeenpwned.com/Breach/JoyGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoyGames">https://haveibeenpwned.com/Breach/JoyGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoyGames">https://haveibeenpwned.com/Breach/JoyGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoyGames">https://haveibeenpwned.com/Breach/JoyGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoyGames">https://haveibeenpwned.com/Breach/JoyGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoyGames">https://haveibeenpwned.com/Breach/JoyGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoyGames">https://haveibeenpwned.com/Breach/JoyGames</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoyGames">https://haveibeenpwned.com/Breach/JoyGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JoyGames">https://haveibeenpwned.com/Breach/JoyGames</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JukinMedia">https://haveibeenpwned.com/Breach/JukinMedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JukinMedia">https://haveibeenpwned.com/Breach/JukinMedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JukinMedia">https://haveibeenpwned.com/Breach/JukinMedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JukinMedia">https://haveibeenpwned.com/Breach/JukinMedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JukinMedia">https://haveibeenpwned.com/Breach/JukinMedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JukinMedia">https://haveibeenpwned.com/Breach/JukinMedia</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JukinMedia">https://haveibeenpwned.com/Breach/JukinMedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JukinMedia">https://haveibeenpwned.com/Breach/JukinMedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JukinMedia">https://haveibeenpwned.com/Breach/JukinMedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JukinMedia">https://haveibeenpwned.com/Breach/JukinMedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JukinMedia">https://haveibeenpwned.com/Breach/JukinMedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JukinMedia">https://haveibeenpwned.com/Breach/JukinMedia</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JustDate">https://haveibeenpwned.com/Breach/JustDate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JustDate">https://haveibeenpwned.com/Breach/JustDate</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JustDate">https://haveibeenpwned.com/Breach/JustDate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JustDate">https://haveibeenpwned.com/Breach/JustDate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JustDate">https://haveibeenpwned.com/Breach/JustDate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JustDate">https://haveibeenpwned.com/Breach/JustDate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JustDate">https://haveibeenpwned.com/Breach/JustDate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JustDate">https://haveibeenpwned.com/Breach/JustDate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JustDate">https://haveibeenpwned.com/Breach/JustDate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JustDate">https://haveibeenpwned.com/Breach/JustDate</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JustDate">https://haveibeenpwned.com/Breach/JustDate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/JustDate">https://haveibeenpwned.com/Breach/JustDate</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kaneva">https://haveibeenpwned.com/Breach/Kaneva</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kaneva">https://haveibeenpwned.com/Breach/Kaneva</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kaneva">https://haveibeenpwned.com/Breach/Kaneva</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kaneva">https://haveibeenpwned.com/Breach/Kaneva</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kaneva">https://haveibeenpwned.com/Breach/Kaneva</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kaneva">https://haveibeenpwned.com/Breach/Kaneva</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kaneva">https://haveibeenpwned.com/Breach/Kaneva</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kaneva">https://haveibeenpwned.com/Breach/Kaneva</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kaneva">https://haveibeenpwned.com/Breach/Kaneva</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kaneva">https://haveibeenpwned.com/Breach/Kaneva</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kaneva">https://haveibeenpwned.com/Breach/Kaneva</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kaneva">https://haveibeenpwned.com/Breach/Kaneva</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KasperskyClub">https://haveibeenpwned.com/Breach/KasperskyClub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KasperskyClub">https://haveibeenpwned.com/Breach/KasperskyClub</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KasperskyClub">https://haveibeenpwned.com/Breach/KasperskyClub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KasperskyClub">https://haveibeenpwned.com/Breach/KasperskyClub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KasperskyClub">https://haveibeenpwned.com/Breach/KasperskyClub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KasperskyClub">https://haveibeenpwned.com/Breach/KasperskyClub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KasperskyClub">https://haveibeenpwned.com/Breach/KasperskyClub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KasperskyClub">https://haveibeenpwned.com/Breach/KasperskyClub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KasperskyClub">https://haveibeenpwned.com/Breach/KasperskyClub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KasperskyClub">https://haveibeenpwned.com/Breach/KasperskyClub</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KasperskyClub">https://haveibeenpwned.com/Breach/KasperskyClub</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KasperskyClub">https://haveibeenpwned.com/Breach/KasperskyClub</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KayoMoe">https://haveibeenpwned.com/Breach/KayoMoe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KayoMoe">https://haveibeenpwned.com/Breach/KayoMoe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KayoMoe">https://haveibeenpwned.com/Breach/KayoMoe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KayoMoe">https://haveibeenpwned.com/Breach/KayoMoe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KayoMoe">https://haveibeenpwned.com/Breach/KayoMoe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KayoMoe">https://haveibeenpwned.com/Breach/KayoMoe</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KayoMoe">https://haveibeenpwned.com/Breach/KayoMoe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KayoMoe">https://haveibeenpwned.com/Breach/KayoMoe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KayoMoe">https://haveibeenpwned.com/Breach/KayoMoe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KayoMoe">https://haveibeenpwned.com/Breach/KayoMoe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KayoMoe">https://haveibeenpwned.com/Breach/KayoMoe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KayoMoe">https://haveibeenpwned.com/Breach/KayoMoe</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kickstarter">https://haveibeenpwned.com/Breach/Kickstarter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kickstarter">https://haveibeenpwned.com/Breach/Kickstarter</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kickstarter">https://haveibeenpwned.com/Breach/Kickstarter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kickstarter">https://haveibeenpwned.com/Breach/Kickstarter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kickstarter">https://haveibeenpwned.com/Breach/Kickstarter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kickstarter">https://haveibeenpwned.com/Breach/Kickstarter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kickstarter">https://haveibeenpwned.com/Breach/Kickstarter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kickstarter">https://haveibeenpwned.com/Breach/Kickstarter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kickstarter">https://haveibeenpwned.com/Breach/Kickstarter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kickstarter">https://haveibeenpwned.com/Breach/Kickstarter</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kickstarter">https://haveibeenpwned.com/Breach/Kickstarter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kickstarter">https://haveibeenpwned.com/Breach/Kickstarter</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kimsufi">https://haveibeenpwned.com/Breach/Kimsufi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kimsufi">https://haveibeenpwned.com/Breach/Kimsufi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kimsufi">https://haveibeenpwned.com/Breach/Kimsufi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kimsufi">https://haveibeenpwned.com/Breach/Kimsufi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kimsufi">https://haveibeenpwned.com/Breach/Kimsufi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kimsufi">https://haveibeenpwned.com/Breach/Kimsufi</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kimsufi">https://haveibeenpwned.com/Breach/Kimsufi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kimsufi">https://haveibeenpwned.com/Breach/Kimsufi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kimsufi">https://haveibeenpwned.com/Breach/Kimsufi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kimsufi">https://haveibeenpwned.com/Breach/Kimsufi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kimsufi">https://haveibeenpwned.com/Breach/Kimsufi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kimsufi">https://haveibeenpwned.com/Breach/Kimsufi</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KitchenPal">https://haveibeenpwned.com/Breach/KitchenPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KitchenPal">https://haveibeenpwned.com/Breach/KitchenPal</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KitchenPal">https://haveibeenpwned.com/Breach/KitchenPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KitchenPal">https://haveibeenpwned.com/Breach/KitchenPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KitchenPal">https://haveibeenpwned.com/Breach/KitchenPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KitchenPal">https://haveibeenpwned.com/Breach/KitchenPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KitchenPal">https://haveibeenpwned.com/Breach/KitchenPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KitchenPal">https://haveibeenpwned.com/Breach/KitchenPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KitchenPal">https://haveibeenpwned.com/Breach/KitchenPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KitchenPal">https://haveibeenpwned.com/Breach/KitchenPal</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KitchenPal">https://haveibeenpwned.com/Breach/KitchenPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KitchenPal">https://haveibeenpwned.com/Breach/KitchenPal</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KiwiFarms">https://haveibeenpwned.com/Breach/KiwiFarms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KiwiFarms">https://haveibeenpwned.com/Breach/KiwiFarms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KiwiFarms">https://haveibeenpwned.com/Breach/KiwiFarms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KiwiFarms">https://haveibeenpwned.com/Breach/KiwiFarms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KiwiFarms">https://haveibeenpwned.com/Breach/KiwiFarms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KiwiFarms">https://haveibeenpwned.com/Breach/KiwiFarms</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KiwiFarms">https://haveibeenpwned.com/Breach/KiwiFarms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KiwiFarms">https://haveibeenpwned.com/Breach/KiwiFarms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KiwiFarms">https://haveibeenpwned.com/Breach/KiwiFarms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KiwiFarms">https://haveibeenpwned.com/Breach/KiwiFarms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KiwiFarms">https://haveibeenpwned.com/Breach/KiwiFarms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KiwiFarms">https://haveibeenpwned.com/Breach/KiwiFarms</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KMRU">https://haveibeenpwned.com/Breach/KMRU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KMRU">https://haveibeenpwned.com/Breach/KMRU</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KMRU">https://haveibeenpwned.com/Breach/KMRU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KMRU">https://haveibeenpwned.com/Breach/KMRU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KMRU">https://haveibeenpwned.com/Breach/KMRU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KMRU">https://haveibeenpwned.com/Breach/KMRU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KMRU">https://haveibeenpwned.com/Breach/KMRU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KMRU">https://haveibeenpwned.com/Breach/KMRU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KMRU">https://haveibeenpwned.com/Breach/KMRU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KMRU">https://haveibeenpwned.com/Breach/KMRU</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KMRU">https://haveibeenpwned.com/Breach/KMRU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KMRU">https://haveibeenpwned.com/Breach/KMRU</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KnownCircle">https://haveibeenpwned.com/Breach/KnownCircle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KnownCircle">https://haveibeenpwned.com/Breach/KnownCircle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KnownCircle">https://haveibeenpwned.com/Breach/KnownCircle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KnownCircle">https://haveibeenpwned.com/Breach/KnownCircle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KnownCircle">https://haveibeenpwned.com/Breach/KnownCircle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KnownCircle">https://haveibeenpwned.com/Breach/KnownCircle</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KnownCircle">https://haveibeenpwned.com/Breach/KnownCircle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KnownCircle">https://haveibeenpwned.com/Breach/KnownCircle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KnownCircle">https://haveibeenpwned.com/Breach/KnownCircle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KnownCircle">https://haveibeenpwned.com/Breach/KnownCircle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KnownCircle">https://haveibeenpwned.com/Breach/KnownCircle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KnownCircle">https://haveibeenpwned.com/Breach/KnownCircle</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Knuddels">https://haveibeenpwned.com/Breach/Knuddels</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Knuddels">https://haveibeenpwned.com/Breach/Knuddels</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Knuddels">https://haveibeenpwned.com/Breach/Knuddels</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Knuddels">https://haveibeenpwned.com/Breach/Knuddels</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Knuddels">https://haveibeenpwned.com/Breach/Knuddels</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Knuddels">https://haveibeenpwned.com/Breach/Knuddels</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Knuddels">https://haveibeenpwned.com/Breach/Knuddels</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Knuddels">https://haveibeenpwned.com/Breach/Knuddels</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Knuddels">https://haveibeenpwned.com/Breach/Knuddels</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Knuddels">https://haveibeenpwned.com/Breach/Knuddels</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Knuddels">https://haveibeenpwned.com/Breach/Knuddels</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Knuddels">https://haveibeenpwned.com/Breach/Knuddels</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KodiFoundation">https://haveibeenpwned.com/Breach/KodiFoundation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KodiFoundation">https://haveibeenpwned.com/Breach/KodiFoundation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KodiFoundation">https://haveibeenpwned.com/Breach/KodiFoundation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KodiFoundation">https://haveibeenpwned.com/Breach/KodiFoundation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KodiFoundation">https://haveibeenpwned.com/Breach/KodiFoundation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KodiFoundation">https://haveibeenpwned.com/Breach/KodiFoundation</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KodiFoundation">https://haveibeenpwned.com/Breach/KodiFoundation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KodiFoundation">https://haveibeenpwned.com/Breach/KodiFoundation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KodiFoundation">https://haveibeenpwned.com/Breach/KodiFoundation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KodiFoundation">https://haveibeenpwned.com/Breach/KodiFoundation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KodiFoundation">https://haveibeenpwned.com/Breach/KodiFoundation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KodiFoundation">https://haveibeenpwned.com/Breach/KodiFoundation</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KomplettFritid">https://haveibeenpwned.com/Breach/KomplettFritid</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KomplettFritid">https://haveibeenpwned.com/Breach/KomplettFritid</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KomplettFritid">https://haveibeenpwned.com/Breach/KomplettFritid</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KomplettFritid">https://haveibeenpwned.com/Breach/KomplettFritid</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KomplettFritid">https://haveibeenpwned.com/Breach/KomplettFritid</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KomplettFritid">https://haveibeenpwned.com/Breach/KomplettFritid</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KomplettFritid">https://haveibeenpwned.com/Breach/KomplettFritid</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KomplettFritid">https://haveibeenpwned.com/Breach/KomplettFritid</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KomplettFritid">https://haveibeenpwned.com/Breach/KomplettFritid</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KomplettFritid">https://haveibeenpwned.com/Breach/KomplettFritid</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KomplettFritid">https://haveibeenpwned.com/Breach/KomplettFritid</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/KomplettFritid">https://haveibeenpwned.com/Breach/KomplettFritid</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kreditplus">https://haveibeenpwned.com/Breach/Kreditplus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kreditplus">https://haveibeenpwned.com/Breach/Kreditplus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kreditplus">https://haveibeenpwned.com/Breach/Kreditplus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kreditplus">https://haveibeenpwned.com/Breach/Kreditplus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kreditplus">https://haveibeenpwned.com/Breach/Kreditplus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kreditplus">https://haveibeenpwned.com/Breach/Kreditplus</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kreditplus">https://haveibeenpwned.com/Breach/Kreditplus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kreditplus">https://haveibeenpwned.com/Breach/Kreditplus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kreditplus">https://haveibeenpwned.com/Breach/Kreditplus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kreditplus">https://haveibeenpwned.com/Breach/Kreditplus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kreditplus">https://haveibeenpwned.com/Breach/Kreditplus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Kreditplus">https://haveibeenpwned.com/Breach/Kreditplus</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ladies">https://haveibeenpwned.com/Breach/Ladies</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ladies">https://haveibeenpwned.com/Breach/Ladies</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ladies">https://haveibeenpwned.com/Breach/Ladies</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ladies">https://haveibeenpwned.com/Breach/Ladies</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ladies">https://haveibeenpwned.com/Breach/Ladies</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ladies">https://haveibeenpwned.com/Breach/Ladies</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ladies">https://haveibeenpwned.com/Breach/Ladies</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ladies">https://haveibeenpwned.com/Breach/Ladies</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ladies">https://haveibeenpwned.com/Breach/Ladies</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ladies">https://haveibeenpwned.com/Breach/Ladies</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ladies">https://haveibeenpwned.com/Breach/Ladies</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ladies">https://haveibeenpwned.com/Breach/Ladies</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LandAirSea">https://haveibeenpwned.com/Breach/LandAirSea</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LandAirSea">https://haveibeenpwned.com/Breach/LandAirSea</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LandAirSea">https://haveibeenpwned.com/Breach/LandAirSea</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LandAirSea">https://haveibeenpwned.com/Breach/LandAirSea</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LandAirSea">https://haveibeenpwned.com/Breach/LandAirSea</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LandAirSea">https://haveibeenpwned.com/Breach/LandAirSea</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LandAirSea">https://haveibeenpwned.com/Breach/LandAirSea</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LandAirSea">https://haveibeenpwned.com/Breach/LandAirSea</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LandAirSea">https://haveibeenpwned.com/Breach/LandAirSea</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LandAirSea">https://haveibeenpwned.com/Breach/LandAirSea</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LandAirSea">https://haveibeenpwned.com/Breach/LandAirSea</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LandAirSea">https://haveibeenpwned.com/Breach/LandAirSea</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lanwar">https://haveibeenpwned.com/Breach/Lanwar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lanwar">https://haveibeenpwned.com/Breach/Lanwar</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lanwar">https://haveibeenpwned.com/Breach/Lanwar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lanwar">https://haveibeenpwned.com/Breach/Lanwar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lanwar">https://haveibeenpwned.com/Breach/Lanwar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lanwar">https://haveibeenpwned.com/Breach/Lanwar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lanwar">https://haveibeenpwned.com/Breach/Lanwar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lanwar">https://haveibeenpwned.com/Breach/Lanwar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lanwar">https://haveibeenpwned.com/Breach/Lanwar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lanwar">https://haveibeenpwned.com/Breach/Lanwar</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lanwar">https://haveibeenpwned.com/Breach/Lanwar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lanwar">https://haveibeenpwned.com/Breach/Lanwar</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LaPosteMobile">https://haveibeenpwned.com/Breach/LaPosteMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LaPosteMobile">https://haveibeenpwned.com/Breach/LaPosteMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LaPosteMobile">https://haveibeenpwned.com/Breach/LaPosteMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LaPosteMobile">https://haveibeenpwned.com/Breach/LaPosteMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LaPosteMobile">https://haveibeenpwned.com/Breach/LaPosteMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LaPosteMobile">https://haveibeenpwned.com/Breach/LaPosteMobile</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LaPosteMobile">https://haveibeenpwned.com/Breach/LaPosteMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LaPosteMobile">https://haveibeenpwned.com/Breach/LaPosteMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LaPosteMobile">https://haveibeenpwned.com/Breach/LaPosteMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LaPosteMobile">https://haveibeenpwned.com/Breach/LaPosteMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LaPosteMobile">https://haveibeenpwned.com/Breach/LaPosteMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LaPosteMobile">https://haveibeenpwned.com/Breach/LaPosteMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lastfm">https://haveibeenpwned.com/Breach/Lastfm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lastfm">https://haveibeenpwned.com/Breach/Lastfm</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lastfm">https://haveibeenpwned.com/Breach/Lastfm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lastfm">https://haveibeenpwned.com/Breach/Lastfm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lastfm">https://haveibeenpwned.com/Breach/Lastfm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lastfm">https://haveibeenpwned.com/Breach/Lastfm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lastfm">https://haveibeenpwned.com/Breach/Lastfm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lastfm">https://haveibeenpwned.com/Breach/Lastfm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lastfm">https://haveibeenpwned.com/Breach/Lastfm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lastfm">https://haveibeenpwned.com/Breach/Lastfm</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lastfm">https://haveibeenpwned.com/Breach/Lastfm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lastfm">https://haveibeenpwned.com/Breach/Lastfm</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lazada">https://haveibeenpwned.com/Breach/Lazada</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lazada">https://haveibeenpwned.com/Breach/Lazada</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lazada">https://haveibeenpwned.com/Breach/Lazada</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lazada">https://haveibeenpwned.com/Breach/Lazada</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lazada">https://haveibeenpwned.com/Breach/Lazada</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lazada">https://haveibeenpwned.com/Breach/Lazada</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lazada">https://haveibeenpwned.com/Breach/Lazada</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lazada">https://haveibeenpwned.com/Breach/Lazada</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lazada">https://haveibeenpwned.com/Breach/Lazada</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lazada">https://haveibeenpwned.com/Breach/Lazada</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lazada">https://haveibeenpwned.com/Breach/Lazada</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lazada">https://haveibeenpwned.com/Breach/Lazada</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LBB">https://haveibeenpwned.com/Breach/LBB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LBB">https://haveibeenpwned.com/Breach/LBB</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LBB">https://haveibeenpwned.com/Breach/LBB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LBB">https://haveibeenpwned.com/Breach/LBB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LBB">https://haveibeenpwned.com/Breach/LBB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LBB">https://haveibeenpwned.com/Breach/LBB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LBB">https://haveibeenpwned.com/Breach/LBB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LBB">https://haveibeenpwned.com/Breach/LBB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LBB">https://haveibeenpwned.com/Breach/LBB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LBB">https://haveibeenpwned.com/Breach/LBB</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LBB">https://haveibeenpwned.com/Breach/LBB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LBB">https://haveibeenpwned.com/Breach/LBB</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LDLC">https://haveibeenpwned.com/Breach/LDLC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LDLC">https://haveibeenpwned.com/Breach/LDLC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LDLC">https://haveibeenpwned.com/Breach/LDLC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LDLC">https://haveibeenpwned.com/Breach/LDLC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LDLC">https://haveibeenpwned.com/Breach/LDLC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LDLC">https://haveibeenpwned.com/Breach/LDLC</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LDLC">https://haveibeenpwned.com/Breach/LDLC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LDLC">https://haveibeenpwned.com/Breach/LDLC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LDLC">https://haveibeenpwned.com/Breach/LDLC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LDLC">https://haveibeenpwned.com/Breach/LDLC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LDLC">https://haveibeenpwned.com/Breach/LDLC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LDLC">https://haveibeenpwned.com/Breach/LDLC</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeadHunter">https://haveibeenpwned.com/Breach/LeadHunter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeadHunter">https://haveibeenpwned.com/Breach/LeadHunter</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeadHunter">https://haveibeenpwned.com/Breach/LeadHunter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeadHunter">https://haveibeenpwned.com/Breach/LeadHunter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeadHunter">https://haveibeenpwned.com/Breach/LeadHunter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeadHunter">https://haveibeenpwned.com/Breach/LeadHunter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeadHunter">https://haveibeenpwned.com/Breach/LeadHunter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeadHunter">https://haveibeenpwned.com/Breach/LeadHunter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeadHunter">https://haveibeenpwned.com/Breach/LeadHunter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeadHunter">https://haveibeenpwned.com/Breach/LeadHunter</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeadHunter">https://haveibeenpwned.com/Breach/LeadHunter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeadHunter">https://haveibeenpwned.com/Breach/LeadHunter</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeagueOfLegends">https://haveibeenpwned.com/Breach/LeagueOfLegends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeagueOfLegends">https://haveibeenpwned.com/Breach/LeagueOfLegends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeagueOfLegends">https://haveibeenpwned.com/Breach/LeagueOfLegends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeagueOfLegends">https://haveibeenpwned.com/Breach/LeagueOfLegends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeagueOfLegends">https://haveibeenpwned.com/Breach/LeagueOfLegends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeagueOfLegends">https://haveibeenpwned.com/Breach/LeagueOfLegends</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeagueOfLegends">https://haveibeenpwned.com/Breach/LeagueOfLegends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeagueOfLegends">https://haveibeenpwned.com/Breach/LeagueOfLegends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeagueOfLegends">https://haveibeenpwned.com/Breach/LeagueOfLegends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeagueOfLegends">https://haveibeenpwned.com/Breach/LeagueOfLegends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeagueOfLegends">https://haveibeenpwned.com/Breach/LeagueOfLegends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeagueOfLegends">https://haveibeenpwned.com/Breach/LeagueOfLegends</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeakedReality">https://haveibeenpwned.com/Breach/LeakedReality</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeakedReality">https://haveibeenpwned.com/Breach/LeakedReality</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeakedReality">https://haveibeenpwned.com/Breach/LeakedReality</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeakedReality">https://haveibeenpwned.com/Breach/LeakedReality</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeakedReality">https://haveibeenpwned.com/Breach/LeakedReality</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeakedReality">https://haveibeenpwned.com/Breach/LeakedReality</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeakedReality">https://haveibeenpwned.com/Breach/LeakedReality</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeakedReality">https://haveibeenpwned.com/Breach/LeakedReality</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeakedReality">https://haveibeenpwned.com/Breach/LeakedReality</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeakedReality">https://haveibeenpwned.com/Breach/LeakedReality</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeakedReality">https://haveibeenpwned.com/Breach/LeakedReality</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeakedReality">https://haveibeenpwned.com/Breach/LeakedReality</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeCooSportif">https://haveibeenpwned.com/Breach/LeCooSportif</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeCooSportif">https://haveibeenpwned.com/Breach/LeCooSportif</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeCooSportif">https://haveibeenpwned.com/Breach/LeCooSportif</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeCooSportif">https://haveibeenpwned.com/Breach/LeCooSportif</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeCooSportif">https://haveibeenpwned.com/Breach/LeCooSportif</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeCooSportif">https://haveibeenpwned.com/Breach/LeCooSportif</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeCooSportif">https://haveibeenpwned.com/Breach/LeCooSportif</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeCooSportif">https://haveibeenpwned.com/Breach/LeCooSportif</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeCooSportif">https://haveibeenpwned.com/Breach/LeCooSportif</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeCooSportif">https://haveibeenpwned.com/Breach/LeCooSportif</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeCooSportif">https://haveibeenpwned.com/Breach/LeCooSportif</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeCooSportif">https://haveibeenpwned.com/Breach/LeCooSportif</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ledger">https://haveibeenpwned.com/Breach/Ledger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ledger">https://haveibeenpwned.com/Breach/Ledger</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ledger">https://haveibeenpwned.com/Breach/Ledger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ledger">https://haveibeenpwned.com/Breach/Ledger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ledger">https://haveibeenpwned.com/Breach/Ledger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ledger">https://haveibeenpwned.com/Breach/Ledger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ledger">https://haveibeenpwned.com/Breach/Ledger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ledger">https://haveibeenpwned.com/Breach/Ledger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ledger">https://haveibeenpwned.com/Breach/Ledger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ledger">https://haveibeenpwned.com/Breach/Ledger</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ledger">https://haveibeenpwned.com/Breach/Ledger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ledger">https://haveibeenpwned.com/Breach/Ledger</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Leet">https://haveibeenpwned.com/Breach/Leet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Leet">https://haveibeenpwned.com/Breach/Leet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Leet">https://haveibeenpwned.com/Breach/Leet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Leet">https://haveibeenpwned.com/Breach/Leet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Leet">https://haveibeenpwned.com/Breach/Leet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Leet">https://haveibeenpwned.com/Breach/Leet</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Leet">https://haveibeenpwned.com/Breach/Leet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Leet">https://haveibeenpwned.com/Breach/Leet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Leet">https://haveibeenpwned.com/Breach/Leet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Leet">https://haveibeenpwned.com/Breach/Leet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Leet">https://haveibeenpwned.com/Breach/Leet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Leet">https://haveibeenpwned.com/Breach/Leet</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LegendasTV">https://haveibeenpwned.com/Breach/LegendasTV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LegendasTV">https://haveibeenpwned.com/Breach/LegendasTV</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LegendasTV">https://haveibeenpwned.com/Breach/LegendasTV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LegendasTV">https://haveibeenpwned.com/Breach/LegendasTV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LegendasTV">https://haveibeenpwned.com/Breach/LegendasTV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LegendasTV">https://haveibeenpwned.com/Breach/LegendasTV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LegendasTV">https://haveibeenpwned.com/Breach/LegendasTV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LegendasTV">https://haveibeenpwned.com/Breach/LegendasTV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LegendasTV">https://haveibeenpwned.com/Breach/LegendasTV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LegendasTV">https://haveibeenpwned.com/Breach/LegendasTV</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LegendasTV">https://haveibeenpwned.com/Breach/LegendasTV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LegendasTV">https://haveibeenpwned.com/Breach/LegendasTV</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeSlipFrancais">https://haveibeenpwned.com/Breach/LeSlipFrancais</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeSlipFrancais">https://haveibeenpwned.com/Breach/LeSlipFrancais</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeSlipFrancais">https://haveibeenpwned.com/Breach/LeSlipFrancais</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeSlipFrancais">https://haveibeenpwned.com/Breach/LeSlipFrancais</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeSlipFrancais">https://haveibeenpwned.com/Breach/LeSlipFrancais</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeSlipFrancais">https://haveibeenpwned.com/Breach/LeSlipFrancais</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeSlipFrancais">https://haveibeenpwned.com/Breach/LeSlipFrancais</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeSlipFrancais">https://haveibeenpwned.com/Breach/LeSlipFrancais</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeSlipFrancais">https://haveibeenpwned.com/Breach/LeSlipFrancais</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeSlipFrancais">https://haveibeenpwned.com/Breach/LeSlipFrancais</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeSlipFrancais">https://haveibeenpwned.com/Breach/LeSlipFrancais</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LeSlipFrancais">https://haveibeenpwned.com/Breach/LeSlipFrancais</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lexipol">https://haveibeenpwned.com/Breach/Lexipol</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lexipol">https://haveibeenpwned.com/Breach/Lexipol</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lexipol">https://haveibeenpwned.com/Breach/Lexipol</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lexipol">https://haveibeenpwned.com/Breach/Lexipol</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lexipol">https://haveibeenpwned.com/Breach/Lexipol</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lexipol">https://haveibeenpwned.com/Breach/Lexipol</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lexipol">https://haveibeenpwned.com/Breach/Lexipol</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lexipol">https://haveibeenpwned.com/Breach/Lexipol</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lexipol">https://haveibeenpwned.com/Breach/Lexipol</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lexipol">https://haveibeenpwned.com/Breach/Lexipol</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lexipol">https://haveibeenpwned.com/Breach/Lexipol</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lexipol">https://haveibeenpwned.com/Breach/Lexipol</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Life360">https://haveibeenpwned.com/Breach/Life360</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Life360">https://haveibeenpwned.com/Breach/Life360</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Life360">https://haveibeenpwned.com/Breach/Life360</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Life360">https://haveibeenpwned.com/Breach/Life360</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Life360">https://haveibeenpwned.com/Breach/Life360</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Life360">https://haveibeenpwned.com/Breach/Life360</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Life360">https://haveibeenpwned.com/Breach/Life360</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Life360">https://haveibeenpwned.com/Breach/Life360</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Life360">https://haveibeenpwned.com/Breach/Life360</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Life360">https://haveibeenpwned.com/Breach/Life360</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Life360">https://haveibeenpwned.com/Breach/Life360</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Life360">https://haveibeenpwned.com/Breach/Life360</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifebear">https://haveibeenpwned.com/Breach/Lifebear</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifebear">https://haveibeenpwned.com/Breach/Lifebear</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifebear">https://haveibeenpwned.com/Breach/Lifebear</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifebear">https://haveibeenpwned.com/Breach/Lifebear</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifebear">https://haveibeenpwned.com/Breach/Lifebear</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifebear">https://haveibeenpwned.com/Breach/Lifebear</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifebear">https://haveibeenpwned.com/Breach/Lifebear</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifebear">https://haveibeenpwned.com/Breach/Lifebear</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifebear">https://haveibeenpwned.com/Breach/Lifebear</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifebear">https://haveibeenpwned.com/Breach/Lifebear</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifebear">https://haveibeenpwned.com/Breach/Lifebear</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifebear">https://haveibeenpwned.com/Breach/Lifebear</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifeboat">https://haveibeenpwned.com/Breach/Lifeboat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifeboat">https://haveibeenpwned.com/Breach/Lifeboat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifeboat">https://haveibeenpwned.com/Breach/Lifeboat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifeboat">https://haveibeenpwned.com/Breach/Lifeboat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifeboat">https://haveibeenpwned.com/Breach/Lifeboat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifeboat">https://haveibeenpwned.com/Breach/Lifeboat</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifeboat">https://haveibeenpwned.com/Breach/Lifeboat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifeboat">https://haveibeenpwned.com/Breach/Lifeboat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifeboat">https://haveibeenpwned.com/Breach/Lifeboat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifeboat">https://haveibeenpwned.com/Breach/Lifeboat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifeboat">https://haveibeenpwned.com/Breach/Lifeboat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lifeboat">https://haveibeenpwned.com/Breach/Lifeboat</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LightsHope">https://haveibeenpwned.com/Breach/LightsHope</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LightsHope">https://haveibeenpwned.com/Breach/LightsHope</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LightsHope">https://haveibeenpwned.com/Breach/LightsHope</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LightsHope">https://haveibeenpwned.com/Breach/LightsHope</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LightsHope">https://haveibeenpwned.com/Breach/LightsHope</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LightsHope">https://haveibeenpwned.com/Breach/LightsHope</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LightsHope">https://haveibeenpwned.com/Breach/LightsHope</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LightsHope">https://haveibeenpwned.com/Breach/LightsHope</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LightsHope">https://haveibeenpwned.com/Breach/LightsHope</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LightsHope">https://haveibeenpwned.com/Breach/LightsHope</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LightsHope">https://haveibeenpwned.com/Breach/LightsHope</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LightsHope">https://haveibeenpwned.com/Breach/LightsHope</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Liker">https://haveibeenpwned.com/Breach/Liker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Liker">https://haveibeenpwned.com/Breach/Liker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Liker">https://haveibeenpwned.com/Breach/Liker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Liker">https://haveibeenpwned.com/Breach/Liker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Liker">https://haveibeenpwned.com/Breach/Liker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Liker">https://haveibeenpwned.com/Breach/Liker</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Liker">https://haveibeenpwned.com/Breach/Liker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Liker">https://haveibeenpwned.com/Breach/Liker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Liker">https://haveibeenpwned.com/Breach/Liker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Liker">https://haveibeenpwned.com/Breach/Liker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Liker">https://haveibeenpwned.com/Breach/Liker</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Liker">https://haveibeenpwned.com/Breach/Liker</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LimeVPN">https://haveibeenpwned.com/Breach/LimeVPN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LimeVPN">https://haveibeenpwned.com/Breach/LimeVPN</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LimeVPN">https://haveibeenpwned.com/Breach/LimeVPN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LimeVPN">https://haveibeenpwned.com/Breach/LimeVPN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LimeVPN">https://haveibeenpwned.com/Breach/LimeVPN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LimeVPN">https://haveibeenpwned.com/Breach/LimeVPN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LimeVPN">https://haveibeenpwned.com/Breach/LimeVPN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LimeVPN">https://haveibeenpwned.com/Breach/LimeVPN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LimeVPN">https://haveibeenpwned.com/Breach/LimeVPN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LimeVPN">https://haveibeenpwned.com/Breach/LimeVPN</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LimeVPN">https://haveibeenpwned.com/Breach/LimeVPN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LimeVPN">https://haveibeenpwned.com/Breach/LimeVPN</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedIn">https://haveibeenpwned.com/Breach/LinkedIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedIn">https://haveibeenpwned.com/Breach/LinkedIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedIn">https://haveibeenpwned.com/Breach/LinkedIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedIn">https://haveibeenpwned.com/Breach/LinkedIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedIn">https://haveibeenpwned.com/Breach/LinkedIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedIn">https://haveibeenpwned.com/Breach/LinkedIn</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedIn">https://haveibeenpwned.com/Breach/LinkedIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedIn">https://haveibeenpwned.com/Breach/LinkedIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedIn">https://haveibeenpwned.com/Breach/LinkedIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedIn">https://haveibeenpwned.com/Breach/LinkedIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedIn">https://haveibeenpwned.com/Breach/LinkedIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedIn">https://haveibeenpwned.com/Breach/LinkedIn</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape">https://haveibeenpwned.com/Breach/LinkedInScrape</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape">https://haveibeenpwned.com/Breach/LinkedInScrape</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape">https://haveibeenpwned.com/Breach/LinkedInScrape</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape">https://haveibeenpwned.com/Breach/LinkedInScrape</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape">https://haveibeenpwned.com/Breach/LinkedInScrape</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape">https://haveibeenpwned.com/Breach/LinkedInScrape</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape">https://haveibeenpwned.com/Breach/LinkedInScrape</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape">https://haveibeenpwned.com/Breach/LinkedInScrape</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape">https://haveibeenpwned.com/Breach/LinkedInScrape</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape">https://haveibeenpwned.com/Breach/LinkedInScrape</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape">https://haveibeenpwned.com/Breach/LinkedInScrape</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape">https://haveibeenpwned.com/Breach/LinkedInScrape</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape2023">https://haveibeenpwned.com/Breach/LinkedInScrape2023</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape2023">https://haveibeenpwned.com/Breach/LinkedInScrape2023</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape2023">https://haveibeenpwned.com/Breach/LinkedInScrape2023</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape2023">https://haveibeenpwned.com/Breach/LinkedInScrape2023</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape2023">https://haveibeenpwned.com/Breach/LinkedInScrape2023</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape2023">https://haveibeenpwned.com/Breach/LinkedInScrape2023</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape2023">https://haveibeenpwned.com/Breach/LinkedInScrape2023</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape2023">https://haveibeenpwned.com/Breach/LinkedInScrape2023</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape2023">https://haveibeenpwned.com/Breach/LinkedInScrape2023</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape2023">https://haveibeenpwned.com/Breach/LinkedInScrape2023</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape2023">https://haveibeenpwned.com/Breach/LinkedInScrape2023</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinkedInScrape2023">https://haveibeenpwned.com/Breach/LinkedInScrape2023</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxForums">https://haveibeenpwned.com/Breach/LinuxForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxForums">https://haveibeenpwned.com/Breach/LinuxForums</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxForums">https://haveibeenpwned.com/Breach/LinuxForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxForums">https://haveibeenpwned.com/Breach/LinuxForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxForums">https://haveibeenpwned.com/Breach/LinuxForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxForums">https://haveibeenpwned.com/Breach/LinuxForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxForums">https://haveibeenpwned.com/Breach/LinuxForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxForums">https://haveibeenpwned.com/Breach/LinuxForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxForums">https://haveibeenpwned.com/Breach/LinuxForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxForums">https://haveibeenpwned.com/Breach/LinuxForums</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxForums">https://haveibeenpwned.com/Breach/LinuxForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxForums">https://haveibeenpwned.com/Breach/LinuxForums</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxMint">https://haveibeenpwned.com/Breach/LinuxMint</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxMint">https://haveibeenpwned.com/Breach/LinuxMint</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxMint">https://haveibeenpwned.com/Breach/LinuxMint</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxMint">https://haveibeenpwned.com/Breach/LinuxMint</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxMint">https://haveibeenpwned.com/Breach/LinuxMint</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxMint">https://haveibeenpwned.com/Breach/LinuxMint</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxMint">https://haveibeenpwned.com/Breach/LinuxMint</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxMint">https://haveibeenpwned.com/Breach/LinuxMint</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxMint">https://haveibeenpwned.com/Breach/LinuxMint</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxMint">https://haveibeenpwned.com/Breach/LinuxMint</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxMint">https://haveibeenpwned.com/Breach/LinuxMint</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LinuxMint">https://haveibeenpwned.com/Breach/LinuxMint</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LittleMonsters">https://haveibeenpwned.com/Breach/LittleMonsters</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LittleMonsters">https://haveibeenpwned.com/Breach/LittleMonsters</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LittleMonsters">https://haveibeenpwned.com/Breach/LittleMonsters</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LittleMonsters">https://haveibeenpwned.com/Breach/LittleMonsters</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LittleMonsters">https://haveibeenpwned.com/Breach/LittleMonsters</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LittleMonsters">https://haveibeenpwned.com/Breach/LittleMonsters</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LittleMonsters">https://haveibeenpwned.com/Breach/LittleMonsters</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LittleMonsters">https://haveibeenpwned.com/Breach/LittleMonsters</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LittleMonsters">https://haveibeenpwned.com/Breach/LittleMonsters</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LittleMonsters">https://haveibeenpwned.com/Breach/LittleMonsters</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LittleMonsters">https://haveibeenpwned.com/Breach/LittleMonsters</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LittleMonsters">https://haveibeenpwned.com/Breach/LittleMonsters</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveAuctioneers">https://haveibeenpwned.com/Breach/LiveAuctioneers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveAuctioneers">https://haveibeenpwned.com/Breach/LiveAuctioneers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveAuctioneers">https://haveibeenpwned.com/Breach/LiveAuctioneers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveAuctioneers">https://haveibeenpwned.com/Breach/LiveAuctioneers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveAuctioneers">https://haveibeenpwned.com/Breach/LiveAuctioneers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveAuctioneers">https://haveibeenpwned.com/Breach/LiveAuctioneers</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveAuctioneers">https://haveibeenpwned.com/Breach/LiveAuctioneers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveAuctioneers">https://haveibeenpwned.com/Breach/LiveAuctioneers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveAuctioneers">https://haveibeenpwned.com/Breach/LiveAuctioneers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveAuctioneers">https://haveibeenpwned.com/Breach/LiveAuctioneers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveAuctioneers">https://haveibeenpwned.com/Breach/LiveAuctioneers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveAuctioneers">https://haveibeenpwned.com/Breach/LiveAuctioneers</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveJournal">https://haveibeenpwned.com/Breach/LiveJournal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveJournal">https://haveibeenpwned.com/Breach/LiveJournal</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveJournal">https://haveibeenpwned.com/Breach/LiveJournal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveJournal">https://haveibeenpwned.com/Breach/LiveJournal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveJournal">https://haveibeenpwned.com/Breach/LiveJournal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveJournal">https://haveibeenpwned.com/Breach/LiveJournal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveJournal">https://haveibeenpwned.com/Breach/LiveJournal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveJournal">https://haveibeenpwned.com/Breach/LiveJournal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveJournal">https://haveibeenpwned.com/Breach/LiveJournal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveJournal">https://haveibeenpwned.com/Breach/LiveJournal</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveJournal">https://haveibeenpwned.com/Breach/LiveJournal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LiveJournal">https://haveibeenpwned.com/Breach/LiveJournal</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lipure">https://haveibeenpwned.com/Breach/Lipure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lipure">https://haveibeenpwned.com/Breach/Lipure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lipure">https://haveibeenpwned.com/Breach/Lipure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lipure">https://haveibeenpwned.com/Breach/Lipure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lipure">https://haveibeenpwned.com/Breach/Lipure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lipure">https://haveibeenpwned.com/Breach/Lipure</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lipure">https://haveibeenpwned.com/Breach/Lipure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lipure">https://haveibeenpwned.com/Breach/Lipure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lipure">https://haveibeenpwned.com/Breach/Lipure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lipure">https://haveibeenpwned.com/Breach/Lipure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lipure">https://haveibeenpwned.com/Breach/Lipure</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lipure">https://haveibeenpwned.com/Breach/Lipure</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LizardSquad">https://haveibeenpwned.com/Breach/LizardSquad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LizardSquad">https://haveibeenpwned.com/Breach/LizardSquad</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LizardSquad">https://haveibeenpwned.com/Breach/LizardSquad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LizardSquad">https://haveibeenpwned.com/Breach/LizardSquad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LizardSquad">https://haveibeenpwned.com/Breach/LizardSquad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LizardSquad">https://haveibeenpwned.com/Breach/LizardSquad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LizardSquad">https://haveibeenpwned.com/Breach/LizardSquad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LizardSquad">https://haveibeenpwned.com/Breach/LizardSquad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LizardSquad">https://haveibeenpwned.com/Breach/LizardSquad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LizardSquad">https://haveibeenpwned.com/Breach/LizardSquad</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LizardSquad">https://haveibeenpwned.com/Breach/LizardSquad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LizardSquad">https://haveibeenpwned.com/Breach/LizardSquad</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Locally">https://haveibeenpwned.com/Breach/Locally</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Locally">https://haveibeenpwned.com/Breach/Locally</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Locally">https://haveibeenpwned.com/Breach/Locally</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Locally">https://haveibeenpwned.com/Breach/Locally</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Locally">https://haveibeenpwned.com/Breach/Locally</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Locally">https://haveibeenpwned.com/Breach/Locally</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Locally">https://haveibeenpwned.com/Breach/Locally</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Locally">https://haveibeenpwned.com/Breach/Locally</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Locally">https://haveibeenpwned.com/Breach/Locally</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Locally">https://haveibeenpwned.com/Breach/Locally</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Locally">https://haveibeenpwned.com/Breach/Locally</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Locally">https://haveibeenpwned.com/Breach/Locally</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lolzteam">https://haveibeenpwned.com/Breach/Lolzteam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lolzteam">https://haveibeenpwned.com/Breach/Lolzteam</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lolzteam">https://haveibeenpwned.com/Breach/Lolzteam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lolzteam">https://haveibeenpwned.com/Breach/Lolzteam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lolzteam">https://haveibeenpwned.com/Breach/Lolzteam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lolzteam">https://haveibeenpwned.com/Breach/Lolzteam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lolzteam">https://haveibeenpwned.com/Breach/Lolzteam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lolzteam">https://haveibeenpwned.com/Breach/Lolzteam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lolzteam">https://haveibeenpwned.com/Breach/Lolzteam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lolzteam">https://haveibeenpwned.com/Breach/Lolzteam</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lolzteam">https://haveibeenpwned.com/Breach/Lolzteam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lolzteam">https://haveibeenpwned.com/Breach/Lolzteam</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookbook">https://haveibeenpwned.com/Breach/Lookbook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookbook">https://haveibeenpwned.com/Breach/Lookbook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookbook">https://haveibeenpwned.com/Breach/Lookbook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookbook">https://haveibeenpwned.com/Breach/Lookbook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookbook">https://haveibeenpwned.com/Breach/Lookbook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookbook">https://haveibeenpwned.com/Breach/Lookbook</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookbook">https://haveibeenpwned.com/Breach/Lookbook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookbook">https://haveibeenpwned.com/Breach/Lookbook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookbook">https://haveibeenpwned.com/Breach/Lookbook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookbook">https://haveibeenpwned.com/Breach/Lookbook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookbook">https://haveibeenpwned.com/Breach/Lookbook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookbook">https://haveibeenpwned.com/Breach/Lookbook</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookiero">https://haveibeenpwned.com/Breach/Lookiero</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookiero">https://haveibeenpwned.com/Breach/Lookiero</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookiero">https://haveibeenpwned.com/Breach/Lookiero</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookiero">https://haveibeenpwned.com/Breach/Lookiero</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookiero">https://haveibeenpwned.com/Breach/Lookiero</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookiero">https://haveibeenpwned.com/Breach/Lookiero</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookiero">https://haveibeenpwned.com/Breach/Lookiero</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookiero">https://haveibeenpwned.com/Breach/Lookiero</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookiero">https://haveibeenpwned.com/Breach/Lookiero</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookiero">https://haveibeenpwned.com/Breach/Lookiero</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookiero">https://haveibeenpwned.com/Breach/Lookiero</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Lookiero">https://haveibeenpwned.com/Breach/Lookiero</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LOTR">https://haveibeenpwned.com/Breach/LOTR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LOTR">https://haveibeenpwned.com/Breach/LOTR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LOTR">https://haveibeenpwned.com/Breach/LOTR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LOTR">https://haveibeenpwned.com/Breach/LOTR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LOTR">https://haveibeenpwned.com/Breach/LOTR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LOTR">https://haveibeenpwned.com/Breach/LOTR</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LOTR">https://haveibeenpwned.com/Breach/LOTR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LOTR">https://haveibeenpwned.com/Breach/LOTR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LOTR">https://haveibeenpwned.com/Breach/LOTR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LOTR">https://haveibeenpwned.com/Breach/LOTR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LOTR">https://haveibeenpwned.com/Breach/LOTR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LOTR">https://haveibeenpwned.com/Breach/LOTR</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LoungeBoard">https://haveibeenpwned.com/Breach/LoungeBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LoungeBoard">https://haveibeenpwned.com/Breach/LoungeBoard</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LoungeBoard">https://haveibeenpwned.com/Breach/LoungeBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LoungeBoard">https://haveibeenpwned.com/Breach/LoungeBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LoungeBoard">https://haveibeenpwned.com/Breach/LoungeBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LoungeBoard">https://haveibeenpwned.com/Breach/LoungeBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LoungeBoard">https://haveibeenpwned.com/Breach/LoungeBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LoungeBoard">https://haveibeenpwned.com/Breach/LoungeBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LoungeBoard">https://haveibeenpwned.com/Breach/LoungeBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LoungeBoard">https://haveibeenpwned.com/Breach/LoungeBoard</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LoungeBoard">https://haveibeenpwned.com/Breach/LoungeBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LoungeBoard">https://haveibeenpwned.com/Breach/LoungeBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuLu">https://haveibeenpwned.com/Breach/LuLu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuLu">https://haveibeenpwned.com/Breach/LuLu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuLu">https://haveibeenpwned.com/Breach/LuLu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuLu">https://haveibeenpwned.com/Breach/LuLu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuLu">https://haveibeenpwned.com/Breach/LuLu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuLu">https://haveibeenpwned.com/Breach/LuLu</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuLu">https://haveibeenpwned.com/Breach/LuLu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuLu">https://haveibeenpwned.com/Breach/LuLu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuLu">https://haveibeenpwned.com/Breach/LuLu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuLu">https://haveibeenpwned.com/Breach/LuLu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuLu">https://haveibeenpwned.com/Breach/LuLu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuLu">https://haveibeenpwned.com/Breach/LuLu</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuminPDF">https://haveibeenpwned.com/Breach/LuminPDF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuminPDF">https://haveibeenpwned.com/Breach/LuminPDF</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuminPDF">https://haveibeenpwned.com/Breach/LuminPDF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuminPDF">https://haveibeenpwned.com/Breach/LuminPDF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuminPDF">https://haveibeenpwned.com/Breach/LuminPDF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuminPDF">https://haveibeenpwned.com/Breach/LuminPDF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuminPDF">https://haveibeenpwned.com/Breach/LuminPDF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuminPDF">https://haveibeenpwned.com/Breach/LuminPDF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuminPDF">https://haveibeenpwned.com/Breach/LuminPDF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuminPDF">https://haveibeenpwned.com/Breach/LuminPDF</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuminPDF">https://haveibeenpwned.com/Breach/LuminPDF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LuminPDF">https://haveibeenpwned.com/Breach/LuminPDF</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Luxottica">https://haveibeenpwned.com/Breach/Luxottica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Luxottica">https://haveibeenpwned.com/Breach/Luxottica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Luxottica">https://haveibeenpwned.com/Breach/Luxottica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Luxottica">https://haveibeenpwned.com/Breach/Luxottica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Luxottica">https://haveibeenpwned.com/Breach/Luxottica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Luxottica">https://haveibeenpwned.com/Breach/Luxottica</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Luxottica">https://haveibeenpwned.com/Breach/Luxottica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Luxottica">https://haveibeenpwned.com/Breach/Luxottica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Luxottica">https://haveibeenpwned.com/Breach/Luxottica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Luxottica">https://haveibeenpwned.com/Breach/Luxottica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Luxottica">https://haveibeenpwned.com/Breach/Luxottica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Luxottica">https://haveibeenpwned.com/Breach/Luxottica</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LyricsMania">https://haveibeenpwned.com/Breach/LyricsMania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LyricsMania">https://haveibeenpwned.com/Breach/LyricsMania</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LyricsMania">https://haveibeenpwned.com/Breach/LyricsMania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LyricsMania">https://haveibeenpwned.com/Breach/LyricsMania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LyricsMania">https://haveibeenpwned.com/Breach/LyricsMania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LyricsMania">https://haveibeenpwned.com/Breach/LyricsMania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LyricsMania">https://haveibeenpwned.com/Breach/LyricsMania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LyricsMania">https://haveibeenpwned.com/Breach/LyricsMania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LyricsMania">https://haveibeenpwned.com/Breach/LyricsMania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LyricsMania">https://haveibeenpwned.com/Breach/LyricsMania</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LyricsMania">https://haveibeenpwned.com/Breach/LyricsMania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/LyricsMania">https://haveibeenpwned.com/Breach/LyricsMania</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mac-Torrents">https://haveibeenpwned.com/Breach/Mac-Torrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mac-Torrents">https://haveibeenpwned.com/Breach/Mac-Torrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mac-Torrents">https://haveibeenpwned.com/Breach/Mac-Torrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mac-Torrents">https://haveibeenpwned.com/Breach/Mac-Torrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mac-Torrents">https://haveibeenpwned.com/Breach/Mac-Torrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mac-Torrents">https://haveibeenpwned.com/Breach/Mac-Torrents</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mac-Torrents">https://haveibeenpwned.com/Breach/Mac-Torrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mac-Torrents">https://haveibeenpwned.com/Breach/Mac-Torrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mac-Torrents">https://haveibeenpwned.com/Breach/Mac-Torrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mac-Torrents">https://haveibeenpwned.com/Breach/Mac-Torrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mac-Torrents">https://haveibeenpwned.com/Breach/Mac-Torrents</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mac-Torrents">https://haveibeenpwned.com/Breach/Mac-Torrents</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacForums">https://haveibeenpwned.com/Breach/MacForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacForums">https://haveibeenpwned.com/Breach/MacForums</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacForums">https://haveibeenpwned.com/Breach/MacForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacForums">https://haveibeenpwned.com/Breach/MacForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacForums">https://haveibeenpwned.com/Breach/MacForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacForums">https://haveibeenpwned.com/Breach/MacForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacForums">https://haveibeenpwned.com/Breach/MacForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacForums">https://haveibeenpwned.com/Breach/MacForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacForums">https://haveibeenpwned.com/Breach/MacForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacForums">https://haveibeenpwned.com/Breach/MacForums</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacForums">https://haveibeenpwned.com/Breach/MacForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacForums">https://haveibeenpwned.com/Breach/MacForums</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacGeneration">https://haveibeenpwned.com/Breach/MacGeneration</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacGeneration">https://haveibeenpwned.com/Breach/MacGeneration</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacGeneration">https://haveibeenpwned.com/Breach/MacGeneration</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacGeneration">https://haveibeenpwned.com/Breach/MacGeneration</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacGeneration">https://haveibeenpwned.com/Breach/MacGeneration</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacGeneration">https://haveibeenpwned.com/Breach/MacGeneration</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacGeneration">https://haveibeenpwned.com/Breach/MacGeneration</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacGeneration">https://haveibeenpwned.com/Breach/MacGeneration</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacGeneration">https://haveibeenpwned.com/Breach/MacGeneration</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacGeneration">https://haveibeenpwned.com/Breach/MacGeneration</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacGeneration">https://haveibeenpwned.com/Breach/MacGeneration</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MacGeneration">https://haveibeenpwned.com/Breach/MacGeneration</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MagicDuel">https://haveibeenpwned.com/Breach/MagicDuel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MagicDuel">https://haveibeenpwned.com/Breach/MagicDuel</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MagicDuel">https://haveibeenpwned.com/Breach/MagicDuel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MagicDuel">https://haveibeenpwned.com/Breach/MagicDuel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MagicDuel">https://haveibeenpwned.com/Breach/MagicDuel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MagicDuel">https://haveibeenpwned.com/Breach/MagicDuel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MagicDuel">https://haveibeenpwned.com/Breach/MagicDuel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MagicDuel">https://haveibeenpwned.com/Breach/MagicDuel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MagicDuel">https://haveibeenpwned.com/Breach/MagicDuel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MagicDuel">https://haveibeenpwned.com/Breach/MagicDuel</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MagicDuel">https://haveibeenpwned.com/Breach/MagicDuel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MagicDuel">https://haveibeenpwned.com/Breach/MagicDuel</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MailRu">https://haveibeenpwned.com/Breach/MailRu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MailRu">https://haveibeenpwned.com/Breach/MailRu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MailRu">https://haveibeenpwned.com/Breach/MailRu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MailRu">https://haveibeenpwned.com/Breach/MailRu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MailRu">https://haveibeenpwned.com/Breach/MailRu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MailRu">https://haveibeenpwned.com/Breach/MailRu</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MailRu">https://haveibeenpwned.com/Breach/MailRu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MailRu">https://haveibeenpwned.com/Breach/MailRu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MailRu">https://haveibeenpwned.com/Breach/MailRu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MailRu">https://haveibeenpwned.com/Breach/MailRu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MailRu">https://haveibeenpwned.com/Breach/MailRu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MailRu">https://haveibeenpwned.com/Breach/MailRu</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MajorGeeks">https://haveibeenpwned.com/Breach/MajorGeeks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MajorGeeks">https://haveibeenpwned.com/Breach/MajorGeeks</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MajorGeeks">https://haveibeenpwned.com/Breach/MajorGeeks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MajorGeeks">https://haveibeenpwned.com/Breach/MajorGeeks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MajorGeeks">https://haveibeenpwned.com/Breach/MajorGeeks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MajorGeeks">https://haveibeenpwned.com/Breach/MajorGeeks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MajorGeeks">https://haveibeenpwned.com/Breach/MajorGeeks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MajorGeeks">https://haveibeenpwned.com/Breach/MajorGeeks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MajorGeeks">https://haveibeenpwned.com/Breach/MajorGeeks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MajorGeeks">https://haveibeenpwned.com/Breach/MajorGeeks</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MajorGeeks">https://haveibeenpwned.com/Breach/MajorGeeks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MajorGeeks">https://haveibeenpwned.com/Breach/MajorGeeks</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MalindoAir">https://haveibeenpwned.com/Breach/MalindoAir</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MalindoAir">https://haveibeenpwned.com/Breach/MalindoAir</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MalindoAir">https://haveibeenpwned.com/Breach/MalindoAir</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MalindoAir">https://haveibeenpwned.com/Breach/MalindoAir</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MalindoAir">https://haveibeenpwned.com/Breach/MalindoAir</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MalindoAir">https://haveibeenpwned.com/Breach/MalindoAir</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MalindoAir">https://haveibeenpwned.com/Breach/MalindoAir</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MalindoAir">https://haveibeenpwned.com/Breach/MalindoAir</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MalindoAir">https://haveibeenpwned.com/Breach/MalindoAir</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MalindoAir">https://haveibeenpwned.com/Breach/MalindoAir</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MalindoAir">https://haveibeenpwned.com/Breach/MalindoAir</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MalindoAir">https://haveibeenpwned.com/Breach/MalindoAir</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MallCZ">https://haveibeenpwned.com/Breach/MallCZ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MallCZ">https://haveibeenpwned.com/Breach/MallCZ</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MailCZ">https://haveibeenpwned.com/Breach/MailCZ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MailCZ">https://haveibeenpwned.com/Breach/MailCZ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MailCZ">https://haveibeenpwned.com/Breach/MailCZ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MailCZ">https://haveibeenpwned.com/Breach/MailCZ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MailCZ">https://haveibeenpwned.com/Breach/MailCZ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MailCZ">https://haveibeenpwned.com/Breach/MailCZ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MailCZ">https://haveibeenpwned.com/Breach/MailCZ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MailCZ">https://haveibeenpwned.com/Breach/MailCZ</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MallCZ">https://haveibeenpwned.com/Breach/MallCZ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MallCZ">https://haveibeenpwned.com/Breach/MallCZ</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Malwarebytes">https://haveibeenpwned.com/Breach/Malwarebytes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Malwarebytes">https://haveibeenpwned.com/Breach/Malwarebytes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Malwarebytes">https://haveibeenpwned.com/Breach/Malwarebytes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Malwarebytes">https://haveibeenpwned.com/Breach/Malwarebytes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Malwarebytes">https://haveibeenpwned.com/Breach/Malwarebytes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Malwarebytes">https://haveibeenpwned.com/Breach/Malwarebytes</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Malwarebytes">https://haveibeenpwned.com/Breach/Malwarebytes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Malwarebytes">https://haveibeenpwned.com/Breach/Malwarebytes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Malwarebytes">https://haveibeenpwned.com/Breach/Malwarebytes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Malwarebytes">https://haveibeenpwned.com/Breach/Malwarebytes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Malwarebytes">https://haveibeenpwned.com/Breach/Malwarebytes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Malwarebytes">https://haveibeenpwned.com/Breach/Malwarebytes</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaDex">https://haveibeenpwned.com/Breach/MangaDex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaDex">https://haveibeenpwned.com/Breach/MangaDex</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaDex">https://haveibeenpwned.com/Breach/MangaDex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaDex">https://haveibeenpwned.com/Breach/MangaDex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaDex">https://haveibeenpwned.com/Breach/MangaDex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaDex">https://haveibeenpwned.com/Breach/MangaDex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaDex">https://haveibeenpwned.com/Breach/MangaDex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaDex">https://haveibeenpwned.com/Breach/MangaDex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaDex">https://haveibeenpwned.com/Breach/MangaDex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaDex">https://haveibeenpwned.com/Breach/MangaDex</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaDex">https://haveibeenpwned.com/Breach/MangaDex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaDex">https://haveibeenpwned.com/Breach/MangaDex</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaFox">https://haveibeenpwned.com/Breach/MangaFox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaFox">https://haveibeenpwned.com/Breach/MangaFox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaFox">https://haveibeenpwned.com/Breach/MangaFox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaFox">https://haveibeenpwned.com/Breach/MangaFox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaFox">https://haveibeenpwned.com/Breach/MangaFox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaFox">https://haveibeenpwned.com/Breach/MangaFox</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaFox">https://haveibeenpwned.com/Breach/MangaFox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaFox">https://haveibeenpwned.com/Breach/MangaFox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaFox">https://haveibeenpwned.com/Breach/MangaFox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaFox">https://haveibeenpwned.com/Breach/MangaFox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaFox">https://haveibeenpwned.com/Breach/MangaFox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaFox">https://haveibeenpwned.com/Breach/MangaFox</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mangatoon">https://haveibeenpwned.com/Breach/Mangatoon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mangatoon">https://haveibeenpwned.com/Breach/Mangatoon</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mangatoon">https://haveibeenpwned.com/Breach/Mangatoon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mangatoon">https://haveibeenpwned.com/Breach/Mangatoon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mangatoon">https://haveibeenpwned.com/Breach/Mangatoon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mangatoon">https://haveibeenpwned.com/Breach/Mangatoon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mangatoon">https://haveibeenpwned.com/Breach/Mangatoon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mangatoon">https://haveibeenpwned.com/Breach/Mangatoon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mangatoon">https://haveibeenpwned.com/Breach/Mangatoon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mangatoon">https://haveibeenpwned.com/Breach/Mangatoon</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mangatoon">https://haveibeenpwned.com/Breach/Mangatoon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mangatoon">https://haveibeenpwned.com/Breach/Mangatoon</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaTraders">https://haveibeenpwned.com/Breach/MangaTraders</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaTraders">https://haveibeenpwned.com/Breach/MangaTraders</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaTraders">https://haveibeenpwned.com/Breach/MangaTraders</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaTraders">https://haveibeenpwned.com/Breach/MangaTraders</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaTraders">https://haveibeenpwned.com/Breach/MangaTraders</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaTraders">https://haveibeenpwned.com/Breach/MangaTraders</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaTraders">https://haveibeenpwned.com/Breach/MangaTraders</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaTraders">https://haveibeenpwned.com/Breach/MangaTraders</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaTraders">https://haveibeenpwned.com/Breach/MangaTraders</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaTraders">https://haveibeenpwned.com/Breach/MangaTraders</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaTraders">https://haveibeenpwned.com/Breach/MangaTraders</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MangaTraders">https://haveibeenpwned.com/Breach/MangaTraders</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ManipulatedCaiman">https://haveibeenpwned.com/Breach/ManipulatedCaiman</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ManipulatedCaiman">https://haveibeenpwned.com/Breach/ManipulatedCaiman</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ManipulatedCaiman">https://haveibeenpwned.com/Breach/ManipulatedCaiman</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ManipulatedCaiman">https://haveibeenpwned.com/Breach/ManipulatedCaiman</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ManipulatedCaiman">https://haveibeenpwned.com/Breach/ManipulatedCaiman</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ManipulatedCaiman">https://haveibeenpwned.com/Breach/ManipulatedCaiman</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ManipulatedCaiman">https://haveibeenpwned.com/Breach/ManipulatedCaiman</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ManipulatedCaiman">https://haveibeenpwned.com/Breach/ManipulatedCaiman</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ManipulatedCaiman">https://haveibeenpwned.com/Breach/ManipulatedCaiman</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ManipulatedCaiman">https://haveibeenpwned.com/Breach/ManipulatedCaiman</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ManipulatedCaiman">https://haveibeenpwned.com/Breach/ManipulatedCaiman</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ManipulatedCaiman">https://haveibeenpwned.com/Breach/ManipulatedCaiman</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mappery">https://haveibeenpwned.com/Breach/Mappery</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mappery">https://haveibeenpwned.com/Breach/Mappery</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mappery">https://haveibeenpwned.com/Breach/Mappery</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mappery">https://haveibeenpwned.com/Breach/Mappery</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mappery">https://haveibeenpwned.com/Breach/Mappery</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mappery">https://haveibeenpwned.com/Breach/Mappery</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mappery">https://haveibeenpwned.com/Breach/Mappery</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mappery">https://haveibeenpwned.com/Breach/Mappery</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mappery">https://haveibeenpwned.com/Breach/Mappery</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mappery">https://haveibeenpwned.com/Breach/Mappery</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mappery">https://haveibeenpwned.com/Breach/Mappery</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mappery">https://haveibeenpwned.com/Breach/Mappery</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MarketMoveis">https://haveibeenpwned.com/Breach/MarketMoveis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MarketMoveis">https://haveibeenpwned.com/Breach/MarketMoveis</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MarketMoveis">https://haveibeenpwned.com/Breach/MarketMoveis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MarketMoveis">https://haveibeenpwned.com/Breach/MarketMoveis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MarketMoveis">https://haveibeenpwned.com/Breach/MarketMoveis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MarketMoveis">https://haveibeenpwned.com/Breach/MarketMoveis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MarketMoveis">https://haveibeenpwned.com/Breach/MarketMoveis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MarketMoveis">https://haveibeenpwned.com/Breach/MarketMoveis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MarketMoveis">https://haveibeenpwned.com/Breach/MarketMoveis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MarketMoveis">https://haveibeenpwned.com/Breach/MarketMoveis</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MarketMoveis">https://haveibeenpwned.com/Breach/MarketMoveis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MarketMoveis">https://haveibeenpwned.com/Breach/MarketMoveis</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mashable">https://haveibeenpwned.com/Breach/Mashable</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mashable">https://haveibeenpwned.com/Breach/Mashable</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mashable">https://haveibeenpwned.com/Breach/Mashable</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mashable">https://haveibeenpwned.com/Breach/Mashable</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mashable">https://haveibeenpwned.com/Breach/Mashable</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mashable">https://haveibeenpwned.com/Breach/Mashable</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mashable">https://haveibeenpwned.com/Breach/Mashable</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mashable">https://haveibeenpwned.com/Breach/Mashable</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mashable">https://haveibeenpwned.com/Breach/Mashable</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mashable">https://haveibeenpwned.com/Breach/Mashable</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mashable">https://haveibeenpwned.com/Breach/Mashable</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mashable">https://haveibeenpwned.com/Breach/Mashable</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MastercardPricelessSpecials">https://haveibeenpwned.com/Breach/MastercardPricelessSpecials</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MastercardPricelessSpecials">https://haveibeenpwned.com/Breach/MastercardPricelessSpecials</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MastercardPricelessSpecials">https://haveibeenpwned.com/Breach/MastercardPricelessSpecials</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MastercardPricelessSpecials">https://haveibeenpwned.com/Breach/MastercardPricelessSpecials</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MastercardPricelessSpecials">https://haveibeenpwned.com/Breach/MastercardPricelessSpecials</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MastercardPricelessSpecials">https://haveibeenpwned.com/Breach/MastercardPricelessSpecials</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MastercardPricelessSpecials">https://haveibeenpwned.com/Breach/MastercardPricelessSpecials</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MastercardPricelessSpecials">https://haveibeenpwned.com/Breach/MastercardPricelessSpecials</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MastercardPricelessSpecials">https://haveibeenpwned.com/Breach/MastercardPricelessSpecials</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MastercardPricelessSpecials">https://haveibeenpwned.com/Breach/MastercardPricelessSpecials</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MastercardPricelessSpecials">https://haveibeenpwned.com/Breach/MastercardPricelessSpecials</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MastercardPricelessSpecials">https://haveibeenpwned.com/Breach/MastercardPricelessSpecials</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MasterDeeds">https://haveibeenpwned.com/Breach/MasterDeeds</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MasterDeeds">https://haveibeenpwned.com/Breach/MasterDeeds</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MasterDeeds">https://haveibeenpwned.com/Breach/MasterDeeds</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MasterDeeds">https://haveibeenpwned.com/Breach/MasterDeeds</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MasterDeeds">https://haveibeenpwned.com/Breach/MasterDeeds</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MasterDeeds">https://haveibeenpwned.com/Breach/MasterDeeds</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MasterDeeds">https://haveibeenpwned.com/Breach/MasterDeeds</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MasterDeeds">https://haveibeenpwned.com/Breach/MasterDeeds</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MasterDeeds">https://haveibeenpwned.com/Breach/MasterDeeds</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MasterDeeds">https://haveibeenpwned.com/Breach/MasterDeeds</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MasterDeeds">https://haveibeenpwned.com/Breach/MasterDeeds</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MasterDeeds">https://haveibeenpwned.com/Breach/MasterDeeds</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mate1">https://haveibeenpwned.com/Breach/Mate1</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mate1">https://haveibeenpwned.com/Breach/Mate1</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mate1">https://haveibeenpwned.com/Breach/Mate1</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mate1">https://haveibeenpwned.com/Breach/Mate1</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mate1">https://haveibeenpwned.com/Breach/Mate1</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mate1">https://haveibeenpwned.com/Breach/Mate1</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mate1">https://haveibeenpwned.com/Breach/Mate1</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mate1">https://haveibeenpwned.com/Breach/Mate1</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mate1">https://haveibeenpwned.com/Breach/Mate1</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mate1">https://haveibeenpwned.com/Breach/Mate1</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mate1">https://haveibeenpwned.com/Breach/Mate1</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mate1">https://haveibeenpwned.com/Breach/Mate1</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mathway">https://haveibeenpwned.com/Breach/Mathway</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mathway">https://haveibeenpwned.com/Breach/Mathway</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mathway">https://haveibeenpwned.com/Breach/Mathway</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mathway">https://haveibeenpwned.com/Breach/Mathway</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mathway">https://haveibeenpwned.com/Breach/Mathway</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mathway">https://haveibeenpwned.com/Breach/Mathway</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mathway">https://haveibeenpwned.com/Breach/Mathway</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mathway">https://haveibeenpwned.com/Breach/Mathway</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mathway">https://haveibeenpwned.com/Breach/Mathway</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mathway">https://haveibeenpwned.com/Breach/Mathway</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mathway">https://haveibeenpwned.com/Breach/Mathway</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Mathway">https://haveibeenpwned.com/Breach/Mathway</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MC2Data">https://haveibeenpwned.com/Breach/MC2Data</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MC2Data">https://haveibeenpwned.com/Breach/MC2Data</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MC2Data">https://haveibeenpwned.com/Breach/MC2Data</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MC2Data">https://haveibeenpwned.com/Breach/MC2Data</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MC2Data">https://haveibeenpwned.com/Breach/MC2Data</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MC2Data">https://haveibeenpwned.com/Breach/MC2Data</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MC2Data">https://haveibeenpwned.com/Breach/MC2Data</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MC2Data">https://haveibeenpwned.com/Breach/MC2Data</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MC2Data">https://haveibeenpwned.com/Breach/MC2Data</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MC2Data">https://haveibeenpwned.com/Breach/MC2Data</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MC2Data">https://haveibeenpwned.com/Breach/MC2Data</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MC2Data">https://haveibeenpwned.com/Breach/MC2Data</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MCBans">https://haveibeenpwned.com/Breach/MCBans</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MCBans">https://haveibeenpwned.com/Breach/MCBans</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MCBans">https://haveibeenpwned.com/Breach/MCBans</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MCBans">https://haveibeenpwned.com/Breach/MCBans</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MCBans">https://haveibeenpwned.com/Breach/MCBans</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MCBans">https://haveibeenpwned.com/Breach/MCBans</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MCBans">https://haveibeenpwned.com/Breach/MCBans</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MCBans">https://haveibeenpwned.com/Breach/MCBans</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MCBans">https://haveibeenpwned.com/Breach/MCBans</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MCBans">https://haveibeenpwned.com/Breach/MCBans</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MCBans">https://haveibeenpwned.com/Breach/MCBans</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MCBans">https://haveibeenpwned.com/Breach/MCBans</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MDPI">https://haveibeenpwned.com/Breach/MDPI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MDPI">https://haveibeenpwned.com/Breach/MDPI</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MDPI">https://haveibeenpwned.com/Breach/MDPI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MDPI">https://haveibeenpwned.com/Breach/MDPI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MDPI">https://haveibeenpwned.com/Breach/MDPI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MDPI">https://haveibeenpwned.com/Breach/MDPI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MDPI">https://haveibeenpwned.com/Breach/MDPI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MDPI">https://haveibeenpwned.com/Breach/MDPI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MDPI">https://haveibeenpwned.com/Breach/MDPI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MDPI">https://haveibeenpwned.com/Breach/MDPI</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MDPI">https://haveibeenpwned.com/Breach/MDPI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MDPI">https://haveibeenpwned.com/Breach/MDPI</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MechoDownload">https://haveibeenpwned.com/Breach/MechoDownload</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MechoDownload">https://haveibeenpwned.com/Breach/MechoDownload</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MechoDownload">https://haveibeenpwned.com/Breach/MechoDownload</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MechoDownload">https://haveibeenpwned.com/Breach/MechoDownload</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MechoDownload">https://haveibeenpwned.com/Breach/MechoDownload</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MechoDownload">https://haveibeenpwned.com/Breach/MechoDownload</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MechoDownload">https://haveibeenpwned.com/Breach/MechoDownload</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MechoDownload">https://haveibeenpwned.com/Breach/MechoDownload</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MechoDownload">https://haveibeenpwned.com/Breach/MechoDownload</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MechoDownload">https://haveibeenpwned.com/Breach/MechoDownload</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MechoDownload">https://haveibeenpwned.com/Breach/MechoDownload</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MechoDownload">https://haveibeenpwned.com/Breach/MechoDownload</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MediaWorks">https://haveibeenpwned.com/Breach/MediaWorks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MediaWorks">https://haveibeenpwned.com/Breach/MediaWorks</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MediaWorks">https://haveibeenpwned.com/Breach/MediaWorks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MediaWorks">https://haveibeenpwned.com/Breach/MediaWorks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MediaWorks">https://haveibeenpwned.com/Breach/MediaWorks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MediaWorks">https://haveibeenpwned.com/Breach/MediaWorks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MediaWorks">https://haveibeenpwned.com/Breach/MediaWorks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MediaWorks">https://haveibeenpwned.com/Breach/MediaWorks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MediaWorks">https://haveibeenpwned.com/Breach/MediaWorks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MediaWorks">https://haveibeenpwned.com/Breach/MediaWorks</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MediaWorks">https://haveibeenpwned.com/Breach/MediaWorks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MediaWorks">https://haveibeenpwned.com/Breach/MediaWorks</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MeetMindful">https://haveibeenpwned.com/Breach/MeetMindful</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MeetMindful">https://haveibeenpwned.com/Breach/MeetMindful</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MeetMindful">https://haveibeenpwned.com/Breach/MeetMindful</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MeetMindful">https://haveibeenpwned.com/Breach/MeetMindful</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MeetMindful">https://haveibeenpwned.com/Breach/MeetMindful</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MeetMindful">https://haveibeenpwned.com/Breach/MeetMindful</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MeetMindful">https://haveibeenpwned.com/Breach/MeetMindful</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MeetMindful">https://haveibeenpwned.com/Breach/MeetMindful</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MeetMindful">https://haveibeenpwned.com/Breach/MeetMindful</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MeetMindful">https://haveibeenpwned.com/Breach/MeetMindful</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MeetMindful">https://haveibeenpwned.com/Breach/MeetMindful</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MeetMindful">https://haveibeenpwned.com/Breach/MeetMindful</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MemeChat">https://haveibeenpwned.com/Breach/MemeChat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MemeChat">https://haveibeenpwned.com/Breach/MemeChat</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MemeChat">https://haveibeenpwned.com/Breach/MemeChat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MemeChat">https://haveibeenpwned.com/Breach/MemeChat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MemeChat">https://haveibeenpwned.com/Breach/MemeChat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MemeChat">https://haveibeenpwned.com/Breach/MemeChat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MemeChat">https://haveibeenpwned.com/Breach/MemeChat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MemeChat">https://haveibeenpwned.com/Breach/MemeChat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MemeChat">https://haveibeenpwned.com/Breach/MemeChat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MemeChat">https://haveibeenpwned.com/Breach/MemeChat</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MemeChat">https://haveibeenpwned.com/Breach/MemeChat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MemeChat">https://haveibeenpwned.com/Breach/MemeChat</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MEO">https://haveibeenpwned.com/Breach/MEO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MEO">https://haveibeenpwned.com/Breach/MEO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MEO">https://haveibeenpwned.com/Breach/MEO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MEO">https://haveibeenpwned.com/Breach/MEO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MEO">https://haveibeenpwned.com/Breach/MEO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MEO">https://haveibeenpwned.com/Breach/MEO</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MEO">https://haveibeenpwned.com/Breach/MEO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MEO">https://haveibeenpwned.com/Breach/MEO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MEO">https://haveibeenpwned.com/Breach/MEO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MEO">https://haveibeenpwned.com/Breach/MEO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MEO">https://haveibeenpwned.com/Breach/MEO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MEO">https://haveibeenpwned.com/Breach/MEO</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM">https://haveibeenpwned.com/Breach/MGM</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM">https://haveibeenpwned.com/Breach/MGM</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM">https://haveibeenpwned.com/Breach/MGM</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM">https://haveibeenpwned.com/Breach/MGM</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM">https://haveibeenpwned.com/Breach/MGM</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM">https://haveibeenpwned.com/Breach/MGM</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM">https://haveibeenpwned.com/Breach/MGM</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM">https://haveibeenpwned.com/Breach/MGM</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM">https://haveibeenpwned.com/Breach/MGM</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM">https://haveibeenpwned.com/Breach/MGM</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM">https://haveibeenpwned.com/Breach/MGM</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM">https://haveibeenpwned.com/Breach/MGM</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM2022Update">https://haveibeenpwned.com/Breach/MGM2022Update</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM2022Update">https://haveibeenpwned.com/Breach/MGM2022Update</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM2022Update">https://haveibeenpwned.com/Breach/MGM2022Update</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM2022Update">https://haveibeenpwned.com/Breach/MGM2022Update</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM2022Update">https://haveibeenpwned.com/Breach/MGM2022Update</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM2022Update">https://haveibeenpwned.com/Breach/MGM2022Update</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM2022Update">https://haveibeenpwned.com/Breach/MGM2022Update</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM2022Update">https://haveibeenpwned.com/Breach/MGM2022Update</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM2022Update">https://haveibeenpwned.com/Breach/MGM2022Update</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM2022Update">https://haveibeenpwned.com/Breach/MGM2022Update</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM2022Update">https://haveibeenpwned.com/Breach/MGM2022Update</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MGM2022Update">https://haveibeenpwned.com/Breach/MGM2022Update</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MindJolt">https://haveibeenpwned.com/Breach/MindJolt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MindJolt">https://haveibeenpwned.com/Breach/MindJolt</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MindJolt">https://haveibeenpwned.com/Breach/MindJolt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MindJolt">https://haveibeenpwned.com/Breach/MindJolt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MindJolt">https://haveibeenpwned.com/Breach/MindJolt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MindJolt">https://haveibeenpwned.com/Breach/MindJolt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MindJolt">https://haveibeenpwned.com/Breach/MindJolt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MindJolt">https://haveibeenpwned.com/Breach/MindJolt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MindJolt">https://haveibeenpwned.com/Breach/MindJolt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MindJolt">https://haveibeenpwned.com/Breach/MindJolt</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MindJolt">https://haveibeenpwned.com/Breach/MindJolt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MindJolt">https://haveibeenpwned.com/Breach/MindJolt</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum">https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum">https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum">https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum">https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum">https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum">https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum">https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum">https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum">https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum">https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum">https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum">https://haveibeenpwned.com/Breach/MinecraftPocketEditionForum</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftWorldMap">https://haveibeenpwned.com/Breach/MinecraftWorldMap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftWorldMap">https://haveibeenpwned.com/Breach/MinecraftWorldMap</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftWorldMap">https://haveibeenpwned.com/Breach/MinecraftWorldMap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftWorldMap">https://haveibeenpwned.com/Breach/MinecraftWorldMap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftWorldMap">https://haveibeenpwned.com/Breach/MinecraftWorldMap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftWorldMap">https://haveibeenpwned.com/Breach/MinecraftWorldMap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftWorldMap">https://haveibeenpwned.com/Breach/MinecraftWorldMap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftWorldMap">https://haveibeenpwned.com/Breach/MinecraftWorldMap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftWorldMap">https://haveibeenpwned.com/Breach/MinecraftWorldMap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftWorldMap">https://haveibeenpwned.com/Breach/MinecraftWorldMap</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftWorldMap">https://haveibeenpwned.com/Breach/MinecraftWorldMap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MinecraftWorldMap">https://haveibeenpwned.com/Breach/MinecraftWorldMap</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minefield">https://haveibeenpwned.com/Breach/Minefield</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minefield">https://haveibeenpwned.com/Breach/Minefield</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minefield">https://haveibeenpwned.com/Breach/Minefield</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minefield">https://haveibeenpwned.com/Breach/Minefield</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minefield">https://haveibeenpwned.com/Breach/Minefield</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minefield">https://haveibeenpwned.com/Breach/Minefield</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minefield">https://haveibeenpwned.com/Breach/Minefield</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minefield">https://haveibeenpwned.com/Breach/Minefield</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minefield">https://haveibeenpwned.com/Breach/Minefield</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minefield">https://haveibeenpwned.com/Breach/Minefield</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minefield">https://haveibeenpwned.com/Breach/Minefield</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minefield">https://haveibeenpwned.com/Breach/Minefield</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minehut">https://haveibeenpwned.com/Breach/Minehut</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minehut">https://haveibeenpwned.com/Breach/Minehut</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minehut">https://haveibeenpwned.com/Breach/Minehut</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minehut">https://haveibeenpwned.com/Breach/Minehut</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minehut">https://haveibeenpwned.com/Breach/Minehut</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minehut">https://haveibeenpwned.com/Breach/Minehut</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minehut">https://haveibeenpwned.com/Breach/Minehut</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minehut">https://haveibeenpwned.com/Breach/Minehut</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minehut">https://haveibeenpwned.com/Breach/Minehut</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minehut">https://haveibeenpwned.com/Breach/Minehut</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minehut">https://haveibeenpwned.com/Breach/Minehut</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minehut">https://haveibeenpwned.com/Breach/Minehut</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minted">https://haveibeenpwned.com/Breach/Minted</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minted">https://haveibeenpwned.com/Breach/Minted</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minted">https://haveibeenpwned.com/Breach/Minted</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minted">https://haveibeenpwned.com/Breach/Minted</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minted">https://haveibeenpwned.com/Breach/Minted</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minted">https://haveibeenpwned.com/Breach/Minted</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minted">https://haveibeenpwned.com/Breach/Minted</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minted">https://haveibeenpwned.com/Breach/Minted</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minted">https://haveibeenpwned.com/Breach/Minted</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minted">https://haveibeenpwned.com/Breach/Minted</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minted">https://haveibeenpwned.com/Breach/Minted</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Minted">https://haveibeenpwned.com/Breach/Minted</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MMGFusion">https://haveibeenpwned.com/Breach/MMGFusion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MMGFusion">https://haveibeenpwned.com/Breach/MMGFusion</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MMGFusion">https://haveibeenpwned.com/Breach/MMGFusion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MMGFusion">https://haveibeenpwned.com/Breach/MMGFusion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MMGFusion">https://haveibeenpwned.com/Breach/MMGFusion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MMGFusion">https://haveibeenpwned.com/Breach/MMGFusion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MMGFusion">https://haveibeenpwned.com/Breach/MMGFusion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MMGFusion">https://haveibeenpwned.com/Breach/MMGFusion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MMGFusion">https://haveibeenpwned.com/Breach/MMGFusion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MMGFusion">https://haveibeenpwned.com/Breach/MMGFusion</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MMGFusion">https://haveibeenpwned.com/Breach/MMGFusion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MMGFusion">https://haveibeenpwned.com/Breach/MMGFusion</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MobiFriends">https://haveibeenpwned.com/Breach/MobiFriends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MobiFriends">https://haveibeenpwned.com/Breach/MobiFriends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MobiFriends">https://haveibeenpwned.com/Breach/MobiFriends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MobiFriends">https://haveibeenpwned.com/Breach/MobiFriends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MobiFriends">https://haveibeenpwned.com/Breach/MobiFriends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MobiFriends">https://haveibeenpwned.com/Breach/MobiFriends</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MobiFriends">https://haveibeenpwned.com/Breach/MobiFriends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MobiFriends">https://haveibeenpwned.com/Breach/MobiFriends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MobiFriends">https://haveibeenpwned.com/Breach/MobiFriends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MobiFriends">https://haveibeenpwned.com/Breach/MobiFriends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MobiFriends">https://haveibeenpwned.com/Breach/MobiFriends</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MobiFriends">https://haveibeenpwned.com/Breach/MobiFriends</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoDaCo">https://haveibeenpwned.com/Breach/MoDaCo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoDaCo">https://haveibeenpwned.com/Breach/MoDaCo</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoDaCo">https://haveibeenpwned.com/Breach/MoDaCo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoDaCo">https://haveibeenpwned.com/Breach/MoDaCo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoDaCo">https://haveibeenpwned.com/Breach/MoDaCo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoDaCo">https://haveibeenpwned.com/Breach/MoDaCo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoDaCo">https://haveibeenpwned.com/Breach/MoDaCo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoDaCo">https://haveibeenpwned.com/Breach/MoDaCo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoDaCo">https://haveibeenpwned.com/Breach/MoDaCo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoDaCo">https://haveibeenpwned.com/Breach/MoDaCo</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoDaCo">https://haveibeenpwned.com/Breach/MoDaCo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoDaCo">https://haveibeenpwned.com/Breach/MoDaCo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ModernBusinessSolutions">https://haveibeenpwned.com/Breach/ModernBusinessSolutions</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ModernBusinessSolutions">https://haveibeenpwned.com/Breach/ModernBusinessSolutions</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ModernBusinessSolutions">https://haveibeenpwned.com/Breach/ModernBusinessSolutions</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ModernBusinessSolutions">https://haveibeenpwned.com/Breach/ModernBusinessSolutions</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ModernBusinessSolutions">https://haveibeenpwned.com/Breach/ModernBusinessSolutions</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ModernBusinessSolutions">https://haveibeenpwned.com/Breach/ModernBusinessSolutions</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ModernBusinessSolutions">https://haveibeenpwned.com/Breach/ModernBusinessSolutions</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ModernBusinessSolutions">https://haveibeenpwned.com/Breach/ModernBusinessSolutions</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ModernBusinessSolutions">https://haveibeenpwned.com/Breach/ModernBusinessSolutions</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ModernBusinessSolutions">https://haveibeenpwned.com/Breach/ModernBusinessSolutions</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ModernBusinessSolutions">https://haveibeenpwned.com/Breach/ModernBusinessSolutions</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ModernBusinessSolutions">https://haveibeenpwned.com/Breach/ModernBusinessSolutions</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoneyBookers">https://haveibeenpwned.com/Breach/MoneyBookers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoneyBookers">https://haveibeenpwned.com/Breach/MoneyBookers</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoneyBookers">https://haveibeenpwned.com/Breach/MoneyBookers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoneyBookers">https://haveibeenpwned.com/Breach/MoneyBookers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoneyBookers">https://haveibeenpwned.com/Breach/MoneyBookers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoneyBookers">https://haveibeenpwned.com/Breach/MoneyBookers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoneyBookers">https://haveibeenpwned.com/Breach/MoneyBookers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoneyBookers">https://haveibeenpwned.com/Breach/MoneyBookers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoneyBookers">https://haveibeenpwned.com/Breach/MoneyBookers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoneyBookers">https://haveibeenpwned.com/Breach/MoneyBookers</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoneyBookers">https://haveibeenpwned.com/Breach/MoneyBookers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoneyBookers">https://haveibeenpwned.com/Breach/MoneyBookers</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Moneycontrol">https://haveibeenpwned.com/Breach/Moneycontrol</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Moneycontrol">https://haveibeenpwned.com/Breach/Moneycontrol</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Moneycontrol">https://haveibeenpwned.com/Breach/Moneycontrol</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Moneycontrol">https://haveibeenpwned.com/Breach/Moneycontrol</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Moneycontrol">https://haveibeenpwned.com/Breach/Moneycontrol</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Moneycontrol">https://haveibeenpwned.com/Breach/Moneycontrol</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Moneycontrol">https://haveibeenpwned.com/Breach/Moneycontrol</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Moneycontrol">https://haveibeenpwned.com/Breach/Moneycontrol</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Moneycontrol">https://haveibeenpwned.com/Breach/Moneycontrol</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Moneycontrol">https://haveibeenpwned.com/Breach/Moneycontrol</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Moneycontrol">https://haveibeenpwned.com/Breach/Moneycontrol</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Moneycontrol">https://haveibeenpwned.com/Breach/Moneycontrol</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoreleNet">https://haveibeenpwned.com/Breach/MoreleNet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoreleNet">https://haveibeenpwned.com/Breach/MoreleNet</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoreleNet">https://haveibeenpwned.com/Breach/MoreleNet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoreleNet">https://haveibeenpwned.com/Breach/MoreleNet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoreleNet">https://haveibeenpwned.com/Breach/MoreleNet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoreleNet">https://haveibeenpwned.com/Breach/MoreleNet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoreleNet">https://haveibeenpwned.com/Breach/MoreleNet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoreleNet">https://haveibeenpwned.com/Breach/MoreleNet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoreleNet">https://haveibeenpwned.com/Breach/MoreleNet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoreleNet">https://haveibeenpwned.com/Breach/MoreleNet</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoreleNet">https://haveibeenpwned.com/Breach/MoreleNet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MoreleNet">https://haveibeenpwned.com/Breach/MoreleNet</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MortalOnline">https://haveibeenpwned.com/Breach/MortalOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MortalOnline">https://haveibeenpwned.com/Breach/MortalOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MortalOnline">https://haveibeenpwned.com/Breach/MortalOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MortalOnline">https://haveibeenpwned.com/Breach/MortalOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MortalOnline">https://haveibeenpwned.com/Breach/MortalOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MortalOnline">https://haveibeenpwned.com/Breach/MortalOnline</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MortalOnline">https://haveibeenpwned.com/Breach/MortalOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MortalOnline">https://haveibeenpwned.com/Breach/MortalOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MortalOnline">https://haveibeenpwned.com/Breach/MortalOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MortalOnline">https://haveibeenpwned.com/Breach/MortalOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MortalOnline">https://haveibeenpwned.com/Breach/MortalOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MortalOnline">https://haveibeenpwned.com/Breach/MortalOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieBoxPro">https://haveibeenpwned.com/Breach/MovieBoxPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieBoxPro">https://haveibeenpwned.com/Breach/MovieBoxPro</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieBoxPro">https://haveibeenpwned.com/Breach/MovieBoxPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieBoxPro">https://haveibeenpwned.com/Breach/MovieBoxPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieBoxPro">https://haveibeenpwned.com/Breach/MovieBoxPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieBoxPro">https://haveibeenpwned.com/Breach/MovieBoxPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieBoxPro">https://haveibeenpwned.com/Breach/MovieBoxPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieBoxPro">https://haveibeenpwned.com/Breach/MovieBoxPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieBoxPro">https://haveibeenpwned.com/Breach/MovieBoxPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieBoxPro">https://haveibeenpwned.com/Breach/MovieBoxPro</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieBoxPro">https://haveibeenpwned.com/Breach/MovieBoxPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieBoxPro">https://haveibeenpwned.com/Breach/MovieBoxPro</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieForums">https://haveibeenpwned.com/Breach/MovieForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieForums">https://haveibeenpwned.com/Breach/MovieForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieForums">https://haveibeenpwned.com/Breach/MovieForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieForums">https://haveibeenpwned.com/Breach/MovieForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieForums">https://haveibeenpwned.com/Breach/MovieForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieForums">https://haveibeenpwned.com/Breach/MovieForums</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieForums">https://haveibeenpwned.com/Breach/MovieForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieForums">https://haveibeenpwned.com/Breach/MovieForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieForums">https://haveibeenpwned.com/Breach/MovieForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieForums">https://haveibeenpwned.com/Breach/MovieForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieForums">https://haveibeenpwned.com/Breach/MovieForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MovieForums">https://haveibeenpwned.com/Breach/MovieForums</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MPGH">https://haveibeenpwned.com/Breach/MPGH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MPGH">https://haveibeenpwned.com/Breach/MPGH</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MPGH">https://haveibeenpwned.com/Breach/MPGH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MPGH">https://haveibeenpwned.com/Breach/MPGH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MPGH">https://haveibeenpwned.com/Breach/MPGH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MPGH">https://haveibeenpwned.com/Breach/MPGH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MPGH">https://haveibeenpwned.com/Breach/MPGH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MPGH">https://haveibeenpwned.com/Breach/MPGH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MPGH">https://haveibeenpwned.com/Breach/MPGH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MPGH">https://haveibeenpwned.com/Breach/MPGH</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MPGH">https://haveibeenpwned.com/Breach/MPGH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MPGH">https://haveibeenpwned.com/Breach/MPGH</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrExcel">https://haveibeenpwned.com/Breach/MrExcel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrExcel">https://haveibeenpwned.com/Breach/MrExcel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrExcel">https://haveibeenpwned.com/Breach/MrExcel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrExcel">https://haveibeenpwned.com/Breach/MrExcel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrExcel">https://haveibeenpwned.com/Breach/MrExcel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrExcel">https://haveibeenpwned.com/Breach/MrExcel</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrExcel">https://haveibeenpwned.com/Breach/MrExcel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrExcel">https://haveibeenpwned.com/Breach/MrExcel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrExcel">https://haveibeenpwned.com/Breach/MrExcel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrExcel">https://haveibeenpwned.com/Breach/MrExcel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrExcel">https://haveibeenpwned.com/Breach/MrExcel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrExcel">https://haveibeenpwned.com/Breach/MrExcel</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrGreenGaming">https://haveibeenpwned.com/Breach/MrGreenGaming</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrGreenGaming">https://haveibeenpwned.com/Breach/MrGreenGaming</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrGreenGaming">https://haveibeenpwned.com/Breach/MrGreenGaming</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrGreenGaming">https://haveibeenpwned.com/Breach/MrGreenGaming</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrGreenGaming">https://haveibeenpwned.com/Breach/MrGreenGaming</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrGreenGaming">https://haveibeenpwned.com/Breach/MrGreenGaming</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrGreenGaming">https://haveibeenpwned.com/Breach/MrGreenGaming</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrGreenGaming">https://haveibeenpwned.com/Breach/MrGreenGaming</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrGreenGaming">https://haveibeenpwned.com/Breach/MrGreenGaming</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrGreenGaming">https://haveibeenpwned.com/Breach/MrGreenGaming</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrGreenGaming">https://haveibeenpwned.com/Breach/MrGreenGaming</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MrGreenGaming">https://haveibeenpwned.com/Breach/MrGreenGaming</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MSI">https://haveibeenpwned.com/Breach/MSI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MSI">https://haveibeenpwned.com/Breach/MSI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MSI">https://haveibeenpwned.com/Breach/MSI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MSI">https://haveibeenpwned.com/Breach/MSI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MSI">https://haveibeenpwned.com/Breach/MSI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MSI">https://haveibeenpwned.com/Breach/MSI</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MSI">https://haveibeenpwned.com/Breach/MSI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MSI">https://haveibeenpwned.com/Breach/MSI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MSI">https://haveibeenpwned.com/Breach/MSI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MSI">https://haveibeenpwned.com/Breach/MSI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MSI">https://haveibeenpwned.com/Breach/MSI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MSI">https://haveibeenpwned.com/Breach/MSI</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy">https://haveibeenpwned.com/Breach/mSpy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy">https://haveibeenpwned.com/Breach/mSpy</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy">https://haveibeenpwned.com/Breach/mSpy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy">https://haveibeenpwned.com/Breach/mSpy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy">https://haveibeenpwned.com/Breach/mSpy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy">https://haveibeenpwned.com/Breach/mSpy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy">https://haveibeenpwned.com/Breach/mSpy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy">https://haveibeenpwned.com/Breach/mSpy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy">https://haveibeenpwned.com/Breach/mSpy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy">https://haveibeenpwned.com/Breach/mSpy</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy">https://haveibeenpwned.com/Breach/mSpy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy">https://haveibeenpwned.com/Breach/mSpy</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy2024">https://haveibeenpwned.com/Breach/mSpy2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy2024">https://haveibeenpwned.com/Breach/mSpy2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy2024">https://haveibeenpwned.com/Breach/mSpy2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy2024">https://haveibeenpwned.com/Breach/mSpy2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy2024">https://haveibeenpwned.com/Breach/mSpy2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy2024">https://haveibeenpwned.com/Breach/mSpy2024</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy2024">https://haveibeenpwned.com/Breach/mSpy2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy2024">https://haveibeenpwned.com/Breach/mSpy2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy2024">https://haveibeenpwned.com/Breach/mSpy2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy2024">https://haveibeenpwned.com/Breach/mSpy2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy2024">https://haveibeenpwned.com/Breach/mSpy2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/mSpy2024">https://haveibeenpwned.com/Breach/mSpy2024</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Muah">https://haveibeenpwned.com/Breach/Muah</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Muah">https://haveibeenpwned.com/Breach/Muah</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Muah">https://haveibeenpwned.com/Breach/Muah</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Muah">https://haveibeenpwned.com/Breach/Muah</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Muah">https://haveibeenpwned.com/Breach/Muah</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Muah">https://haveibeenpwned.com/Breach/Muah</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Muah">https://haveibeenpwned.com/Breach/Muah</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Muah">https://haveibeenpwned.com/Breach/Muah</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Muah">https://haveibeenpwned.com/Breach/Muah</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Muah">https://haveibeenpwned.com/Breach/Muah</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Muah">https://haveibeenpwned.com/Breach/Muah</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Muah">https://haveibeenpwned.com/Breach/Muah</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MultiplayerI">https://haveibeenpwned.com/Breach/MultiplayerI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MultiplayerI">https://haveibeenpwned.com/Breach/MultiplayerI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MultiplayerI">https://haveibeenpwned.com/Breach/MultiplayerI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MultiplayerI">https://haveibeenpwned.com/Breach/MultiplayerI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MultiplayerI">https://haveibeenpwned.com/Breach/MultiplayerI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MultiplayerI">https://haveibeenpwned.com/Breach/MultiplayerI</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MultiplayerI">https://haveibeenpwned.com/Breach/MultiplayerI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MultiplayerI">https://haveibeenpwned.com/Breach/MultiplayerI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MultiplayerI">https://haveibeenpwned.com/Breach/MultiplayerI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MultiplayerI">https://haveibeenpwned.com/Breach/MultiplayerI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MultiplayerI">https://haveibeenpwned.com/Breach/MultiplayerI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MultiplayerI">https://haveibeenpwned.com/Breach/MultiplayerI</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimDirectory">https://haveibeenpwned.com/Breach/MuslimDirectory</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimDirectory">https://haveibeenpwned.com/Breach/MuslimDirectory</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimDirectory">https://haveibeenpwned.com/Breach/MuslimDirectory</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimDirectory">https://haveibeenpwned.com/Breach/MuslimDirectory</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimDirectory">https://haveibeenpwned.com/Breach/MuslimDirectory</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimDirectory">https://haveibeenpwned.com/Breach/MuslimDirectory</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimDirectory">https://haveibeenpwned.com/Breach/MuslimDirectory</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimDirectory">https://haveibeenpwned.com/Breach/MuslimDirectory</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimDirectory">https://haveibeenpwned.com/Breach/MuslimDirectory</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimDirectory">https://haveibeenpwned.com/Breach/MuslimDirectory</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimDirectory">https://haveibeenpwned.com/Breach/MuslimDirectory</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimDirectory">https://haveibeenpwned.com/Breach/MuslimDirectory</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimMatch">https://haveibeenpwned.com/Breach/MuslimMatch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimMatch">https://haveibeenpwned.com/Breach/MuslimMatch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimMatch">https://haveibeenpwned.com/Breach/MuslimMatch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimMatch">https://haveibeenpwned.com/Breach/MuslimMatch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimMatch">https://haveibeenpwned.com/Breach/MuslimMatch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimMatch">https://haveibeenpwned.com/Breach/MuslimMatch</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimMatch">https://haveibeenpwned.com/Breach/MuslimMatch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimMatch">https://haveibeenpwned.com/Breach/MuslimMatch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimMatch">https://haveibeenpwned.com/Breach/MuslimMatch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimMatch">https://haveibeenpwned.com/Breach/MuslimMatch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimMatch">https://haveibeenpwned.com/Breach/MuslimMatch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MuslimMatch">https://haveibeenpwned.com/Breach/MuslimMatch</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFHA">https://haveibeenpwned.com/Breach/MyFHA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFHA">https://haveibeenpwned.com/Breach/MyFHA</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFHA">https://haveibeenpwned.com/Breach/MyFHA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFHA">https://haveibeenpwned.com/Breach/MyFHA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFHA">https://haveibeenpwned.com/Breach/MyFHA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFHA">https://haveibeenpwned.com/Breach/MyFHA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFHA">https://haveibeenpwned.com/Breach/MyFHA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFHA">https://haveibeenpwned.com/Breach/MyFHA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFHA">https://haveibeenpwned.com/Breach/MyFHA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFHA">https://haveibeenpwned.com/Breach/MyFHA</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFHA">https://haveibeenpwned.com/Breach/MyFHA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFHA">https://haveibeenpwned.com/Breach/MyFHA</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFitnessPal">https://haveibeenpwned.com/Breach/MyFitnessPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFitnessPal">https://haveibeenpwned.com/Breach/MyFitnessPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFitnessPal">https://haveibeenpwned.com/Breach/MyFitnessPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFitnessPal">https://haveibeenpwned.com/Breach/MyFitnessPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFitnessPal">https://haveibeenpwned.com/Breach/MyFitnessPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFitnessPal">https://haveibeenpwned.com/Breach/MyFitnessPal</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFitnessPal">https://haveibeenpwned.com/Breach/MyFitnessPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFitnessPal">https://haveibeenpwned.com/Breach/MyFitnessPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFitnessPal">https://haveibeenpwned.com/Breach/MyFitnessPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFitnessPal">https://haveibeenpwned.com/Breach/MyFitnessPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFitnessPal">https://haveibeenpwned.com/Breach/MyFitnessPal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyFitnessPal">https://haveibeenpwned.com/Breach/MyFitnessPal</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyHeritage">https://haveibeenpwned.com/Breach/MyHeritage</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyHeritage">https://haveibeenpwned.com/Breach/MyHeritage</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyHeritage">https://haveibeenpwned.com/Breach/MyHeritage</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyHeritage">https://haveibeenpwned.com/Breach/MyHeritage</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyHeritage">https://haveibeenpwned.com/Breach/MyHeritage</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyHeritage">https://haveibeenpwned.com/Breach/MyHeritage</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyHeritage">https://haveibeenpwned.com/Breach/MyHeritage</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyHeritage">https://haveibeenpwned.com/Breach/MyHeritage</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyHeritage">https://haveibeenpwned.com/Breach/MyHeritage</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyHeritage">https://haveibeenpwned.com/Breach/MyHeritage</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyHeritage">https://haveibeenpwned.com/Breach/MyHeritage</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyHeritage">https://haveibeenpwned.com/Breach/MyHeritage</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyPertamina">https://haveibeenpwned.com/Breach/MyPertamina</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyPertamina">https://haveibeenpwned.com/Breach/MyPertamina</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyPertamina">https://haveibeenpwned.com/Breach/MyPertamina</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyPertamina">https://haveibeenpwned.com/Breach/MyPertamina</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyPertamina">https://haveibeenpwned.com/Breach/MyPertamina</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyPertamina">https://haveibeenpwned.com/Breach/MyPertamina</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyPertamina">https://haveibeenpwned.com/Breach/MyPertamina</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyPertamina">https://haveibeenpwned.com/Breach/MyPertamina</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyPertamina">https://haveibeenpwned.com/Breach/MyPertamina</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyPertamina">https://haveibeenpwned.com/Breach/MyPertamina</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyPertamina">https://haveibeenpwned.com/Breach/MyPertamina</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyPertamina">https://haveibeenpwned.com/Breach/MyPertamina</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/myRepoSpace">https://haveibeenpwned.com/Breach/myRepoSpace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/myRepoSpace">https://haveibeenpwned.com/Breach/myRepoSpace</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/myRepoSpace">https://haveibeenpwned.com/Breach/myRepoSpace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/myRepoSpace">https://haveibeenpwned.com/Breach/myRepoSpace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/myRepoSpace">https://haveibeenpwned.com/Breach/myRepoSpace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/myRepoSpace">https://haveibeenpwned.com/Breach/myRepoSpace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/myRepoSpace">https://haveibeenpwned.com/Breach/myRepoSpace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/myRepoSpace">https://haveibeenpwned.com/Breach/myRepoSpace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/myRepoSpace">https://haveibeenpwned.com/Breach/myRepoSpace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/myRepoSpace">https://haveibeenpwned.com/Breach/myRepoSpace</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/myRepoSpace">https://haveibeenpwned.com/Breach/myRepoSpace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/myRepoSpace">https://haveibeenpwned.com/Breach/myRepoSpace</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MySpace">https://haveibeenpwned.com/Breach/MySpace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MySpace">https://haveibeenpwned.com/Breach/MySpace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MySpace">https://haveibeenpwned.com/Breach/MySpace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MySpace">https://haveibeenpwned.com/Breach/MySpace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MySpace">https://haveibeenpwned.com/Breach/MySpace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MySpace">https://haveibeenpwned.com/Breach/MySpace</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MySpace">https://haveibeenpwned.com/Breach/MySpace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MySpace">https://haveibeenpwned.com/Breach/MySpace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MySpace">https://haveibeenpwned.com/Breach/MySpace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MySpace">https://haveibeenpwned.com/Breach/MySpace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MySpace">https://haveibeenpwned.com/Breach/MySpace</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MySpace">https://haveibeenpwned.com/Breach/MySpace</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyVidster">https://haveibeenpwned.com/Breach/MyVidster</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyVidster">https://haveibeenpwned.com/Breach/MyVidster</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyVidster">https://haveibeenpwned.com/Breach/MyVidster</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyVidster">https://haveibeenpwned.com/Breach/MyVidster</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyVidster">https://haveibeenpwned.com/Breach/MyVidster</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyVidster">https://haveibeenpwned.com/Breach/MyVidster</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyVidster">https://haveibeenpwned.com/Breach/MyVidster</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyVidster">https://haveibeenpwned.com/Breach/MyVidster</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyVidster">https://haveibeenpwned.com/Breach/MyVidster</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyVidster">https://haveibeenpwned.com/Breach/MyVidster</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyVidster">https://haveibeenpwned.com/Breach/MyVidster</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/MyVidster">https://haveibeenpwned.com/Breach/MyVidster</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NamelessMalware">https://haveibeenpwned.com/Breach/NamelessMalware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NamelessMalware">https://haveibeenpwned.com/Breach/NamelessMalware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NamelessMalware">https://haveibeenpwned.com/Breach/NamelessMalware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NamelessMalware">https://haveibeenpwned.com/Breach/NamelessMalware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NamelessMalware">https://haveibeenpwned.com/Breach/NamelessMalware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NamelessMalware">https://haveibeenpwned.com/Breach/NamelessMalware</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NamelessMalware">https://haveibeenpwned.com/Breach/NamelessMalware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NamelessMalware">https://haveibeenpwned.com/Breach/NamelessMalware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NamelessMalware">https://haveibeenpwned.com/Breach/NamelessMalware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NamelessMalware">https://haveibeenpwned.com/Breach/NamelessMalware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NamelessMalware">https://haveibeenpwned.com/Breach/NamelessMalware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NamelessMalware">https://haveibeenpwned.com/Breach/NamelessMalware</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NapsGear">https://haveibeenpwned.com/Breach/NapsGear</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NapsGear">https://haveibeenpwned.com/Breach/NapsGear</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NapsGear">https://haveibeenpwned.com/Breach/NapsGear</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NapsGear">https://haveibeenpwned.com/Breach/NapsGear</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NapsGear">https://haveibeenpwned.com/Breach/NapsGear</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NapsGear">https://haveibeenpwned.com/Breach/NapsGear</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NapsGear">https://haveibeenpwned.com/Breach/NapsGear</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NapsGear">https://haveibeenpwned.com/Breach/NapsGear</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NapsGear">https://haveibeenpwned.com/Breach/NapsGear</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NapsGear">https://haveibeenpwned.com/Breach/NapsGear</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NapsGear">https://haveibeenpwned.com/Breach/NapsGear</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NapsGear">https://haveibeenpwned.com/Breach/NapsGear</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NationalPublicData">https://haveibeenpwned.com/Breach/NationalPublicData</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NationalPublicData">https://haveibeenpwned.com/Breach/NationalPublicData</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NationalPublicData">https://haveibeenpwned.com/Breach/NationalPublicData</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NationalPublicData">https://haveibeenpwned.com/Breach/NationalPublicData</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NationalPublicData">https://haveibeenpwned.com/Breach/NationalPublicData</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NationalPublicData">https://haveibeenpwned.com/Breach/NationalPublicData</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NationalPublicData">https://haveibeenpwned.com/Breach/NationalPublicData</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NationalPublicData">https://haveibeenpwned.com/Breach/NationalPublicData</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NationalPublicData">https://haveibeenpwned.com/Breach/NationalPublicData</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NationalPublicData">https://haveibeenpwned.com/Breach/NationalPublicData</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NationalPublicData">https://haveibeenpwned.com/Breach/NationalPublicData</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NationalPublicData">https://haveibeenpwned.com/Breach/NationalPublicData</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NaughtyAmerica">https://haveibeenpwned.com/Breach/NaughtyAmerica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NaughtyAmerica">https://haveibeenpwned.com/Breach/NaughtyAmerica</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NaughtyAmerica">https://haveibeenpwned.com/Breach/NaughtyAmerica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NaughtyAmerica">https://haveibeenpwned.com/Breach/NaughtyAmerica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NaughtyAmerica">https://haveibeenpwned.com/Breach/NaughtyAmerica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NaughtyAmerica">https://haveibeenpwned.com/Breach/NaughtyAmerica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NaughtyAmerica">https://haveibeenpwned.com/Breach/NaughtyAmerica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NaughtyAmerica">https://haveibeenpwned.com/Breach/NaughtyAmerica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NaughtyAmerica">https://haveibeenpwned.com/Breach/NaughtyAmerica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NaughtyAmerica">https://haveibeenpwned.com/Breach/NaughtyAmerica</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NaughtyAmerica">https://haveibeenpwned.com/Breach/NaughtyAmerica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NaughtyAmerica">https://haveibeenpwned.com/Breach/NaughtyAmerica</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NazApi">https://haveibeenpwned.com/Breach/NazApi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NazApi">https://haveibeenpwned.com/Breach/NazApi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NazApi">https://haveibeenpwned.com/Breach/NazApi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NazApi">https://haveibeenpwned.com/Breach/NazApi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NazApi">https://haveibeenpwned.com/Breach/NazApi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NazApi">https://haveibeenpwned.com/Breach/NazApi</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NazApi">https://haveibeenpwned.com/Breach/NazApi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NazApi">https://haveibeenpwned.com/Breach/NazApi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NazApi">https://haveibeenpwned.com/Breach/NazApi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NazApi">https://haveibeenpwned.com/Breach/NazApi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NazApi">https://haveibeenpwned.com/Breach/NazApi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NazApi">https://haveibeenpwned.com/Breach/NazApi</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NeimanMarcus">https://haveibeenpwned.com/Breach/NeimanMarcus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NeimanMarcus">https://haveibeenpwned.com/Breach/NeimanMarcus</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NeimanMarcus">https://haveibeenpwned.com/Breach/NeimanMarcus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NeimanMarcus">https://haveibeenpwned.com/Breach/NeimanMarcus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NeimanMarcus">https://haveibeenpwned.com/Breach/NeimanMarcus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NeimanMarcus">https://haveibeenpwned.com/Breach/NeimanMarcus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NeimanMarcus">https://haveibeenpwned.com/Breach/NeimanMarcus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NeimanMarcus">https://haveibeenpwned.com/Breach/NeimanMarcus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NeimanMarcus">https://haveibeenpwned.com/Breach/NeimanMarcus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NeimanMarcus">https://haveibeenpwned.com/Breach/NeimanMarcus</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NeimanMarcus">https://haveibeenpwned.com/Breach/NeimanMarcus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NeimanMarcus">https://haveibeenpwned.com/Breach/NeimanMarcus</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NemoWeb">https://haveibeenpwned.com/Breach/NemoWeb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NemoWeb">https://haveibeenpwned.com/Breach/NemoWeb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NemoWeb">https://haveibeenpwned.com/Breach/NemoWeb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NemoWeb">https://haveibeenpwned.com/Breach/NemoWeb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NemoWeb">https://haveibeenpwned.com/Breach/NemoWeb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NemoWeb">https://haveibeenpwned.com/Breach/NemoWeb</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NemoWeb">https://haveibeenpwned.com/Breach/NemoWeb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NemoWeb">https://haveibeenpwned.com/Breach/NemoWeb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NemoWeb">https://haveibeenpwned.com/Breach/NemoWeb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NemoWeb">https://haveibeenpwned.com/Breach/NemoWeb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NemoWeb">https://haveibeenpwned.com/Breach/NemoWeb</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NemoWeb">https://haveibeenpwned.com/Breach/NemoWeb</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neopets">https://haveibeenpwned.com/Breach/Neopets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neopets">https://haveibeenpwned.com/Breach/Neopets</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neopets">https://haveibeenpwned.com/Breach/Neopets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neopets">https://haveibeenpwned.com/Breach/Neopets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neopets">https://haveibeenpwned.com/Breach/Neopets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neopets">https://haveibeenpwned.com/Breach/Neopets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neopets">https://haveibeenpwned.com/Breach/Neopets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neopets">https://haveibeenpwned.com/Breach/Neopets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neopets">https://haveibeenpwned.com/Breach/Neopets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neopets">https://haveibeenpwned.com/Breach/Neopets</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neopets">https://haveibeenpwned.com/Breach/Neopets</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neopets">https://haveibeenpwned.com/Breach/Neopets</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetEase">https://haveibeenpwned.com/Breach/NetEase</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetEase">https://haveibeenpwned.com/Breach/NetEase</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetEase">https://haveibeenpwned.com/Breach/NetEase</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetEase">https://haveibeenpwned.com/Breach/NetEase</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetEase">https://haveibeenpwned.com/Breach/NetEase</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetEase">https://haveibeenpwned.com/Breach/NetEase</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetEase">https://haveibeenpwned.com/Breach/NetEase</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetEase">https://haveibeenpwned.com/Breach/NetEase</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetEase">https://haveibeenpwned.com/Breach/NetEase</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetEase">https://haveibeenpwned.com/Breach/NetEase</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetEase">https://haveibeenpwned.com/Breach/NetEase</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetEase">https://haveibeenpwned.com/Breach/NetEase</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neteller">https://haveibeenpwned.com/Breach/Neteller</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neteller">https://haveibeenpwned.com/Breach/Neteller</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neteller">https://haveibeenpwned.com/Breach/Neteller</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neteller">https://haveibeenpwned.com/Breach/Neteller</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neteller">https://haveibeenpwned.com/Breach/Neteller</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neteller">https://haveibeenpwned.com/Breach/Neteller</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neteller">https://haveibeenpwned.com/Breach/Neteller</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neteller">https://haveibeenpwned.com/Breach/Neteller</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neteller">https://haveibeenpwned.com/Breach/Neteller</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neteller">https://haveibeenpwned.com/Breach/Neteller</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neteller">https://haveibeenpwned.com/Breach/Neteller</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Neteller">https://haveibeenpwned.com/Breach/Neteller</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetGalley">https://haveibeenpwned.com/Breach/NetGalley</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetGalley">https://haveibeenpwned.com/Breach/NetGalley</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetGalley">https://haveibeenpwned.com/Breach/NetGalley</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetGalley">https://haveibeenpwned.com/Breach/NetGalley</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetGalley">https://haveibeenpwned.com/Breach/NetGalley</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetGalley">https://haveibeenpwned.com/Breach/NetGalley</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetGalley">https://haveibeenpwned.com/Breach/NetGalley</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetGalley">https://haveibeenpwned.com/Breach/NetGalley</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetGalley">https://haveibeenpwned.com/Breach/NetGalley</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetGalley">https://haveibeenpwned.com/Breach/NetGalley</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetGalley">https://haveibeenpwned.com/Breach/NetGalley</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetGalley">https://haveibeenpwned.com/Breach/NetGalley</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netlog">https://haveibeenpwned.com/Breach/Netlog</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netlog">https://haveibeenpwned.com/Breach/Netlog</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netlog">https://haveibeenpwned.com/Breach/Netlog</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netlog">https://haveibeenpwned.com/Breach/Netlog</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netlog">https://haveibeenpwned.com/Breach/Netlog</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netlog">https://haveibeenpwned.com/Breach/Netlog</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netlog">https://haveibeenpwned.com/Breach/Netlog</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netlog">https://haveibeenpwned.com/Breach/Netlog</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netlog">https://haveibeenpwned.com/Breach/Netlog</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netlog">https://haveibeenpwned.com/Breach/Netlog</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netlog">https://haveibeenpwned.com/Breach/Netlog</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netlog">https://haveibeenpwned.com/Breach/Netlog</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetProspx">https://haveibeenpwned.com/Breach/NetProspx</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetProspx">https://haveibeenpwned.com/Breach/NetProspx</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetProspx">https://haveibeenpwned.com/Breach/NetProspx</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetProspx">https://haveibeenpwned.com/Breach/NetProspx</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetProspx">https://haveibeenpwned.com/Breach/NetProspx</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetProspx">https://haveibeenpwned.com/Breach/NetProspx</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetProspx">https://haveibeenpwned.com/Breach/NetProspx</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetProspx">https://haveibeenpwned.com/Breach/NetProspx</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetProspx">https://haveibeenpwned.com/Breach/NetProspx</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetProspx">https://haveibeenpwned.com/Breach/NetProspx</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetProspx">https://haveibeenpwned.com/Breach/NetProspx</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NetProspx">https://haveibeenpwned.com/Breach/NetProspx</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netshoes">https://haveibeenpwned.com/Breach/Netshoes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netshoes">https://haveibeenpwned.com/Breach/Netshoes</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netshoes">https://haveibeenpwned.com/Breach/Netshoes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netshoes">https://haveibeenpwned.com/Breach/Netshoes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netshoes">https://haveibeenpwned.com/Breach/Netshoes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netshoes">https://haveibeenpwned.com/Breach/Netshoes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netshoes">https://haveibeenpwned.com/Breach/Netshoes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netshoes">https://haveibeenpwned.com/Breach/Netshoes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netshoes">https://haveibeenpwned.com/Breach/Netshoes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netshoes">https://haveibeenpwned.com/Breach/Netshoes</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netshoes">https://haveibeenpwned.com/Breach/Netshoes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Netshoes">https://haveibeenpwned.com/Breach/Netshoes</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NextGenUpdate">https://haveibeenpwned.com/Breach/NextGenUpdate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NextGenUpdate">https://haveibeenpwned.com/Breach/NextGenUpdate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NextGenUpdate">https://haveibeenpwned.com/Breach/NextGenUpdate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NextGenUpdate">https://haveibeenpwned.com/Breach/NextGenUpdate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NextGenUpdate">https://haveibeenpwned.com/Breach/NextGenUpdate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NextGenUpdate">https://haveibeenpwned.com/Breach/NextGenUpdate</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NextGenUpdate">https://haveibeenpwned.com/Breach/NextGenUpdate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NextGenUpdate">https://haveibeenpwned.com/Breach/NextGenUpdate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NextGenUpdate">https://haveibeenpwned.com/Breach/NextGenUpdate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NextGenUpdate">https://haveibeenpwned.com/Breach/NextGenUpdate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NextGenUpdate">https://haveibeenpwned.com/Breach/NextGenUpdate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NextGenUpdate">https://haveibeenpwned.com/Breach/NextGenUpdate</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NexusMods">https://haveibeenpwned.com/Breach/NexusMods</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NexusMods">https://haveibeenpwned.com/Breach/NexusMods</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NexusMods">https://haveibeenpwned.com/Breach/NexusMods</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NexusMods">https://haveibeenpwned.com/Breach/NexusMods</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NexusMods">https://haveibeenpwned.com/Breach/NexusMods</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NexusMods">https://haveibeenpwned.com/Breach/NexusMods</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NexusMods">https://haveibeenpwned.com/Breach/NexusMods</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NexusMods">https://haveibeenpwned.com/Breach/NexusMods</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NexusMods">https://haveibeenpwned.com/Breach/NexusMods</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NexusMods">https://haveibeenpwned.com/Breach/NexusMods</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NexusMods">https://haveibeenpwned.com/Breach/NexusMods</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NexusMods">https://haveibeenpwned.com/Breach/NexusMods</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nihonomaru">https://haveibeenpwned.com/Breach/Nihonomaru</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nihonomaru">https://haveibeenpwned.com/Breach/Nihonomaru</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nihonomaru">https://haveibeenpwned.com/Breach/Nihonomaru</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nihonomaru">https://haveibeenpwned.com/Breach/Nihonomaru</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nihonomaru">https://haveibeenpwned.com/Breach/Nihonomaru</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nihonomaru">https://haveibeenpwned.com/Breach/Nihonomaru</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nihonomaru">https://haveibeenpwned.com/Breach/Nihonomaru</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nihonomaru">https://haveibeenpwned.com/Breach/Nihonomaru</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nihonomaru">https://haveibeenpwned.com/Breach/Nihonomaru</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nihonomaru">https://haveibeenpwned.com/Breach/Nihonomaru</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nihonomaru">https://haveibeenpwned.com/Breach/Nihonomaru</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nihonomaru">https://haveibeenpwned.com/Breach/Nihonomaru</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nitro">https://haveibeenpwned.com/Breach/Nitro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nitro">https://haveibeenpwned.com/Breach/Nitro</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nitro">https://haveibeenpwned.com/Breach/Nitro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nitro">https://haveibeenpwned.com/Breach/Nitro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nitro">https://haveibeenpwned.com/Breach/Nitro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nitro">https://haveibeenpwned.com/Breach/Nitro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nitro">https://haveibeenpwned.com/Breach/Nitro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nitro">https://haveibeenpwned.com/Breach/Nitro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nitro">https://haveibeenpwned.com/Breach/Nitro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nitro">https://haveibeenpwned.com/Breach/Nitro</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nitro">https://haveibeenpwned.com/Breach/Nitro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nitro">https://haveibeenpwned.com/Breach/Nitro</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nival">https://haveibeenpwned.com/Breach/Nival</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nival">https://haveibeenpwned.com/Breach/Nival</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nival">https://haveibeenpwned.com/Breach/Nival</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nival">https://haveibeenpwned.com/Breach/Nival</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nival">https://haveibeenpwned.com/Breach/Nival</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nival">https://haveibeenpwned.com/Breach/Nival</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nival">https://haveibeenpwned.com/Breach/Nival</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nival">https://haveibeenpwned.com/Breach/Nival</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nival">https://haveibeenpwned.com/Breach/Nival</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nival">https://haveibeenpwned.com/Breach/Nival</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nival">https://haveibeenpwned.com/Breach/Nival</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nival">https://haveibeenpwned.com/Breach/Nival</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NonNudeGirls">https://haveibeenpwned.com/Breach/NonNudeGirls</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NonNudeGirls">https://haveibeenpwned.com/Breach/NonNudeGirls</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NonNudeGirls">https://haveibeenpwned.com/Breach/NonNudeGirls</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NonNudeGirls">https://haveibeenpwned.com/Breach/NonNudeGirls</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NonNudeGirls">https://haveibeenpwned.com/Breach/NonNudeGirls</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NonNudeGirls">https://haveibeenpwned.com/Breach/NonNudeGirls</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NonNudeGirls">https://haveibeenpwned.com/Breach/NonNudeGirls</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NonNudeGirls">https://haveibeenpwned.com/Breach/NonNudeGirls</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NonNudeGirls">https://haveibeenpwned.com/Breach/NonNudeGirls</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NonNudeGirls">https://haveibeenpwned.com/Breach/NonNudeGirls</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NonNudeGirls">https://haveibeenpwned.com/Breach/NonNudeGirls</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NonNudeGirls">https://haveibeenpwned.com/Breach/NonNudeGirls</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotAcxiom">https://haveibeenpwned.com/Breach/NotAcxiom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotAcxiom">https://haveibeenpwned.com/Breach/NotAcxiom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotAcxiom">https://haveibeenpwned.com/Breach/NotAcxiom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotAcxiom">https://haveibeenpwned.com/Breach/NotAcxiom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotAcxiom">https://haveibeenpwned.com/Breach/NotAcxiom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotAcxiom">https://haveibeenpwned.com/Breach/NotAcxiom</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotAcxiom">https://haveibeenpwned.com/Breach/NotAcxiom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotAcxiom">https://haveibeenpwned.com/Breach/NotAcxiom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotAcxiom">https://haveibeenpwned.com/Breach/NotAcxiom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotAcxiom">https://haveibeenpwned.com/Breach/NotAcxiom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotAcxiom">https://haveibeenpwned.com/Breach/NotAcxiom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotAcxiom">https://haveibeenpwned.com/Breach/NotAcxiom</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotSOCRadar">https://haveibeenpwned.com/Breach/NotSOCRadar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotSOCRadar">https://haveibeenpwned.com/Breach/NotSOCRadar</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotSOCRadar">https://haveibeenpwned.com/Breach/NotSOCRadar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotSOCRadar">https://haveibeenpwned.com/Breach/NotSOCRadar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotSOCRadar">https://haveibeenpwned.com/Breach/NotSOCRadar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotSOCRadar">https://haveibeenpwned.com/Breach/NotSOCRadar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotSOCRadar">https://haveibeenpwned.com/Breach/NotSOCRadar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotSOCRadar">https://haveibeenpwned.com/Breach/NotSOCRadar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotSOCRadar">https://haveibeenpwned.com/Breach/NotSOCRadar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotSOCRadar">https://haveibeenpwned.com/Breach/NotSOCRadar</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotSOCRadar">https://haveibeenpwned.com/Breach/NotSOCRadar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NotSOCRadar">https://haveibeenpwned.com/Breach/NotSOCRadar</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nulled">https://haveibeenpwned.com/Breach/Nulled</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nulled">https://haveibeenpwned.com/Breach/Nulled</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nulled">https://haveibeenpwned.com/Breach/Nulled</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nulled">https://haveibeenpwned.com/Breach/Nulled</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nulled">https://haveibeenpwned.com/Breach/Nulled</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nulled">https://haveibeenpwned.com/Breach/Nulled</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nulled">https://haveibeenpwned.com/Breach/Nulled</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nulled">https://haveibeenpwned.com/Breach/Nulled</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nulled">https://haveibeenpwned.com/Breach/Nulled</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nulled">https://haveibeenpwned.com/Breach/Nulled</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nulled">https://haveibeenpwned.com/Breach/Nulled</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Nulled">https://haveibeenpwned.com/Breach/Nulled</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NulledCH">https://haveibeenpwned.com/Breach/NulledCH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NulledCH">https://haveibeenpwned.com/Breach/NulledCH</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NulledCH">https://haveibeenpwned.com/Breach/NulledCH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NulledCH">https://haveibeenpwned.com/Breach/NulledCH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NulledCH">https://haveibeenpwned.com/Breach/NulledCH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NulledCH">https://haveibeenpwned.com/Breach/NulledCH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NulledCH">https://haveibeenpwned.com/Breach/NulledCH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NulledCH">https://haveibeenpwned.com/Breach/NulledCH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NulledCH">https://haveibeenpwned.com/Breach/NulledCH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NulledCH">https://haveibeenpwned.com/Breach/NulledCH</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NulledCH">https://haveibeenpwned.com/Breach/NulledCH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NulledCH">https://haveibeenpwned.com/Breach/NulledCH</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NurseryCam">https://haveibeenpwned.com/Breach/NurseryCam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NurseryCam">https://haveibeenpwned.com/Breach/NurseryCam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NurseryCam">https://haveibeenpwned.com/Breach/NurseryCam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NurseryCam">https://haveibeenpwned.com/Breach/NurseryCam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NurseryCam">https://haveibeenpwned.com/Breach/NurseryCam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NurseryCam">https://haveibeenpwned.com/Breach/NurseryCam</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NurseryCam">https://haveibeenpwned.com/Breach/NurseryCam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NurseryCam">https://haveibeenpwned.com/Breach/NurseryCam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NurseryCam">https://haveibeenpwned.com/Breach/NurseryCam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NurseryCam">https://haveibeenpwned.com/Breach/NurseryCam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NurseryCam">https://haveibeenpwned.com/Breach/NurseryCam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NurseryCam">https://haveibeenpwned.com/Breach/NurseryCam</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NVIDIA">https://haveibeenpwned.com/Breach/NVIDIA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NVIDIA">https://haveibeenpwned.com/Breach/NVIDIA</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NVIDIA">https://haveibeenpwned.com/Breach/NVIDIA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NVIDIA">https://haveibeenpwned.com/Breach/NVIDIA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NVIDIA">https://haveibeenpwned.com/Breach/NVIDIA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NVIDIA">https://haveibeenpwned.com/Breach/NVIDIA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NVIDIA">https://haveibeenpwned.com/Breach/NVIDIA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NVIDIA">https://haveibeenpwned.com/Breach/NVIDIA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NVIDIA">https://haveibeenpwned.com/Breach/NVIDIA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NVIDIA">https://haveibeenpwned.com/Breach/NVIDIA</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NVIDIA">https://haveibeenpwned.com/Breach/NVIDIA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/NVIDIA">https://haveibeenpwned.com/Breach/NVIDIA</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers">https://haveibeenpwned.com/Breach/OGUsers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers">https://haveibeenpwned.com/Breach/OGUsers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers">https://haveibeenpwned.com/Breach/OGUsers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers">https://haveibeenpwned.com/Breach/OGUsers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers">https://haveibeenpwned.com/Breach/OGUsers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers">https://haveibeenpwned.com/Breach/OGUsers</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers">https://haveibeenpwned.com/Breach/OGUsers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers">https://haveibeenpwned.com/Breach/OGUsers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers">https://haveibeenpwned.com/Breach/OGUsers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers">https://haveibeenpwned.com/Breach/OGUsers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers">https://haveibeenpwned.com/Breach/OGUsers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers">https://haveibeenpwned.com/Breach/OGUsers</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2020">https://haveibeenpwned.com/Breach/OGUsers2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2020">https://haveibeenpwned.com/Breach/OGUsers2020</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2020">https://haveibeenpwned.com/Breach/OGUsers2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2020">https://haveibeenpwned.com/Breach/OGUsers2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2020">https://haveibeenpwned.com/Breach/OGUsers2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2020">https://haveibeenpwned.com/Breach/OGUsers2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2020">https://haveibeenpwned.com/Breach/OGUsers2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2020">https://haveibeenpwned.com/Breach/OGUsers2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2020">https://haveibeenpwned.com/Breach/OGUsers2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2020">https://haveibeenpwned.com/Breach/OGUsers2020</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2020">https://haveibeenpwned.com/Breach/OGUsers2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2020">https://haveibeenpwned.com/Breach/OGUsers2020</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2021">https://haveibeenpwned.com/Breach/OGUsers2021</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2021">https://haveibeenpwned.com/Breach/OGUsers2021</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2021">https://haveibeenpwned.com/Breach/OGUsers2021</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2021">https://haveibeenpwned.com/Breach/OGUsers2021</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2021">https://haveibeenpwned.com/Breach/OGUsers2021</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2021">https://haveibeenpwned.com/Breach/OGUsers2021</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2021">https://haveibeenpwned.com/Breach/OGUsers2021</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2021">https://haveibeenpwned.com/Breach/OGUsers2021</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2021">https://haveibeenpwned.com/Breach/OGUsers2021</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2021">https://haveibeenpwned.com/Breach/OGUsers2021</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2021">https://haveibeenpwned.com/Breach/OGUsers2021</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2021">https://haveibeenpwned.com/Breach/OGUsers2021</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2022">https://haveibeenpwned.com/Breach/OGUsers2022</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2022">https://haveibeenpwned.com/Breach/OGUsers2022</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2022">https://haveibeenpwned.com/Breach/OGUsers2022</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2022">https://haveibeenpwned.com/Breach/OGUsers2022</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2022">https://haveibeenpwned.com/Breach/OGUsers2022</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2022">https://haveibeenpwned.com/Breach/OGUsers2022</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2022">https://haveibeenpwned.com/Breach/OGUsers2022</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2022">https://haveibeenpwned.com/Breach/OGUsers2022</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2022">https://haveibeenpwned.com/Breach/OGUsers2022</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2022">https://haveibeenpwned.com/Breach/OGUsers2022</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2022">https://haveibeenpwned.com/Breach/OGUsers2022</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OGUsers2022">https://haveibeenpwned.com/Breach/OGUsers2022</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OMGPOP">https://haveibeenpwned.com/Breach/OMGPOP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OMGPOP">https://haveibeenpwned.com/Breach/OMGPOP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OMGPOP">https://haveibeenpwned.com/Breach/OMGPOP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OMGPOP">https://haveibeenpwned.com/Breach/OMGPOP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OMGPOP">https://haveibeenpwned.com/Breach/OMGPOP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OMGPOP">https://haveibeenpwned.com/Breach/OMGPOP</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OMGPOP">https://haveibeenpwned.com/Breach/OMGPOP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OMGPOP">https://haveibeenpwned.com/Breach/OMGPOP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OMGPOP">https://haveibeenpwned.com/Breach/OMGPOP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OMGPOP">https://haveibeenpwned.com/Breach/OMGPOP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OMGPOP">https://haveibeenpwned.com/Breach/OMGPOP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OMGPOP">https://haveibeenpwned.com/Breach/OMGPOP</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlinerSpambot">https://haveibeenpwned.com/Breach/OnlinerSpambot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlinerSpambot">https://haveibeenpwned.com/Breach/OnlinerSpambot</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlinerSpambot">https://haveibeenpwned.com/Breach/OnlinerSpambot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlinerSpambot">https://haveibeenpwned.com/Breach/OnlinerSpambot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlinerSpambot">https://haveibeenpwned.com/Breach/OnlinerSpambot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlinerSpambot">https://haveibeenpwned.com/Breach/OnlinerSpambot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlinerSpambot">https://haveibeenpwned.com/Breach/OnlinerSpambot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlinerSpambot">https://haveibeenpwned.com/Breach/OnlinerSpambot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlinerSpambot">https://haveibeenpwned.com/Breach/OnlinerSpambot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlinerSpambot">https://haveibeenpwned.com/Breach/OnlinerSpambot</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlinerSpambot">https://haveibeenpwned.com/Breach/OnlinerSpambot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlinerSpambot">https://haveibeenpwned.com/Breach/OnlinerSpambot</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlineTrade">https://haveibeenpwned.com/Breach/OnlineTrade</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlineTrade">https://haveibeenpwned.com/Breach/OnlineTrade</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlineTrade">https://haveibeenpwned.com/Breach/OnlineTrade</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlineTrade">https://haveibeenpwned.com/Breach/OnlineTrade</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlineTrade">https://haveibeenpwned.com/Breach/OnlineTrade</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlineTrade">https://haveibeenpwned.com/Breach/OnlineTrade</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlineTrade">https://haveibeenpwned.com/Breach/OnlineTrade</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlineTrade">https://haveibeenpwned.com/Breach/OnlineTrade</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlineTrade">https://haveibeenpwned.com/Breach/OnlineTrade</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlineTrade">https://haveibeenpwned.com/Breach/OnlineTrade</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlineTrade">https://haveibeenpwned.com/Breach/OnlineTrade</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnlineTrade">https://haveibeenpwned.com/Breach/OnlineTrade</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnRPG">https://haveibeenpwned.com/Breach/OnRPG</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnRPG">https://haveibeenpwned.com/Breach/OnRPG</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnRPG">https://haveibeenpwned.com/Breach/OnRPG</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnRPG">https://haveibeenpwned.com/Breach/OnRPG</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnRPG">https://haveibeenpwned.com/Breach/OnRPG</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnRPG">https://haveibeenpwned.com/Breach/OnRPG</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnRPG">https://haveibeenpwned.com/Breach/OnRPG</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnRPG">https://haveibeenpwned.com/Breach/OnRPG</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnRPG">https://haveibeenpwned.com/Breach/OnRPG</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnRPG">https://haveibeenpwned.com/Breach/OnRPG</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnRPG">https://haveibeenpwned.com/Breach/OnRPG</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OnRPG">https://haveibeenpwned.com/Breach/OnRPG</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Onverse">https://haveibeenpwned.com/Breach/Onverse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Onverse">https://haveibeenpwned.com/Breach/Onverse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Onverse">https://haveibeenpwned.com/Breach/Onverse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Onverse">https://haveibeenpwned.com/Breach/Onverse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Onverse">https://haveibeenpwned.com/Breach/Onverse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Onverse">https://haveibeenpwned.com/Breach/Onverse</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Onverse">https://haveibeenpwned.com/Breach/Onverse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Onverse">https://haveibeenpwned.com/Breach/Onverse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Onverse">https://haveibeenpwned.com/Breach/Onverse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Onverse">https://haveibeenpwned.com/Breach/Onverse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Onverse">https://haveibeenpwned.com/Breach/Onverse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Onverse">https://haveibeenpwned.com/Breach/Onverse</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenCSGO">https://haveibeenpwned.com/Breach/OpenCSGO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenCSGO">https://haveibeenpwned.com/Breach/OpenCSGO</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenCSGO">https://haveibeenpwned.com/Breach/OpenCSGO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenCSGO">https://haveibeenpwned.com/Breach/OpenCSGO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenCSGO">https://haveibeenpwned.com/Breach/OpenCSGO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenCSGO">https://haveibeenpwned.com/Breach/OpenCSGO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenCSGO">https://haveibeenpwned.com/Breach/OpenCSGO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenCSGO">https://haveibeenpwned.com/Breach/OpenCSGO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenCSGO">https://haveibeenpwned.com/Breach/OpenCSGO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenCSGO">https://haveibeenpwned.com/Breach/OpenCSGO</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenCSGO">https://haveibeenpwned.com/Breach/OpenCSGO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenCSGO">https://haveibeenpwned.com/Breach/OpenCSGO</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenSubtitles">https://haveibeenpwned.com/Breach/OpenSubtitles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenSubtitles">https://haveibeenpwned.com/Breach/OpenSubtitles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenSubtitles">https://haveibeenpwned.com/Breach/OpenSubtitles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenSubtitles">https://haveibeenpwned.com/Breach/OpenSubtitles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenSubtitles">https://haveibeenpwned.com/Breach/OpenSubtitles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenSubtitles">https://haveibeenpwned.com/Breach/OpenSubtitles</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenSubtitles">https://haveibeenpwned.com/Breach/OpenSubtitles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenSubtitles">https://haveibeenpwned.com/Breach/OpenSubtitles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenSubtitles">https://haveibeenpwned.com/Breach/OpenSubtitles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenSubtitles">https://haveibeenpwned.com/Breach/OpenSubtitles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenSubtitles">https://haveibeenpwned.com/Breach/OpenSubtitles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OpenSubtitles">https://haveibeenpwned.com/Breach/OpenSubtitles</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame">https://haveibeenpwned.com/Breach/OperationEndgame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame">https://haveibeenpwned.com/Breach/OperationEndgame</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame">https://haveibeenpwned.com/Breach/OperationEndgame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame">https://haveibeenpwned.com/Breach/OperationEndgame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame">https://haveibeenpwned.com/Breach/OperationEndgame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame">https://haveibeenpwned.com/Breach/OperationEndgame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame">https://haveibeenpwned.com/Breach/OperationEndgame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame">https://haveibeenpwned.com/Breach/OperationEndgame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame">https://haveibeenpwned.com/Breach/OperationEndgame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame">https://haveibeenpwned.com/Breach/OperationEndgame</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame">https://haveibeenpwned.com/Breach/OperationEndgame</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame">https://haveibeenpwned.com/Breach/OperationEndgame</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame2">https://haveibeenpwned.com/Breach/OperationEndgame2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame2">https://haveibeenpwned.com/Breach/OperationEndgame2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame2">https://haveibeenpwned.com/Breach/OperationEndgame2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame2">https://haveibeenpwned.com/Breach/OperationEndgame2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame2">https://haveibeenpwned.com/Breach/OperationEndgame2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame2">https://haveibeenpwned.com/Breach/OperationEndgame2</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame2">https://haveibeenpwned.com/Breach/OperationEndgame2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame2">https://haveibeenpwned.com/Breach/OperationEndgame2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame2">https://haveibeenpwned.com/Breach/OperationEndgame2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame2">https://haveibeenpwned.com/Breach/OperationEndgame2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame2">https://haveibeenpwned.com/Breach/OperationEndgame2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OperationEndgame2">https://haveibeenpwned.com/Breach/OperationEndgame2</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrangeRomania">https://haveibeenpwned.com/Breach/OrangeRomania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrangeRomania">https://haveibeenpwned.com/Breach/OrangeRomania</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrangeRomania">https://haveibeenpwned.com/Breach/OrangeRomania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrangeRomania">https://haveibeenpwned.com/Breach/OrangeRomania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrangeRomania">https://haveibeenpwned.com/Breach/OrangeRomania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrangeRomania">https://haveibeenpwned.com/Breach/OrangeRomania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrangeRomania">https://haveibeenpwned.com/Breach/OrangeRomania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrangeRomania">https://haveibeenpwned.com/Breach/OrangeRomania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrangeRomania">https://haveibeenpwned.com/Breach/OrangeRomania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrangeRomania">https://haveibeenpwned.com/Breach/OrangeRomania</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrangeRomania">https://haveibeenpwned.com/Breach/OrangeRomania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrangeRomania">https://haveibeenpwned.com/Breach/OrangeRomania</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrderSnapp">https://haveibeenpwned.com/Breach/OrderSnapp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrderSnapp">https://haveibeenpwned.com/Breach/OrderSnapp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrderSnapp">https://haveibeenpwned.com/Breach/OrderSnapp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrderSnapp">https://haveibeenpwned.com/Breach/OrderSnapp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrderSnapp">https://haveibeenpwned.com/Breach/OrderSnapp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrderSnapp">https://haveibeenpwned.com/Breach/OrderSnapp</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrderSnapp">https://haveibeenpwned.com/Breach/OrderSnapp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrderSnapp">https://haveibeenpwned.com/Breach/OrderSnapp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrderSnapp">https://haveibeenpwned.com/Breach/OrderSnapp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrderSnapp">https://haveibeenpwned.com/Breach/OrderSnapp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrderSnapp">https://haveibeenpwned.com/Breach/OrderSnapp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrderSnapp">https://haveibeenpwned.com/Breach/OrderSnapp</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma">https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma">https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma">https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma">https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma">https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma">https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma">https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma">https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma">https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma">https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma">https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma">https://haveibeenpwned.com/Breach/OrdineAvocatiDiRoma</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Otelier">https://haveibeenpwned.com/Breach/Otelier</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Otelier">https://haveibeenpwned.com/Breach/Otelier</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Otelier">https://haveibeenpwned.com/Breach/Otelier</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Otelier">https://haveibeenpwned.com/Breach/Otelier</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Otelier">https://haveibeenpwned.com/Breach/Otelier</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Otelier">https://haveibeenpwned.com/Breach/Otelier</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Otelier">https://haveibeenpwned.com/Breach/Otelier</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Otelier">https://haveibeenpwned.com/Breach/Otelier</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Otelier">https://haveibeenpwned.com/Breach/Otelier</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Otelier">https://haveibeenpwned.com/Breach/Otelier</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Otelier">https://haveibeenpwned.com/Breach/Otelier</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Otelier">https://haveibeenpwned.com/Breach/Otelier</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OVH">https://haveibeenpwned.com/Breach/OVH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OVH">https://haveibeenpwned.com/Breach/OVH</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OVH">https://haveibeenpwned.com/Breach/OVH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OVH">https://haveibeenpwned.com/Breach/OVH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OVH">https://haveibeenpwned.com/Breach/OVH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OVH">https://haveibeenpwned.com/Breach/OVH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OVH">https://haveibeenpwned.com/Breach/OVH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OVH">https://haveibeenpwned.com/Breach/OVH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OVH">https://haveibeenpwned.com/Breach/OVH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OVH">https://haveibeenpwned.com/Breach/OVH</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OVH">https://haveibeenpwned.com/Breach/OVH</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OVH">https://haveibeenpwned.com/Breach/OVH</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OwnedCore">https://haveibeenpwned.com/Breach/OwnedCore</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OwnedCore">https://haveibeenpwned.com/Breach/OwnedCore</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OwnedCore">https://haveibeenpwned.com/Breach/OwnedCore</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OwnedCore">https://haveibeenpwned.com/Breach/OwnedCore</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OwnedCore">https://haveibeenpwned.com/Breach/OwnedCore</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OwnedCore">https://haveibeenpwned.com/Breach/OwnedCore</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OwnedCore">https://haveibeenpwned.com/Breach/OwnedCore</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OwnedCore">https://haveibeenpwned.com/Breach/OwnedCore</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OwnedCore">https://haveibeenpwned.com/Breach/OwnedCore</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OwnedCore">https://haveibeenpwned.com/Breach/OwnedCore</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OwnedCore">https://haveibeenpwned.com/Breach/OwnedCore</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/OwnedCore">https://haveibeenpwned.com/Breach/OwnedCore</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Oxfam">https://haveibeenpwned.com/Breach/Oxfam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Oxfam">https://haveibeenpwned.com/Breach/Oxfam</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Oxfam">https://haveibeenpwned.com/Breach/Oxfam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Oxfam">https://haveibeenpwned.com/Breach/Oxfam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Oxfam">https://haveibeenpwned.com/Breach/Oxfam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Oxfam">https://haveibeenpwned.com/Breach/Oxfam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Oxfam">https://haveibeenpwned.com/Breach/Oxfam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Oxfam">https://haveibeenpwned.com/Breach/Oxfam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Oxfam">https://haveibeenpwned.com/Breach/Oxfam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Oxfam">https://haveibeenpwned.com/Breach/Oxfam</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Oxfam">https://haveibeenpwned.com/Breach/Oxfam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Oxfam">https://haveibeenpwned.com/Breach/Oxfam</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaddyPower">https://haveibeenpwned.com/Breach/PaddyPower</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaddyPower">https://haveibeenpwned.com/Breach/PaddyPower</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaddyPower">https://haveibeenpwned.com/Breach/PaddyPower</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaddyPower">https://haveibeenpwned.com/Breach/PaddyPower</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaddyPower">https://haveibeenpwned.com/Breach/PaddyPower</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaddyPower">https://haveibeenpwned.com/Breach/PaddyPower</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaddyPower">https://haveibeenpwned.com/Breach/PaddyPower</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaddyPower">https://haveibeenpwned.com/Breach/PaddyPower</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaddyPower">https://haveibeenpwned.com/Breach/PaddyPower</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaddyPower">https://haveibeenpwned.com/Breach/PaddyPower</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaddyPower">https://haveibeenpwned.com/Breach/PaddyPower</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaddyPower">https://haveibeenpwned.com/Breach/PaddyPower</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pampling">https://haveibeenpwned.com/Breach/Pampling</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pampling">https://haveibeenpwned.com/Breach/Pampling</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pampling">https://haveibeenpwned.com/Breach/Pampling</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pampling">https://haveibeenpwned.com/Breach/Pampling</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pampling">https://haveibeenpwned.com/Breach/Pampling</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pampling">https://haveibeenpwned.com/Breach/Pampling</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pampling">https://haveibeenpwned.com/Breach/Pampling</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pampling">https://haveibeenpwned.com/Breach/Pampling</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pampling">https://haveibeenpwned.com/Breach/Pampling</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pampling">https://haveibeenpwned.com/Breach/Pampling</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pampling">https://haveibeenpwned.com/Breach/Pampling</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pampling">https://haveibeenpwned.com/Breach/Pampling</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pandabuy">https://haveibeenpwned.com/Breach/Pandabuy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pandabuy">https://haveibeenpwned.com/Breach/Pandabuy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pandabuy">https://haveibeenpwned.com/Breach/Pandabuy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pandabuy">https://haveibeenpwned.com/Breach/Pandabuy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pandabuy">https://haveibeenpwned.com/Breach/Pandabuy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pandabuy">https://haveibeenpwned.com/Breach/Pandabuy</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pandabuy">https://haveibeenpwned.com/Breach/Pandabuy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pandabuy">https://haveibeenpwned.com/Breach/Pandabuy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pandabuy">https://haveibeenpwned.com/Breach/Pandabuy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pandabuy">https://haveibeenpwned.com/Breach/Pandabuy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pandabuy">https://haveibeenpwned.com/Breach/Pandabuy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pandabuy">https://haveibeenpwned.com/Breach/Pandabuy</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParagonCheats">https://haveibeenpwned.com/Breach/ParagonCheats</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParagonCheats">https://haveibeenpwned.com/Breach/ParagonCheats</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParagonCheats">https://haveibeenpwned.com/Breach/ParagonCheats</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParagonCheats">https://haveibeenpwned.com/Breach/ParagonCheats</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParagonCheats">https://haveibeenpwned.com/Breach/ParagonCheats</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParagonCheats">https://haveibeenpwned.com/Breach/ParagonCheats</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParagonCheats">https://haveibeenpwned.com/Breach/ParagonCheats</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParagonCheats">https://haveibeenpwned.com/Breach/ParagonCheats</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParagonCheats">https://haveibeenpwned.com/Breach/ParagonCheats</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParagonCheats">https://haveibeenpwned.com/Breach/ParagonCheats</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParagonCheats">https://haveibeenpwned.com/Breach/ParagonCheats</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParagonCheats">https://haveibeenpwned.com/Breach/ParagonCheats</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Parapa">https://haveibeenpwned.com/Breach/Parapa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Parapa">https://haveibeenpwned.com/Breach/Parapa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Parapa">https://haveibeenpwned.com/Breach/Parapa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Parapa">https://haveibeenpwned.com/Breach/Parapa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Parapa">https://haveibeenpwned.com/Breach/Parapa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Parapa">https://haveibeenpwned.com/Breach/Parapa</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Parapa">https://haveibeenpwned.com/Breach/Parapa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Parapa">https://haveibeenpwned.com/Breach/Parapa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Parapa">https://haveibeenpwned.com/Breach/Parapa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Parapa">https://haveibeenpwned.com/Breach/Parapa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Parapa">https://haveibeenpwned.com/Breach/Parapa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Parapa">https://haveibeenpwned.com/Breach/Parapa</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParkMobile">https://haveibeenpwned.com/Breach/ParkMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParkMobile">https://haveibeenpwned.com/Breach/ParkMobile</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParkMobile">https://haveibeenpwned.com/Breach/ParkMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParkMobile">https://haveibeenpwned.com/Breach/ParkMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParkMobile">https://haveibeenpwned.com/Breach/ParkMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParkMobile">https://haveibeenpwned.com/Breach/ParkMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParkMobile">https://haveibeenpwned.com/Breach/ParkMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParkMobile">https://haveibeenpwned.com/Breach/ParkMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParkMobile">https://haveibeenpwned.com/Breach/ParkMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParkMobile">https://haveibeenpwned.com/Breach/ParkMobile</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParkMobile">https://haveibeenpwned.com/Breach/ParkMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ParkMobile">https://haveibeenpwned.com/Breach/ParkMobile</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Patreon">https://haveibeenpwned.com/Breach/Patreon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Patreon">https://haveibeenpwned.com/Breach/Patreon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Patreon">https://haveibeenpwned.com/Breach/Patreon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Patreon">https://haveibeenpwned.com/Breach/Patreon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Patreon">https://haveibeenpwned.com/Breach/Patreon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Patreon">https://haveibeenpwned.com/Breach/Patreon</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Patreon">https://haveibeenpwned.com/Breach/Patreon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Patreon">https://haveibeenpwned.com/Breach/Patreon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Patreon">https://haveibeenpwned.com/Breach/Patreon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Patreon">https://haveibeenpwned.com/Breach/Patreon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Patreon">https://haveibeenpwned.com/Breach/Patreon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Patreon">https://haveibeenpwned.com/Breach/Patreon</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayAsUGym">https://haveibeenpwned.com/Breach/PayAsUGym</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayAsUGym">https://haveibeenpwned.com/Breach/PayAsUGym</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayAsUGym">https://haveibeenpwned.com/Breach/PayAsUGym</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayAsUGym">https://haveibeenpwned.com/Breach/PayAsUGym</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayAsUGym">https://haveibeenpwned.com/Breach/PayAsUGym</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayAsUGym">https://haveibeenpwned.com/Breach/PayAsUGym</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayAsUGym">https://haveibeenpwned.com/Breach/PayAsUGym</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayAsUGym">https://haveibeenpwned.com/Breach/PayAsUGym</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayAsUGym">https://haveibeenpwned.com/Breach/PayAsUGym</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayAsUGym">https://haveibeenpwned.com/Breach/PayAsUGym</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayAsUGym">https://haveibeenpwned.com/Breach/PayAsUGym</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayAsUGym">https://haveibeenpwned.com/Breach/PayAsUGym</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayHere">https://haveibeenpwned.com/Breach/PayHere</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayHere">https://haveibeenpwned.com/Breach/PayHere</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayHere">https://haveibeenpwned.com/Breach/PayHere</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayHere">https://haveibeenpwned.com/Breach/PayHere</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayHere">https://haveibeenpwned.com/Breach/PayHere</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayHere">https://haveibeenpwned.com/Breach/PayHere</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayHere">https://haveibeenpwned.com/Breach/PayHere</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayHere">https://haveibeenpwned.com/Breach/PayHere</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayHere">https://haveibeenpwned.com/Breach/PayHere</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayHere">https://haveibeenpwned.com/Breach/PayHere</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayHere">https://haveibeenpwned.com/Breach/PayHere</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PayHere">https://haveibeenpwned.com/Breach/PayHere</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaySystemTech">https://haveibeenpwned.com/Breach/PaySystemTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaySystemTech">https://haveibeenpwned.com/Breach/PaySystemTech</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaySystemTech">https://haveibeenpwned.com/Breach/PaySystemTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaySystemTech">https://haveibeenpwned.com/Breach/PaySystemTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaySystemTech">https://haveibeenpwned.com/Breach/PaySystemTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaySystemTech">https://haveibeenpwned.com/Breach/PaySystemTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaySystemTech">https://haveibeenpwned.com/Breach/PaySystemTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaySystemTech">https://haveibeenpwned.com/Breach/PaySystemTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaySystemTech">https://haveibeenpwned.com/Breach/PaySystemTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaySystemTech">https://haveibeenpwned.com/Breach/PaySystemTech</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaySystemTech">https://haveibeenpwned.com/Breach/PaySystemTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PaySystemTech">https://haveibeenpwned.com/Breach/PaySystemTech</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Paytm">https://haveibeenpwned.com/Breach/Paytm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Paytm">https://haveibeenpwned.com/Breach/Paytm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Paytm">https://haveibeenpwned.com/Breach/Paytm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Paytm">https://haveibeenpwned.com/Breach/Paytm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Paytm">https://haveibeenpwned.com/Breach/Paytm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Paytm">https://haveibeenpwned.com/Breach/Paytm</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Paytm">https://haveibeenpwned.com/Breach/Paytm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Paytm">https://haveibeenpwned.com/Breach/Paytm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Paytm">https://haveibeenpwned.com/Breach/Paytm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Paytm">https://haveibeenpwned.com/Breach/Paytm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Paytm">https://haveibeenpwned.com/Breach/Paytm</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Paytm">https://haveibeenpwned.com/Breach/Paytm</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/pcTattletale">https://haveibeenpwned.com/Breach/pcTattletale</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/pcTattletale">https://haveibeenpwned.com/Breach/pcTattletale</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/pcTattletale">https://haveibeenpwned.com/Breach/pcTattletale</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/pcTattletale">https://haveibeenpwned.com/Breach/pcTattletale</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/pcTattletale">https://haveibeenpwned.com/Breach/pcTattletale</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/pcTattletale">https://haveibeenpwned.com/Breach/pcTattletale</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/pcTattletale">https://haveibeenpwned.com/Breach/pcTattletale</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/pcTattletale">https://haveibeenpwned.com/Breach/pcTattletale</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/pcTattletale">https://haveibeenpwned.com/Breach/pcTattletale</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/pcTattletale">https://haveibeenpwned.com/Breach/pcTattletale</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/pcTattletale">https://haveibeenpwned.com/Breach/pcTattletale</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/pcTattletale">https://haveibeenpwned.com/Breach/pcTattletale</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PDL">https://haveibeenpwned.com/Breach/PDL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PDL">https://haveibeenpwned.com/Breach/PDL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PDL">https://haveibeenpwned.com/Breach/PDL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PDL">https://haveibeenpwned.com/Breach/PDL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PDL">https://haveibeenpwned.com/Breach/PDL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PDL">https://haveibeenpwned.com/Breach/PDL</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PDL">https://haveibeenpwned.com/Breach/PDL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PDL">https://haveibeenpwned.com/Breach/PDL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PDL">https://haveibeenpwned.com/Breach/PDL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PDL">https://haveibeenpwned.com/Breach/PDL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PDL">https://haveibeenpwned.com/Breach/PDL</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PDL">https://haveibeenpwned.com/Breach/PDL</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Peatix">https://haveibeenpwned.com/Breach/Peatix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Peatix">https://haveibeenpwned.com/Breach/Peatix</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Peatix">https://haveibeenpwned.com/Breach/Peatix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Peatix">https://haveibeenpwned.com/Breach/Peatix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Peatix">https://haveibeenpwned.com/Breach/Peatix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Peatix">https://haveibeenpwned.com/Breach/Peatix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Peatix">https://haveibeenpwned.com/Breach/Peatix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Peatix">https://haveibeenpwned.com/Breach/Peatix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Peatix">https://haveibeenpwned.com/Breach/Peatix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Peatix">https://haveibeenpwned.com/Breach/Peatix</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Peatix">https://haveibeenpwned.com/Breach/Peatix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Peatix">https://haveibeenpwned.com/Breach/Peatix</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pemiblanc">https://haveibeenpwned.com/Breach/Pemiblanc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pemiblanc">https://haveibeenpwned.com/Breach/Pemiblanc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pemiblanc">https://haveibeenpwned.com/Breach/Pemiblanc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pemiblanc">https://haveibeenpwned.com/Breach/Pemiblanc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pemiblanc">https://haveibeenpwned.com/Breach/Pemiblanc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pemiblanc">https://haveibeenpwned.com/Breach/Pemiblanc</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pemiblanc">https://haveibeenpwned.com/Breach/Pemiblanc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pemiblanc">https://haveibeenpwned.com/Breach/Pemiblanc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pemiblanc">https://haveibeenpwned.com/Breach/Pemiblanc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pemiblanc">https://haveibeenpwned.com/Breach/Pemiblanc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pemiblanc">https://haveibeenpwned.com/Breach/Pemiblanc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pemiblanc">https://haveibeenpwned.com/Breach/Pemiblanc</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PeoplesEnergy">https://haveibeenpwned.com/Breach/PeoplesEnergy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PeoplesEnergy">https://haveibeenpwned.com/Breach/PeoplesEnergy</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PeoplesEnergy">https://haveibeenpwned.com/Breach/PeoplesEnergy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PeoplesEnergy">https://haveibeenpwned.com/Breach/PeoplesEnergy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PeoplesEnergy">https://haveibeenpwned.com/Breach/PeoplesEnergy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PeoplesEnergy">https://haveibeenpwned.com/Breach/PeoplesEnergy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PeoplesEnergy">https://haveibeenpwned.com/Breach/PeoplesEnergy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PeoplesEnergy">https://haveibeenpwned.com/Breach/PeoplesEnergy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PeoplesEnergy">https://haveibeenpwned.com/Breach/PeoplesEnergy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PeoplesEnergy">https://haveibeenpwned.com/Breach/PeoplesEnergy</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PeoplesEnergy">https://haveibeenpwned.com/Breach/PeoplesEnergy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PeoplesEnergy">https://haveibeenpwned.com/Breach/PeoplesEnergy</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PetFlow">https://haveibeenpwned.com/Breach/PetFlow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PetFlow">https://haveibeenpwned.com/Breach/PetFlow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PetFlow">https://haveibeenpwned.com/Breach/PetFlow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PetFlow">https://haveibeenpwned.com/Breach/PetFlow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PetFlow">https://haveibeenpwned.com/Breach/PetFlow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PetFlow">https://haveibeenpwned.com/Breach/PetFlow</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PetFlow">https://haveibeenpwned.com/Breach/PetFlow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PetFlow">https://haveibeenpwned.com/Breach/PetFlow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PetFlow">https://haveibeenpwned.com/Breach/PetFlow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PetFlow">https://haveibeenpwned.com/Breach/PetFlow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PetFlow">https://haveibeenpwned.com/Breach/PetFlow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PetFlow">https://haveibeenpwned.com/Breach/PetFlow</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Phoenix">https://haveibeenpwned.com/Breach/Phoenix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Phoenix">https://haveibeenpwned.com/Breach/Phoenix</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Phoenix">https://haveibeenpwned.com/Breach/Phoenix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Phoenix">https://haveibeenpwned.com/Breach/Phoenix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Phoenix">https://haveibeenpwned.com/Breach/Phoenix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Phoenix">https://haveibeenpwned.com/Breach/Phoenix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Phoenix">https://haveibeenpwned.com/Breach/Phoenix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Phoenix">https://haveibeenpwned.com/Breach/Phoenix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Phoenix">https://haveibeenpwned.com/Breach/Phoenix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Phoenix">https://haveibeenpwned.com/Breach/Phoenix</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Phoenix">https://haveibeenpwned.com/Breach/Phoenix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Phoenix">https://haveibeenpwned.com/Breach/Phoenix</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PhoneHouse">https://haveibeenpwned.com/Breach/PhoneHouse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PhoneHouse">https://haveibeenpwned.com/Breach/PhoneHouse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PhoneHouse">https://haveibeenpwned.com/Breach/PhoneHouse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PhoneHouse">https://haveibeenpwned.com/Breach/PhoneHouse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PhoneHouse">https://haveibeenpwned.com/Breach/PhoneHouse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PhoneHouse">https://haveibeenpwned.com/Breach/PhoneHouse</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PhoneHouse">https://haveibeenpwned.com/Breach/PhoneHouse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PhoneHouse">https://haveibeenpwned.com/Breach/PhoneHouse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PhoneHouse">https://haveibeenpwned.com/Breach/PhoneHouse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PhoneHouse">https://haveibeenpwned.com/Breach/PhoneHouse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PhoneHouse">https://haveibeenpwned.com/Breach/PhoneHouse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PhoneHouse">https://haveibeenpwned.com/Breach/PhoneHouse</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PHPFreaks">https://haveibeenpwned.com/Breach/PHPFreaks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PHPFreaks">https://haveibeenpwned.com/Breach/PHPFreaks</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PHPFreaks">https://haveibeenpwned.com/Breach/PHPFreaks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PHPFreaks">https://haveibeenpwned.com/Breach/PHPFreaks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PHPFreaks">https://haveibeenpwned.com/Breach/PHPFreaks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PHPFreaks">https://haveibeenpwned.com/Breach/PHPFreaks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PHPFreaks">https://haveibeenpwned.com/Breach/PHPFreaks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PHPFreaks">https://haveibeenpwned.com/Breach/PHPFreaks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PHPFreaks">https://haveibeenpwned.com/Breach/PHPFreaks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PHPFreaks">https://haveibeenpwned.com/Breach/PHPFreaks</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PHPFreaks">https://haveibeenpwned.com/Breach/PHPFreaks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PHPFreaks">https://haveibeenpwned.com/Breach/PHPFreaks</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PipingRock">https://haveibeenpwned.com/Breach/PipingRock</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PipingRock">https://haveibeenpwned.com/Breach/PipingRock</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PipingRock">https://haveibeenpwned.com/Breach/PipingRock</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PipingRock">https://haveibeenpwned.com/Breach/PipingRock</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PipingRock">https://haveibeenpwned.com/Breach/PipingRock</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PipingRock">https://haveibeenpwned.com/Breach/PipingRock</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PipingRock">https://haveibeenpwned.com/Breach/PipingRock</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PipingRock">https://haveibeenpwned.com/Breach/PipingRock</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PipingRock">https://haveibeenpwned.com/Breach/PipingRock</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PipingRock">https://haveibeenpwned.com/Breach/PipingRock</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PipingRock">https://haveibeenpwned.com/Breach/PipingRock</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PipingRock">https://haveibeenpwned.com/Breach/PipingRock</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PixelFederation">https://haveibeenpwned.com/Breach/PixelFederation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PixelFederation">https://haveibeenpwned.com/Breach/PixelFederation</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PixelFederation">https://haveibeenpwned.com/Breach/PixelFederation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PixelFederation">https://haveibeenpwned.com/Breach/PixelFederation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PixelFederation">https://haveibeenpwned.com/Breach/PixelFederation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PixelFederation">https://haveibeenpwned.com/Breach/PixelFederation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PixelFederation">https://haveibeenpwned.com/Breach/PixelFederation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PixelFederation">https://haveibeenpwned.com/Breach/PixelFederation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PixelFederation">https://haveibeenpwned.com/Breach/PixelFederation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PixelFederation">https://haveibeenpwned.com/Breach/PixelFederation</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PixelFederation">https://haveibeenpwned.com/Breach/PixelFederation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PixelFederation">https://haveibeenpwned.com/Breach/PixelFederation</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pixlr">https://haveibeenpwned.com/Breach/Pixlr</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pixlr">https://haveibeenpwned.com/Breach/Pixlr</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pixlr">https://haveibeenpwned.com/Breach/Pixlr</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pixlr">https://haveibeenpwned.com/Breach/Pixlr</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pixlr">https://haveibeenpwned.com/Breach/Pixlr</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pixlr">https://haveibeenpwned.com/Breach/Pixlr</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pixlr">https://haveibeenpwned.com/Breach/Pixlr</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pixlr">https://haveibeenpwned.com/Breach/Pixlr</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pixlr">https://haveibeenpwned.com/Breach/Pixlr</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pixlr">https://haveibeenpwned.com/Breach/Pixlr</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pixlr">https://haveibeenpwned.com/Breach/Pixlr</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pixlr">https://haveibeenpwned.com/Breach/Pixlr</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/piZap">https://haveibeenpwned.com/Breach/piZap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/piZap">https://haveibeenpwned.com/Breach/piZap</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/piZap">https://haveibeenpwned.com/Breach/piZap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/piZap">https://haveibeenpwned.com/Breach/piZap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/piZap">https://haveibeenpwned.com/Breach/piZap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/piZap">https://haveibeenpwned.com/Breach/piZap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/piZap">https://haveibeenpwned.com/Breach/piZap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/piZap">https://haveibeenpwned.com/Breach/piZap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/piZap">https://haveibeenpwned.com/Breach/piZap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/piZap">https://haveibeenpwned.com/Breach/piZap</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/piZap">https://haveibeenpwned.com/Breach/piZap</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/piZap">https://haveibeenpwned.com/Breach/piZap</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetCalypso">https://haveibeenpwned.com/Breach/PlanetCalypso</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetCalypso">https://haveibeenpwned.com/Breach/PlanetCalypso</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetCalypso">https://haveibeenpwned.com/Breach/PlanetCalypso</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetCalypso">https://haveibeenpwned.com/Breach/PlanetCalypso</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetCalypso">https://haveibeenpwned.com/Breach/PlanetCalypso</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetCalypso">https://haveibeenpwned.com/Breach/PlanetCalypso</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetCalypso">https://haveibeenpwned.com/Breach/PlanetCalypso</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetCalypso">https://haveibeenpwned.com/Breach/PlanetCalypso</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetCalypso">https://haveibeenpwned.com/Breach/PlanetCalypso</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetCalypso">https://haveibeenpwned.com/Breach/PlanetCalypso</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetCalypso">https://haveibeenpwned.com/Breach/PlanetCalypso</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetCalypso">https://haveibeenpwned.com/Breach/PlanetCalypso</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetIce">https://haveibeenpwned.com/Breach/PlanetIce</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetIce">https://haveibeenpwned.com/Breach/PlanetIce</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetIce">https://haveibeenpwned.com/Breach/PlanetIce</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetIce">https://haveibeenpwned.com/Breach/PlanetIce</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetIce">https://haveibeenpwned.com/Breach/PlanetIce</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetIce">https://haveibeenpwned.com/Breach/PlanetIce</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetIce">https://haveibeenpwned.com/Breach/PlanetIce</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetIce">https://haveibeenpwned.com/Breach/PlanetIce</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetIce">https://haveibeenpwned.com/Breach/PlanetIce</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetIce">https://haveibeenpwned.com/Breach/PlanetIce</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetIce">https://haveibeenpwned.com/Breach/PlanetIce</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlanetIce">https://haveibeenpwned.com/Breach/PlanetIce</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playbook">https://haveibeenpwned.com/Breach/Playbook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playbook">https://haveibeenpwned.com/Breach/Playbook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playbook">https://haveibeenpwned.com/Breach/Playbook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playbook">https://haveibeenpwned.com/Breach/Playbook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playbook">https://haveibeenpwned.com/Breach/Playbook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playbook">https://haveibeenpwned.com/Breach/Playbook</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playbook">https://haveibeenpwned.com/Breach/Playbook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playbook">https://haveibeenpwned.com/Breach/Playbook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playbook">https://haveibeenpwned.com/Breach/Playbook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playbook">https://haveibeenpwned.com/Breach/Playbook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playbook">https://haveibeenpwned.com/Breach/Playbook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playbook">https://haveibeenpwned.com/Breach/Playbook</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlayCyberGames">https://haveibeenpwned.com/Breach/PlayCyberGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlayCyberGames">https://haveibeenpwned.com/Breach/PlayCyberGames</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlayCyberGames">https://haveibeenpwned.com/Breach/PlayCyberGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlayCyberGames">https://haveibeenpwned.com/Breach/PlayCyberGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlayCyberGames">https://haveibeenpwned.com/Breach/PlayCyberGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlayCyberGames">https://haveibeenpwned.com/Breach/PlayCyberGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlayCyberGames">https://haveibeenpwned.com/Breach/PlayCyberGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlayCyberGames">https://haveibeenpwned.com/Breach/PlayCyberGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlayCyberGames">https://haveibeenpwned.com/Breach/PlayCyberGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlayCyberGames">https://haveibeenpwned.com/Breach/PlayCyberGames</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlayCyberGames">https://haveibeenpwned.com/Breach/PlayCyberGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlayCyberGames">https://haveibeenpwned.com/Breach/PlayCyberGames</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playgar">https://haveibeenpwned.com/Breach/Playgar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playgar">https://haveibeenpwned.com/Breach/Playgar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playgar">https://haveibeenpwned.com/Breach/Playgar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playgar">https://haveibeenpwned.com/Breach/Playgar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playgar">https://haveibeenpwned.com/Breach/Playgar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playgar">https://haveibeenpwned.com/Breach/Playgar</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playgar">https://haveibeenpwned.com/Breach/Playgar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playgar">https://haveibeenpwned.com/Breach/Playgar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playgar">https://haveibeenpwned.com/Breach/Playgar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playgar">https://haveibeenpwned.com/Breach/Playgar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playgar">https://haveibeenpwned.com/Breach/Playgar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Playgar">https://haveibeenpwned.com/Breach/Playgar</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Plex">https://haveibeenpwned.com/Breach/Plex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Plex">https://haveibeenpwned.com/Breach/Plex</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Plex">https://haveibeenpwned.com/Breach/Plex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Plex">https://haveibeenpwned.com/Breach/Plex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Plex">https://haveibeenpwned.com/Breach/Plex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Plex">https://haveibeenpwned.com/Breach/Plex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Plex">https://haveibeenpwned.com/Breach/Plex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Plex">https://haveibeenpwned.com/Breach/Plex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Plex">https://haveibeenpwned.com/Breach/Plex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Plex">https://haveibeenpwned.com/Breach/Plex</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Plex">https://haveibeenpwned.com/Breach/Plex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Plex">https://haveibeenpwned.com/Breach/Plex</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlutoTV">https://haveibeenpwned.com/Breach/PlutoTV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlutoTV">https://haveibeenpwned.com/Breach/PlutoTV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlutoTV">https://haveibeenpwned.com/Breach/PlutoTV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlutoTV">https://haveibeenpwned.com/Breach/PlutoTV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlutoTV">https://haveibeenpwned.com/Breach/PlutoTV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlutoTV">https://haveibeenpwned.com/Breach/PlutoTV</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlutoTV">https://haveibeenpwned.com/Breach/PlutoTV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlutoTV">https://haveibeenpwned.com/Breach/PlutoTV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlutoTV">https://haveibeenpwned.com/Breach/PlutoTV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlutoTV">https://haveibeenpwned.com/Breach/PlutoTV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlutoTV">https://haveibeenpwned.com/Breach/PlutoTV</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PlutoTV">https://haveibeenpwned.com/Breach/PlutoTV</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoinCampus">https://haveibeenpwned.com/Breach/PoinCampus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoinCampus">https://haveibeenpwned.com/Breach/PoinCampus</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoinCampus">https://haveibeenpwned.com/Breach/PoinCampus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoinCampus">https://haveibeenpwned.com/Breach/PoinCampus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoinCampus">https://haveibeenpwned.com/Breach/PoinCampus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoinCampus">https://haveibeenpwned.com/Breach/PoinCampus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoinCampus">https://haveibeenpwned.com/Breach/PoinCampus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoinCampus">https://haveibeenpwned.com/Breach/PoinCampus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoinCampus">https://haveibeenpwned.com/Breach/PoinCampus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoinCampus">https://haveibeenpwned.com/Breach/PoinCampus</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoinCampus">https://haveibeenpwned.com/Breach/PoinCampus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoinCampus">https://haveibeenpwned.com/Breach/PoinCampus</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pokebip">https://haveibeenpwned.com/Breach/Pokebip</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pokebip">https://haveibeenpwned.com/Breach/Pokebip</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pokebip">https://haveibeenpwned.com/Breach/Pokebip</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pokebip">https://haveibeenpwned.com/Breach/Pokebip</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pokebip">https://haveibeenpwned.com/Breach/Pokebip</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pokebip">https://haveibeenpwned.com/Breach/Pokebip</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pokebip">https://haveibeenpwned.com/Breach/Pokebip</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pokebip">https://haveibeenpwned.com/Breach/Pokebip</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pokebip">https://haveibeenpwned.com/Breach/Pokebip</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pokebip">https://haveibeenpwned.com/Breach/Pokebip</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pokebip">https://haveibeenpwned.com/Breach/Pokebip</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Pokebip">https://haveibeenpwned.com/Breach/Pokebip</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonCreed">https://haveibeenpwned.com/Breach/PokemonCreed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonCreed">https://haveibeenpwned.com/Breach/PokemonCreed</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonCreed">https://haveibeenpwned.com/Breach/PokemonCreed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonCreed">https://haveibeenpwned.com/Breach/PokemonCreed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonCreed">https://haveibeenpwned.com/Breach/PokemonCreed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonCreed">https://haveibeenpwned.com/Breach/PokemonCreed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonCreed">https://haveibeenpwned.com/Breach/PokemonCreed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonCreed">https://haveibeenpwned.com/Breach/PokemonCreed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonCreed">https://haveibeenpwned.com/Breach/PokemonCreed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonCreed">https://haveibeenpwned.com/Breach/PokemonCreed</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonCreed">https://haveibeenpwned.com/Breach/PokemonCreed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonCreed">https://haveibeenpwned.com/Breach/PokemonCreed</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonNegro">https://haveibeenpwned.com/Breach/PokemonNegro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonNegro">https://haveibeenpwned.com/Breach/PokemonNegro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonNegro">https://haveibeenpwned.com/Breach/PokemonNegro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonNegro">https://haveibeenpwned.com/Breach/PokemonNegro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonNegro">https://haveibeenpwned.com/Breach/PokemonNegro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonNegro">https://haveibeenpwned.com/Breach/PokemonNegro</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonNegro">https://haveibeenpwned.com/Breach/PokemonNegro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonNegro">https://haveibeenpwned.com/Breach/PokemonNegro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonNegro">https://haveibeenpwned.com/Breach/PokemonNegro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonNegro">https://haveibeenpwned.com/Breach/PokemonNegro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonNegro">https://haveibeenpwned.com/Breach/PokemonNegro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PokemonNegro">https://haveibeenpwned.com/Breach/PokemonNegro</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoliceOne">https://haveibeenpwned.com/Breach/PoliceOne</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoliceOne">https://haveibeenpwned.com/Breach/PoliceOne</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoliceOne">https://haveibeenpwned.com/Breach/PoliceOne</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoliceOne">https://haveibeenpwned.com/Breach/PoliceOne</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoliceOne">https://haveibeenpwned.com/Breach/PoliceOne</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoliceOne">https://haveibeenpwned.com/Breach/PoliceOne</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoliceOne">https://haveibeenpwned.com/Breach/PoliceOne</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoliceOne">https://haveibeenpwned.com/Breach/PoliceOne</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoliceOne">https://haveibeenpwned.com/Breach/PoliceOne</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoliceOne">https://haveibeenpwned.com/Breach/PoliceOne</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoliceOne">https://haveibeenpwned.com/Breach/PoliceOne</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PoliceOne">https://haveibeenpwned.com/Breach/PoliceOne</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PolishCredentials">https://haveibeenpwned.com/Breach/PolishCredentials</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PolishCredentials">https://haveibeenpwned.com/Breach/PolishCredentials</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PolishCredentials">https://haveibeenpwned.com/Breach/PolishCredentials</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PolishCredentials">https://haveibeenpwned.com/Breach/PolishCredentials</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PolishCredentials">https://haveibeenpwned.com/Breach/PolishCredentials</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PolishCredentials">https://haveibeenpwned.com/Breach/PolishCredentials</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PolishCredentials">https://haveibeenpwned.com/Breach/PolishCredentials</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PolishCredentials">https://haveibeenpwned.com/Breach/PolishCredentials</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PolishCredentials">https://haveibeenpwned.com/Breach/PolishCredentials</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PolishCredentials">https://haveibeenpwned.com/Breach/PolishCredentials</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PolishCredentials">https://haveibeenpwned.com/Breach/PolishCredentials</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PolishCredentials">https://haveibeenpwned.com/Breach/PolishCredentials</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Poshmark">https://haveibeenpwned.com/Breach/Poshmark</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Poshmark">https://haveibeenpwned.com/Breach/Poshmark</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Poshmark">https://haveibeenpwned.com/Breach/Poshmark</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Poshmark">https://haveibeenpwned.com/Breach/Poshmark</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Poshmark">https://haveibeenpwned.com/Breach/Poshmark</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Poshmark">https://haveibeenpwned.com/Breach/Poshmark</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Poshmark">https://haveibeenpwned.com/Breach/Poshmark</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Poshmark">https://haveibeenpwned.com/Breach/Poshmark</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Poshmark">https://haveibeenpwned.com/Breach/Poshmark</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Poshmark">https://haveibeenpwned.com/Breach/Poshmark</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Poshmark">https://haveibeenpwned.com/Breach/Poshmark</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Poshmark">https://haveibeenpwned.com/Breach/Poshmark</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Powerbot">https://haveibeenpwned.com/Breach/Powerbot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Powerbot">https://haveibeenpwned.com/Breach/Powerbot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Powerbot">https://haveibeenpwned.com/Breach/Powerbot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Powerbot">https://haveibeenpwned.com/Breach/Powerbot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Powerbot">https://haveibeenpwned.com/Breach/Powerbot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Powerbot">https://haveibeenpwned.com/Breach/Powerbot</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Powerbot">https://haveibeenpwned.com/Breach/Powerbot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Powerbot">https://haveibeenpwned.com/Breach/Powerbot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Powerbot">https://haveibeenpwned.com/Breach/Powerbot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Powerbot">https://haveibeenpwned.com/Breach/Powerbot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Powerbot">https://haveibeenpwned.com/Breach/Powerbot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Powerbot">https://haveibeenpwned.com/Breach/Powerbot</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PPCGeeks">https://haveibeenpwned.com/Breach/PPCGeeks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PPCGeeks">https://haveibeenpwned.com/Breach/PPCGeeks</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PPCGeeks">https://haveibeenpwned.com/Breach/PPCGeeks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PPCGeeks">https://haveibeenpwned.com/Breach/PPCGeeks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PPCGeeks">https://haveibeenpwned.com/Breach/PPCGeeks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PPCGeeks">https://haveibeenpwned.com/Breach/PPCGeeks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PPCGeeks">https://haveibeenpwned.com/Breach/PPCGeeks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PPCGeeks">https://haveibeenpwned.com/Breach/PPCGeeks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PPCGeeks">https://haveibeenpwned.com/Breach/PPCGeeks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PPCGeeks">https://haveibeenpwned.com/Breach/PPCGeeks</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PPCGeeks">https://haveibeenpwned.com/Breach/PPCGeeks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PPCGeeks">https://haveibeenpwned.com/Breach/PPCGeeks</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PreenMe">https://haveibeenpwned.com/Breach/PreenMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PreenMe">https://haveibeenpwned.com/Breach/PreenMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PreenMe">https://haveibeenpwned.com/Breach/PreenMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PreenMe">https://haveibeenpwned.com/Breach/PreenMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PreenMe">https://haveibeenpwned.com/Breach/PreenMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PreenMe">https://haveibeenpwned.com/Breach/PreenMe</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PreenMe">https://haveibeenpwned.com/Breach/PreenMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PreenMe">https://haveibeenpwned.com/Breach/PreenMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PreenMe">https://haveibeenpwned.com/Breach/PreenMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PreenMe">https://haveibeenpwned.com/Breach/PreenMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PreenMe">https://haveibeenpwned.com/Breach/PreenMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PreenMe">https://haveibeenpwned.com/Breach/PreenMe</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProctorU">https://haveibeenpwned.com/Breach/ProctorU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProctorU">https://haveibeenpwned.com/Breach/ProctorU</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProctorU">https://haveibeenpwned.com/Breach/ProctorU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProctorU">https://haveibeenpwned.com/Breach/ProctorU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProctorU">https://haveibeenpwned.com/Breach/ProctorU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProctorU">https://haveibeenpwned.com/Breach/ProctorU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProctorU">https://haveibeenpwned.com/Breach/ProctorU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProctorU">https://haveibeenpwned.com/Breach/ProctorU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProctorU">https://haveibeenpwned.com/Breach/ProctorU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProctorU">https://haveibeenpwned.com/Breach/ProctorU</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProctorU">https://haveibeenpwned.com/Breach/ProctorU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProctorU">https://haveibeenpwned.com/Breach/ProctorU</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProgrammingForums">https://haveibeenpwned.com/Breach/ProgrammingForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProgrammingForums">https://haveibeenpwned.com/Breach/ProgrammingForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProgrammingForums">https://haveibeenpwned.com/Breach/ProgrammingForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProgrammingForums">https://haveibeenpwned.com/Breach/ProgrammingForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProgrammingForums">https://haveibeenpwned.com/Breach/ProgrammingForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProgrammingForums">https://haveibeenpwned.com/Breach/ProgrammingForums</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProgrammingForums">https://haveibeenpwned.com/Breach/ProgrammingForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProgrammingForums">https://haveibeenpwned.com/Breach/ProgrammingForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProgrammingForums">https://haveibeenpwned.com/Breach/ProgrammingForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProgrammingForums">https://haveibeenpwned.com/Breach/ProgrammingForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProgrammingForums">https://haveibeenpwned.com/Breach/ProgrammingForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ProgrammingForums">https://haveibeenpwned.com/Breach/ProgrammingForums</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promo">https://haveibeenpwned.com/Breach/Promo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promo">https://haveibeenpwned.com/Breach/Promo</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promo">https://haveibeenpwned.com/Breach/Promo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promo">https://haveibeenpwned.com/Breach/Promo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promo">https://haveibeenpwned.com/Breach/Promo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promo">https://haveibeenpwned.com/Breach/Promo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promo">https://haveibeenpwned.com/Breach/Promo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promo">https://haveibeenpwned.com/Breach/Promo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promo">https://haveibeenpwned.com/Breach/Promo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promo">https://haveibeenpwned.com/Breach/Promo</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promo">https://haveibeenpwned.com/Breach/Promo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promo">https://haveibeenpwned.com/Breach/Promo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promofarma">https://haveibeenpwned.com/Breach/Promofarma</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promofarma">https://haveibeenpwned.com/Breach/Promofarma</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promofarma">https://haveibeenpwned.com/Breach/Promofarma</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promofarma">https://haveibeenpwned.com/Breach/Promofarma</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promofarma">https://haveibeenpwned.com/Breach/Promofarma</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promofarma">https://haveibeenpwned.com/Breach/Promofarma</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promofarma">https://haveibeenpwned.com/Breach/Promofarma</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promofarma">https://haveibeenpwned.com/Breach/Promofarma</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promofarma">https://haveibeenpwned.com/Breach/Promofarma</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promofarma">https://haveibeenpwned.com/Breach/Promofarma</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promofarma">https://haveibeenpwned.com/Breach/Promofarma</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Promofarma">https://haveibeenpwned.com/Breach/Promofarma</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PropTiger">https://haveibeenpwned.com/Breach/PropTiger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PropTiger">https://haveibeenpwned.com/Breach/PropTiger</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PropTiger">https://haveibeenpwned.com/Breach/PropTiger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PropTiger">https://haveibeenpwned.com/Breach/PropTiger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PropTiger">https://haveibeenpwned.com/Breach/PropTiger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PropTiger">https://haveibeenpwned.com/Breach/PropTiger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PropTiger">https://haveibeenpwned.com/Breach/PropTiger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PropTiger">https://haveibeenpwned.com/Breach/PropTiger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PropTiger">https://haveibeenpwned.com/Breach/PropTiger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PropTiger">https://haveibeenpwned.com/Breach/PropTiger</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PropTiger">https://haveibeenpwned.com/Breach/PropTiger</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PropTiger">https://haveibeenpwned.com/Breach/PropTiger</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Protemp">https://haveibeenpwned.com/Breach/Protemp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Protemp">https://haveibeenpwned.com/Breach/Protemp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Protemp">https://haveibeenpwned.com/Breach/Protemp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Protemp">https://haveibeenpwned.com/Breach/Protemp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Protemp">https://haveibeenpwned.com/Breach/Protemp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Protemp">https://haveibeenpwned.com/Breach/Protemp</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Protemp">https://haveibeenpwned.com/Breach/Protemp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Protemp">https://haveibeenpwned.com/Breach/Protemp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Protemp">https://haveibeenpwned.com/Breach/Protemp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Protemp">https://haveibeenpwned.com/Breach/Protemp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Protemp">https://haveibeenpwned.com/Breach/Protemp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Protemp">https://haveibeenpwned.com/Breach/Protemp</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PS3Hax">https://haveibeenpwned.com/Breach/PS3Hax</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PS3Hax">https://haveibeenpwned.com/Breach/PS3Hax</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PS3Hax">https://haveibeenpwned.com/Breach/PS3Hax</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PS3Hax">https://haveibeenpwned.com/Breach/PS3Hax</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PS3Hax">https://haveibeenpwned.com/Breach/PS3Hax</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PS3Hax">https://haveibeenpwned.com/Breach/PS3Hax</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PS3Hax">https://haveibeenpwned.com/Breach/PS3Hax</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PS3Hax">https://haveibeenpwned.com/Breach/PS3Hax</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PS3Hax">https://haveibeenpwned.com/Breach/PS3Hax</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PS3Hax">https://haveibeenpwned.com/Breach/PS3Hax</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PS3Hax">https://haveibeenpwned.com/Breach/PS3Hax</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PS3Hax">https://haveibeenpwned.com/Breach/PS3Hax</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSPISO">https://haveibeenpwned.com/Breach/PSPISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSPISO">https://haveibeenpwned.com/Breach/PSPISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSPISO">https://haveibeenpwned.com/Breach/PSPISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSPISO">https://haveibeenpwned.com/Breach/PSPISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSPISO">https://haveibeenpwned.com/Breach/PSPISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSPISO">https://haveibeenpwned.com/Breach/PSPISO</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSPISO">https://haveibeenpwned.com/Breach/PSPISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSPISO">https://haveibeenpwned.com/Breach/PSPISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSPISO">https://haveibeenpwned.com/Breach/PSPISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSPISO">https://haveibeenpwned.com/Breach/PSPISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSPISO">https://haveibeenpwned.com/Breach/PSPISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSPISO">https://haveibeenpwned.com/Breach/PSPISO</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSX-Scene">https://haveibeenpwned.com/Breach/PSX-Scene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSX-Scene">https://haveibeenpwned.com/Breach/PSX-Scene</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSXScene">https://haveibeenpwned.com/Breach/PSXScene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSXScene">https://haveibeenpwned.com/Breach/PSXScene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSXScene">https://haveibeenpwned.com/Breach/PSXScene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSXScene">https://haveibeenpwned.com/Breach/PSXScene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSXScene">https://haveibeenpwned.com/Breach/PSXScene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSXScene">https://haveibeenpwned.com/Breach/PSXScene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSXScene">https://haveibeenpwned.com/Breach/PSXScene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSXScene">https://haveibeenpwned.com/Breach/PSXScene</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSXScene">https://haveibeenpwned.com/Breach/PSXScene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/PSXScene">https://haveibeenpwned.com/Breach/PSXScene</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qakbot">https://haveibeenpwned.com/Breach/Qakbot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qakbot">https://haveibeenpwned.com/Breach/Qakbot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qakbot">https://haveibeenpwned.com/Breach/Qakbot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qakbot">https://haveibeenpwned.com/Breach/Qakbot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qakbot">https://haveibeenpwned.com/Breach/Qakbot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qakbot">https://haveibeenpwned.com/Breach/Qakbot</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qakbot">https://haveibeenpwned.com/Breach/Qakbot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qakbot">https://haveibeenpwned.com/Breach/Qakbot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qakbot">https://haveibeenpwned.com/Breach/Qakbot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qakbot">https://haveibeenpwned.com/Breach/Qakbot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qakbot">https://haveibeenpwned.com/Breach/Qakbot</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qakbot">https://haveibeenpwned.com/Breach/Qakbot</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QatarNationalBank">https://haveibeenpwned.com/Breach/QatarNationalBank</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QatarNationalBank">https://haveibeenpwned.com/Breach/QatarNationalBank</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QatarNationalBank">https://haveibeenpwned.com/Breach/QatarNationalBank</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QatarNationalBank">https://haveibeenpwned.com/Breach/QatarNationalBank</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QatarNationalBank">https://haveibeenpwned.com/Breach/QatarNationalBank</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QatarNationalBank">https://haveibeenpwned.com/Breach/QatarNationalBank</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QatarNationalBank">https://haveibeenpwned.com/Breach/QatarNationalBank</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QatarNationalBank">https://haveibeenpwned.com/Breach/QatarNationalBank</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QatarNationalBank">https://haveibeenpwned.com/Breach/QatarNationalBank</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QatarNationalBank">https://haveibeenpwned.com/Breach/QatarNationalBank</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QatarNationalBank">https://haveibeenpwned.com/Breach/QatarNationalBank</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QatarNationalBank">https://haveibeenpwned.com/Breach/QatarNationalBank</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QIP">https://haveibeenpwned.com/Breach/QIP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QIP">https://haveibeenpwned.com/Breach/QIP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QIP">https://haveibeenpwned.com/Breach/QIP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QIP">https://haveibeenpwned.com/Breach/QIP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QIP">https://haveibeenpwned.com/Breach/QIP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QIP">https://haveibeenpwned.com/Breach/QIP</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QIP">https://haveibeenpwned.com/Breach/QIP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QIP">https://haveibeenpwned.com/Breach/QIP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QIP">https://haveibeenpwned.com/Breach/QIP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QIP">https://haveibeenpwned.com/Breach/QIP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QIP">https://haveibeenpwned.com/Breach/QIP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QIP">https://haveibeenpwned.com/Breach/QIP</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qraved">https://haveibeenpwned.com/Breach/Qraved</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qraved">https://haveibeenpwned.com/Breach/Qraved</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qraved">https://haveibeenpwned.com/Breach/Qraved</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qraved">https://haveibeenpwned.com/Breach/Qraved</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qraved">https://haveibeenpwned.com/Breach/Qraved</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qraved">https://haveibeenpwned.com/Breach/Qraved</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qraved">https://haveibeenpwned.com/Breach/Qraved</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qraved">https://haveibeenpwned.com/Breach/Qraved</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qraved">https://haveibeenpwned.com/Breach/Qraved</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qraved">https://haveibeenpwned.com/Breach/Qraved</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qraved">https://haveibeenpwned.com/Breach/Qraved</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Qraved">https://haveibeenpwned.com/Breach/Qraved</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuantumBooter">https://haveibeenpwned.com/Breach/QuantumBooter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuantumBooter">https://haveibeenpwned.com/Breach/QuantumBooter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuantumBooter">https://haveibeenpwned.com/Breach/QuantumBooter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuantumBooter">https://haveibeenpwned.com/Breach/QuantumBooter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuantumBooter">https://haveibeenpwned.com/Breach/QuantumBooter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuantumBooter">https://haveibeenpwned.com/Breach/QuantumBooter</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuantumBooter">https://haveibeenpwned.com/Breach/QuantumBooter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuantumBooter">https://haveibeenpwned.com/Breach/QuantumBooter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuantumBooter">https://haveibeenpwned.com/Breach/QuantumBooter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuantumBooter">https://haveibeenpwned.com/Breach/QuantumBooter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuantumBooter">https://haveibeenpwned.com/Breach/QuantumBooter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuantumBooter">https://haveibeenpwned.com/Breach/QuantumBooter</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuestionPro">https://haveibeenpwned.com/Breach/QuestionPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuestionPro">https://haveibeenpwned.com/Breach/QuestionPro</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuestionPro">https://haveibeenpwned.com/Breach/QuestionPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuestionPro">https://haveibeenpwned.com/Breach/QuestionPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuestionPro">https://haveibeenpwned.com/Breach/QuestionPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuestionPro">https://haveibeenpwned.com/Breach/QuestionPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuestionPro">https://haveibeenpwned.com/Breach/QuestionPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuestionPro">https://haveibeenpwned.com/Breach/QuestionPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuestionPro">https://haveibeenpwned.com/Breach/QuestionPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuestionPro">https://haveibeenpwned.com/Breach/QuestionPro</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuestionPro">https://haveibeenpwned.com/Breach/QuestionPro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuestionPro">https://haveibeenpwned.com/Breach/QuestionPro</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Quidd">https://haveibeenpwned.com/Breach/Quidd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Quidd">https://haveibeenpwned.com/Breach/Quidd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Quidd">https://haveibeenpwned.com/Breach/Quidd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Quidd">https://haveibeenpwned.com/Breach/Quidd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Quidd">https://haveibeenpwned.com/Breach/Quidd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Quidd">https://haveibeenpwned.com/Breach/Quidd</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Quidd">https://haveibeenpwned.com/Breach/Quidd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Quidd">https://haveibeenpwned.com/Breach/Quidd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Quidd">https://haveibeenpwned.com/Breach/Quidd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Quidd">https://haveibeenpwned.com/Breach/Quidd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Quidd">https://haveibeenpwned.com/Breach/Quidd</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Quidd">https://haveibeenpwned.com/Breach/Quidd</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuinStreet">https://haveibeenpwned.com/Breach/QuinStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuinStreet">https://haveibeenpwned.com/Breach/QuinStreet</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuinStreet">https://haveibeenpwned.com/Breach/QuinStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuinStreet">https://haveibeenpwned.com/Breach/QuinStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuinStreet">https://haveibeenpwned.com/Breach/QuinStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuinStreet">https://haveibeenpwned.com/Breach/QuinStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuinStreet">https://haveibeenpwned.com/Breach/QuinStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuinStreet">https://haveibeenpwned.com/Breach/QuinStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuinStreet">https://haveibeenpwned.com/Breach/QuinStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuinStreet">https://haveibeenpwned.com/Breach/QuinStreet</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuinStreet">https://haveibeenpwned.com/Breach/QuinStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/QuinStreet">https://haveibeenpwned.com/Breach/QuinStreet</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2-2017">https://haveibeenpwned.com/Breach/R2-2017</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2-2017">https://haveibeenpwned.com/Breach/R2-2017</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2-2017">https://haveibeenpwned.com/Breach/R2-2017</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2-2017">https://haveibeenpwned.com/Breach/R2-2017</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2-2017">https://haveibeenpwned.com/Breach/R2-2017</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2-2017">https://haveibeenpwned.com/Breach/R2-2017</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2-2017">https://haveibeenpwned.com/Breach/R2-2017</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2-2017">https://haveibeenpwned.com/Breach/R2-2017</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2-2017">https://haveibeenpwned.com/Breach/R2-2017</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2-2017">https://haveibeenpwned.com/Breach/R2-2017</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2-2017">https://haveibeenpwned.com/Breach/R2-2017</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2-2017">https://haveibeenpwned.com/Breach/R2-2017</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2Games">https://haveibeenpwned.com/Breach/R2Games</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2Games">https://haveibeenpwned.com/Breach/R2Games</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2Games">https://haveibeenpwned.com/Breach/R2Games</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2Games">https://haveibeenpwned.com/Breach/R2Games</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2Games">https://haveibeenpwned.com/Breach/R2Games</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2Games">https://haveibeenpwned.com/Breach/R2Games</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2Games">https://haveibeenpwned.com/Breach/R2Games</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2Games">https://haveibeenpwned.com/Breach/R2Games</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2Games">https://haveibeenpwned.com/Breach/R2Games</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2Games">https://haveibeenpwned.com/Breach/R2Games</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2Games">https://haveibeenpwned.com/Breach/R2Games</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/R2Games">https://haveibeenpwned.com/Breach/R2Games</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RaidForums">https://haveibeenpwned.com/Breach/RaidForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RaidForums">https://haveibeenpwned.com/Breach/RaidForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RaidForums">https://haveibeenpwned.com/Breach/RaidForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RaidForums">https://haveibeenpwned.com/Breach/RaidForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RaidForums">https://haveibeenpwned.com/Breach/RaidForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RaidForums">https://haveibeenpwned.com/Breach/RaidForums</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RaidForums">https://haveibeenpwned.com/Breach/RaidForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RaidForums">https://haveibeenpwned.com/Breach/RaidForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RaidForums">https://haveibeenpwned.com/Breach/RaidForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RaidForums">https://haveibeenpwned.com/Breach/RaidForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RaidForums">https://haveibeenpwned.com/Breach/RaidForums</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RaidForums">https://haveibeenpwned.com/Breach/RaidForums</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RailYatri">https://haveibeenpwned.com/Breach/RailYatri</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RailYatri">https://haveibeenpwned.com/Breach/RailYatri</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RailYatri">https://haveibeenpwned.com/Breach/RailYatri</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RailYatri">https://haveibeenpwned.com/Breach/RailYatri</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RailYatri">https://haveibeenpwned.com/Breach/RailYatri</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RailYatri">https://haveibeenpwned.com/Breach/RailYatri</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RailYatri">https://haveibeenpwned.com/Breach/RailYatri</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RailYatri">https://haveibeenpwned.com/Breach/RailYatri</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RailYatri">https://haveibeenpwned.com/Breach/RailYatri</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RailYatri">https://haveibeenpwned.com/Breach/RailYatri</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RailYatri">https://haveibeenpwned.com/Breach/RailYatri</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RailYatri">https://haveibeenpwned.com/Breach/RailYatri</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rambler">https://haveibeenpwned.com/Breach/Rambler</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rambler">https://haveibeenpwned.com/Breach/Rambler</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rambler">https://haveibeenpwned.com/Breach/Rambler</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rambler">https://haveibeenpwned.com/Breach/Rambler</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rambler">https://haveibeenpwned.com/Breach/Rambler</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rambler">https://haveibeenpwned.com/Breach/Rambler</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rambler">https://haveibeenpwned.com/Breach/Rambler</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rambler">https://haveibeenpwned.com/Breach/Rambler</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rambler">https://haveibeenpwned.com/Breach/Rambler</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rambler">https://haveibeenpwned.com/Breach/Rambler</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rambler">https://haveibeenpwned.com/Breach/Rambler</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rambler">https://haveibeenpwned.com/Breach/Rambler</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rankwatch">https://haveibeenpwned.com/Breach/Rankwatch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rankwatch">https://haveibeenpwned.com/Breach/Rankwatch</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rankwatch">https://haveibeenpwned.com/Breach/Rankwatch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rankwatch">https://haveibeenpwned.com/Breach/Rankwatch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rankwatch">https://haveibeenpwned.com/Breach/Rankwatch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rankwatch">https://haveibeenpwned.com/Breach/Rankwatch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rankwatch">https://haveibeenpwned.com/Breach/Rankwatch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rankwatch">https://haveibeenpwned.com/Breach/Rankwatch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rankwatch">https://haveibeenpwned.com/Breach/Rankwatch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rankwatch">https://haveibeenpwned.com/Breach/Rankwatch</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rankwatch">https://haveibeenpwned.com/Breach/Rankwatch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rankwatch">https://haveibeenpwned.com/Breach/Rankwatch</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Raychat">https://haveibeenpwned.com/Breach/Raychat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Raychat">https://haveibeenpwned.com/Breach/Raychat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Raychat">https://haveibeenpwned.com/Breach/Raychat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Raychat">https://haveibeenpwned.com/Breach/Raychat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Raychat">https://haveibeenpwned.com/Breach/Raychat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Raychat">https://haveibeenpwned.com/Breach/Raychat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Raychat">https://haveibeenpwned.com/Breach/Raychat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Raychat">https://haveibeenpwned.com/Breach/Raychat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Raychat">https://haveibeenpwned.com/Breach/Raychat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Raychat">https://haveibeenpwned.com/Breach/Raychat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Raychat">https://haveibeenpwned.com/Breach/Raychat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Raychat">https://haveibeenpwned.com/Breach/Raychat</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RbxRocks">https://haveibeenpwned.com/Breach/RbxRocks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/RbxRocks">https://haveibeenpwned.com/Breach/RbxRocks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RbxRocks">https://haveibeenpwned.com/Breach/RbxRocks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RbxRocks">https://haveibeenpwned.com/Breach/RbxRocks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RbxRocks">https://haveibeenpwned.com/Breach/RbxRocks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RbxRocks">https://haveibeenpwned.com/Breach/RbxRocks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RbxRocks">https://haveibeenpwned.com/Breach/RbxRocks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RbxRocks">https://haveibeenpwned.com/Breach/RbxRocks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RbxRocks">https://haveibeenpwned.com/Breach/RbxRocks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RbxRocks">https://haveibeenpwned.com/Breach/RbxRocks</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RbxRocks">https://haveibeenpwned.com/Breach/RbxRocks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RbxRocks">https://haveibeenpwned.com/Breach/RbxRocks</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ReadNovel">https://haveibeenpwned.com/Breach/ReadNovel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ReadNovel">https://haveibeenpwned.com/Breach/ReadNovel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ReadNovel">https://haveibeenpwned.com/Breach/ReadNovel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ReadNovel">https://haveibeenpwned.com/Breach/ReadNovel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ReadNovel">https://haveibeenpwned.com/Breach/ReadNovel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ReadNovel">https://haveibeenpwned.com/Breach/ReadNovel</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ReadNovel">https://haveibeenpwned.com/Breach/ReadNovel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ReadNovel">https://haveibeenpwned.com/Breach/ReadNovel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ReadNovel">https://haveibeenpwned.com/Breach/ReadNovel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ReadNovel">https://haveibeenpwned.com/Breach/ReadNovel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ReadNovel">https://haveibeenpwned.com/Breach/ReadNovel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ReadNovel">https://haveibeenpwned.com/Breach/ReadNovel</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealDudesInc">https://haveibeenpwned.com/Breach/RealDudesInc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealDudesInc">https://haveibeenpwned.com/Breach/RealDudesInc</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealDudesInc">https://haveibeenpwned.com/Breach/RealDudesInc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealDudesInc">https://haveibeenpwned.com/Breach/RealDudesInc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealDudesInc">https://haveibeenpwned.com/Breach/RealDudesInc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealDudesInc">https://haveibeenpwned.com/Breach/RealDudesInc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealDudesInc">https://haveibeenpwned.com/Breach/RealDudesInc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealDudesInc">https://haveibeenpwned.com/Breach/RealDudesInc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealDudesInc">https://haveibeenpwned.com/Breach/RealDudesInc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealDudesInc">https://haveibeenpwned.com/Breach/RealDudesInc</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealDudesInc">https://haveibeenpwned.com/Breach/RealDudesInc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealDudesInc">https://haveibeenpwned.com/Breach/RealDudesInc</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealEstateMogul">https://haveibeenpwned.com/Breach/RealEstateMogul</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealEstateMogul">https://haveibeenpwned.com/Breach/RealEstateMogul</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealEstateMogul">https://haveibeenpwned.com/Breach/RealEstateMogul</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealEstateMogul">https://haveibeenpwned.com/Breach/RealEstateMogul</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealEstateMogul">https://haveibeenpwned.com/Breach/RealEstateMogul</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealEstateMogul">https://haveibeenpwned.com/Breach/RealEstateMogul</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealEstateMogul">https://haveibeenpwned.com/Breach/RealEstateMogul</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealEstateMogul">https://haveibeenpwned.com/Breach/RealEstateMogul</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealEstateMogul">https://haveibeenpwned.com/Breach/RealEstateMogul</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealEstateMogul">https://haveibeenpwned.com/Breach/RealEstateMogul</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealEstateMogul">https://haveibeenpwned.com/Breach/RealEstateMogul</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RealEstateMogul">https://haveibeenpwned.com/Breach/RealEstateMogul</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedDoorz">https://haveibeenpwned.com/Breach/RedDoorz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedDoorz">https://haveibeenpwned.com/Breach/RedDoorz</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedDoorz">https://haveibeenpwned.com/Breach/RedDoorz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedDoorz">https://haveibeenpwned.com/Breach/RedDoorz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedDoorz">https://haveibeenpwned.com/Breach/RedDoorz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedDoorz">https://haveibeenpwned.com/Breach/RedDoorz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedDoorz">https://haveibeenpwned.com/Breach/RedDoorz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedDoorz">https://haveibeenpwned.com/Breach/RedDoorz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedDoorz">https://haveibeenpwned.com/Breach/RedDoorz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedDoorz">https://haveibeenpwned.com/Breach/RedDoorz</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedDoorz">https://haveibeenpwned.com/Breach/RedDoorz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedDoorz">https://haveibeenpwned.com/Breach/RedDoorz</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedLineStealer">https://haveibeenpwned.com/Breach/RedLineStealer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedLineStealer">https://haveibeenpwned.com/Breach/RedLineStealer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedLineStealer">https://haveibeenpwned.com/Breach/RedLineStealer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedLineStealer">https://haveibeenpwned.com/Breach/RedLineStealer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedLineStealer">https://haveibeenpwned.com/Breach/RedLineStealer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedLineStealer">https://haveibeenpwned.com/Breach/RedLineStealer</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedLineStealer">https://haveibeenpwned.com/Breach/RedLineStealer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedLineStealer">https://haveibeenpwned.com/Breach/RedLineStealer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedLineStealer">https://haveibeenpwned.com/Breach/RedLineStealer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedLineStealer">https://haveibeenpwned.com/Breach/RedLineStealer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedLineStealer">https://haveibeenpwned.com/Breach/RedLineStealer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RedLineStealer">https://haveibeenpwned.com/Breach/RedLineStealer</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reincubate">https://haveibeenpwned.com/Breach/Reincubate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reincubate">https://haveibeenpwned.com/Breach/Reincubate</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reincubate">https://haveibeenpwned.com/Breach/Reincubate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reincubate">https://haveibeenpwned.com/Breach/Reincubate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reincubate">https://haveibeenpwned.com/Breach/Reincubate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reincubate">https://haveibeenpwned.com/Breach/Reincubate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reincubate">https://haveibeenpwned.com/Breach/Reincubate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reincubate">https://haveibeenpwned.com/Breach/Reincubate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reincubate">https://haveibeenpwned.com/Breach/Reincubate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reincubate">https://haveibeenpwned.com/Breach/Reincubate</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reincubate">https://haveibeenpwned.com/Breach/Reincubate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reincubate">https://haveibeenpwned.com/Breach/Reincubate</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RentoMojo">https://haveibeenpwned.com/Breach/RentoMojo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RentoMojo">https://haveibeenpwned.com/Breach/RentoMojo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RentoMojo">https://haveibeenpwned.com/Breach/RentoMojo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RentoMojo">https://haveibeenpwned.com/Breach/RentoMojo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RentoMojo">https://haveibeenpwned.com/Breach/RentoMojo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RentoMojo">https://haveibeenpwned.com/Breach/RentoMojo</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RentoMojo">https://haveibeenpwned.com/Breach/RentoMojo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RentoMojo">https://haveibeenpwned.com/Breach/RentoMojo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RentoMojo">https://haveibeenpwned.com/Breach/RentoMojo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RentoMojo">https://haveibeenpwned.com/Breach/RentoMojo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RentoMojo">https://haveibeenpwned.com/Breach/RentoMojo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RentoMojo">https://haveibeenpwned.com/Breach/RentoMojo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas">https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas">https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas">https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas">https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas">https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas">https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas">https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas">https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas">https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas">https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas">https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas">https://haveibeenpwned.com/Breach/RepublicanPartyOfTexas</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RetinaX">https://haveibeenpwned.com/Breach/RetinaX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RetinaX">https://haveibeenpwned.com/Breach/RetinaX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RetinaX">https://haveibeenpwned.com/Breach/RetinaX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RetinaX">https://haveibeenpwned.com/Breach/RetinaX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RetinaX">https://haveibeenpwned.com/Breach/RetinaX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RetinaX">https://haveibeenpwned.com/Breach/RetinaX</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RetinaX">https://haveibeenpwned.com/Breach/RetinaX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RetinaX">https://haveibeenpwned.com/Breach/RetinaX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RetinaX">https://haveibeenpwned.com/Breach/RetinaX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RetinaX">https://haveibeenpwned.com/Breach/RetinaX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RetinaX">https://haveibeenpwned.com/Breach/RetinaX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RetinaX">https://haveibeenpwned.com/Breach/RetinaX</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reverb-Nation">https://haveibeenpwned.com/Breach/Reverb-Nation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reverb-Nation">https://haveibeenpwned.com/Breach/Reverb-Nation</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reverb-Nation">https://haveibeenpwned.com/Breach/Reverb-Nation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reverb-Nation">https://haveibeenpwned.com/Breach/Reverb-Nation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reverb-Nation">https://haveibeenpwned.com/Breach/Reverb-Nation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reverb-Nation">https://haveibeenpwned.com/Breach/Reverb-Nation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reverb-Nation">https://haveibeenpwned.com/Breach/Reverb-Nation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reverb-Nation">https://haveibeenpwned.com/Breach/Reverb-Nation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reverb-Nation">https://haveibeenpwned.com/Breach/Reverb-Nation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reverb-Nation">https://haveibeenpwned.com/Breach/Reverb-Nation</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reverb-Nation">https://haveibeenpwned.com/Breach/Reverb-Nation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Reverb-Nation">https://haveibeenpwned.com/Breach/Reverb-Nation</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rightbiz">https://haveibeenpwned.com/Breach/Rightbiz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rightbiz">https://haveibeenpwned.com/Breach/Rightbiz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rightbiz">https://haveibeenpwned.com/Breach/Rightbiz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rightbiz">https://haveibeenpwned.com/Breach/Rightbiz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rightbiz">https://haveibeenpwned.com/Breach/Rightbiz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rightbiz">https://haveibeenpwned.com/Breach/Rightbiz</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rightbiz">https://haveibeenpwned.com/Breach/Rightbiz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rightbiz">https://haveibeenpwned.com/Breach/Rightbiz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rightbiz">https://haveibeenpwned.com/Breach/Rightbiz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rightbiz">https://haveibeenpwned.com/Breach/Rightbiz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rightbiz">https://haveibeenpwned.com/Breach/Rightbiz</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Rightbiz">https://haveibeenpwned.com/Breach/Rightbiz</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RiverCityMedia">https://haveibeenpwned.com/Breach/RiverCityMedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RiverCityMedia">https://haveibeenpwned.com/Breach/RiverCityMedia</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RiverCityMedia">https://haveibeenpwned.com/Breach/RiverCityMedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RiverCityMedia">https://haveibeenpwned.com/Breach/RiverCityMedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RiverCityMedia">https://haveibeenpwned.com/Breach/RiverCityMedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RiverCityMedia">https://haveibeenpwned.com/Breach/RiverCityMedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RiverCityMedia">https://haveibeenpwned.com/Breach/RiverCityMedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RiverCityMedia">https://haveibeenpwned.com/Breach/RiverCityMedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RiverCityMedia">https://haveibeenpwned.com/Breach/RiverCityMedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RiverCityMedia">https://haveibeenpwned.com/Breach/RiverCityMedia</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RiverCityMedia">https://haveibeenpwned.com/Breach/RiverCityMedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RiverCityMedia">https://haveibeenpwned.com/Breach/RiverCityMedia</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Robinhood">https://haveibeenpwned.com/Breach/Robinhood</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Robinhood">https://haveibeenpwned.com/Breach/Robinhood</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Robinhood">https://haveibeenpwned.com/Breach/Robinhood</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Robinhood">https://haveibeenpwned.com/Breach/Robinhood</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Robinhood">https://haveibeenpwned.com/Breach/Robinhood</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Robinhood">https://haveibeenpwned.com/Breach/Robinhood</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Robinhood">https://haveibeenpwned.com/Breach/Robinhood</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Robinhood">https://haveibeenpwned.com/Breach/Robinhood</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Robinhood">https://haveibeenpwned.com/Breach/Robinhood</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Robinhood">https://haveibeenpwned.com/Breach/Robinhood</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Robinhood">https://haveibeenpwned.com/Breach/Robinhood</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Robinhood">https://haveibeenpwned.com/Breach/Robinhood</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roblox">https://haveibeenpwned.com/Breach/Roblox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roblox">https://haveibeenpwned.com/Breach/Roblox</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roblox">https://haveibeenpwned.com/Breach/Roblox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roblox">https://haveibeenpwned.com/Breach/Roblox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roblox">https://haveibeenpwned.com/Breach/Roblox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roblox">https://haveibeenpwned.com/Breach/Roblox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roblox">https://haveibeenpwned.com/Breach/Roblox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roblox">https://haveibeenpwned.com/Breach/Roblox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roblox">https://haveibeenpwned.com/Breach/Roblox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roblox">https://haveibeenpwned.com/Breach/Roblox</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roblox">https://haveibeenpwned.com/Breach/Roblox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roblox">https://haveibeenpwned.com/Breach/Roblox</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference">https://haveibeenpwned.com/Breach/RobloxDeveloperConference</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference">https://haveibeenpwned.com/Breach/RobloxDeveloperConference</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference">https://haveibeenpwned.com/Breach/RobloxDeveloperConference</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference">https://haveibeenpwned.com/Breach/RobloxDeveloperConference</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference">https://haveibeenpwned.com/Breach/RobloxDeveloperConference</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference">https://haveibeenpwned.com/Breach/RobloxDeveloperConference</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference">https://haveibeenpwned.com/Breach/RobloxDeveloperConference</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference">https://haveibeenpwned.com/Breach/RobloxDeveloperConference</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference">https://haveibeenpwned.com/Breach/RobloxDeveloperConference</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference">https://haveibeenpwned.com/Breach/RobloxDeveloperConference</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference">https://haveibeenpwned.com/Breach/RobloxDeveloperConference</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference">https://haveibeenpwned.com/Breach/RobloxDeveloperConference</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024">https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024">https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024">https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024">https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024">https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024">https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024">https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024">https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024">https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024">https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024">https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024">https://haveibeenpwned.com/Breach/RobloxDeveloperConference2024</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roll20">https://haveibeenpwned.com/Breach/Roll20</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roll20">https://haveibeenpwned.com/Breach/Roll20</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roll20">https://haveibeenpwned.com/Breach/Roll20</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roll20">https://haveibeenpwned.com/Breach/Roll20</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roll20">https://haveibeenpwned.com/Breach/Roll20</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roll20">https://haveibeenpwned.com/Breach/Roll20</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roll20">https://haveibeenpwned.com/Breach/Roll20</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roll20">https://haveibeenpwned.com/Breach/Roll20</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roll20">https://haveibeenpwned.com/Breach/Roll20</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roll20">https://haveibeenpwned.com/Breach/Roll20</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roll20">https://haveibeenpwned.com/Breach/Roll20</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Roll20">https://haveibeenpwned.com/Breach/Roll20</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Romwe">https://haveibeenpwned.com/Breach/Romwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Romwe">https://haveibeenpwned.com/Breach/Romwe</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Romwe">https://haveibeenpwned.com/Breach/Romwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Romwe">https://haveibeenpwned.com/Breach/Romwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Romwe">https://haveibeenpwned.com/Breach/Romwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Romwe">https://haveibeenpwned.com/Breach/Romwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Romwe">https://haveibeenpwned.com/Breach/Romwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Romwe">https://haveibeenpwned.com/Breach/Romwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Romwe">https://haveibeenpwned.com/Breach/Romwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Romwe">https://haveibeenpwned.com/Breach/Romwe</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Romwe">https://haveibeenpwned.com/Breach/Romwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Romwe">https://haveibeenpwned.com/Breach/Romwe</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RosebuttBoard">https://haveibeenpwned.com/Breach/RosebuttBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RosebuttBoard">https://haveibeenpwned.com/Breach/RosebuttBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RosebuttBoard">https://haveibeenpwned.com/Breach/RosebuttBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RosebuttBoard">https://haveibeenpwned.com/Breach/RosebuttBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RosebuttBoard">https://haveibeenpwned.com/Breach/RosebuttBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RosebuttBoard">https://haveibeenpwned.com/Breach/RosebuttBoard</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RosebuttBoard">https://haveibeenpwned.com/Breach/RosebuttBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RosebuttBoard">https://haveibeenpwned.com/Breach/RosebuttBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RosebuttBoard">https://haveibeenpwned.com/Breach/RosebuttBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RosebuttBoard">https://haveibeenpwned.com/Breach/RosebuttBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RosebuttBoard">https://haveibeenpwned.com/Breach/RosebuttBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RosebuttBoard">https://haveibeenpwned.com/Breach/RosebuttBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RoyalEnfield">https://haveibeenpwned.com/Breach/RoyalEnfield</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RoyalEnfield">https://haveibeenpwned.com/Breach/RoyalEnfield</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RoyalEnfield">https://haveibeenpwned.com/Breach/RoyalEnfield</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RoyalEnfield">https://haveibeenpwned.com/Breach/RoyalEnfield</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RoyalEnfield">https://haveibeenpwned.com/Breach/RoyalEnfield</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RoyalEnfield">https://haveibeenpwned.com/Breach/RoyalEnfield</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RoyalEnfield">https://haveibeenpwned.com/Breach/RoyalEnfield</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RoyalEnfield">https://haveibeenpwned.com/Breach/RoyalEnfield</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RoyalEnfield">https://haveibeenpwned.com/Breach/RoyalEnfield</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RoyalEnfield">https://haveibeenpwned.com/Breach/RoyalEnfield</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RoyalEnfield">https://haveibeenpwned.com/Breach/RoyalEnfield</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RoyalEnfield">https://haveibeenpwned.com/Breach/RoyalEnfield</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RussianAmerica">https://haveibeenpwned.com/Breach/RussianAmerica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RussianAmerica">https://haveibeenpwned.com/Breach/RussianAmerica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RussianAmerica">https://haveibeenpwned.com/Breach/RussianAmerica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RussianAmerica">https://haveibeenpwned.com/Breach/RussianAmerica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RussianAmerica">https://haveibeenpwned.com/Breach/RussianAmerica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RussianAmerica">https://haveibeenpwned.com/Breach/RussianAmerica</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RussianAmerica">https://haveibeenpwned.com/Breach/RussianAmerica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RussianAmerica">https://haveibeenpwned.com/Breach/RussianAmerica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RussianAmerica">https://haveibeenpwned.com/Breach/RussianAmerica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RussianAmerica">https://haveibeenpwned.com/Breach/RussianAmerica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RussianAmerica">https://haveibeenpwned.com/Breach/RussianAmerica</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/RussianAmerica">https://haveibeenpwned.com/Breach/RussianAmerica</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SalvadoranCitizens">https://haveibeenpwned.com/Breach/SalvadoranCitizens</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SalvadoranCitizens">https://haveibeenpwned.com/Breach/SalvadoranCitizens</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SalvadoranCitizens">https://haveibeenpwned.com/Breach/SalvadoranCitizens</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SalvadoranCitizens">https://haveibeenpwned.com/Breach/SalvadoranCitizens</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SalvadoranCitizens">https://haveibeenpwned.com/Breach/SalvadoranCitizens</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SalvadoranCitizens">https://haveibeenpwned.com/Breach/SalvadoranCitizens</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SalvadoranCitizens">https://haveibeenpwned.com/Breach/SalvadoranCitizens</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SalvadoranCitizens">https://haveibeenpwned.com/Breach/SalvadoranCitizens</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SalvadoranCitizens">https://haveibeenpwned.com/Breach/SalvadoranCitizens</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SalvadoranCitizens">https://haveibeenpwned.com/Breach/SalvadoranCitizens</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SalvadoranCitizens">https://haveibeenpwned.com/Breach/SalvadoranCitizens</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SalvadoranCitizens">https://haveibeenpwned.com/Breach/SalvadoranCitizens</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SamsungGermany">https://haveibeenpwned.com/Breach/SamsungGermany</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SamsungGermany">https://haveibeenpwned.com/Breach/SamsungGermany</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SamsungGermany">https://haveibeenpwned.com/Breach/SamsungGermany</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SamsungGermany">https://haveibeenpwned.com/Breach/SamsungGermany</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SamsungGermany">https://haveibeenpwned.com/Breach/SamsungGermany</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SamsungGermany">https://haveibeenpwned.com/Breach/SamsungGermany</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SamsungGermany">https://haveibeenpwned.com/Breach/SamsungGermany</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SamsungGermany">https://haveibeenpwned.com/Breach/SamsungGermany</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SamsungGermany">https://haveibeenpwned.com/Breach/SamsungGermany</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SamsungGermany">https://haveibeenpwned.com/Breach/SamsungGermany</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SamsungGermany">https://haveibeenpwned.com/Breach/SamsungGermany</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SamsungGermany">https://haveibeenpwned.com/Breach/SamsungGermany</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SaverSpy">https://haveibeenpwned.com/Breach/SaverSpy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SaverSpy">https://haveibeenpwned.com/Breach/SaverSpy</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SaverSpy">https://haveibeenpwned.com/Breach/SaverSpy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SaverSpy">https://haveibeenpwned.com/Breach/SaverSpy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SaverSpy">https://haveibeenpwned.com/Breach/SaverSpy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SaverSpy">https://haveibeenpwned.com/Breach/SaverSpy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SaverSpy">https://haveibeenpwned.com/Breach/SaverSpy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SaverSpy">https://haveibeenpwned.com/Breach/SaverSpy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SaverSpy">https://haveibeenpwned.com/Breach/SaverSpy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SaverSpy">https://haveibeenpwned.com/Breach/SaverSpy</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SaverSpy">https://haveibeenpwned.com/Breach/SaverSpy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SaverSpy">https://haveibeenpwned.com/Breach/SaverSpy</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList">https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList">https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList">https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList">https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList">https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList">https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList">https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList">https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList">https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList">https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList">https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList">https://haveibeenpwned.com/Breach/SCDailyPhoneSpamList</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scentbird">https://haveibeenpwned.com/Breach/Scentbird</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scentbird">https://haveibeenpwned.com/Breach/Scentbird</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scentbird">https://haveibeenpwned.com/Breach/Scentbird</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scentbird">https://haveibeenpwned.com/Breach/Scentbird</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scentbird">https://haveibeenpwned.com/Breach/Scentbird</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scentbird">https://haveibeenpwned.com/Breach/Scentbird</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scentbird">https://haveibeenpwned.com/Breach/Scentbird</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scentbird">https://haveibeenpwned.com/Breach/Scentbird</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scentbird">https://haveibeenpwned.com/Breach/Scentbird</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scentbird">https://haveibeenpwned.com/Breach/Scentbird</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scentbird">https://haveibeenpwned.com/Breach/Scentbird</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scentbird">https://haveibeenpwned.com/Breach/Scentbird</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/schenkYOU">https://haveibeenpwned.com/Breach/schenkYOU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/schenkYOU">https://haveibeenpwned.com/Breach/schenkYOU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/schenkYOU">https://haveibeenpwned.com/Breach/schenkYOU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/schenkYOU">https://haveibeenpwned.com/Breach/schenkYOU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/schenkYOU">https://haveibeenpwned.com/Breach/schenkYOU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/schenkYOU">https://haveibeenpwned.com/Breach/schenkYOU</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/schenkYOU">https://haveibeenpwned.com/Breach/schenkYOU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/schenkYOU">https://haveibeenpwned.com/Breach/schenkYOU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/schenkYOU">https://haveibeenpwned.com/Breach/schenkYOU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/schenkYOU">https://haveibeenpwned.com/Breach/schenkYOU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/schenkYOU">https://haveibeenpwned.com/Breach/schenkYOU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/schenkYOU">https://haveibeenpwned.com/Breach/schenkYOU</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scholastic">https://haveibeenpwned.com/Breach/Scholastic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scholastic">https://haveibeenpwned.com/Breach/Scholastic</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scholastic">https://haveibeenpwned.com/Breach/Scholastic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scholastic">https://haveibeenpwned.com/Breach/Scholastic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scholastic">https://haveibeenpwned.com/Breach/Scholastic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scholastic">https://haveibeenpwned.com/Breach/Scholastic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scholastic">https://haveibeenpwned.com/Breach/Scholastic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scholastic">https://haveibeenpwned.com/Breach/Scholastic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scholastic">https://haveibeenpwned.com/Breach/Scholastic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scholastic">https://haveibeenpwned.com/Breach/Scholastic</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scholastic">https://haveibeenpwned.com/Breach/Scholastic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Scholastic">https://haveibeenpwned.com/Breach/Scholastic</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SchoolDistrict42">https://haveibeenpwned.com/Breach/SchoolDistrict42</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SchoolDistrict42">https://haveibeenpwned.com/Breach/SchoolDistrict42</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SchoolDistrict42">https://haveibeenpwned.com/Breach/SchoolDistrict42</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SchoolDistrict42">https://haveibeenpwned.com/Breach/SchoolDistrict42</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SchoolDistrict42">https://haveibeenpwned.com/Breach/SchoolDistrict42</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SchoolDistrict42">https://haveibeenpwned.com/Breach/SchoolDistrict42</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SchoolDistrict42">https://haveibeenpwned.com/Breach/SchoolDistrict42</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SchoolDistrict42">https://haveibeenpwned.com/Breach/SchoolDistrict42</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SchoolDistrict42">https://haveibeenpwned.com/Breach/SchoolDistrict42</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SchoolDistrict42">https://haveibeenpwned.com/Breach/SchoolDistrict42</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SchoolDistrict42">https://haveibeenpwned.com/Breach/SchoolDistrict42</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SchoolDistrict42">https://haveibeenpwned.com/Breach/SchoolDistrict42</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Seedpeer">https://haveibeenpwned.com/Breach/Seedpeer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Seedpeer">https://haveibeenpwned.com/Breach/Seedpeer</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Seedpeer">https://haveibeenpwned.com/Breach/Seedpeer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Seedpeer">https://haveibeenpwned.com/Breach/Seedpeer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Seedpeer">https://haveibeenpwned.com/Breach/Seedpeer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Seedpeer">https://haveibeenpwned.com/Breach/Seedpeer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Seedpeer">https://haveibeenpwned.com/Breach/Seedpeer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Seedpeer">https://haveibeenpwned.com/Breach/Seedpeer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Seedpeer">https://haveibeenpwned.com/Breach/Seedpeer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Seedpeer">https://haveibeenpwned.com/Breach/Seedpeer</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Seedpeer">https://haveibeenpwned.com/Breach/Seedpeer</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Seedpeer">https://haveibeenpwned.com/Breach/Seedpeer</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SeniorDating">https://haveibeenpwned.com/Breach/SeniorDating</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SeniorDating">https://haveibeenpwned.com/Breach/SeniorDating</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SeniorDating">https://haveibeenpwned.com/Breach/SeniorDating</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SeniorDating">https://haveibeenpwned.com/Breach/SeniorDating</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SeniorDating">https://haveibeenpwned.com/Breach/SeniorDating</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SeniorDating">https://haveibeenpwned.com/Breach/SeniorDating</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SeniorDating">https://haveibeenpwned.com/Breach/SeniorDating</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SeniorDating">https://haveibeenpwned.com/Breach/SeniorDating</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SeniorDating">https://haveibeenpwned.com/Breach/SeniorDating</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SeniorDating">https://haveibeenpwned.com/Breach/SeniorDating</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SeniorDating">https://haveibeenpwned.com/Breach/SeniorDating</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SeniorDating">https://haveibeenpwned.com/Breach/SeniorDating</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sephora">https://haveibeenpwned.com/Breach/Sephora</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sephora">https://haveibeenpwned.com/Breach/Sephora</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sephora">https://haveibeenpwned.com/Breach/Sephora</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sephora">https://haveibeenpwned.com/Breach/Sephora</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sephora">https://haveibeenpwned.com/Breach/Sephora</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sephora">https://haveibeenpwned.com/Breach/Sephora</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sephora">https://haveibeenpwned.com/Breach/Sephora</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sephora">https://haveibeenpwned.com/Breach/Sephora</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sephora">https://haveibeenpwned.com/Breach/Sephora</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sephora">https://haveibeenpwned.com/Breach/Sephora</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sephora">https://haveibeenpwned.com/Breach/Sephora</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sephora">https://haveibeenpwned.com/Breach/Sephora</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ServerPact">https://haveibeenpwned.com/Breach/ServerPact</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ServerPact">https://haveibeenpwned.com/Breach/ServerPact</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ServerPact">https://haveibeenpwned.com/Breach/ServerPact</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ServerPact">https://haveibeenpwned.com/Breach/ServerPact</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ServerPact">https://haveibeenpwned.com/Breach/ServerPact</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ServerPact">https://haveibeenpwned.com/Breach/ServerPact</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ServerPact">https://haveibeenpwned.com/Breach/ServerPact</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ServerPact">https://haveibeenpwned.com/Breach/ServerPact</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ServerPact">https://haveibeenpwned.com/Breach/ServerPact</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ServerPact">https://haveibeenpwned.com/Breach/ServerPact</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ServerPact">https://haveibeenpwned.com/Breach/ServerPact</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ServerPact">https://haveibeenpwned.com/Breach/ServerPact</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SevenRooms">https://haveibeenpwned.com/Breach/SevenRooms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SevenRooms">https://haveibeenpwned.com/Breach/SevenRooms</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SevenRooms">https://haveibeenpwned.com/Breach/SevenRooms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SevenRooms">https://haveibeenpwned.com/Breach/SevenRooms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SevenRooms">https://haveibeenpwned.com/Breach/SevenRooms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SevenRooms">https://haveibeenpwned.com/Breach/SevenRooms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SevenRooms">https://haveibeenpwned.com/Breach/SevenRooms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SevenRooms">https://haveibeenpwned.com/Breach/SevenRooms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SevenRooms">https://haveibeenpwned.com/Breach/SevenRooms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SevenRooms">https://haveibeenpwned.com/Breach/SevenRooms</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SevenRooms">https://haveibeenpwned.com/Breach/SevenRooms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SevenRooms">https://haveibeenpwned.com/Breach/SevenRooms</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadi">https://haveibeenpwned.com/Breach/Shadi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadi">https://haveibeenpwned.com/Breach/Shadi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadi">https://haveibeenpwned.com/Breach/Shadi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadi">https://haveibeenpwned.com/Breach/Shadi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadi">https://haveibeenpwned.com/Breach/Shadi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadi">https://haveibeenpwned.com/Breach/Shadi</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadi">https://haveibeenpwned.com/Breach/Shadi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadi">https://haveibeenpwned.com/Breach/Shadi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadi">https://haveibeenpwned.com/Breach/Shadi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadi">https://haveibeenpwned.com/Breach/Shadi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadi">https://haveibeenpwned.com/Breach/Shadi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadi">https://haveibeenpwned.com/Breach/Shadi</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadow">https://haveibeenpwned.com/Breach/Shadow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadow">https://haveibeenpwned.com/Breach/Shadow</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadow">https://haveibeenpwned.com/Breach/Shadow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadow">https://haveibeenpwned.com/Breach/Shadow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadow">https://haveibeenpwned.com/Breach/Shadow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadow">https://haveibeenpwned.com/Breach/Shadow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadow">https://haveibeenpwned.com/Breach/Shadow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadow">https://haveibeenpwned.com/Breach/Shadow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadow">https://haveibeenpwned.com/Breach/Shadow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadow">https://haveibeenpwned.com/Breach/Shadow</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadow">https://haveibeenpwned.com/Breach/Shadow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shadow">https://haveibeenpwned.com/Breach/Shadow</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShareThis">https://haveibeenpwned.com/Breach/ShareThis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShareThis">https://haveibeenpwned.com/Breach/ShareThis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShareThis">https://haveibeenpwned.com/Breach/ShareThis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShareThis">https://haveibeenpwned.com/Breach/ShareThis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShareThis">https://haveibeenpwned.com/Breach/ShareThis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShareThis">https://haveibeenpwned.com/Breach/ShareThis</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShareThis">https://haveibeenpwned.com/Breach/ShareThis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShareThis">https://haveibeenpwned.com/Breach/ShareThis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShareThis">https://haveibeenpwned.com/Breach/ShareThis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShareThis">https://haveibeenpwned.com/Breach/ShareThis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShareThis">https://haveibeenpwned.com/Breach/ShareThis</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShareThis">https://haveibeenpwned.com/Breach/ShareThis</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SHEIN">https://haveibeenpwned.com/Breach/SHEIN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SHEIN">https://haveibeenpwned.com/Breach/SHEIN</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SHEIN">https://haveibeenpwned.com/Breach/SHEIN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SHEIN">https://haveibeenpwned.com/Breach/SHEIN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SHEIN">https://haveibeenpwned.com/Breach/SHEIN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SHEIN">https://haveibeenpwned.com/Breach/SHEIN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SHEIN">https://haveibeenpwned.com/Breach/SHEIN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SHEIN">https://haveibeenpwned.com/Breach/SHEIN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SHEIN">https://haveibeenpwned.com/Breach/SHEIN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SHEIN">https://haveibeenpwned.com/Breach/SHEIN</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SHEIN">https://haveibeenpwned.com/Breach/SHEIN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SHEIN">https://haveibeenpwned.com/Breach/SHEIN</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shitexpress">https://haveibeenpwned.com/Breach/Shitexpress</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shitexpress">https://haveibeenpwned.com/Breach/Shitexpress</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shitexpress">https://haveibeenpwned.com/Breach/Shitexpress</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shitexpress">https://haveibeenpwned.com/Breach/Shitexpress</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shitexpress">https://haveibeenpwned.com/Breach/Shitexpress</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shitexpress">https://haveibeenpwned.com/Breach/Shitexpress</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shitexpress">https://haveibeenpwned.com/Breach/Shitexpress</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shitexpress">https://haveibeenpwned.com/Breach/Shitexpress</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shitexpress">https://haveibeenpwned.com/Breach/Shitexpress</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shitexpress">https://haveibeenpwned.com/Breach/Shitexpress</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shitexpress">https://haveibeenpwned.com/Breach/Shitexpress</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shitexpress">https://haveibeenpwned.com/Breach/Shitexpress</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShockGore">https://haveibeenpwned.com/Breach/ShockGore</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShockGore">https://haveibeenpwned.com/Breach/ShockGore</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShockGore">https://haveibeenpwned.com/Breach/ShockGore</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShockGore">https://haveibeenpwned.com/Breach/ShockGore</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShockGore">https://haveibeenpwned.com/Breach/ShockGore</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShockGore">https://haveibeenpwned.com/Breach/ShockGore</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShockGore">https://haveibeenpwned.com/Breach/ShockGore</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShockGore">https://haveibeenpwned.com/Breach/ShockGore</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShockGore">https://haveibeenpwned.com/Breach/ShockGore</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShockGore">https://haveibeenpwned.com/Breach/ShockGore</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShockGore">https://haveibeenpwned.com/Breach/ShockGore</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShockGore">https://haveibeenpwned.com/Breach/ShockGore</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShoeZone">https://haveibeenpwned.com/Breach/ShoeZone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShoeZone">https://haveibeenpwned.com/Breach/ShoeZone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShoeZone">https://haveibeenpwned.com/Breach/ShoeZone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShoeZone">https://haveibeenpwned.com/Breach/ShoeZone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShoeZone">https://haveibeenpwned.com/Breach/ShoeZone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShoeZone">https://haveibeenpwned.com/Breach/ShoeZone</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShoeZone">https://haveibeenpwned.com/Breach/ShoeZone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShoeZone">https://haveibeenpwned.com/Breach/ShoeZone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShoeZone">https://haveibeenpwned.com/Breach/ShoeZone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShoeZone">https://haveibeenpwned.com/Breach/ShoeZone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShoeZone">https://haveibeenpwned.com/Breach/ShoeZone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShoeZone">https://haveibeenpwned.com/Breach/ShoeZone</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopBack">https://haveibeenpwned.com/Breach/ShopBack</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopBack">https://haveibeenpwned.com/Breach/ShopBack</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopBack">https://haveibeenpwned.com/Breach/ShopBack</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopBack">https://haveibeenpwned.com/Breach/ShopBack</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopBack">https://haveibeenpwned.com/Breach/ShopBack</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopBack">https://haveibeenpwned.com/Breach/ShopBack</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopBack">https://haveibeenpwned.com/Breach/ShopBack</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopBack">https://haveibeenpwned.com/Breach/ShopBack</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopBack">https://haveibeenpwned.com/Breach/ShopBack</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopBack">https://haveibeenpwned.com/Breach/ShopBack</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopBack">https://haveibeenpwned.com/Breach/ShopBack</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopBack">https://haveibeenpwned.com/Breach/ShopBack</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopperPlus">https://haveibeenpwned.com/Breach/ShopperPlus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopperPlus">https://haveibeenpwned.com/Breach/ShopperPlus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopperPlus">https://haveibeenpwned.com/Breach/ShopperPlus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopperPlus">https://haveibeenpwned.com/Breach/ShopperPlus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopperPlus">https://haveibeenpwned.com/Breach/ShopperPlus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopperPlus">https://haveibeenpwned.com/Breach/ShopperPlus</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopperPlus">https://haveibeenpwned.com/Breach/ShopperPlus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopperPlus">https://haveibeenpwned.com/Breach/ShopperPlus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopperPlus">https://haveibeenpwned.com/Breach/ShopperPlus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopperPlus">https://haveibeenpwned.com/Breach/ShopperPlus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopperPlus">https://haveibeenpwned.com/Breach/ShopperPlus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShopperPlus">https://haveibeenpwned.com/Breach/ShopperPlus</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShortEdition">https://haveibeenpwned.com/Breach/ShortEdition</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShortEdition">https://haveibeenpwned.com/Breach/ShortEdition</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShortEdition">https://haveibeenpwned.com/Breach/ShortEdition</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShortEdition">https://haveibeenpwned.com/Breach/ShortEdition</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShortEdition">https://haveibeenpwned.com/Breach/ShortEdition</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShortEdition">https://haveibeenpwned.com/Breach/ShortEdition</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShortEdition">https://haveibeenpwned.com/Breach/ShortEdition</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShortEdition">https://haveibeenpwned.com/Breach/ShortEdition</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShortEdition">https://haveibeenpwned.com/Breach/ShortEdition</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShortEdition">https://haveibeenpwned.com/Breach/ShortEdition</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShortEdition">https://haveibeenpwned.com/Breach/ShortEdition</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ShortEdition">https://haveibeenpwned.com/Breach/ShortEdition</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shotbow">https://haveibeenpwned.com/Breach/Shotbow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shotbow">https://haveibeenpwned.com/Breach/Shotbow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shotbow">https://haveibeenpwned.com/Breach/Shotbow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shotbow">https://haveibeenpwned.com/Breach/Shotbow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shotbow">https://haveibeenpwned.com/Breach/Shotbow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shotbow">https://haveibeenpwned.com/Breach/Shotbow</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shotbow">https://haveibeenpwned.com/Breach/Shotbow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shotbow">https://haveibeenpwned.com/Breach/Shotbow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shotbow">https://haveibeenpwned.com/Breach/Shotbow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shotbow">https://haveibeenpwned.com/Breach/Shotbow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shotbow">https://haveibeenpwned.com/Breach/Shotbow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Shotbow">https://haveibeenpwned.com/Breach/Shotbow</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SIAE">https://haveibeenpwned.com/Breach/SIAE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SIAE">https://haveibeenpwned.com/Breach/SIAE</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SIAE">https://haveibeenpwned.com/Breach/SIAE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SIAE">https://haveibeenpwned.com/Breach/SIAE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SIAE">https://haveibeenpwned.com/Breach/SIAE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SIAE">https://haveibeenpwned.com/Breach/SIAE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SIAE">https://haveibeenpwned.com/Breach/SIAE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SIAE">https://haveibeenpwned.com/Breach/SIAE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SIAE">https://haveibeenpwned.com/Breach/SIAE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SIAE">https://haveibeenpwned.com/Breach/SIAE</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SIAE">https://haveibeenpwned.com/Breach/SIAE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SIAE">https://haveibeenpwned.com/Breach/SIAE</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SirHurt">https://haveibeenpwned.com/Breach/SirHurt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SirHurt">https://haveibeenpwned.com/Breach/SirHurt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SirHurt">https://haveibeenpwned.com/Breach/SirHurt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SirHurt">https://haveibeenpwned.com/Breach/SirHurt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SirHurt">https://haveibeenpwned.com/Breach/SirHurt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SirHurt">https://haveibeenpwned.com/Breach/SirHurt</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SirHurt">https://haveibeenpwned.com/Breach/SirHurt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SirHurt">https://haveibeenpwned.com/Breach/SirHurt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SirHurt">https://haveibeenpwned.com/Breach/SirHurt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SirHurt">https://haveibeenpwned.com/Breach/SirHurt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SirHurt">https://haveibeenpwned.com/Breach/SirHurt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SirHurt">https://haveibeenpwned.com/Breach/SirHurt</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SitePoint">https://haveibeenpwned.com/Breach/SitePoint</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SitePoint">https://haveibeenpwned.com/Breach/SitePoint</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SitePoint">https://haveibeenpwned.com/Breach/SitePoint</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SitePoint">https://haveibeenpwned.com/Breach/SitePoint</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SitePoint">https://haveibeenpwned.com/Breach/SitePoint</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SitePoint">https://haveibeenpwned.com/Breach/SitePoint</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SitePoint">https://haveibeenpwned.com/Breach/SitePoint</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SitePoint">https://haveibeenpwned.com/Breach/SitePoint</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SitePoint">https://haveibeenpwned.com/Breach/SitePoint</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SitePoint">https://haveibeenpwned.com/Breach/SitePoint</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SitePoint">https://haveibeenpwned.com/Breach/SitePoint</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SitePoint">https://haveibeenpwned.com/Breach/SitePoint</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SkTorrent">https://haveibeenpwned.com/Breach/SkTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SkTorrent">https://haveibeenpwned.com/Breach/SkTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SkTorrent">https://haveibeenpwned.com/Breach/SkTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SkTorrent">https://haveibeenpwned.com/Breach/SkTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SkTorrent">https://haveibeenpwned.com/Breach/SkTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SkTorrent">https://haveibeenpwned.com/Breach/SkTorrent</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SkTorrent">https://haveibeenpwned.com/Breach/SkTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SkTorrent">https://haveibeenpwned.com/Breach/SkTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SkTorrent">https://haveibeenpwned.com/Breach/SkTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SkTorrent">https://haveibeenpwned.com/Breach/SkTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SkTorrent">https://haveibeenpwned.com/Breach/SkTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SkTorrent">https://haveibeenpwned.com/Breach/SkTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Slickwraps">https://haveibeenpwned.com/Breach/Slickwraps</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Slickwraps">https://haveibeenpwned.com/Breach/Slickwraps</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Slickwraps">https://haveibeenpwned.com/Breach/Slickwraps</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Slickwraps">https://haveibeenpwned.com/Breach/Slickwraps</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Slickwraps">https://haveibeenpwned.com/Breach/Slickwraps</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Slickwraps">https://haveibeenpwned.com/Breach/Slickwraps</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Slickwraps">https://haveibeenpwned.com/Breach/Slickwraps</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Slickwraps">https://haveibeenpwned.com/Breach/Slickwraps</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Slickwraps">https://haveibeenpwned.com/Breach/Slickwraps</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Slickwraps">https://haveibeenpwned.com/Breach/Slickwraps</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Slickwraps">https://haveibeenpwned.com/Breach/Slickwraps</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Slickwraps">https://haveibeenpwned.com/Breach/Slickwraps</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SlideTeam">https://haveibeenpwned.com/Breach/SlideTeam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SlideTeam">https://haveibeenpwned.com/Breach/SlideTeam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SlideTeam">https://haveibeenpwned.com/Breach/SlideTeam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SlideTeam">https://haveibeenpwned.com/Breach/SlideTeam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SlideTeam">https://haveibeenpwned.com/Breach/SlideTeam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SlideTeam">https://haveibeenpwned.com/Breach/SlideTeam</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SlideTeam">https://haveibeenpwned.com/Breach/SlideTeam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SlideTeam">https://haveibeenpwned.com/Breach/SlideTeam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SlideTeam">https://haveibeenpwned.com/Breach/SlideTeam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SlideTeam">https://haveibeenpwned.com/Breach/SlideTeam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SlideTeam">https://haveibeenpwned.com/Breach/SlideTeam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SlideTeam">https://haveibeenpwned.com/Breach/SlideTeam</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Smogon">https://haveibeenpwned.com/Breach/Smogon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Smogon">https://haveibeenpwned.com/Breach/Smogon</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Smogon">https://haveibeenpwned.com/Breach/Smogon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Smogon">https://haveibeenpwned.com/Breach/Smogon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Smogon">https://haveibeenpwned.com/Breach/Smogon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Smogon">https://haveibeenpwned.com/Breach/Smogon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Smogon">https://haveibeenpwned.com/Breach/Smogon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Smogon">https://haveibeenpwned.com/Breach/Smogon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Smogon">https://haveibeenpwned.com/Breach/Smogon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Smogon">https://haveibeenpwned.com/Breach/Smogon</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Smogon">https://haveibeenpwned.com/Breach/Smogon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Smogon">https://haveibeenpwned.com/Breach/Smogon</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snail">https://haveibeenpwned.com/Breach/Snail</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snail">https://haveibeenpwned.com/Breach/Snail</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snail">https://haveibeenpwned.com/Breach/Snail</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snail">https://haveibeenpwned.com/Breach/Snail</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snail">https://haveibeenpwned.com/Breach/Snail</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snail">https://haveibeenpwned.com/Breach/Snail</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snail">https://haveibeenpwned.com/Breach/Snail</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snail">https://haveibeenpwned.com/Breach/Snail</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snail">https://haveibeenpwned.com/Breach/Snail</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snail">https://haveibeenpwned.com/Breach/Snail</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snail">https://haveibeenpwned.com/Breach/Snail</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snail">https://haveibeenpwned.com/Breach/Snail</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snapchat">https://haveibeenpwned.com/Breach/Snapchat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snapchat">https://haveibeenpwned.com/Breach/Snapchat</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snapchat">https://haveibeenpwned.com/Breach/Snapchat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snapchat">https://haveibeenpwned.com/Breach/Snapchat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snapchat">https://haveibeenpwned.com/Breach/Snapchat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snapchat">https://haveibeenpwned.com/Breach/Snapchat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snapchat">https://haveibeenpwned.com/Breach/Snapchat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snapchat">https://haveibeenpwned.com/Breach/Snapchat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snapchat">https://haveibeenpwned.com/Breach/Snapchat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snapchat">https://haveibeenpwned.com/Breach/Snapchat</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snapchat">https://haveibeenpwned.com/Breach/Snapchat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Snapchat">https://haveibeenpwned.com/Breach/Snapchat</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SoarGames">https://haveibeenpwned.com/Breach/SoarGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SoarGames">https://haveibeenpwned.com/Breach/SoarGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SoarGames">https://haveibeenpwned.com/Breach/SoarGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SoarGames">https://haveibeenpwned.com/Breach/SoarGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SoarGames">https://haveibeenpwned.com/Breach/SoarGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SoarGames">https://haveibeenpwned.com/Breach/SoarGames</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SoarGames">https://haveibeenpwned.com/Breach/SoarGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SoarGames">https://haveibeenpwned.com/Breach/SoarGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SoarGames">https://haveibeenpwned.com/Breach/SoarGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SoarGames">https://haveibeenpwned.com/Breach/SoarGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SoarGames">https://haveibeenpwned.com/Breach/SoarGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SoarGames">https://haveibeenpwned.com/Breach/SoarGames</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SocialEngineered">https://haveibeenpwned.com/Breach/SocialEngineered</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SocialEngineered">https://haveibeenpwned.com/Breach/SocialEngineered</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SocialEngineered">https://haveibeenpwned.com/Breach/SocialEngineered</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SocialEngineered">https://haveibeenpwned.com/Breach/SocialEngineered</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SocialEngineered">https://haveibeenpwned.com/Breach/SocialEngineered</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SocialEngineered">https://haveibeenpwned.com/Breach/SocialEngineered</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SocialEngineered">https://haveibeenpwned.com/Breach/SocialEngineered</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SocialEngineered">https://haveibeenpwned.com/Breach/SocialEngineered</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SocialEngineered">https://haveibeenpwned.com/Breach/SocialEngineered</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SocialEngineered">https://haveibeenpwned.com/Breach/SocialEngineered</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SocialEngineered">https://haveibeenpwned.com/Breach/SocialEngineered</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SocialEngineered">https://haveibeenpwned.com/Breach/SocialEngineered</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Solomid">https://haveibeenpwned.com/Breach/Solomid</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Solomid">https://haveibeenpwned.com/Breach/Solomid</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Solomid">https://haveibeenpwned.com/Breach/Solomid</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Solomid">https://haveibeenpwned.com/Breach/Solomid</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Solomid">https://haveibeenpwned.com/Breach/Solomid</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Solomid">https://haveibeenpwned.com/Breach/Solomid</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Solomid">https://haveibeenpwned.com/Breach/Solomid</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Solomid">https://haveibeenpwned.com/Breach/Solomid</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Solomid">https://haveibeenpwned.com/Breach/Solomid</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Solomid">https://haveibeenpwned.com/Breach/Solomid</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Solomid">https://haveibeenpwned.com/Breach/Solomid</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Solomid">https://haveibeenpwned.com/Breach/Solomid</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sonicbids">https://haveibeenpwned.com/Breach/Sonicbids</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sonicbids">https://haveibeenpwned.com/Breach/Sonicbids</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sonicbids">https://haveibeenpwned.com/Breach/Sonicbids</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sonicbids">https://haveibeenpwned.com/Breach/Sonicbids</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sonicbids">https://haveibeenpwned.com/Breach/Sonicbids</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sonicbids">https://haveibeenpwned.com/Breach/Sonicbids</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sonicbids">https://haveibeenpwned.com/Breach/Sonicbids</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sonicbids">https://haveibeenpwned.com/Breach/Sonicbids</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sonicbids">https://haveibeenpwned.com/Breach/Sonicbids</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sonicbids">https://haveibeenpwned.com/Breach/Sonicbids</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sonicbids">https://haveibeenpwned.com/Breach/Sonicbids</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sonicbids">https://haveibeenpwned.com/Breach/Sonicbids</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sony">https://haveibeenpwned.com/Breach/Sony</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sony">https://haveibeenpwned.com/Breach/Sony</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sony">https://haveibeenpwned.com/Breach/Sony</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sony">https://haveibeenpwned.com/Breach/Sony</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sony">https://haveibeenpwned.com/Breach/Sony</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sony">https://haveibeenpwned.com/Breach/Sony</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sony">https://haveibeenpwned.com/Breach/Sony</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sony">https://haveibeenpwned.com/Breach/Sony</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sony">https://haveibeenpwned.com/Breach/Sony</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sony">https://haveibeenpwned.com/Breach/Sony</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sony">https://haveibeenpwned.com/Breach/Sony</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sony">https://haveibeenpwned.com/Breach/Sony</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Soundwave">https://haveibeenpwned.com/Breach/Soundwave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Soundwave">https://haveibeenpwned.com/Breach/Soundwave</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Soundwave">https://haveibeenpwned.com/Breach/Soundwave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Soundwave">https://haveibeenpwned.com/Breach/Soundwave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Soundwave">https://haveibeenpwned.com/Breach/Soundwave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Soundwave">https://haveibeenpwned.com/Breach/Soundwave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Soundwave">https://haveibeenpwned.com/Breach/Soundwave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Soundwave">https://haveibeenpwned.com/Breach/Soundwave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Soundwave">https://haveibeenpwned.com/Breach/Soundwave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Soundwave">https://haveibeenpwned.com/Breach/Soundwave</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Soundwave">https://haveibeenpwned.com/Breach/Soundwave</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Soundwave">https://haveibeenpwned.com/Breach/Soundwave</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpecialKSpamList">https://haveibeenpwned.com/Breach/SpecialKSpamList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpecialKSpamList">https://haveibeenpwned.com/Breach/SpecialKSpamList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpecialKSpamList">https://haveibeenpwned.com/Breach/SpecialKSpamList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpecialKSpamList">https://haveibeenpwned.com/Breach/SpecialKSpamList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpecialKSpamList">https://haveibeenpwned.com/Breach/SpecialKSpamList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpecialKSpamList">https://haveibeenpwned.com/Breach/SpecialKSpamList</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpecialKSpamList">https://haveibeenpwned.com/Breach/SpecialKSpamList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpecialKSpamList">https://haveibeenpwned.com/Breach/SpecialKSpamList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpecialKSpamList">https://haveibeenpwned.com/Breach/SpecialKSpamList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpecialKSpamList">https://haveibeenpwned.com/Breach/SpecialKSpamList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpecialKSpamList">https://haveibeenpwned.com/Breach/SpecialKSpamList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpecialKSpamList">https://haveibeenpwned.com/Breach/SpecialKSpamList</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Speedio">https://haveibeenpwned.com/Breach/Speedio</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Speedio">https://haveibeenpwned.com/Breach/Speedio</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Speedio">https://haveibeenpwned.com/Breach/Speedio</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Speedio">https://haveibeenpwned.com/Breach/Speedio</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Speedio">https://haveibeenpwned.com/Breach/Speedio</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Speedio">https://haveibeenpwned.com/Breach/Speedio</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Speedio">https://haveibeenpwned.com/Breach/Speedio</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Speedio">https://haveibeenpwned.com/Breach/Speedio</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Speedio">https://haveibeenpwned.com/Breach/Speedio</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Speedio">https://haveibeenpwned.com/Breach/Speedio</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Speedio">https://haveibeenpwned.com/Breach/Speedio</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Speedio">https://haveibeenpwned.com/Breach/Speedio</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sphero">https://haveibeenpwned.com/Breach/Sphero</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sphero">https://haveibeenpwned.com/Breach/Sphero</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sphero">https://haveibeenpwned.com/Breach/Sphero</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sphero">https://haveibeenpwned.com/Breach/Sphero</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sphero">https://haveibeenpwned.com/Breach/Sphero</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Sphero">https://haveibeenpwned.com/Breach/Sphero</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sphero">https://haveibeenpwned.com/Breach/Sphero</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sphero">https://haveibeenpwned.com/Breach/Sphero</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sphero">https://haveibeenpwned.com/Breach/Sphero</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sphero">https://haveibeenpwned.com/Breach/Sphero</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sphero">https://haveibeenpwned.com/Breach/Sphero</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sphero">https://haveibeenpwned.com/Breach/Sphero</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spiro">https://haveibeenpwned.com/Breach/Spiro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Breach/Spiro">https://haveibeenpwned.com/Breach/Spiro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spiro">https://haveibeenpwned.com/Breach/Spiro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spiro">https://haveibeenpwned.com/Breach/Spiro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spiro">https://haveibeenpwned.com/Breach/Spiro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spiro">https://haveibeenpwned.com/Breach/Spiro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spiro">https://haveibeenpwned.com/Breach/Spiro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spiro">https://haveibeenpwned.com/Breach/Spiro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spiro">https://haveibeenpwned.com/Breach/Spiro</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spiro">https://haveibeenpwned.com/Breach/Spiro</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpiroI">https://haveibeenpwned.com/Breach/SpiroI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpiroI">https://haveibeenpwned.com/Breach/SpiroI</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sport2000">https://haveibeenpwned.com/Breach/Sport2000</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sport2000">https://haveibeenpwned.com/Breach/Sport2000</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sport2000">https://haveibeenpwned.com/Breach/Sport2000</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sport2000">https://haveibeenpwned.com/Breach/Sport2000</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sport2000">https://haveibeenpwned.com/Breach/Sport2000</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sport2000">https://haveibeenpwned.com/Breach/Sport2000</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sport2000">https://haveibeenpwned.com/Breach/Sport2000</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sport2000">https://haveibeenpwned.com/Breach/Sport2000</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sport2000">https://haveibeenpwned.com/Breach/Sport2000</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sport2000">https://haveibeenpwned.com/Breach/Sport2000</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sport2000">https://haveibeenpwned.com/Breach/Sport2000</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Sport2000">https://haveibeenpwned.com/Breach/Sport2000</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spoutible">https://haveibeenpwned.com/Breach/Spoutible</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spoutible">https://haveibeenpwned.com/Breach/Spoutible</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spoutible">https://haveibeenpwned.com/Breach/Spoutible</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spoutible">https://haveibeenpwned.com/Breach/Spoutible</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spoutible">https://haveibeenpwned.com/Breach/Spoutible</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spoutible">https://haveibeenpwned.com/Breach/Spoutible</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spoutible">https://haveibeenpwned.com/Breach/Spoutible</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spoutible">https://haveibeenpwned.com/Breach/Spoutible</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spoutible">https://haveibeenpwned.com/Breach/Spoutible</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spoutible">https://haveibeenpwned.com/Breach/Spoutible</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SprashivaiRu">https://haveibeenpwned.com/Breach/SprashivaiRu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SprashivaiRu">https://haveibeenpwned.com/Breach/SprashivaiRu</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SprashivaiRu">https://haveibeenpwned.com/Breach/SprashivaiRu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SprashivaiRu">https://haveibeenpwned.com/Breach/SprashivaiRu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SprashivaiRu">https://haveibeenpwned.com/Breach/SprashivaiRu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SprashivaiRu">https://haveibeenpwned.com/Breach/SprashivaiRu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SprashivaiRu">https://haveibeenpwned.com/Breach/SprashivaiRu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SprashivaiRu">https://haveibeenpwned.com/Breach/SprashivaiRu</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SprashivaiRu">https://haveibeenpwned.com/Breach/SprashivaiRu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SprashivaiRu">https://haveibeenpwned.com/Breach/SprashivaiRu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SprashivaiRu">https://haveibeenpwned.com/Breach/SprashivaiRu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SprashivaiRu">https://haveibeenpwned.com/Breach/SprashivaiRu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SprashivaiRu">https://haveibeenpwned.com/Breach/SprashivaiRu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SprashivaiRu">https://haveibeenpwned.com/Breach/SprashivaiRu</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyFone">https://haveibeenpwned.com/Breach/SpyFone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyFone">https://haveibeenpwned.com/Breach/SpyFone</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyFone">https://haveibeenpwned.com/Breach/SpyFone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyFone">https://haveibeenpwned.com/Breach/SpyFone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyFone">https://haveibeenpwned.com/Breach/SpyFone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyFone">https://haveibeenpwned.com/Breach/SpyFone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyFone">https://haveibeenpwned.com/Breach/SpyFone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyFone">https://haveibeenpwned.com/Breach/SpyFone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyFone">https://haveibeenpwned.com/Breach/SpyFone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyFone">https://haveibeenpwned.com/Breach/SpyFone</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyFone">https://haveibeenpwned.com/Breach/SpyFone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyFone">https://haveibeenpwned.com/Breach/SpyFone</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyic">https://haveibeenpwned.com/Breach/Spyic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyic">https://haveibeenpwned.com/Breach/Spyic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyic">https://haveibeenpwned.com/Breach/Spyic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyic">https://haveibeenpwned.com/Breach/Spyic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyic">https://haveibeenpwned.com/Breach/Spyic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyic">https://haveibeenpwned.com/Breach/Spyic</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyic">https://haveibeenpwned.com/Breach/Spyic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyic">https://haveibeenpwned.com/Breach/Spyic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyic">https://haveibeenpwned.com/Breach/Spyic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyic">https://haveibeenpwned.com/Breach/Spyic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyic">https://haveibeenpwned.com/Breach/Spyic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyic">https://haveibeenpwned.com/Breach/Spyic</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spytech">https://haveibeenpwned.com/Breach/Spytech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spytech">https://haveibeenpwned.com/Breach/Spytech</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spytech">https://haveibeenpwned.com/Breach/Spytech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spytech">https://haveibeenpwned.com/Breach/Spytech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spytech">https://haveibeenpwned.com/Breach/Spytech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spytech">https://haveibeenpwned.com/Breach/Spytech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spytech">https://haveibeenpwned.com/Breach/Spytech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spytech">https://haveibeenpwned.com/Breach/Spytech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spytech">https://haveibeenpwned.com/Breach/Spytech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spytech">https://haveibeenpwned.com/Breach/Spytech</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spytech">https://haveibeenpwned.com/Breach/Spytech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spytech">https://haveibeenpwned.com/Breach/Spytech</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyX">https://haveibeenpwned.com/Breach/SpyX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyX">https://haveibeenpwned.com/Breach/SpyX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyX">https://haveibeenpwned.com/Breach/SpyX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyX">https://haveibeenpwned.com/Breach/SpyX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyX">https://haveibeenpwned.com/Breach/SpyX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyX">https://haveibeenpwned.com/Breach/SpyX</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyX">https://haveibeenpwned.com/Breach/SpyX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyX">https://haveibeenpwned.com/Breach/SpyX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyX">https://haveibeenpwned.com/Breach/SpyX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyX">https://haveibeenpwned.com/Breach/SpyX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyX">https://haveibeenpwned.com/Breach/SpyX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SpyX">https://haveibeenpwned.com/Breach/SpyX</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyzie">https://haveibeenpwned.com/Breach/Spyzie</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyzie">https://haveibeenpwned.com/Breach/Spyzie</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyzie">https://haveibeenpwned.com/Breach/Spyzie</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyzie">https://haveibeenpwned.com/Breach/Spyzie</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyzie">https://haveibeenpwned.com/Breach/Spyzie</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyzie">https://haveibeenpwned.com/Breach/Spyzie</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyzie">https://haveibeenpwned.com/Breach/Spyzie</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyzie">https://haveibeenpwned.com/Breach/Spyzie</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyzie">https://haveibeenpwned.com/Breach/Spyzie</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyzie">https://haveibeenpwned.com/Breach/Spyzie</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyzie">https://haveibeenpwned.com/Breach/Spyzie</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Spyzie">https://haveibeenpwned.com/Breach/Spyzie</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StalkerOnline">https://haveibeenpwned.com/Breach/StalkerOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StalkerOnline">https://haveibeenpwned.com/Breach/StalkerOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StalkerOnline">https://haveibeenpwned.com/Breach/StalkerOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StalkerOnline">https://haveibeenpwned.com/Breach/StalkerOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StalkerOnline">https://haveibeenpwned.com/Breach/StalkerOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StalkerOnline">https://haveibeenpwned.com/Breach/StalkerOnline</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StalkerOnline">https://haveibeenpwned.com/Breach/StalkerOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StalkerOnline">https://haveibeenpwned.com/Breach/StalkerOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StalkerOnline">https://haveibeenpwned.com/Breach/StalkerOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StalkerOnline">https://haveibeenpwned.com/Breach/StalkerOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StalkerOnline">https://haveibeenpwned.com/Breach/StalkerOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StalkerOnline">https://haveibeenpwned.com/Breach/StalkerOnline</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Staminus">https://haveibeenpwned.com/Breach/Staminus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Staminus">https://haveibeenpwned.com/Breach/Staminus</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Staminus">https://haveibeenpwned.com/Breach/Staminus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Staminus">https://haveibeenpwned.com/Breach/Staminus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Staminus">https://haveibeenpwned.com/Breach/Staminus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Staminus">https://haveibeenpwned.com/Breach/Staminus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Staminus">https://haveibeenpwned.com/Breach/Staminus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Staminus">https://haveibeenpwned.com/Breach/Staminus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Staminus">https://haveibeenpwned.com/Breach/Staminus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Staminus">https://haveibeenpwned.com/Breach/Staminus</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Staminus">https://haveibeenpwned.com/Breach/Staminus</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Staminus">https://haveibeenpwned.com/Breach/Staminus</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarNet">https://haveibeenpwned.com/Breach/StarNet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarNet">https://haveibeenpwned.com/Breach/StarNet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarNet">https://haveibeenpwned.com/Breach/StarNet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarNet">https://haveibeenpwned.com/Breach/StarNet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarNet">https://haveibeenpwned.com/Breach/StarNet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarNet">https://haveibeenpwned.com/Breach/StarNet</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarNet">https://haveibeenpwned.com/Breach/StarNet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarNet">https://haveibeenpwned.com/Breach/StarNet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarNet">https://haveibeenpwned.com/Breach/StarNet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarNet">https://haveibeenpwned.com/Breach/StarNet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarNet">https://haveibeenpwned.com/Breach/StarNet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarNet">https://haveibeenpwned.com/Breach/StarNet</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Start">https://haveibeenpwned.com/Breach/Start</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Start">https://haveibeenpwned.com/Breach/Start</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Start">https://haveibeenpwned.com/Breach/Start</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Start">https://haveibeenpwned.com/Breach/Start</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Start">https://haveibeenpwned.com/Breach/Start</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Start">https://haveibeenpwned.com/Breach/Start</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Start">https://haveibeenpwned.com/Breach/Start</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Start">https://haveibeenpwned.com/Breach/Start</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Start">https://haveibeenpwned.com/Breach/Start</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Start">https://haveibeenpwned.com/Breach/Start</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Start">https://haveibeenpwned.com/Breach/Start</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Start">https://haveibeenpwned.com/Breach/Start</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarTribune">https://haveibeenpwned.com/Breach/StarTribune</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarTribune">https://haveibeenpwned.com/Breach/StarTribune</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarTribune">https://haveibeenpwned.com/Breach/StarTribune</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarTribune">https://haveibeenpwned.com/Breach/StarTribune</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarTribune">https://haveibeenpwned.com/Breach/StarTribune</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarTribune">https://haveibeenpwned.com/Breach/StarTribune</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarTribune">https://haveibeenpwned.com/Breach/StarTribune</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarTribune">https://haveibeenpwned.com/Breach/StarTribune</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarTribune">https://haveibeenpwned.com/Breach/StarTribune</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarTribune">https://haveibeenpwned.com/Breach/StarTribune</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarTribune">https://haveibeenpwned.com/Breach/StarTribune</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StarTribune">https://haveibeenpwned.com/Breach/StarTribune</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StealerLogsJan2025">https://haveibeenpwned.com/Breach/StealerLogsJan2025</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StealerLogsJan2025">https://haveibeenpwned.com/Breach/StealerLogsJan2025</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StealerLogsJan2025">https://haveibeenpwned.com/Breach/StealerLogsJan2025</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StealerLogsJan2025">https://haveibeenpwned.com/Breach/StealerLogsJan2025</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StealerLogsJan2025">https://haveibeenpwned.com/Breach/StealerLogsJan2025</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StealerLogsJan2025">https://haveibeenpwned.com/Breach/StealerLogsJan2025</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StealerLogsJan2025">https://haveibeenpwned.com/Breach/StealerLogsJan2025</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StealerLogsJan2025">https://haveibeenpwned.com/Breach/StealerLogsJan2025</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StealerLogsJan2025">https://haveibeenpwned.com/Breach/StealerLogsJan2025</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StealerLogsJan2025">https://haveibeenpwned.com/Breach/StealerLogsJan2025</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StealerLogsJan2025">https://haveibeenpwned.com/Breach/StealerLogsJan2025</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StealerLogsJan2025">https://haveibeenpwned.com/Breach/StealerLogsJan2025</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SterKinekor">https://haveibeenpwned.com/Breach/SterKinekor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SterKinekor">https://haveibeenpwned.com/Breach/SterKinekor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SterKinekor">https://haveibeenpwned.com/Breach/SterKinekor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SterKinekor">https://haveibeenpwned.com/Breach/SterKinekor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SterKinekor">https://haveibeenpwned.com/Breach/SterKinekor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SterKinekor">https://haveibeenpwned.com/Breach/SterKinekor</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SterKinekor">https://haveibeenpwned.com/Breach/SterKinekor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SterKinekor">https://haveibeenpwned.com/Breach/SterKinekor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SterKinekor">https://haveibeenpwned.com/Breach/SterKinekor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SterKinekor">https://haveibeenpwned.com/Breach/SterKinekor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SterKinekor">https://haveibeenpwned.com/Breach/SterKinekor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SterKinekor">https://haveibeenpwned.com/Breach/SterKinekor</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StockX">https://haveibeenpwned.com/Breach/StockX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StockX">https://haveibeenpwned.com/Breach/StockX</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StockX">https://haveibeenpwned.com/Breach/StockX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StockX">https://haveibeenpwned.com/Breach/StockX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StockX">https://haveibeenpwned.com/Breach/StockX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StockX">https://haveibeenpwned.com/Breach/StockX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StockX">https://haveibeenpwned.com/Breach/StockX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StockX">https://haveibeenpwned.com/Breach/StockX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StockX">https://haveibeenpwned.com/Breach/StockX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StockX">https://haveibeenpwned.com/Breach/StockX</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StockX">https://haveibeenpwned.com/Breach/StockX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StockX">https://haveibeenpwned.com/Breach/StockX</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Storeny">https://haveibeenpwned.com/Breach/Storeny</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Storeny">https://haveibeenpwned.com/Breach/Storeny</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Storeny">https://haveibeenpwned.com/Breach/Storeny</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Storeny">https://haveibeenpwned.com/Breach/Storeny</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Storeny">https://haveibeenpwned.com/Breach/Storeny</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Storeny">https://haveibeenpwned.com/Breach/Storeny</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Storeny">https://haveibeenpwned.com/Breach/Storeny</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Storeny">https://haveibeenpwned.com/Breach/Storeny</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Storeny">https://haveibeenpwned.com/Breach/Storeny</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Storeny">https://haveibeenpwned.com/Breach/Storeny</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Storeny">https://haveibeenpwned.com/Breach/Storeny</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Storeny">https://haveibeenpwned.com/Breach/Storeny</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StoryBird">https://haveibeenpwned.com/Breach/StoryBird</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StoryBird">https://haveibeenpwned.com/Breach/StoryBird</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StoryBird">https://haveibeenpwned.com/Breach/StoryBird</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StoryBird">https://haveibeenpwned.com/Breach/StoryBird</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StoryBird">https://haveibeenpwned.com/Breach/StoryBird</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StoryBird">https://haveibeenpwned.com/Breach/StoryBird</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StoryBird">https://haveibeenpwned.com/Breach/StoryBird</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StoryBird">https://haveibeenpwned.com/Breach/StoryBird</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StoryBird">https://haveibeenpwned.com/Breach/StoryBird</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StoryBird">https://haveibeenpwned.com/Breach/StoryBird</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StoryBird">https://haveibeenpwned.com/Breach/StoryBird</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StoryBird">https://haveibeenpwned.com/Breach/StoryBird</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Straffic">https://haveibeenpwned.com/Breach/Straffic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Straffic">https://haveibeenpwned.com/Breach/Straffic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Straffic">https://haveibeenpwned.com/Breach/Straffic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Straffic">https://haveibeenpwned.com/Breach/Straffic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Straffic">https://haveibeenpwned.com/Breach/Straffic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Straffic">https://haveibeenpwned.com/Breach/Straffic</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Straffic">https://haveibeenpwned.com/Breach/Straffic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Straffic">https://haveibeenpwned.com/Breach/Straffic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Straffic">https://haveibeenpwned.com/Breach/Straffic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Straffic">https://haveibeenpwned.com/Breach/Straffic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Straffic">https://haveibeenpwned.com/Breach/Straffic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Straffic">https://haveibeenpwned.com/Breach/Straffic</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stratfor">https://haveibeenpwned.com/Breach/Stratfor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stratfor">https://haveibeenpwned.com/Breach/Stratfor</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stratfor">https://haveibeenpwned.com/Breach/Stratfor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stratfor">https://haveibeenpwned.com/Breach/Stratfor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stratfor">https://haveibeenpwned.com/Breach/Stratfor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stratfor">https://haveibeenpwned.com/Breach/Stratfor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stratfor">https://haveibeenpwned.com/Breach/Stratfor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stratfor">https://haveibeenpwned.com/Breach/Stratfor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stratfor">https://haveibeenpwned.com/Breach/Stratfor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stratfor">https://haveibeenpwned.com/Breach/Stratfor</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stratfor">https://haveibeenpwned.com/Breach/Stratfor</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stratfor">https://haveibeenpwned.com/Breach/Stratfor</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreamCraft">https://haveibeenpwned.com/Breach/StreamCraft</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreamCraft">https://haveibeenpwned.com/Breach/StreamCraft</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreamCraft">https://haveibeenpwned.com/Breach/StreamCraft</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreamCraft">https://haveibeenpwned.com/Breach/StreamCraft</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreamCraft">https://haveibeenpwned.com/Breach/StreamCraft</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreamCraft">https://haveibeenpwned.com/Breach/StreamCraft</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreamCraft">https://haveibeenpwned.com/Breach/StreamCraft</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreamCraft">https://haveibeenpwned.com/Breach/StreamCraft</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreamCraft">https://haveibeenpwned.com/Breach/StreamCraft</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreamCraft">https://haveibeenpwned.com/Breach/StreamCraft</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreamCraft">https://haveibeenpwned.com/Breach/StreamCraft</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreamCraft">https://haveibeenpwned.com/Breach/StreamCraft</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreetEasy">https://haveibeenpwned.com/Breach/StreetEasy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreetEasy">https://haveibeenpwned.com/Breach/StreetEasy</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreetEasy">https://haveibeenpwned.com/Breach/StreetEasy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreetEasy">https://haveibeenpwned.com/Breach/StreetEasy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreetEasy">https://haveibeenpwned.com/Breach/StreetEasy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreetEasy">https://haveibeenpwned.com/Breach/StreetEasy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreetEasy">https://haveibeenpwned.com/Breach/StreetEasy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreetEasy">https://haveibeenpwned.com/Breach/StreetEasy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreetEasy">https://haveibeenpwned.com/Breach/StreetEasy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreetEasy">https://haveibeenpwned.com/Breach/StreetEasy</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreetEasy">https://haveibeenpwned.com/Breach/StreetEasy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StreetEasy">https://haveibeenpwned.com/Breach/StreetEasy</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stripchat">https://haveibeenpwned.com/Breach/Stripchat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stripchat">https://haveibeenpwned.com/Breach/Stripchat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stripchat">https://haveibeenpwned.com/Breach/Stripchat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stripchat">https://haveibeenpwned.com/Breach/Stripchat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stripchat">https://haveibeenpwned.com/Breach/Stripchat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stripchat">https://haveibeenpwned.com/Breach/Stripchat</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stripchat">https://haveibeenpwned.com/Breach/Stripchat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stripchat">https://haveibeenpwned.com/Breach/Stripchat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stripchat">https://haveibeenpwned.com/Breach/Stripchat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stripchat">https://haveibeenpwned.com/Breach/Stripchat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stripchat">https://haveibeenpwned.com/Breach/Stripchat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Stripchat">https://haveibeenpwned.com/Breach/Stripchat</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StrongholdKingdoms">https://haveibeenpwned.com/Breach/StrongholdKingdoms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StrongholdKingdoms">https://haveibeenpwned.com/Breach/StrongholdKingdoms</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StrongholdKingdoms">https://haveibeenpwned.com/Breach/StrongholdKingdoms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StrongholdKingdoms">https://haveibeenpwned.com/Breach/StrongholdKingdoms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StrongholdKingdoms">https://haveibeenpwned.com/Breach/StrongholdKingdoms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StrongholdKingdoms">https://haveibeenpwned.com/Breach/StrongholdKingdoms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StrongholdKingdoms">https://haveibeenpwned.com/Breach/StrongholdKingdoms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StrongholdKingdoms">https://haveibeenpwned.com/Breach/StrongholdKingdoms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StrongholdKingdoms">https://haveibeenpwned.com/Breach/StrongholdKingdoms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StrongholdKingdoms">https://haveibeenpwned.com/Breach/StrongholdKingdoms</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StrongholdKingdoms">https://haveibeenpwned.com/Breach/StrongholdKingdoms</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/StrongholdKingdoms">https://haveibeenpwned.com/Breach/StrongholdKingdoms</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SubaGames">https://haveibeenpwned.com/Breach/SubaGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SubaGames">https://haveibeenpwned.com/Breach/SubaGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SubaGames">https://haveibeenpwned.com/Breach/SubaGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SubaGames">https://haveibeenpwned.com/Breach/SubaGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SubaGames">https://haveibeenpwned.com/Breach/SubaGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SubaGames">https://haveibeenpwned.com/Breach/SubaGames</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SubaGames">https://haveibeenpwned.com/Breach/SubaGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SubaGames">https://haveibeenpwned.com/Breach/SubaGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SubaGames">https://haveibeenpwned.com/Breach/SubaGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SubaGames">https://haveibeenpwned.com/Breach/SubaGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SubaGames">https://haveibeenpwned.com/Breach/SubaGames</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SubaGames">https://haveibeenpwned.com/Breach/SubaGames</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SumoTorrent">https://haveibeenpwned.com/Breach/SumoTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SumoTorrent">https://haveibeenpwned.com/Breach/SumoTorrent</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SumoTorrent">https://haveibeenpwned.com/Breach/SumoTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SumoTorrent">https://haveibeenpwned.com/Breach/SumoTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SumoTorrent">https://haveibeenpwned.com/Breach/SumoTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SumoTorrent">https://haveibeenpwned.com/Breach/SumoTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SumoTorrent">https://haveibeenpwned.com/Breach/SumoTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SumoTorrent">https://haveibeenpwned.com/Breach/SumoTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SumoTorrent">https://haveibeenpwned.com/Breach/SumoTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SumoTorrent">https://haveibeenpwned.com/Breach/SumoTorrent</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SumoTorrent">https://haveibeenpwned.com/Breach/SumoTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SumoTorrent">https://haveibeenpwned.com/Breach/SumoTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SundryFiles">https://haveibeenpwned.com/Breach/SundryFiles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SundryFiles">https://haveibeenpwned.com/Breach/SundryFiles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SundryFiles">https://haveibeenpwned.com/Breach/SundryFiles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SundryFiles">https://haveibeenpwned.com/Breach/SundryFiles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SundryFiles">https://haveibeenpwned.com/Breach/SundryFiles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SundryFiles">https://haveibeenpwned.com/Breach/SundryFiles</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SundryFiles">https://haveibeenpwned.com/Breach/SundryFiles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SundryFiles">https://haveibeenpwned.com/Breach/SundryFiles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SundryFiles">https://haveibeenpwned.com/Breach/SundryFiles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SundryFiles">https://haveibeenpwned.com/Breach/SundryFiles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SundryFiles">https://haveibeenpwned.com/Breach/SundryFiles</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SundryFiles">https://haveibeenpwned.com/Breach/SundryFiles</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperDraft">https://haveibeenpwned.com/Breach/SuperDraft</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperDraft">https://haveibeenpwned.com/Breach/SuperDraft</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperDraft">https://haveibeenpwned.com/Breach/SuperDraft</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperDraft">https://haveibeenpwned.com/Breach/SuperDraft</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperDraft">https://haveibeenpwned.com/Breach/SuperDraft</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperDraft">https://haveibeenpwned.com/Breach/SuperDraft</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperDraft">https://haveibeenpwned.com/Breach/SuperDraft</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperDraft">https://haveibeenpwned.com/Breach/SuperDraft</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperDraft">https://haveibeenpwned.com/Breach/SuperDraft</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperDraft">https://haveibeenpwned.com/Breach/SuperDraft</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperDraft">https://haveibeenpwned.com/Breach/SuperDraft</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperDraft">https://haveibeenpwned.com/Breach/SuperDraft</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN">https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN">https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN">https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN">https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN">https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN">https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN">https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN">https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN">https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN">https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN">https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN">https://haveibeenpwned.com/Breach/SuperVPNGeckoVPN</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SurveyLama">https://haveibeenpwned.com/Breach/SurveyLama</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SurveyLama">https://haveibeenpwned.com/Breach/SurveyLama</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SurveYlama">https://haveibeenpwned.com/Breach/SurveYlama</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SurveYlama">https://haveibeenpwned.com/Breach/SurveYlama</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SurveYlama">https://haveibeenpwned.com/Breach/SurveYlama</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SurveYlama">https://haveibeenpwned.com/Breach/SurveYlama</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SurveYlama">https://haveibeenpwned.com/Breach/SurveYlama</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SurveYlama">https://haveibeenpwned.com/Breach/SurveYlama</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SurveYlama">https://haveibeenpwned.com/Breach/SurveYlama</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SurveYlama">https://haveibeenpwned.com/Breach/SurveYlama</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SurveyLama">https://haveibeenpwned.com/Breach/SurveyLama</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SurveyLama">https://haveibeenpwned.com/Breach/SurveyLama</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SvenskaMagic">https://haveibeenpwned.com/Breach/SvenskaMagic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SvenskaMagic">https://haveibeenpwned.com/Breach/SvenskaMagic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SvenskaMagic">https://haveibeenpwned.com/Breach/SvenskaMagic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SvenskaMagic">https://haveibeenpwned.com/Breach/SvenskaMagic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SvenskaMagic">https://haveibeenpwned.com/Breach/SvenskaMagic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SvenskaMagic">https://haveibeenpwned.com/Breach/SvenskaMagic</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SvenskaMagic">https://haveibeenpwned.com/Breach/SvenskaMagic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SvenskaMagic">https://haveibeenpwned.com/Breach/SvenskaMagic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SvenskaMagic">https://haveibeenpwned.com/Breach/SvenskaMagic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SvenskaMagic">https://haveibeenpwned.com/Breach/SvenskaMagic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SvenskaMagic">https://haveibeenpwned.com/Breach/SvenskaMagic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SvenskaMagic">https://haveibeenpwned.com/Breach/SvenskaMagic</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SweClockers">https://haveibeenpwned.com/Breach/SweClockers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SweClockers">https://haveibeenpwned.com/Breach/SweClockers</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SweClockers">https://haveibeenpwned.com/Breach/SweClockers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SweClockers">https://haveibeenpwned.com/Breach/SweClockers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SweClockers">https://haveibeenpwned.com/Breach/SweClockers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SweClockers">https://haveibeenpwned.com/Breach/SweClockers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SweClockers">https://haveibeenpwned.com/Breach/SweClockers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SweClockers">https://haveibeenpwned.com/Breach/SweClockers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SweClockers">https://haveibeenpwned.com/Breach/SweClockers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SweClockers">https://haveibeenpwned.com/Breach/SweClockers</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SweClockers">https://haveibeenpwned.com/Breach/SweClockers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SweClockers">https://haveibeenpwned.com/Breach/SweClockers</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Switch">https://haveibeenpwned.com/Breach/Switch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Switch">https://haveibeenpwned.com/Breach/Switch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Switch">https://haveibeenpwned.com/Breach/Switch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Switch">https://haveibeenpwned.com/Breach/Switch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Switch">https://haveibeenpwned.com/Breach/Switch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Switch">https://haveibeenpwned.com/Breach/Switch</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Switch">https://haveibeenpwned.com/Breach/Switch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Switch">https://haveibeenpwned.com/Breach/Switch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Switch">https://haveibeenpwned.com/Breach/Switch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Switch">https://haveibeenpwned.com/Breach/Switch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Switch">https://haveibeenpwned.com/Breach/Switch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Switch">https://haveibeenpwned.com/Breach/Switch</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SwordFantasy">https://haveibeenpwned.com/Breach/SwordFantasy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SwordFantasy">https://haveibeenpwned.com/Breach/SwordFantasy</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SwordFantasy">https://haveibeenpwned.com/Breach/SwordFantasy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SwordFantasy">https://haveibeenpwned.com/Breach/SwordFantasy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SwordFantasy">https://haveibeenpwned.com/Breach/SwordFantasy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SwordFantasy">https://haveibeenpwned.com/Breach/SwordFantasy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SwordFantasy">https://haveibeenpwned.com/Breach/SwordFantasy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SwordFantasy">https://haveibeenpwned.com/Breach/SwordFantasy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SwordFantasy">https://haveibeenpwned.com/Breach/SwordFantasy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SwordFantasy">https://haveibeenpwned.com/Breach/SwordFantasy</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SwordFantasy">https://haveibeenpwned.com/Breach/SwordFantasy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/SwordFantasy">https://haveibeenpwned.com/Breach/SwordFantasy</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Swl">https://haveibeenpwned.com/Breach/Swl</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Swl">https://haveibeenpwned.com/Breach/Swl</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Swl">https://haveibeenpwned.com/Breach/Swl</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Swl">https://haveibeenpwned.com/Breach/Swl</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Swl">https://haveibeenpwned.com/Breach/Swl</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Swl">https://haveibeenpwned.com/Breach/Swl</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Swl">https://haveibeenpwned.com/Breach/Swl</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Swl">https://haveibeenpwned.com/Breach/Swl</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Swl">https://haveibeenpwned.com/Breach/Swl</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Swl">https://haveibeenpwned.com/Breach/Swl</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Swl">https://haveibeenpwned.com/Breach/Swl</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Swl">https://haveibeenpwned.com/Breach/Swl</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/T2">https://haveibeenpwned.com/Breach/T2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/T2">https://haveibeenpwned.com/Breach/T2</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/T2">https://haveibeenpwned.com/Breach/T2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/T2">https://haveibeenpwned.com/Breach/T2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/T2">https://haveibeenpwned.com/Breach/T2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/T2">https://haveibeenpwned.com/Breach/T2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/T2">https://haveibeenpwned.com/Breach/T2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/T2">https://haveibeenpwned.com/Breach/T2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/T2">https://haveibeenpwned.com/Breach/T2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/T2">https://haveibeenpwned.com/Breach/T2</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/T2">https://haveibeenpwned.com/Breach/T2</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/T2">https://haveibeenpwned.com/Breach/T2</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TaiLieu">https://haveibeenpwned.com/Breach/TaiLieu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TaiLieu">https://haveibeenpwned.com/Breach/TaiLieu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TaiLieu">https://haveibeenpwned.com/Breach/TaiLieu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TaiLieu">https://haveibeenpwned.com/Breach/TaiLieu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TaiLieu">https://haveibeenpwned.com/Breach/TaiLieu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TaiLieu">https://haveibeenpwned.com/Breach/TaiLieu</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TaiLieu">https://haveibeenpwned.com/Breach/TaiLieu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TaiLieu">https://haveibeenpwned.com/Breach/TaiLieu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TaiLieu">https://haveibeenpwned.com/Breach/TaiLieu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TaiLieu">https://haveibeenpwned.com/Breach/TaiLieu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TaiLieu">https://haveibeenpwned.com/Breach/TaiLieu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TaiLieu">https://haveibeenpwned.com/Breach/TaiLieu</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tamodo">https://haveibeenpwned.com/Breach/Tamodo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tamodo">https://haveibeenpwned.com/Breach/Tamodo</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tamodo">https://haveibeenpwned.com/Breach/Tamodo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tamodo">https://haveibeenpwned.com/Breach/Tamodo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tamodo">https://haveibeenpwned.com/Breach/Tamodo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tamodo">https://haveibeenpwned.com/Breach/Tamodo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tamodo">https://haveibeenpwned.com/Breach/Tamodo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tamodo">https://haveibeenpwned.com/Breach/Tamodo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tamodo">https://haveibeenpwned.com/Breach/Tamodo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tamodo">https://haveibeenpwned.com/Breach/Tamodo</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tamodo">https://haveibeenpwned.com/Breach/Tamodo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tamodo">https://haveibeenpwned.com/Breach/Tamodo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tangerine">https://haveibeenpwned.com/Breach/Tangerine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tangerine">https://haveibeenpwned.com/Breach/Tangerine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tangerine">https://haveibeenpwned.com/Breach/Tangerine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tangerine">https://haveibeenpwned.com/Breach/Tangerine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tangerine">https://haveibeenpwned.com/Breach/Tangerine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tangerine">https://haveibeenpwned.com/Breach/Tangerine</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tangerine">https://haveibeenpwned.com/Breach/Tangerine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tangerine">https://haveibeenpwned.com/Breach/Tangerine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tangerine">https://haveibeenpwned.com/Breach/Tangerine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tangerine">https://haveibeenpwned.com/Breach/Tangerine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tangerine">https://haveibeenpwned.com/Breach/Tangerine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tangerine">https://haveibeenpwned.com/Breach/Tangerine</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taobao">https://haveibeenpwned.com/Breach/Taobao</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taobao">https://haveibeenpwned.com/Breach/Taobao</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taobao">https://haveibeenpwned.com/Breach/Taobao</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taobao">https://haveibeenpwned.com/Breach/Taobao</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taobao">https://haveibeenpwned.com/Breach/Taobao</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taobao">https://haveibeenpwned.com/Breach/Taobao</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taobao">https://haveibeenpwned.com/Breach/Taobao</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taobao">https://haveibeenpwned.com/Breach/Taobao</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taobao">https://haveibeenpwned.com/Breach/Taobao</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taobao">https://haveibeenpwned.com/Breach/Taobao</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taobao">https://haveibeenpwned.com/Breach/Taobao</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taobao">https://haveibeenpwned.com/Breach/Taobao</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TAPAirPortugal">https://haveibeenpwned.com/Breach/TAPAirPortugal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TAPAirPortugal">https://haveibeenpwned.com/Breach/TAPAirPortugal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TAPAirPortugal">https://haveibeenpwned.com/Breach/TAPAirPortugal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TAPAirPortugal">https://haveibeenpwned.com/Breach/TAPAirPortugal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TAPAirPortugal">https://haveibeenpwned.com/Breach/TAPAirPortugal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TAPAirPortugal">https://haveibeenpwned.com/Breach/TAPAirPortugal</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TAPAirPortugal">https://haveibeenpwned.com/Breach/TAPAirPortugal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TAPAirPortugal">https://haveibeenpwned.com/Breach/TAPAirPortugal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TAPAirPortugal">https://haveibeenpwned.com/Breach/TAPAirPortugal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TAPAirPortugal">https://haveibeenpwned.com/Breach/TAPAirPortugal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TAPAirPortugal">https://haveibeenpwned.com/Breach/TAPAirPortugal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TAPAirPortugal">https://haveibeenpwned.com/Breach/TAPAirPortugal</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tappware">https://haveibeenpwned.com/Breach/Tappware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tappware">https://haveibeenpwned.com/Breach/Tappware</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tappware">https://haveibeenpwned.com/Breach/Tappware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tappware">https://haveibeenpwned.com/Breach/Tappware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tappware">https://haveibeenpwned.com/Breach/Tappware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tappware">https://haveibeenpwned.com/Breach/Tappware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tappware">https://haveibeenpwned.com/Breach/Tappware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tappware">https://haveibeenpwned.com/Breach/Tappware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tappware">https://haveibeenpwned.com/Breach/Tappware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tappware">https://haveibeenpwned.com/Breach/Tappware</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tappware">https://haveibeenpwned.com/Breach/Tappware</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tappware">https://haveibeenpwned.com/Breach/Tappware</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taringa">https://haveibeenpwned.com/Breach/Taringa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taringa">https://haveibeenpwned.com/Breach/Taringa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taringa">https://haveibeenpwned.com/Breach/Taringa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taringa">https://haveibeenpwned.com/Breach/Taringa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taringa">https://haveibeenpwned.com/Breach/Taringa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taringa">https://haveibeenpwned.com/Breach/Taringa</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taringa">https://haveibeenpwned.com/Breach/Taringa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taringa">https://haveibeenpwned.com/Breach/Taringa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taringa">https://haveibeenpwned.com/Breach/Taringa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taringa">https://haveibeenpwned.com/Breach/Taringa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taringa">https://haveibeenpwned.com/Breach/Taringa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Taringa">https://haveibeenpwned.com/Breach/Taringa</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Technic">https://haveibeenpwned.com/Breach/Technic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Technic">https://haveibeenpwned.com/Breach/Technic</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Technic">https://haveibeenpwned.com/Breach/Technic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Technic">https://haveibeenpwned.com/Breach/Technic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Technic">https://haveibeenpwned.com/Breach/Technic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Technic">https://haveibeenpwned.com/Breach/Technic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Technic">https://haveibeenpwned.com/Breach/Technic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Technic">https://haveibeenpwned.com/Breach/Technic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Technic">https://haveibeenpwned.com/Breach/Technic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Technic">https://haveibeenpwned.com/Breach/Technic</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Technic">https://haveibeenpwned.com/Breach/Technic</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Technic">https://haveibeenpwned.com/Breach/Technic</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teespring">https://haveibeenpwned.com/Breach/Teespring</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teespring">https://haveibeenpwned.com/Breach/Teespring</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teespring">https://haveibeenpwned.com/Breach/Teespring</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teespring">https://haveibeenpwned.com/Breach/Teespring</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teespring">https://haveibeenpwned.com/Breach/Teespring</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teespring">https://haveibeenpwned.com/Breach/Teespring</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teespring">https://haveibeenpwned.com/Breach/Teespring</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teespring">https://haveibeenpwned.com/Breach/Teespring</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teespring">https://haveibeenpwned.com/Breach/Teespring</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teespring">https://haveibeenpwned.com/Breach/Teespring</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teespring">https://haveibeenpwned.com/Breach/Teespring</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teespring">https://haveibeenpwned.com/Breach/Teespring</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TehetsegKapu">https://haveibeenpwned.com/Breach/TehetsegKapu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TehetsegKapu">https://haveibeenpwned.com/Breach/TehetsegKapu</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TehetsegKapu">https://haveibeenpwned.com/Breach/TehetsegKapu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TehetsegKapu">https://haveibeenpwned.com/Breach/TehetsegKapu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TehetsegKapu">https://haveibeenpwned.com/Breach/TehetsegKapu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TehetsegKapu">https://haveibeenpwned.com/Breach/TehetsegKapu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TehetsegKapu">https://haveibeenpwned.com/Breach/TehetsegKapu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TehetsegKapu">https://haveibeenpwned.com/Breach/TehetsegKapu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TehetsegKapu">https://haveibeenpwned.com/Breach/TehetsegKapu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TehetsegKapu">https://haveibeenpwned.com/Breach/TehetsegKapu</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TehetsegKapu">https://haveibeenpwned.com/Breach/TehetsegKapu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TehetsegKapu">https://haveibeenpwned.com/Breach/TehetsegKapu</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramCombolists">https://haveibeenpwned.com/Breach/TelegramCombolists</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramCombolists">https://haveibeenpwned.com/Breach/TelegramCombolists</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramCombolists">https://haveibeenpwned.com/Breach/TelegramCombolists</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramCombolists">https://haveibeenpwned.com/Breach/TelegramCombolists</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramCombolists">https://haveibeenpwned.com/Breach/TelegramCombolists</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramCombolists">https://haveibeenpwned.com/Breach/TelegramCombolists</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramCombolists">https://haveibeenpwned.com/Breach/TelegramCombolists</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramCombolists">https://haveibeenpwned.com/Breach/TelegramCombolists</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramCombolists">https://haveibeenpwned.com/Breach/TelegramCombolists</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramCombolists">https://haveibeenpwned.com/Breach/TelegramCombolists</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramCombolists">https://haveibeenpwned.com/Breach/TelegramCombolists</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramCombolists">https://haveibeenpwned.com/Breach/TelegramCombolists</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramStealerLogs">https://haveibeenpwned.com/Breach/TelegramStealerLogs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramStealerLogs">https://haveibeenpwned.com/Breach/TelegramStealerLogs</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramStealerLogs">https://haveibeenpwned.com/Breach/TelegramStealerLogs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramStealerLogs">https://haveibeenpwned.com/Breach/TelegramStealerLogs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramStealerLogs">https://haveibeenpwned.com/Breach/TelegramStealerLogs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramStealerLogs">https://haveibeenpwned.com/Breach/TelegramStealerLogs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramStealerLogs">https://haveibeenpwned.com/Breach/TelegramStealerLogs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramStealerLogs">https://haveibeenpwned.com/Breach/TelegramStealerLogs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramStealerLogs">https://haveibeenpwned.com/Breach/TelegramStealerLogs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramStealerLogs">https://haveibeenpwned.com/Breach/TelegramStealerLogs</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramStealerLogs">https://haveibeenpwned.com/Breach/TelegramStealerLogs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TelegramStealerLogs">https://haveibeenpwned.com/Breach/TelegramStealerLogs</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teracod">https://haveibeenpwned.com/Breach/Teracod</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teracod">https://haveibeenpwned.com/Breach/Teracod</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teracod">https://haveibeenpwned.com/Breach/Teracod</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teracod">https://haveibeenpwned.com/Breach/Teracod</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teracod">https://haveibeenpwned.com/Breach/Teracod</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teracod">https://haveibeenpwned.com/Breach/Teracod</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teracod">https://haveibeenpwned.com/Breach/Teracod</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teracod">https://haveibeenpwned.com/Breach/Teracod</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teracod">https://haveibeenpwned.com/Breach/Teracod</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teracod">https://haveibeenpwned.com/Breach/Teracod</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teracod">https://haveibeenpwned.com/Breach/Teracod</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Teracod">https://haveibeenpwned.com/Breach/Teracod</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Terravision">https://haveibeenpwned.com/Breach/Terravision</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Terravision">https://haveibeenpwned.com/Breach/Terravision</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Terravision">https://haveibeenpwned.com/Breach/Terravision</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Terravision">https://haveibeenpwned.com/Breach/Terravision</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Terravision">https://haveibeenpwned.com/Breach/Terravision</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Terravision">https://haveibeenpwned.com/Breach/Terravision</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Terravision">https://haveibeenpwned.com/Breach/Terravision</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Terravision">https://haveibeenpwned.com/Breach/Terravision</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Terravision">https://haveibeenpwned.com/Breach/Terravision</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Terravision">https://haveibeenpwned.com/Breach/Terravision</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Terravision">https://haveibeenpwned.com/Breach/Terravision</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Terravision">https://haveibeenpwned.com/Breach/Terravision</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tesco">https://haveibeenpwned.com/Breach/Tesco</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tesco">https://haveibeenpwned.com/Breach/Tesco</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tesco">https://haveibeenpwned.com/Breach/Tesco</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tesco">https://haveibeenpwned.com/Breach/Tesco</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tesco">https://haveibeenpwned.com/Breach/Tesco</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tesco">https://haveibeenpwned.com/Breach/Tesco</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tesco">https://haveibeenpwned.com/Breach/Tesco</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tesco">https://haveibeenpwned.com/Breach/Tesco</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tesco">https://haveibeenpwned.com/Breach/Tesco</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tesco">https://haveibeenpwned.com/Breach/Tesco</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tesco">https://haveibeenpwned.com/Breach/Tesco</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tesco">https://haveibeenpwned.com/Breach/Tesco</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TGBUS">https://haveibeenpwned.com/Breach/TGBUS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TGBUS">https://haveibeenpwned.com/Breach/TGBUS</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TGBUS">https://haveibeenpwned.com/Breach/TGBUS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TGBUS">https://haveibeenpwned.com/Breach/TGBUS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TGBUS">https://haveibeenpwned.com/Breach/TGBUS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TGBUS">https://haveibeenpwned.com/Breach/TGBUS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TGBUS">https://haveibeenpwned.com/Breach/TGBUS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TGBUS">https://haveibeenpwned.com/Breach/TGBUS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TGBUS">https://haveibeenpwned.com/Breach/TGBUS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TGBUS">https://haveibeenpwned.com/Breach/TGBUS</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TGBUS">https://haveibeenpwned.com/Breach/TGBUS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TGBUS">https://haveibeenpwned.com/Breach/TGBUS</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheCandidBoard">https://haveibeenpwned.com/Breach/TheCandidBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheCandidBoard">https://haveibeenpwned.com/Breach/TheCandidBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheCandidBoard">https://haveibeenpwned.com/Breach/TheCandidBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheCandidBoard">https://haveibeenpwned.com/Breach/TheCandidBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheCandidBoard">https://haveibeenpwned.com/Breach/TheCandidBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheCandidBoard">https://haveibeenpwned.com/Breach/TheCandidBoard</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheCandidBoard">https://haveibeenpwned.com/Breach/TheCandidBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheCandidBoard">https://haveibeenpwned.com/Breach/TheCandidBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheCandidBoard">https://haveibeenpwned.com/Breach/TheCandidBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheCandidBoard">https://haveibeenpwned.com/Breach/TheCandidBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheCandidBoard">https://haveibeenpwned.com/Breach/TheCandidBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheCandidBoard">https://haveibeenpwned.com/Breach/TheCandidBoard</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheClubPenguinExperience">https://haveibeenpwned.com/Breach/TheClubPenguinExperience</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheClubPenguinExperience">https://haveibeenpwned.com/Breach/TheClubPenguinExperience</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheClubPenguinExperience">https://haveibeenpwned.com/Breach/TheClubPenguinExperience</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheClubPenguinExperience">https://haveibeenpwned.com/Breach/TheClubPenguinExperience</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheClubPenguinExperience">https://haveibeenpwned.com/Breach/TheClubPenguinExperience</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheClubPenguinExperience">https://haveibeenpwned.com/Breach/TheClubPenguinExperience</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheClubPenguinExperience">https://haveibeenpwned.com/Breach/TheClubPenguinExperience</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheClubPenguinExperience">https://haveibeenpwned.com/Breach/TheClubPenguinExperience</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheClubPenguinExperience">https://haveibeenpwned.com/Breach/TheClubPenguinExperience</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheClubPenguinExperience">https://haveibeenpwned.com/Breach/TheClubPenguinExperience</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheClubPenguinExperience">https://haveibeenpwned.com/Breach/TheClubPenguinExperience</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheClubPenguinExperience">https://haveibeenpwned.com/Breach/TheClubPenguinExperience</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFappening">https://haveibeenpwned.com/Breach/TheFappening</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFappening">https://haveibeenpwned.com/Breach/TheFappening</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFappening">https://haveibeenpwned.com/Breach/TheFappening</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFappening">https://haveibeenpwned.com/Breach/TheFappening</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFappening">https://haveibeenpwned.com/Breach/TheFappening</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFappening">https://haveibeenpwned.com/Breach/TheFappening</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFappening">https://haveibeenpwned.com/Breach/TheFappening</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFappening">https://haveibeenpwned.com/Breach/TheFappening</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFappening">https://haveibeenpwned.com/Breach/TheFappening</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFappening">https://haveibeenpwned.com/Breach/TheFappening</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFappening">https://haveibeenpwned.com/Breach/TheFappening</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFappening">https://haveibeenpwned.com/Breach/TheFappening</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFlyOnTheWall">https://haveibeenpwned.com/Breach/TheFlyOnTheWall</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFlyOnTheWall">https://haveibeenpwned.com/Breach/TheFlyOnTheWall</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFlyOnTheWall">https://haveibeenpwned.com/Breach/TheFlyOnTheWall</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFlyOnTheWall">https://haveibeenpwned.com/Breach/TheFlyOnTheWall</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFlyOnTheWall">https://haveibeenpwned.com/Breach/TheFlyOnTheWall</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFlyOnTheWall">https://haveibeenpwned.com/Breach/TheFlyOnTheWall</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFlyOnTheWall">https://haveibeenpwned.com/Breach/TheFlyOnTheWall</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFlyOnTheWall">https://haveibeenpwned.com/Breach/TheFlyOnTheWall</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFlyOnTheWall">https://haveibeenpwned.com/Breach/TheFlyOnTheWall</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFlyOnTheWall">https://haveibeenpwned.com/Breach/TheFlyOnTheWall</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFlyOnTheWall">https://haveibeenpwned.com/Breach/TheFlyOnTheWall</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheFlyOnTheWall">https://haveibeenpwned.com/Breach/TheFlyOnTheWall</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheGradCafe">https://haveibeenpwned.com/Breach/TheGradCafe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheGradCafe">https://haveibeenpwned.com/Breach/TheGradCafe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheGradCafe">https://haveibeenpwned.com/Breach/TheGradCafe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheGradCafe">https://haveibeenpwned.com/Breach/TheGradCafe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheGradCafe">https://haveibeenpwned.com/Breach/TheGradCafe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheGradCafe">https://haveibeenpwned.com/Breach/TheGradCafe</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheGradCafe">https://haveibeenpwned.com/Breach/TheGradCafe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheGradCafe">https://haveibeenpwned.com/Breach/TheGradCafe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheGradCafe">https://haveibeenpwned.com/Breach/TheGradCafe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheGradCafe">https://haveibeenpwned.com/Breach/TheGradCafe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheGradCafe">https://haveibeenpwned.com/Breach/TheGradCafe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheGradCafe">https://haveibeenpwned.com/Breach/TheGradCafe</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheHeritageFoundation">https://haveibeenpwned.com/Breach/TheHeritageFoundation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheHeritageFoundation">https://haveibeenpwned.com/Breach/TheHeritageFoundation</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheHeritageFoundation">https://haveibeenpwned.com/Breach/TheHeritageFoundation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheHeritageFoundation">https://haveibeenpwned.com/Breach/TheHeritageFoundation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheHeritageFoundation">https://haveibeenpwned.com/Breach/TheHeritageFoundation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheHeritageFoundation">https://haveibeenpwned.com/Breach/TheHeritageFoundation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheHeritageFoundation">https://haveibeenpwned.com/Breach/TheHeritageFoundation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheHeritageFoundation">https://haveibeenpwned.com/Breach/TheHeritageFoundation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheHeritageFoundation">https://haveibeenpwned.com/Breach/TheHeritageFoundation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheHeritageFoundation">https://haveibeenpwned.com/Breach/TheHeritageFoundation</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheHeritageFoundation">https://haveibeenpwned.com/Breach/TheHeritageFoundation</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheHeritageFoundation">https://haveibeenpwned.com/Breach/TheHeritageFoundation</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThePostMillennial">https://haveibeenpwned.com/Breach/ThePostMillennial</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThePostMillennial">https://haveibeenpwned.com/Breach/ThePostMillennial</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThePostMillennial">https://haveibeenpwned.com/Breach/ThePostMillennial</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThePostMillennial">https://haveibeenpwned.com/Breach/ThePostMillennial</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThePostMillennial">https://haveibeenpwned.com/Breach/ThePostMillennial</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThePostMillennial">https://haveibeenpwned.com/Breach/ThePostMillennial</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThePostMillennial">https://haveibeenpwned.com/Breach/ThePostMillennial</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThePostMillennial">https://haveibeenpwned.com/Breach/ThePostMillennial</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThePostMillennial">https://haveibeenpwned.com/Breach/ThePostMillennial</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThePostMillennial">https://haveibeenpwned.com/Breach/ThePostMillennial</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThePostMillennial">https://haveibeenpwned.com/Breach/ThePostMillennial</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThePostMillennial">https://haveibeenpwned.com/Breach/ThePostMillennial</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheRealWorld">https://haveibeenpwned.com/Breach/TheRealWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheRealWorld">https://haveibeenpwned.com/Breach/TheRealWorld</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheRealWorld">https://haveibeenpwned.com/Breach/TheRealWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheRealWorld">https://haveibeenpwned.com/Breach/TheRealWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheRealWorld">https://haveibeenpwned.com/Breach/TheRealWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheRealWorld">https://haveibeenpwned.com/Breach/TheRealWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheRealWorld">https://haveibeenpwned.com/Breach/TheRealWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheRealWorld">https://haveibeenpwned.com/Breach/TheRealWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheRealWorld">https://haveibeenpwned.com/Breach/TheRealWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheRealWorld">https://haveibeenpwned.com/Breach/TheRealWorld</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheRealWorld">https://haveibeenpwned.com/Breach/TheRealWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheRealWorld">https://haveibeenpwned.com/Breach/TheRealWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thermomix">https://haveibeenpwned.com/Breach/Thermomix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thermomix">https://haveibeenpwned.com/Breach/Thermomix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thermomix">https://haveibeenpwned.com/Breach/Thermomix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thermomix">https://haveibeenpwned.com/Breach/Thermomix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thermomix">https://haveibeenpwned.com/Breach/Thermomix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thermomix">https://haveibeenpwned.com/Breach/Thermomix</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thermomix">https://haveibeenpwned.com/Breach/Thermomix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thermomix">https://haveibeenpwned.com/Breach/Thermomix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thermomix">https://haveibeenpwned.com/Breach/Thermomix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thermomix">https://haveibeenpwned.com/Breach/Thermomix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thermomix">https://haveibeenpwned.com/Breach/Thermomix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thermomix">https://haveibeenpwned.com/Breach/Thermomix</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheTVDB">https://haveibeenpwned.com/Breach/TheTVDB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheTVDB">https://haveibeenpwned.com/Breach/TheTVDB</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheTVDB">https://haveibeenpwned.com/Breach/TheTVDB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheTVDB">https://haveibeenpwned.com/Breach/TheTVDB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheTVDB">https://haveibeenpwned.com/Breach/TheTVDB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheTVDB">https://haveibeenpwned.com/Breach/TheTVDB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheTVDB">https://haveibeenpwned.com/Breach/TheTVDB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheTVDB">https://haveibeenpwned.com/Breach/TheTVDB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheTVDB">https://haveibeenpwned.com/Breach/TheTVDB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheTVDB">https://haveibeenpwned.com/Breach/TheTVDB</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheTVDB">https://haveibeenpwned.com/Breach/TheTVDB</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TheTVDB">https://haveibeenpwned.com/Breach/TheTVDB</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thingiverse">https://haveibeenpwned.com/Breach/Thingiverse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thingiverse">https://haveibeenpwned.com/Breach/Thingiverse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thingiverse">https://haveibeenpwned.com/Breach/Thingiverse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thingiverse">https://haveibeenpwned.com/Breach/Thingiverse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thingiverse">https://haveibeenpwned.com/Breach/Thingiverse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thingiverse">https://haveibeenpwned.com/Breach/Thingiverse</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thingiverse">https://haveibeenpwned.com/Breach/Thingiverse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thingiverse">https://haveibeenpwned.com/Breach/Thingiverse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thingiverse">https://haveibeenpwned.com/Breach/Thingiverse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thingiverse">https://haveibeenpwned.com/Breach/Thingiverse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thingiverse">https://haveibeenpwned.com/Breach/Thingiverse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Thingiverse">https://haveibeenpwned.com/Breach/Thingiverse</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThisHabboForum">https://haveibeenpwned.com/Breach/ThisHabboForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThisHabboForum">https://haveibeenpwned.com/Breach/ThisHabboForum</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThisHabboForum">https://haveibeenpwned.com/Breach/ThisHabboForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThisHabboForum">https://haveibeenpwned.com/Breach/ThisHabboForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThisHabboForum">https://haveibeenpwned.com/Breach/ThisHabboForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThisHabboForum">https://haveibeenpwned.com/Breach/ThisHabboForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThisHabboForum">https://haveibeenpwned.com/Breach/ThisHabboForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThisHabboForum">https://haveibeenpwned.com/Breach/ThisHabboForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThisHabboForum">https://haveibeenpwned.com/Breach/ThisHabboForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThisHabboForum">https://haveibeenpwned.com/Breach/ThisHabboForum</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThisHabboForum">https://haveibeenpwned.com/Breach/ThisHabboForum</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ThisHabboForum">https://haveibeenpwned.com/Breach/ThisHabboForum</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tianya">https://haveibeenpwned.com/Breach/Tianya</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tianya">https://haveibeenpwned.com/Breach/Tianya</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tianya">https://haveibeenpwned.com/Breach/Tianya</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tianya">https://haveibeenpwned.com/Breach/Tianya</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tianya">https://haveibeenpwned.com/Breach/Tianya</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tianya">https://haveibeenpwned.com/Breach/Tianya</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tianya">https://haveibeenpwned.com/Breach/Tianya</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tianya">https://haveibeenpwned.com/Breach/Tianya</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tianya">https://haveibeenpwned.com/Breach/Tianya</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tianya">https://haveibeenpwned.com/Breach/Tianya</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tianya">https://haveibeenpwned.com/Breach/Tianya</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tianya">https://haveibeenpwned.com/Breach/Tianya</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tibber">https://haveibeenpwned.com/Breach/Tibber</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tibber">https://haveibeenpwned.com/Breach/Tibber</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tibber">https://haveibeenpwned.com/Breach/Tibber</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tibber">https://haveibeenpwned.com/Breach/Tibber</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tibber">https://haveibeenpwned.com/Breach/Tibber</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tibber">https://haveibeenpwned.com/Breach/Tibber</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tibber">https://haveibeenpwned.com/Breach/Tibber</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tibber">https://haveibeenpwned.com/Breach/Tibber</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tibber">https://haveibeenpwned.com/Breach/Tibber</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tibber">https://haveibeenpwned.com/Breach/Tibber</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tibber">https://haveibeenpwned.com/Breach/Tibber</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tibber">https://haveibeenpwned.com/Breach/Tibber</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketcounter">https://haveibeenpwned.com/Breach/Ticketcounter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketcounter">https://haveibeenpwned.com/Breach/Ticketcounter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketcounter">https://haveibeenpwned.com/Breach/Ticketcounter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketcounter">https://haveibeenpwned.com/Breach/Ticketcounter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketcounter">https://haveibeenpwned.com/Breach/Ticketcounter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketcounter">https://haveibeenpwned.com/Breach/Ticketcounter</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketcounter">https://haveibeenpwned.com/Breach/Ticketcounter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketcounter">https://haveibeenpwned.com/Breach/Ticketcounter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketcounter">https://haveibeenpwned.com/Breach/Ticketcounter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketcounter">https://haveibeenpwned.com/Breach/Ticketcounter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketcounter">https://haveibeenpwned.com/Breach/Ticketcounter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketcounter">https://haveibeenpwned.com/Breach/Ticketcounter</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketek">https://haveibeenpwned.com/Breach/Ticketek</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketek">https://haveibeenpwned.com/Breach/Ticketek</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketek">https://haveibeenpwned.com/Breach/Ticketek</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketek">https://haveibeenpwned.com/Breach/Ticketek</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketek">https://haveibeenpwned.com/Breach/Ticketek</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketek">https://haveibeenpwned.com/Breach/Ticketek</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketek">https://haveibeenpwned.com/Breach/Ticketek</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketek">https://haveibeenpwned.com/Breach/Ticketek</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketek">https://haveibeenpwned.com/Breach/Ticketek</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketek">https://haveibeenpwned.com/Breach/Ticketek</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketek">https://haveibeenpwned.com/Breach/Ticketek</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketek">https://haveibeenpwned.com/Breach/Ticketek</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketfly">https://haveibeenpwned.com/Breach/Ticketfly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketfly">https://haveibeenpwned.com/Breach/Ticketfly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketfly">https://haveibeenpwned.com/Breach/Ticketfly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketfly">https://haveibeenpwned.com/Breach/Ticketfly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketfly">https://haveibeenpwned.com/Breach/Ticketfly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketfly">https://haveibeenpwned.com/Breach/Ticketfly</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketfly">https://haveibeenpwned.com/Breach/Ticketfly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketfly">https://haveibeenpwned.com/Breach/Ticketfly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketfly">https://haveibeenpwned.com/Breach/Ticketfly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketfly">https://haveibeenpwned.com/Breach/Ticketfly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketfly">https://haveibeenpwned.com/Breach/Ticketfly</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ticketfly">https://haveibeenpwned.com/Breach/Ticketfly</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tigo">https://haveibeenpwned.com/Breach/Tigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tigo">https://haveibeenpwned.com/Breach/Tigo</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tigo">https://haveibeenpwned.com/Breach/Tigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tigo">https://haveibeenpwned.com/Breach/Tigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tigo">https://haveibeenpwned.com/Breach/Tigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tigo">https://haveibeenpwned.com/Breach/Tigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tigo">https://haveibeenpwned.com/Breach/Tigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tigo">https://haveibeenpwned.com/Breach/Tigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tigo">https://haveibeenpwned.com/Breach/Tigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tigo">https://haveibeenpwned.com/Breach/Tigo</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tigo">https://haveibeenpwned.com/Breach/Tigo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tigo">https://haveibeenpwned.com/Breach/Tigo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TNAFlix">https://haveibeenpwned.com/Breach/TNAFlix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TNAFlix">https://haveibeenpwned.com/Breach/TNAFlix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TNAFlix">https://haveibeenpwned.com/Breach/TNAFlix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TNAFlix">https://haveibeenpwned.com/Breach/TNAFlix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TNAFlix">https://haveibeenpwned.com/Breach/TNAFlix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TNAFlix">https://haveibeenpwned.com/Breach/TNAFlix</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TNAFix">https://haveibeenpwned.com/Breach/TNAFix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TNAFix">https://haveibeenpwned.com/Breach/TNAFix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TNAFix">https://haveibeenpwned.com/Breach/TNAFix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TNAFix">https://haveibeenpwned.com/Breach/TNAFix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TNAFix">https://haveibeenpwned.com/Breach/TNAFix</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TNAFix">https://haveibeenpwned.com/Breach/TNAFix</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tokopedia">https://haveibeenpwned.com/Breach/Tokopedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tokopedia">https://haveibeenpwned.com/Breach/Tokopedia</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tokopedia">https://haveibeenpwned.com/Breach/Tokopedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tokopedia">https://haveibeenpwned.com/Breach/Tokopedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tokopedia">https://haveibeenpwned.com/Breach/Tokopedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tokopedia">https://haveibeenpwned.com/Breach/Tokopedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tokopedia">https://haveibeenpwned.com/Breach/Tokopedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tokopedia">https://haveibeenpwned.com/Breach/Tokopedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tokopedia">https://haveibeenpwned.com/Breach/Tokopedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tokopedia">https://haveibeenpwned.com/Breach/Tokopedia</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tokopedia">https://haveibeenpwned.com/Breach/Tokopedia</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tokopedia">https://haveibeenpwned.com/Breach/Tokopedia</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ToonDoo">https://haveibeenpwned.com/Breach/ToonDoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ToonDoo">https://haveibeenpwned.com/Breach/ToonDoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ToonDoo">https://haveibeenpwned.com/Breach/ToonDoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ToonDoo">https://haveibeenpwned.com/Breach/ToonDoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ToonDoo">https://haveibeenpwned.com/Breach/ToonDoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ToonDoo">https://haveibeenpwned.com/Breach/ToonDoo</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ToonDoo">https://haveibeenpwned.com/Breach/ToonDoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ToonDoo">https://haveibeenpwned.com/Breach/ToonDoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ToonDoo">https://haveibeenpwned.com/Breach/ToonDoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ToonDoo">https://haveibeenpwned.com/Breach/ToonDoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ToonDoo">https://haveibeenpwned.com/Breach/ToonDoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ToonDoo">https://haveibeenpwned.com/Breach/ToonDoo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TorrentInvites">https://haveibeenpwned.com/Breach/TorrentInvites</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TorrentInvites">https://haveibeenpwned.com/Breach/TorrentInvites</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TorrentInvites">https://haveibeenpwned.com/Breach/TorrentInvites</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TorrentInvites">https://haveibeenpwned.com/Breach/TorrentInvites</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TorrentInvites">https://haveibeenpwned.com/Breach/TorrentInvites</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TorrentInvites">https://haveibeenpwned.com/Breach/TorrentInvites</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TorrentInvites">https://haveibeenpwned.com/Breach/TorrentInvites</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TorrentInvites">https://haveibeenpwned.com/Breach/TorrentInvites</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TorrentInvites">https://haveibeenpwned.com/Breach/TorrentInvites</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TorrentInvites">https://haveibeenpwned.com/Breach/TorrentInvites</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TorrentInvites">https://haveibeenpwned.com/Breach/TorrentInvites</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TorrentInvites">https://haveibeenpwned.com/Breach/TorrentInvites</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Toumei">https://haveibeenpwned.com/Breach/Toumei</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Toumei">https://haveibeenpwned.com/Breach/Toumei</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Toumei">https://haveibeenpwned.com/Breach/Toumei</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Toumei">https://haveibeenpwned.com/Breach/Toumei</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Toumei">https://haveibeenpwned.com/Breach/Toumei</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Toumei">https://haveibeenpwned.com/Breach/Toumei</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Toumei">https://haveibeenpwned.com/Breach/Toumei</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Toumei">https://haveibeenpwned.com/Breach/Toumei</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Toumei">https://haveibeenpwned.com/Breach/Toumei</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Toumei">https://haveibeenpwned.com/Breach/Toumei</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Toumei">https://haveibeenpwned.com/Breach/Toumei</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Toumei">https://haveibeenpwned.com/Breach/Toumei</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tout">https://haveibeenpwned.com/Breach/Tout</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tout">https://haveibeenpwned.com/Breach/Tout</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tout">https://haveibeenpwned.com/Breach/Tout</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tout">https://haveibeenpwned.com/Breach/Tout</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tout">https://haveibeenpwned.com/Breach/Tout</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tout">https://haveibeenpwned.com/Breach/Tout</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tout">https://haveibeenpwned.com/Breach/Tout</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tout">https://haveibeenpwned.com/Breach/Tout</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tout">https://haveibeenpwned.com/Breach/Tout</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tout">https://haveibeenpwned.com/Breach/Tout</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tout">https://haveibeenpwned.com/Breach/Tout</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tout">https://haveibeenpwned.com/Breach/Tout</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tracki">https://haveibeenpwned.com/Breach/Tracki</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tracki">https://haveibeenpwned.com/Breach/Tracki</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tracki">https://haveibeenpwned.com/Breach/Tracki</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tracki">https://haveibeenpwned.com/Breach/Tracki</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tracki">https://haveibeenpwned.com/Breach/Tracki</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tracki">https://haveibeenpwned.com/Breach/Tracki</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tracki">https://haveibeenpwned.com/Breach/Tracki</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tracki">https://haveibeenpwned.com/Breach/Tracki</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tracki">https://haveibeenpwned.com/Breach/Tracki</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tracki">https://haveibeenpwned.com/Breach/Tracki</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tracki">https://haveibeenpwned.com/Breach/Tracki</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tracki">https://haveibeenpwned.com/Breach/Tracki</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Traderie">https://haveibeenpwned.com/Breach/Traderie</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Traderie">https://haveibeenpwned.com/Breach/Traderie</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Traderie">https://haveibeenpwned.com/Breach/Traderie</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Traderie">https://haveibeenpwned.com/Breach/Traderie</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Traderie">https://haveibeenpwned.com/Breach/Traderie</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Traderie">https://haveibeenpwned.com/Breach/Traderie</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Traderie">https://haveibeenpwned.com/Breach/Traderie</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Traderie">https://haveibeenpwned.com/Breach/Traderie</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Traderie">https://haveibeenpwned.com/Breach/Traderie</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Traderie">https://haveibeenpwned.com/Breach/Traderie</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Traderie">https://haveibeenpwned.com/Breach/Traderie</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Traderie">https://haveibeenpwned.com/Breach/Traderie</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TRAI">https://haveibeenpwned.com/Breach/TRAI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TRAI">https://haveibeenpwned.com/Breach/TRAI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TRAI">https://haveibeenpwned.com/Breach/TRAI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TRAI">https://haveibeenpwned.com/Breach/TRAI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TRAI">https://haveibeenpwned.com/Breach/TRAI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TRAI">https://haveibeenpwned.com/Breach/TRAI</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TRAI">https://haveibeenpwned.com/Breach/TRAI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TRAI">https://haveibeenpwned.com/Breach/TRAI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TRAI">https://haveibeenpwned.com/Breach/TRAI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TRAI">https://haveibeenpwned.com/Breach/TRAI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TRAI">https://haveibeenpwned.com/Breach/TRAI</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TRAI">https://haveibeenpwned.com/Breach/TRAI</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Travelio">https://haveibeenpwned.com/Breach/Travelio</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Travelio">https://haveibeenpwned.com/Breach/Travelio</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Travelio">https://haveibeenpwned.com/Breach/Travelio</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Travelio">https://haveibeenpwned.com/Breach/Travelio</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Travelio">https://haveibeenpwned.com/Breach/Travelio</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Travelio">https://haveibeenpwned.com/Breach/Travelio</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Travelio">https://haveibeenpwned.com/Breach/Travelio</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Travelio">https://haveibeenpwned.com/Breach/Travelio</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Travelio">https://haveibeenpwned.com/Breach/Travelio</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Travelio">https://haveibeenpwned.com/Breach/Travelio</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Travelio">https://haveibeenpwned.com/Breach/Travelio</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Travelio">https://haveibeenpwned.com/Breach/Travelio</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TravelOK">https://haveibeenpwned.com/Breach/TravelOK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TravelOK">https://haveibeenpwned.com/Breach/TravelOK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TravelOK">https://haveibeenpwned.com/Breach/TravelOK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TravelOK">https://haveibeenpwned.com/Breach/TravelOK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TravelOK">https://haveibeenpwned.com/Breach/TravelOK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TravelOK">https://haveibeenpwned.com/Breach/TravelOK</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TravelOK">https://haveibeenpwned.com/Breach/TravelOK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TravelOK">https://haveibeenpwned.com/Breach/TravelOK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TravelOK">https://haveibeenpwned.com/Breach/TravelOK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TravelOK">https://haveibeenpwned.com/Breach/TravelOK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TravelOK">https://haveibeenpwned.com/Breach/TravelOK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TravelOK">https://haveibeenpwned.com/Breach/TravelOK</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trello">https://haveibeenpwned.com/Breach/Trello</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trello">https://haveibeenpwned.com/Breach/Trello</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trello">https://haveibeenpwned.com/Breach/Trello</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trello">https://haveibeenpwned.com/Breach/Trello</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trello">https://haveibeenpwned.com/Breach/Trello</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trello">https://haveibeenpwned.com/Breach/Trello</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trello">https://haveibeenpwned.com/Breach/Trello</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trello">https://haveibeenpwned.com/Breach/Trello</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trello">https://haveibeenpwned.com/Breach/Trello</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trello">https://haveibeenpwned.com/Breach/Trello</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trello">https://haveibeenpwned.com/Breach/Trello</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trello">https://haveibeenpwned.com/Breach/Trello</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrikSpamBotnet">https://haveibeenpwned.com/Breach/TrikSpamBotnet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrikSpamBotnet">https://haveibeenpwned.com/Breach/TrikSpamBotnet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrikSpamBotnet">https://haveibeenpwned.com/Breach/TrikSpamBotnet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrikSpamBotnet">https://haveibeenpwned.com/Breach/TrikSpamBotnet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrikSpamBotnet">https://haveibeenpwned.com/Breach/TrikSpamBotnet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrikSpamBotnet">https://haveibeenpwned.com/Breach/TrikSpamBotnet</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrikSpamBotnet">https://haveibeenpwned.com/Breach/TrikSpamBotnet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrikSpamBotnet">https://haveibeenpwned.com/Breach/TrikSpamBotnet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrikSpamBotnet">https://haveibeenpwned.com/Breach/TrikSpamBotnet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrikSpamBotnet">https://haveibeenpwned.com/Breach/TrikSpamBotnet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrikSpamBotnet">https://haveibeenpwned.com/Breach/TrikSpamBotnet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrikSpamBotnet">https://haveibeenpwned.com/Breach/TrikSpamBotnet</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trillian">https://haveibeenpwned.com/Breach/Trillian</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trillian">https://haveibeenpwned.com/Breach/Trillian</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trillian">https://haveibeenpwned.com/Breach/Trillian</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trillian">https://haveibeenpwned.com/Breach/Trillian</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trillian">https://haveibeenpwned.com/Breach/Trillian</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trillian">https://haveibeenpwned.com/Breach/Trillian</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trillian">https://haveibeenpwned.com/Breach/Trillian</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trillian">https://haveibeenpwned.com/Breach/Trillian</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trillian">https://haveibeenpwned.com/Breach/Trillian</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trillian">https://haveibeenpwned.com/Breach/Trillian</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trillian">https://haveibeenpwned.com/Breach/Trillian</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Trillian">https://haveibeenpwned.com/Breach/Trillian</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TroyHuntMailchimpList">https://haveibeenpwned.com/Breach/TroyHuntMailchimpList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TroyHuntMailchimpList">https://haveibeenpwned.com/Breach/TroyHuntMailchimpList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TroyHuntMailchimpList">https://haveibeenpwned.com/Breach/TroyHuntMailchimpList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TroyHuntMailchimpList">https://haveibeenpwned.com/Breach/TroyHuntMailchimpList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TroyHuntMailchimpList">https://haveibeenpwned.com/Breach/TroyHuntMailchimpList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TroyHuntMailchimpList">https://haveibeenpwned.com/Breach/TroyHuntMailchimpList</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TroyHuntMailchimpList">https://haveibeenpwned.com/Breach/TroyHuntMailchimpList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TroyHuntMailchimpList">https://haveibeenpwned.com/Breach/TroyHuntMailchimpList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TroyHuntMailchimpList">https://haveibeenpwned.com/Breach/TroyHuntMailchimpList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TroyHuntMailchimpList">https://haveibeenpwned.com/Breach/TroyHuntMailchimpList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TroyHuntMailchimpList">https://haveibeenpwned.com/Breach/TroyHuntMailchimpList</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TroyHuntMailchimpList">https://haveibeenpwned.com/Breach/TroyHuntMailchimpList</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruckersMP">https://haveibeenpwned.com/Breach/TruckersMP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruckersMP">https://haveibeenpwned.com/Breach/TruckersMP</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruckersMP">https://haveibeenpwned.com/Breach/TruckersMP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruckersMP">https://haveibeenpwned.com/Breach/TruckersMP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruckersMP">https://haveibeenpwned.com/Breach/TruckersMP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruckersMP">https://haveibeenpwned.com/Breach/TruckersMP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruckersMP">https://haveibeenpwned.com/Breach/TruckersMP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruckersMP">https://haveibeenpwned.com/Breach/TruckersMP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruckersMP">https://haveibeenpwned.com/Breach/TruckersMP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruckersMP">https://haveibeenpwned.com/Breach/TruckersMP</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruckersMP">https://haveibeenpwned.com/Breach/TruckersMP</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruckersMP">https://haveibeenpwned.com/Breach/TruckersMP</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrueFire">https://haveibeenpwned.com/Breach/TrueFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrueFire">https://haveibeenpwned.com/Breach/TrueFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrueFire">https://haveibeenpwned.com/Breach/TrueFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrueFire">https://haveibeenpwned.com/Breach/TrueFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrueFire">https://haveibeenpwned.com/Breach/TrueFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrueFire">https://haveibeenpwned.com/Breach/TrueFire</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrueFire">https://haveibeenpwned.com/Breach/TrueFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrueFire">https://haveibeenpwned.com/Breach/TrueFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrueFire">https://haveibeenpwned.com/Breach/TrueFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrueFire">https://haveibeenpwned.com/Breach/TrueFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrueFire">https://haveibeenpwned.com/Breach/TrueFire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TrueFire">https://haveibeenpwned.com/Breach/TrueFire</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruthFinder">https://haveibeenpwned.com/Breach/TruthFinder</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruthFinder">https://haveibeenpwned.com/Breach/TruthFinder</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruthFinder">https://haveibeenpwned.com/Breach/TruthFinder</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruthFinder">https://haveibeenpwned.com/Breach/TruthFinder</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruthFinder">https://haveibeenpwned.com/Breach/TruthFinder</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruthFinder">https://haveibeenpwned.com/Breach/TruthFinder</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruthFinder">https://haveibeenpwned.com/Breach/TruthFinder</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruthFinder">https://haveibeenpwned.com/Breach/TruthFinder</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruthFinder">https://haveibeenpwned.com/Breach/TruthFinder</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruthFinder">https://haveibeenpwned.com/Breach/TruthFinder</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruthFinder">https://haveibeenpwned.com/Breach/TruthFinder</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TruthFinder">https://haveibeenpwned.com/Breach/TruthFinder</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tumblr">https://haveibeenpwned.com/Breach/Tumblr</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tumblr">https://haveibeenpwned.com/Breach/Tumblr</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tumblr">https://haveibeenpwned.com/Breach/Tumblr</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tumblr">https://haveibeenpwned.com/Breach/Tumblr</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tumblr">https://haveibeenpwned.com/Breach/Tumblr</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tumblr">https://haveibeenpwned.com/Breach/Tumblr</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tumblr">https://haveibeenpwned.com/Breach/Tumblr</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tumblr">https://haveibeenpwned.com/Breach/Tumblr</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tumblr">https://haveibeenpwned.com/Breach/Tumblr</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tumblr">https://haveibeenpwned.com/Breach/Tumblr</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tumblr">https://haveibeenpwned.com/Breach/Tumblr</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tumblr">https://haveibeenpwned.com/Breach/Tumblr</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TunedGlobal">https://haveibeenpwned.com/Breach/TunedGlobal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TunedGlobal">https://haveibeenpwned.com/Breach/TunedGlobal</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TunedGlobal">https://haveibeenpwned.com/Breach/TunedGlobal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TunedGlobal">https://haveibeenpwned.com/Breach/TunedGlobal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TunedGlobal">https://haveibeenpwned.com/Breach/TunedGlobal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TunedGlobal">https://haveibeenpwned.com/Breach/TunedGlobal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TunedGlobal">https://haveibeenpwned.com/Breach/TunedGlobal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TunedGlobal">https://haveibeenpwned.com/Breach/TunedGlobal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TunedGlobal">https://haveibeenpwned.com/Breach/TunedGlobal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TunedGlobal">https://haveibeenpwned.com/Breach/TunedGlobal</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TunedGlobal">https://haveibeenpwned.com/Breach/TunedGlobal</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/TunedGlobal">https://haveibeenpwned.com/Breach/TunedGlobal</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tunngle">https://haveibeenpwned.com/Breach/Tunngle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tunngle">https://haveibeenpwned.com/Breach/Tunngle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tunngle">https://haveibeenpwned.com/Breach/Tunngle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tunngle">https://haveibeenpwned.com/Breach/Tunngle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tunngle">https://haveibeenpwned.com/Breach/Tunngle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tunngle">https://haveibeenpwned.com/Breach/Tunngle</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tunngle">https://haveibeenpwned.com/Breach/Tunngle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tunngle">https://haveibeenpwned.com/Breach/Tunngle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tunngle">https://haveibeenpwned.com/Breach/Tunngle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tunngle">https://haveibeenpwned.com/Breach/Tunngle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tunngle">https://haveibeenpwned.com/Breach/Tunngle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Tunngle">https://haveibeenpwned.com/Breach/Tunngle</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter">https://haveibeenpwned.com/Breach/Twitter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter">https://haveibeenpwned.com/Breach/Twitter</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter">https://haveibeenpwned.com/Breach/Twitter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter">https://haveibeenpwned.com/Breach/Twitter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter">https://haveibeenpwned.com/Breach/Twitter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter">https://haveibeenpwned.com/Breach/Twitter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter">https://haveibeenpwned.com/Breach/Twitter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter">https://haveibeenpwned.com/Breach/Twitter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter">https://haveibeenpwned.com/Breach/Twitter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter">https://haveibeenpwned.com/Breach/Twitter</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter">https://haveibeenpwned.com/Breach/Twitter</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter">https://haveibeenpwned.com/Breach/Twitter</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter200M">https://haveibeenpwned.com/Breach/Twitter200M</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter200M">https://haveibeenpwned.com/Breach/Twitter200M</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter200M">https://haveibeenpwned.com/Breach/Twitter200M</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter200M">https://haveibeenpwned.com/Breach/Twitter200M</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter200M">https://haveibeenpwned.com/Breach/Twitter200M</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter200M">https://haveibeenpwned.com/Breach/Twitter200M</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter200M">https://haveibeenpwned.com/Breach/Twitter200M</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter200M">https://haveibeenpwned.com/Breach/Twitter200M</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter200M">https://haveibeenpwned.com/Breach/Twitter200M</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter200M">https://haveibeenpwned.com/Breach/Twitter200M</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter200M">https://haveibeenpwned.com/Breach/Twitter200M</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Twitter200M">https://haveibeenpwned.com/Breach/Twitter200M</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ualabee">https://haveibeenpwned.com/Breach/Ualabee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ualabee">https://haveibeenpwned.com/Breach/Ualabee</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ualabee">https://haveibeenpwned.com/Breach/Ualabee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ualabee">https://haveibeenpwned.com/Breach/Ualabee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ualabee">https://haveibeenpwned.com/Breach/Ualabee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ualabee">https://haveibeenpwned.com/Breach/Ualabee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ualabee">https://haveibeenpwned.com/Breach/Ualabee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ualabee">https://haveibeenpwned.com/Breach/Ualabee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ualabee">https://haveibeenpwned.com/Breach/Ualabee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ualabee">https://haveibeenpwned.com/Breach/Ualabee</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ualabee">https://haveibeenpwned.com/Breach/Ualabee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ualabee">https://haveibeenpwned.com/Breach/Ualabee</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ubook">https://haveibeenpwned.com/Breach/Ubook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ubook">https://haveibeenpwned.com/Breach/Ubook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ubook">https://haveibeenpwned.com/Breach/Ubook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ubook">https://haveibeenpwned.com/Breach/Ubook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ubook">https://haveibeenpwned.com/Breach/Ubook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ubook">https://haveibeenpwned.com/Breach/Ubook</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ubook">https://haveibeenpwned.com/Breach/Ubook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ubook">https://haveibeenpwned.com/Breach/Ubook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ubook">https://haveibeenpwned.com/Breach/Ubook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ubook">https://haveibeenpwned.com/Breach/Ubook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ubook">https://haveibeenpwned.com/Breach/Ubook</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ubook">https://haveibeenpwned.com/Breach/Ubook</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UC">https://haveibeenpwned.com/Breach/UC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UC">https://haveibeenpwned.com/Breach/UC</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UC">https://haveibeenpwned.com/Breach/UC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UC">https://haveibeenpwned.com/Breach/UC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UC">https://haveibeenpwned.com/Breach/UC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UC">https://haveibeenpwned.com/Breach/UC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UC">https://haveibeenpwned.com/Breach/UC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UC">https://haveibeenpwned.com/Breach/UC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UC">https://haveibeenpwned.com/Breach/UC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UC">https://haveibeenpwned.com/Breach/UC</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UC">https://haveibeenpwned.com/Breach/UC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UC">https://haveibeenpwned.com/Breach/UC</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Uiggy">https://haveibeenpwned.com/Breach/Uiggy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Uiggy">https://haveibeenpwned.com/Breach/Uiggy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Uiggy">https://haveibeenpwned.com/Breach/Uiggy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Uiggy">https://haveibeenpwned.com/Breach/Uiggy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Uiggy">https://haveibeenpwned.com/Breach/Uiggy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Uiggy">https://haveibeenpwned.com/Breach/Uiggy</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Uiggy">https://haveibeenpwned.com/Breach/Uiggy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Uiggy">https://haveibeenpwned.com/Breach/Uiggy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Uiggy">https://haveibeenpwned.com/Breach/Uiggy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Uiggy">https://haveibeenpwned.com/Breach/Uiggy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Uiggy">https://haveibeenpwned.com/Breach/Uiggy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Uiggy">https://haveibeenpwned.com/Breach/Uiggy</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ulmon">https://haveibeenpwned.com/Breach/Ulmon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ulmon">https://haveibeenpwned.com/Breach/Ulmon</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ulmon">https://haveibeenpwned.com/Breach/Ulmon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ulmon">https://haveibeenpwned.com/Breach/Ulmon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ulmon">https://haveibeenpwned.com/Breach/Ulmon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ulmon">https://haveibeenpwned.com/Breach/Ulmon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ulmon">https://haveibeenpwned.com/Breach/Ulmon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ulmon">https://haveibeenpwned.com/Breach/Ulmon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ulmon">https://haveibeenpwned.com/Breach/Ulmon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ulmon">https://haveibeenpwned.com/Breach/Ulmon</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ulmon">https://haveibeenpwned.com/Breach/Ulmon</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Ulmon">https://haveibeenpwned.com/Breach/Ulmon</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnderworldEmpire">https://haveibeenpwned.com/Breach/UnderworldEmpire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnderworldEmpire">https://haveibeenpwned.com/Breach/UnderworldEmpire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnderworldEmpire">https://haveibeenpwned.com/Breach/UnderworldEmpire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnderworldEmpire">https://haveibeenpwned.com/Breach/UnderworldEmpire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnderworldEmpire">https://haveibeenpwned.com/Breach/UnderworldEmpire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnderworldEmpire">https://haveibeenpwned.com/Breach/UnderworldEmpire</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnderworldEmpire">https://haveibeenpwned.com/Breach/UnderworldEmpire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnderworldEmpire">https://haveibeenpwned.com/Breach/UnderworldEmpire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnderworldEmpire">https://haveibeenpwned.com/Breach/UnderworldEmpire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnderworldEmpire">https://haveibeenpwned.com/Breach/UnderworldEmpire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnderworldEmpire">https://haveibeenpwned.com/Breach/UnderworldEmpire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnderworldEmpire">https://haveibeenpwned.com/Breach/UnderworldEmpire</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnicoCampania">https://haveibeenpwned.com/Breach/UnicoCampania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnicoCampania">https://haveibeenpwned.com/Breach/UnicoCampania</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnicoCampania">https://haveibeenpwned.com/Breach/UnicoCampania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnicoCampania">https://haveibeenpwned.com/Breach/UnicoCampania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnicoCampania">https://haveibeenpwned.com/Breach/UnicoCampania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnicoCampania">https://haveibeenpwned.com/Breach/UnicoCampania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnicoCampania">https://haveibeenpwned.com/Breach/UnicoCampania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnicoCampania">https://haveibeenpwned.com/Breach/UnicoCampania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnicoCampania">https://haveibeenpwned.com/Breach/UnicoCampania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnicoCampania">https://haveibeenpwned.com/Breach/UnicoCampania</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnicoCampania">https://haveibeenpwned.com/Breach/UnicoCampania</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnicoCampania">https://haveibeenpwned.com/Breach/UnicoCampania</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Universarium">https://haveibeenpwned.com/Breach/Universarium</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Universarium">https://haveibeenpwned.com/Breach/Universarium</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Universarium">https://haveibeenpwned.com/Breach/Universarium</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Universarium">https://haveibeenpwned.com/Breach/Universarium</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Universarium">https://haveibeenpwned.com/Breach/Universarium</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Universarium">https://haveibeenpwned.com/Breach/Universarium</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Universarium">https://haveibeenpwned.com/Breach/Universarium</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Universarium">https://haveibeenpwned.com/Breach/Universarium</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Universarium">https://haveibeenpwned.com/Breach/Universarium</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Universarium">https://haveibeenpwned.com/Breach/Universarium</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Universarium">https://haveibeenpwned.com/Breach/Universarium</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Universarium">https://haveibeenpwned.com/Breach/Universarium</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnrealEngine">https://haveibeenpwned.com/Breach/UnrealEngine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnrealEngine">https://haveibeenpwned.com/Breach/UnrealEngine</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnrealEngine">https://haveibeenpwned.com/Breach/UnrealEngine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnrealEngine">https://haveibeenpwned.com/Breach/UnrealEngine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnrealEngine">https://haveibeenpwned.com/Breach/UnrealEngine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnrealEngine">https://haveibeenpwned.com/Breach/UnrealEngine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnrealEngine">https://haveibeenpwned.com/Breach/UnrealEngine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnrealEngine">https://haveibeenpwned.com/Breach/UnrealEngine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnrealEngine">https://haveibeenpwned.com/Breach/UnrealEngine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnrealEngine">https://haveibeenpwned.com/Breach/UnrealEngine</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnrealEngine">https://haveibeenpwned.com/Breach/UnrealEngine</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UnrealEngine">https://haveibeenpwned.com/Breach/UnrealEngine</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Upstox">https://haveibeenpwned.com/Breach/Upstox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Upstox">https://haveibeenpwned.com/Breach/Upstox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Upstox">https://haveibeenpwned.com/Breach/Upstox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Upstox">https://haveibeenpwned.com/Breach/Upstox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Upstox">https://haveibeenpwned.com/Breach/Upstox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Upstox">https://haveibeenpwned.com/Breach/Upstox</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Upstox">https://haveibeenpwned.com/Breach/Upstox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Upstox">https://haveibeenpwned.com/Breach/Upstox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Upstox">https://haveibeenpwned.com/Breach/Upstox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Upstox">https://haveibeenpwned.com/Breach/Upstox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Upstox">https://haveibeenpwned.com/Breach/Upstox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Upstox">https://haveibeenpwned.com/Breach/Upstox</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UtahGunExchange">https://haveibeenpwned.com/Breach/UtahGunExchange</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UtahGunExchange">https://haveibeenpwned.com/Breach/UtahGunExchange</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UtahGunExchange">https://haveibeenpwned.com/Breach/UtahGunExchange</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UtahGunExchange">https://haveibeenpwned.com/Breach/UtahGunExchange</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UtahGunExchange">https://haveibeenpwned.com/Breach/UtahGunExchange</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UtahGunExchange">https://haveibeenpwned.com/Breach/UtahGunExchange</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UtahGunExchange">https://haveibeenpwned.com/Breach/UtahGunExchange</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UtahGunExchange">https://haveibeenpwned.com/Breach/UtahGunExchange</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UtahGunExchange">https://haveibeenpwned.com/Breach/UtahGunExchange</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UtahGunExchange">https://haveibeenpwned.com/Breach/UtahGunExchange</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UtahGunExchange">https://haveibeenpwned.com/Breach/UtahGunExchange</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/UtahGunExchange">https://haveibeenpwned.com/Breach/UtahGunExchange</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uTorrent">https://haveibeenpwned.com/Breach/uTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uTorrent">https://haveibeenpwned.com/Breach/uTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uTorrent">https://haveibeenpwned.com/Breach/uTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uTorrent">https://haveibeenpwned.com/Breach/uTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uTorrent">https://haveibeenpwned.com/Breach/uTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uTorrent">https://haveibeenpwned.com/Breach/uTorrent</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uTorrent">https://haveibeenpwned.com/Breach/uTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uTorrent">https://haveibeenpwned.com/Breach/uTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uTorrent">https://haveibeenpwned.com/Breach/uTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uTorrent">https://haveibeenpwned.com/Breach/uTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uTorrent">https://haveibeenpwned.com/Breach/uTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uTorrent">https://haveibeenpwned.com/Breach/uTorrent</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uuu9">https://haveibeenpwned.com/Breach/uuu9</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uuu9">https://haveibeenpwned.com/Breach/uuu9</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uuu9">https://haveibeenpwned.com/Breach/uuu9</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uuu9">https://haveibeenpwned.com/Breach/uuu9</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uuu9">https://haveibeenpwned.com/Breach/uuu9</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uuu9">https://haveibeenpwned.com/Breach/uuu9</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uuu9">https://haveibeenpwned.com/Breach/uuu9</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uuu9">https://haveibeenpwned.com/Breach/uuu9</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uuu9">https://haveibeenpwned.com/Breach/uuu9</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uuu9">https://haveibeenpwned.com/Breach/uuu9</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uuu9">https://haveibeenpwned.com/Breach/uuu9</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/uuu9">https://haveibeenpwned.com/Breach/uuu9</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vakinha">https://haveibeenpwned.com/Breach/Vakinha</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vakinha">https://haveibeenpwned.com/Breach/Vakinha</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vakinha">https://haveibeenpwned.com/Breach/Vakinha</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vakinha">https://haveibeenpwned.com/Breach/Vakinha</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vakinha">https://haveibeenpwned.com/Breach/Vakinha</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vakinha">https://haveibeenpwned.com/Breach/Vakinha</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vakinha">https://haveibeenpwned.com/Breach/Vakinha</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vakinha">https://haveibeenpwned.com/Breach/Vakinha</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vakinha">https://haveibeenpwned.com/Breach/Vakinha</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vakinha">https://haveibeenpwned.com/Breach/Vakinha</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vakinha">https://haveibeenpwned.com/Breach/Vakinha</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vakinha">https://haveibeenpwned.com/Breach/Vakinha</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vastaamo">https://haveibeenpwned.com/Breach/Vastaamo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vastaamo">https://haveibeenpwned.com/Breach/Vastaamo</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vastaamo">https://haveibeenpwned.com/Breach/Vastaamo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vastaamo">https://haveibeenpwned.com/Breach/Vastaamo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vastaamo">https://haveibeenpwned.com/Breach/Vastaamo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vastaamo">https://haveibeenpwned.com/Breach/Vastaamo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vastaamo">https://haveibeenpwned.com/Breach/Vastaamo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vastaamo">https://haveibeenpwned.com/Breach/Vastaamo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vastaamo">https://haveibeenpwned.com/Breach/Vastaamo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vastaamo">https://haveibeenpwned.com/Breach/Vastaamo</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vastaamo">https://haveibeenpwned.com/Breach/Vastaamo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vastaamo">https://haveibeenpwned.com/Breach/Vastaamo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VBulletin">https://haveibeenpwned.com/Breach/VBulletin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VBulletin">https://haveibeenpwned.com/Breach/VBulletin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VBulletin">https://haveibeenpwned.com/Breach/VBulletin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VBulletin">https://haveibeenpwned.com/Breach/VBulletin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VBulletin">https://haveibeenpwned.com/Breach/VBulletin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VBulletin">https://haveibeenpwned.com/Breach/VBulletin</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VBulletin">https://haveibeenpwned.com/Breach/VBulletin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VBulletin">https://haveibeenpwned.com/Breach/VBulletin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VBulletin">https://haveibeenpwned.com/Breach/VBulletin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VBulletin">https://haveibeenpwned.com/Breach/VBulletin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VBulletin">https://haveibeenpwned.com/Breach/VBulletin</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VBulletin">https://haveibeenpwned.com/Breach/VBulletin</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vedantu">https://haveibeenpwned.com/Breach/Vedantu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vedantu">https://haveibeenpwned.com/Breach/Vedantu</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vedantu">https://haveibeenpwned.com/Breach/Vedantu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vedantu">https://haveibeenpwned.com/Breach/Vedantu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vedantu">https://haveibeenpwned.com/Breach/Vedantu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vedantu">https://haveibeenpwned.com/Breach/Vedantu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vedantu">https://haveibeenpwned.com/Breach/Vedantu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vedantu">https://haveibeenpwned.com/Breach/Vedantu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vedantu">https://haveibeenpwned.com/Breach/Vedantu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vedantu">https://haveibeenpwned.com/Breach/Vedantu</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vedantu">https://haveibeenpwned.com/Breach/Vedantu</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vedantu">https://haveibeenpwned.com/Breach/Vedantu</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VerificationsIO">https://haveibeenpwned.com/Breach/VerificationsIO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VerificationsIO">https://haveibeenpwned.com/Breach/VerificationsIO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VerificationsIO">https://haveibeenpwned.com/Breach/VerificationsIO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VerificationsIO">https://haveibeenpwned.com/Breach/VerificationsIO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VerificationsIO">https://haveibeenpwned.com/Breach/VerificationsIO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VerificationsIO">https://haveibeenpwned.com/Breach/VerificationsIO</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VerificationsIO">https://haveibeenpwned.com/Breach/VerificationsIO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VerificationsIO">https://haveibeenpwned.com/Breach/VerificationsIO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VerificationsIO">https://haveibeenpwned.com/Breach/VerificationsIO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VerificationsIO">https://haveibeenpwned.com/Breach/VerificationsIO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VerificationsIO">https://haveibeenpwned.com/Breach/VerificationsIO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VerificationsIO">https://haveibeenpwned.com/Breach/VerificationsIO</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Verified">https://haveibeenpwned.com/Breach/Verified</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Verified">https://haveibeenpwned.com/Breach/Verified</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Verified">https://haveibeenpwned.com/Breach/Verified</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Verified">https://haveibeenpwned.com/Breach/Verified</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Verified">https://haveibeenpwned.com/Breach/Verified</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Verified">https://haveibeenpwned.com/Breach/Verified</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Verified">https://haveibeenpwned.com/Breach/Verified</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Verified">https://haveibeenpwned.com/Breach/Verified</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Verified">https://haveibeenpwned.com/Breach/Verified</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Verified">https://haveibeenpwned.com/Breach/Verified</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Verified">https://haveibeenpwned.com/Breach/Verified</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Verified">https://haveibeenpwned.com/Breach/Verified</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vermillion">https://haveibeenpwned.com/Breach/Vermillion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vermillion">https://haveibeenpwned.com/Breach/Vermillion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vermillion">https://haveibeenpwned.com/Breach/Vermillion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vermillion">https://haveibeenpwned.com/Breach/Vermillion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vermillion">https://haveibeenpwned.com/Breach/Vermillion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vermillion">https://haveibeenpwned.com/Breach/Vermillion</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vermillion">https://haveibeenpwned.com/Breach/Vermillion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vermillion">https://haveibeenpwned.com/Breach/Vermillion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vermillion">https://haveibeenpwned.com/Breach/Vermillion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vermillion">https://haveibeenpwned.com/Breach/Vermillion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vermillion">https://haveibeenpwned.com/Breach/Vermillion</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vermillion">https://haveibeenpwned.com/Breach/Vermillion</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vianet">https://haveibeenpwned.com/Breach/Vianet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vianet">https://haveibeenpwned.com/Breach/Vianet</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vianet">https://haveibeenpwned.com/Breach/Vianet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vianet">https://haveibeenpwned.com/Breach/Vianet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vianet">https://haveibeenpwned.com/Breach/Vianet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vianet">https://haveibeenpwned.com/Breach/Vianet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vianet">https://haveibeenpwned.com/Breach/Vianet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vianet">https://haveibeenpwned.com/Breach/Vianet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vianet">https://haveibeenpwned.com/Breach/Vianet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vianet">https://haveibeenpwned.com/Breach/Vianet</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vianet">https://haveibeenpwned.com/Breach/Vianet</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vianet">https://haveibeenpwned.com/Breach/Vianet</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VictoryPhones">https://haveibeenpwned.com/Breach/VictoryPhones</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VictoryPhones">https://haveibeenpwned.com/Breach/VictoryPhones</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VictoryPhones">https://haveibeenpwned.com/Breach/VictoryPhones</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VictoryPhones">https://haveibeenpwned.com/Breach/VictoryPhones</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VictoryPhones">https://haveibeenpwned.com/Breach/VictoryPhones</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VictoryPhones">https://haveibeenpwned.com/Breach/VictoryPhones</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VictoryPhones">https://haveibeenpwned.com/Breach/VictoryPhones</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VictoryPhones">https://haveibeenpwned.com/Breach/VictoryPhones</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VictoryPhones">https://haveibeenpwned.com/Breach/VictoryPhones</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VictoryPhones">https://haveibeenpwned.com/Breach/VictoryPhones</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VictoryPhones">https://haveibeenpwned.com/Breach/VictoryPhones</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VictoryPhones">https://haveibeenpwned.com/Breach/VictoryPhones</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ViewFines">https://haveibeenpwned.com/Breach/ViewFines</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ViewFines">https://haveibeenpwned.com/Breach/ViewFines</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ViewFines">https://haveibeenpwned.com/Breach/ViewFines</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ViewFines">https://haveibeenpwned.com/Breach/ViewFines</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ViewFines">https://haveibeenpwned.com/Breach/ViewFines</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ViewFines">https://haveibeenpwned.com/Breach/ViewFines</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ViewFines">https://haveibeenpwned.com/Breach/ViewFines</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ViewFines">https://haveibeenpwned.com/Breach/ViewFines</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ViewFines">https://haveibeenpwned.com/Breach/ViewFines</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ViewFines">https://haveibeenpwned.com/Breach/ViewFines</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ViewFines">https://haveibeenpwned.com/Breach/ViewFines</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ViewFines">https://haveibeenpwned.com/Breach/ViewFines</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VimeWorld">https://haveibeenpwned.com/Breach/VimeWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VimeWorld">https://haveibeenpwned.com/Breach/VimeWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VimeWorld">https://haveibeenpwned.com/Breach/VimeWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VimeWorld">https://haveibeenpwned.com/Breach/VimeWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VimeWorld">https://haveibeenpwned.com/Breach/VimeWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VimeWorld">https://haveibeenpwned.com/Breach/VimeWorld</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VimeWorld">https://haveibeenpwned.com/Breach/VimeWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VimeWorld">https://haveibeenpwned.com/Breach/VimeWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VimeWorld">https://haveibeenpwned.com/Breach/VimeWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VimeWorld">https://haveibeenpwned.com/Breach/VimeWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VimeWorld">https://haveibeenpwned.com/Breach/VimeWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VimeWorld">https://haveibeenpwned.com/Breach/VimeWorld</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VINs">https://haveibeenpwned.com/Breach/VINs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VINs">https://haveibeenpwned.com/Breach/VINs</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VINs">https://haveibeenpwned.com/Breach/VINs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VINs">https://haveibeenpwned.com/Breach/VINs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VINs">https://haveibeenpwned.com/Breach/VINs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VINs">https://haveibeenpwned.com/Breach/VINs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VINs">https://haveibeenpwned.com/Breach/VINs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VINs">https://haveibeenpwned.com/Breach/VINs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VINs">https://haveibeenpwned.com/Breach/VINs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VINs">https://haveibeenpwned.com/Breach/VINs</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VINs">https://haveibeenpwned.com/Breach/VINs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VINs">https://haveibeenpwned.com/Breach/VINs</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VivaAir">https://haveibeenpwned.com/Breach/VivaAir</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VivaAir">https://haveibeenpwned.com/Breach/VivaAir</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VivaAir">https://haveibeenpwned.com/Breach/VivaAir</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VivaAir">https://haveibeenpwned.com/Breach/VivaAir</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VivaAir">https://haveibeenpwned.com/Breach/VivaAir</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VivaAir">https://haveibeenpwned.com/Breach/VivaAir</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VivaAir">https://haveibeenpwned.com/Breach/VivaAir</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VivaAir">https://haveibeenpwned.com/Breach/VivaAir</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VivaAir">https://haveibeenpwned.com/Breach/VivaAir</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VivaAir">https://haveibeenpwned.com/Breach/VivaAir</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VivaAir">https://haveibeenpwned.com/Breach/VivaAir</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VivaAir">https://haveibeenpwned.com/Breach/VivaAir</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VK">https://haveibeenpwned.com/Breach/VK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VK">https://haveibeenpwned.com/Breach/VK</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VK">https://haveibeenpwned.com/Breach/VK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VK">https://haveibeenpwned.com/Breach/VK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VK">https://haveibeenpwned.com/Breach/VK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VK">https://haveibeenpwned.com/Breach/VK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VK">https://haveibeenpwned.com/Breach/VK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VK">https://haveibeenpwned.com/Breach/VK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VK">https://haveibeenpwned.com/Breach/VK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VK">https://haveibeenpwned.com/Breach/VK</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VK">https://haveibeenpwned.com/Breach/VK</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VK">https://haveibeenpwned.com/Breach/VK</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VNG">https://haveibeenpwned.com/Breach/VNG</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VNG">https://haveibeenpwned.com/Breach/VNG</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VNG">https://haveibeenpwned.com/Breach/VNG</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VNG">https://haveibeenpwned.com/Breach/VNG</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VNG">https://haveibeenpwned.com/Breach/VNG</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VNG">https://haveibeenpwned.com/Breach/VNG</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VNG">https://haveibeenpwned.com/Breach/VNG</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VNG">https://haveibeenpwned.com/Breach/VNG</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VNG">https://haveibeenpwned.com/Breach/VNG</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VNG">https://haveibeenpwned.com/Breach/VNG</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VNG">https://haveibeenpwned.com/Breach/VNG</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VNG">https://haveibeenpwned.com/Breach/VNG</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vodafone">https://haveibeenpwned.com/Breach/Vodafone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vodafone">https://haveibeenpwned.com/Breach/Vodafone</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vodafone">https://haveibeenpwned.com/Breach/Vodafone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vodafone">https://haveibeenpwned.com/Breach/Vodafone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vodafone">https://haveibeenpwned.com/Breach/Vodafone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vodafone">https://haveibeenpwned.com/Breach/Vodafone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vodafone">https://haveibeenpwned.com/Breach/Vodafone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vodafone">https://haveibeenpwned.com/Breach/Vodafone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vodafone">https://haveibeenpwned.com/Breach/Vodafone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vodafone">https://haveibeenpwned.com/Breach/Vodafone</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vodafone">https://haveibeenpwned.com/Breach/Vodafone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Vodafone">https://haveibeenpwned.com/Breach/Vodafone</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VoidTO">https://haveibeenpwned.com/Breach/VoidTO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VoidTO">https://haveibeenpwned.com/Breach/VoidTO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VoidTO">https://haveibeenpwned.com/Breach/VoidTO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VoidTO">https://haveibeenpwned.com/Breach/VoidTO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VoidTO">https://haveibeenpwned.com/Breach/VoidTO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VoidTO">https://haveibeenpwned.com/Breach/VoidTO</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VoidTO">https://haveibeenpwned.com/Breach/VoidTO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VoidTO">https://haveibeenpwned.com/Breach/VoidTO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VoidTO">https://haveibeenpwned.com/Breach/VoidTO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VoidTO">https://haveibeenpwned.com/Breach/VoidTO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VoidTO">https://haveibeenpwned.com/Breach/VoidTO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VoidTO">https://haveibeenpwned.com/Breach/VoidTO</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTech">https://haveibeenpwned.com/Breach/VTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTech">https://haveibeenpwned.com/Breach/VTech</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTech">https://haveibeenpwned.com/Breach/VTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTech">https://haveibeenpwned.com/Breach/VTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTech">https://haveibeenpwned.com/Breach/VTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTech">https://haveibeenpwned.com/Breach/VTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTech">https://haveibeenpwned.com/Breach/VTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTech">https://haveibeenpwned.com/Breach/VTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTech">https://haveibeenpwned.com/Breach/VTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTech">https://haveibeenpwned.com/Breach/VTech</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTech">https://haveibeenpwned.com/Breach/VTech</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTech">https://haveibeenpwned.com/Breach/VTech</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTightGel">https://haveibeenpwned.com/Breach/VTightGel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTightGel">https://haveibeenpwned.com/Breach/VTightGel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTightGel">https://haveibeenpwned.com/Breach/VTightGel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTightGel">https://haveibeenpwned.com/Breach/VTightGel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTightGel">https://haveibeenpwned.com/Breach/VTightGel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTightGel">https://haveibeenpwned.com/Breach/VTightGel</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTightGel">https://haveibeenpwned.com/Breach/VTightGel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTightGel">https://haveibeenpwned.com/Breach/VTightGel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTightGel">https://haveibeenpwned.com/Breach/VTightGel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTightGel">https://haveibeenpwned.com/Breach/VTightGel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTightGel">https://haveibeenpwned.com/Breach/VTightGel</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/VTightGel">https://haveibeenpwned.com/Breach/VTightGel</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wakanim">https://haveibeenpwned.com/Breach/Wakanim</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wakanim">https://haveibeenpwned.com/Breach/Wakanim</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wakanim">https://haveibeenpwned.com/Breach/Wakanim</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wakanim">https://haveibeenpwned.com/Breach/Wakanim</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wakanim">https://haveibeenpwned.com/Breach/Wakanim</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wakanim">https://haveibeenpwned.com/Breach/Wakanim</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wakanim">https://haveibeenpwned.com/Breach/Wakanim</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wakanim">https://haveibeenpwned.com/Breach/Wakanim</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wakanim">https://haveibeenpwned.com/Breach/Wakanim</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wakanim">https://haveibeenpwned.com/Breach/Wakanim</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wakanim">https://haveibeenpwned.com/Breach/Wakanim</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wakanim">https://haveibeenpwned.com/Breach/Wakanim</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wanelo">https://haveibeenpwned.com/Breach/Wanelo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wanelo">https://haveibeenpwned.com/Breach/Wanelo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wanelo">https://haveibeenpwned.com/Breach/Wanelo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wanelo">https://haveibeenpwned.com/Breach/Wanelo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wanelo">https://haveibeenpwned.com/Breach/Wanelo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wanelo">https://haveibeenpwned.com/Breach/Wanelo</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wanelo">https://haveibeenpwned.com/Breach/Wanelo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wanelo">https://haveibeenpwned.com/Breach/Wanelo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wanelo">https://haveibeenpwned.com/Breach/Wanelo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wanelo">https://haveibeenpwned.com/Breach/Wanelo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wanelo">https://haveibeenpwned.com/Breach/Wanelo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wanelo">https://haveibeenpwned.com/Breach/Wanelo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warframe">https://haveibeenpwned.com/Breach/Warframe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warframe">https://haveibeenpwned.com/Breach/Warframe</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warframe">https://haveibeenpwned.com/Breach/Warframe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warframe">https://haveibeenpwned.com/Breach/Warframe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warframe">https://haveibeenpwned.com/Breach/Warframe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warframe">https://haveibeenpwned.com/Breach/Warframe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warframe">https://haveibeenpwned.com/Breach/Warframe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warframe">https://haveibeenpwned.com/Breach/Warframe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warframe">https://haveibeenpwned.com/Breach/Warframe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warframe">https://haveibeenpwned.com/Breach/Warframe</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warframe">https://haveibeenpwned.com/Breach/Warframe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warframe">https://haveibeenpwned.com/Breach/Warframe</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WarInc">https://haveibeenpwned.com/Breach/WarInc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WarInc">https://haveibeenpwned.com/Breach/WarInc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WarInc">https://haveibeenpwned.com/Breach/WarInc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WarInc">https://haveibeenpwned.com/Breach/WarInc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WarInc">https://haveibeenpwned.com/Breach/WarInc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WarInc">https://haveibeenpwned.com/Breach/WarInc</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WarInc">https://haveibeenpwned.com/Breach/WarInc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WarInc">https://haveibeenpwned.com/Breach/WarInc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WarInc">https://haveibeenpwned.com/Breach/WarInc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WarInc">https://haveibeenpwned.com/Breach/WarInc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WarInc">https://haveibeenpwned.com/Breach/WarInc</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WarInc">https://haveibeenpwned.com/Breach/WarInc</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warmane">https://haveibeenpwned.com/Breach/Warmane</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warmane">https://haveibeenpwned.com/Breach/Warmane</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warmane">https://haveibeenpwned.com/Breach/Warmane</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warmane">https://haveibeenpwned.com/Breach/Warmane</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warmane">https://haveibeenpwned.com/Breach/Warmane</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warmane">https://haveibeenpwned.com/Breach/Warmane</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warmane">https://haveibeenpwned.com/Breach/Warmane</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warmane">https://haveibeenpwned.com/Breach/Warmane</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warmane">https://haveibeenpwned.com/Breach/Warmane</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warmane">https://haveibeenpwned.com/Breach/Warmane</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warmane">https://haveibeenpwned.com/Breach/Warmane</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Warmane">https://haveibeenpwned.com/Breach/Warmane</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard">https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard">https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard">https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard">https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard">https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard">https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard">https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard">https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard">https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard">https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard">https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard">https://haveibeenpwned.com/Breach/WashingtonStateFoodWorkerCard</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wattpad">https://haveibeenpwned.com/Breach/Wattpad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wattpad">https://haveibeenpwned.com/Breach/Wattpad</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wattpad">https://haveibeenpwned.com/Breach/Wattpad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wattpad">https://haveibeenpwned.com/Breach/Wattpad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wattpad">https://haveibeenpwned.com/Breach/Wattpad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wattpad">https://haveibeenpwned.com/Breach/Wattpad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wattpad">https://haveibeenpwned.com/Breach/Wattpad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wattpad">https://haveibeenpwned.com/Breach/Wattpad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wattpad">https://haveibeenpwned.com/Breach/Wattpad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wattpad">https://haveibeenpwned.com/Breach/Wattpad</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wattpad">https://haveibeenpwned.com/Breach/Wattpad</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wattpad">https://haveibeenpwned.com/Breach/Wattpad</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WedMeGood">https://haveibeenpwned.com/Breach/WedMeGood</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WedMeGood">https://haveibeenpwned.com/Breach/WedMeGood</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WedMeGood">https://haveibeenpwned.com/Breach/WedMeGood</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WedMeGood">https://haveibeenpwned.com/Breach/WedMeGood</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WedMeGood">https://haveibeenpwned.com/Breach/WedMeGood</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WedMeGood">https://haveibeenpwned.com/Breach/WedMeGood</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WedMeGood">https://haveibeenpwned.com/Breach/WedMeGood</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WedMeGood">https://haveibeenpwned.com/Breach/WedMeGood</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WedMeGood">https://haveibeenpwned.com/Breach/WedMeGood</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WedMeGood">https://haveibeenpwned.com/Breach/WedMeGood</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WedMeGood">https://haveibeenpwned.com/Breach/WedMeGood</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WedMeGood">https://haveibeenpwned.com/Breach/WedMeGood</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Weee">https://haveibeenpwned.com/Breach/Weee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Weee">https://haveibeenpwned.com/Breach/Weee</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Weee">https://haveibeenpwned.com/Breach/Weee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Weee">https://haveibeenpwned.com/Breach/Weee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Weee">https://haveibeenpwned.com/Breach/Weee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Weee">https://haveibeenpwned.com/Breach/Weee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Weee">https://haveibeenpwned.com/Breach/Weee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Weee">https://haveibeenpwned.com/Breach/Weee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Weee">https://haveibeenpwned.com/Breach/Weee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Weee">https://haveibeenpwned.com/Breach/Weee</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Weee">https://haveibeenpwned.com/Breach/Weee</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Weee">https://haveibeenpwned.com/Breach/Weee</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeHeartIt">https://haveibeenpwned.com/Breach/WeHeartIt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeHeartIt">https://haveibeenpwned.com/Breach/WeHeartIt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeHeartIt">https://haveibeenpwned.com/Breach/WeHeartIt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeHeartIt">https://haveibeenpwned.com/Breach/WeHeartIt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeHeartIt">https://haveibeenpwned.com/Breach/WeHeartIt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeHeartIt">https://haveibeenpwned.com/Breach/WeHeartIt</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeHeartIt">https://haveibeenpwned.com/Breach/WeHeartIt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeHeartIt">https://haveibeenpwned.com/Breach/WeHeartIt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeHeartIt">https://haveibeenpwned.com/Breach/WeHeartIt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeHeartIt">https://haveibeenpwned.com/Breach/WeHeartIt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeHeartIt">https://haveibeenpwned.com/Breach/WeHeartIt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeHeartIt">https://haveibeenpwned.com/Breach/WeHeartIt</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeLeakInfo">https://haveibeenpwned.com/Breach/WeLeakInfo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeLeakInfo">https://haveibeenpwned.com/Breach/WeLeakInfo</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeLeakInfo">https://haveibeenpwned.com/Breach/WeLeakInfo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeLeakInfo">https://haveibeenpwned.com/Breach/WeLeakInfo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeLeakInfo">https://haveibeenpwned.com/Breach/WeLeakInfo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeLeakInfo">https://haveibeenpwned.com/Breach/WeLeakInfo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeLeakInfo">https://haveibeenpwned.com/Breach/WeLeakInfo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeLeakInfo">https://haveibeenpwned.com/Breach/WeLeakInfo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeLeakInfo">https://haveibeenpwned.com/Breach/WeLeakInfo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeLeakInfo">https://haveibeenpwned.com/Breach/WeLeakInfo</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeLeakInfo">https://haveibeenpwned.com/Breach/WeLeakInfo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WeLeakInfo">https://haveibeenpwned.com/Breach/WeLeakInfo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Welhof">https://haveibeenpwned.com/Breach/Welhof</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Welhof">https://haveibeenpwned.com/Breach/Welhof</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Welhof">https://haveibeenpwned.com/Breach/Welhof</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Welhof">https://haveibeenpwned.com/Breach/Welhof</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Welhof">https://haveibeenpwned.com/Breach/Welhof</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Welhof">https://haveibeenpwned.com/Breach/Welhof</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Welhof">https://haveibeenpwned.com/Breach/Welhof</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Welhof">https://haveibeenpwned.com/Breach/Welhof</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Welhof">https://haveibeenpwned.com/Breach/Welhof</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Welhof">https://haveibeenpwned.com/Breach/Welhof</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Welhof">https://haveibeenpwned.com/Breach/Welhof</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Welhof">https://haveibeenpwned.com/Breach/Welhof</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wendys">https://haveibeenpwned.com/Breach/Wendys</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wendys">https://haveibeenpwned.com/Breach/Wendys</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wendys">https://haveibeenpwned.com/Breach/Wendys</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wendys">https://haveibeenpwned.com/Breach/Wendys</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wendys">https://haveibeenpwned.com/Breach/Wendys</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wendys">https://haveibeenpwned.com/Breach/Wendys</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wendys">https://haveibeenpwned.com/Breach/Wendys</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wendys">https://haveibeenpwned.com/Breach/Wendys</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wendys">https://haveibeenpwned.com/Breach/Wendys</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wendys">https://haveibeenpwned.com/Breach/Wendys</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wendys">https://haveibeenpwned.com/Breach/Wendys</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wendys">https://haveibeenpwned.com/Breach/Wendys</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Whitepages">https://haveibeenpwned.com/Breach/Whitepages</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Whitepages">https://haveibeenpwned.com/Breach/Whitepages</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Whitepages">https://haveibeenpwned.com/Breach/Whitepages</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Whitepages">https://haveibeenpwned.com/Breach/Whitepages</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Whitepages">https://haveibeenpwned.com/Breach/Whitepages</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Whitepages">https://haveibeenpwned.com/Breach/Whitepages</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Whitepages">https://haveibeenpwned.com/Breach/Whitepages</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Whitepages">https://haveibeenpwned.com/Breach/Whitepages</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Whitepages">https://haveibeenpwned.com/Breach/Whitepages</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Whitepages">https://haveibeenpwned.com/Breach/Whitepages</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Whitepages">https://haveibeenpwned.com/Breach/Whitepages</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Whitepages">https://haveibeenpwned.com/Breach/Whitepages</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WhiteRoom">https://haveibeenpwned.com/Breach/WhiteRoom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WhiteRoom">https://haveibeenpwned.com/Breach/WhiteRoom</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WhiteRoom">https://haveibeenpwned.com/Breach/WhiteRoom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WhiteRoom">https://haveibeenpwned.com/Breach/WhiteRoom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WhiteRoom">https://haveibeenpwned.com/Breach/WhiteRoom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WhiteRoom">https://haveibeenpwned.com/Breach/WhiteRoom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WhiteRoom">https://haveibeenpwned.com/Breach/WhiteRoom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WhiteRoom">https://haveibeenpwned.com/Breach/WhiteRoom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WhiteRoom">https://haveibeenpwned.com/Breach/WhiteRoom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WhiteRoom">https://haveibeenpwned.com/Breach/WhiteRoom</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WhiteRoom">https://haveibeenpwned.com/Breach/WhiteRoom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WhiteRoom">https://haveibeenpwned.com/Breach/WhiteRoom</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WHMCS">https://haveibeenpwned.com/Breach/WHMCS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WHMCS">https://haveibeenpwned.com/Breach/WHMCS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WHMCS">https://haveibeenpwned.com/Breach/WHMCS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WHMCS">https://haveibeenpwned.com/Breach/WHMCS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WHMCS">https://haveibeenpwned.com/Breach/WHMCS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WHMCS">https://haveibeenpwned.com/Breach/WHMCS</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WHMCS">https://haveibeenpwned.com/Breach/WHMCS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WHMCS">https://haveibeenpwned.com/Breach/WHMCS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WHMCS">https://haveibeenpwned.com/Breach/WHMCS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WHMCS">https://haveibeenpwned.com/Breach/WHMCS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WHMCS">https://haveibeenpwned.com/Breach/WHMCS</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WHMCS">https://haveibeenpwned.com/Breach/WHMCS</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WienerBuchereien">https://haveibeenpwned.com/Breach/WienerBuchereien</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WienerBuchereien">https://haveibeenpwned.com/Breach/WienerBuchereien</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WienerBuchereien">https://haveibeenpwned.com/Breach/WienerBuchereien</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WienerBuchereien">https://haveibeenpwned.com/Breach/WienerBuchereien</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WienerBuchereien">https://haveibeenpwned.com/Breach/WienerBuchereien</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WienerBuchereien">https://haveibeenpwned.com/Breach/WienerBuchereien</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WienerBuchereien">https://haveibeenpwned.com/Breach/WienerBuchereien</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WienerBuchereien">https://haveibeenpwned.com/Breach/WienerBuchereien</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WienerBuchereien">https://haveibeenpwned.com/Breach/WienerBuchereien</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WienerBuchereien">https://haveibeenpwned.com/Breach/WienerBuchereien</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WienerBuchereien">https://haveibeenpwned.com/Breach/WienerBuchereien</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WienerBuchereien">https://haveibeenpwned.com/Breach/WienerBuchereien</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WifeLovers">https://haveibeenpwned.com/Breach/WifeLovers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WifeLovers">https://haveibeenpwned.com/Breach/WifeLovers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WifeLovers">https://haveibeenpwned.com/Breach/WifeLovers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WifeLovers">https://haveibeenpwned.com/Breach/WifeLovers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WifeLovers">https://haveibeenpwned.com/Breach/WifeLovers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WifeLovers">https://haveibeenpwned.com/Breach/WifeLovers</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WifeLovers">https://haveibeenpwned.com/Breach/WifeLovers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WifeLovers">https://haveibeenpwned.com/Breach/WifeLovers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WifeLovers">https://haveibeenpwned.com/Breach/WifeLovers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WifeLovers">https://haveibeenpwned.com/Breach/WifeLovers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WifeLovers">https://haveibeenpwned.com/Breach/WifeLovers</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WifeLovers">https://haveibeenpwned.com/Breach/WifeLovers</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WIIUISO">https://haveibeenpwned.com/Breach/WIIUISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WIIUISO">https://haveibeenpwned.com/Breach/WIIUISO</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WIIUISO">https://haveibeenpwned.com/Breach/WIIUISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WIIUISO">https://haveibeenpwned.com/Breach/WIIUISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WIIUISO">https://haveibeenpwned.com/Breach/WIIUISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WIIUISO">https://haveibeenpwned.com/Breach/WIIUISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WIIUISO">https://haveibeenpwned.com/Breach/WIIUISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WIIUISO">https://haveibeenpwned.com/Breach/WIIUISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WIIUISO">https://haveibeenpwned.com/Breach/WIIUISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WIIUISO">https://haveibeenpwned.com/Breach/WIIUISO</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WIIUISO">https://haveibeenpwned.com/Breach/WIIUISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WIIUISO">https://haveibeenpwned.com/Breach/WIIUISO</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WildStar">https://haveibeenpwned.com/Breach/WildStar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WildStar">https://haveibeenpwned.com/Breach/WildStar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WildStar">https://haveibeenpwned.com/Breach/WildStar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WildStar">https://haveibeenpwned.com/Breach/WildStar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WildStar">https://haveibeenpwned.com/Breach/WildStar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WildStar">https://haveibeenpwned.com/Breach/WildStar</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WildStar">https://haveibeenpwned.com/Breach/WildStar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WildStar">https://haveibeenpwned.com/Breach/WildStar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WildStar">https://haveibeenpwned.com/Breach/WildStar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WildStar">https://haveibeenpwned.com/Breach/WildStar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WildStar">https://haveibeenpwned.com/Breach/WildStar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WildStar">https://haveibeenpwned.com/Breach/WildStar</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Win7Vista">https://haveibeenpwned.com/Breach/Win7Vista</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Win7Vista">https://haveibeenpwned.com/Breach/Win7Vista</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Win7Vista">https://haveibeenpwned.com/Breach/Win7Vista</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Win7Vista">https://haveibeenpwned.com/Breach/Win7Vista</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Win7Vista">https://haveibeenpwned.com/Breach/Win7Vista</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Win7Vista">https://haveibeenpwned.com/Breach/Win7Vista</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Win7Vista">https://haveibeenpwned.com/Breach/Win7Vista</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Win7Vista">https://haveibeenpwned.com/Breach/Win7Vista</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Win7Vista">https://haveibeenpwned.com/Breach/Win7Vista</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Win7Vista">https://haveibeenpwned.com/Breach/Win7Vista</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Win7Vista">https://haveibeenpwned.com/Breach/Win7Vista</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Win7Vista">https://haveibeenpwned.com/Breach/Win7Vista</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiredBucks">https://haveibeenpwned.com/Breach/WiredBucks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiredBucks">https://haveibeenpwned.com/Breach/WiredBucks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiredBucks">https://haveibeenpwned.com/Breach/WiredBucks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiredBucks">https://haveibeenpwned.com/Breach/WiredBucks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiredBucks">https://haveibeenpwned.com/Breach/WiredBucks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiredBucks">https://haveibeenpwned.com/Breach/WiredBucks</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiredBucks">https://haveibeenpwned.com/Breach/WiredBucks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiredBucks">https://haveibeenpwned.com/Breach/WiredBucks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiredBucks">https://haveibeenpwned.com/Breach/WiredBucks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiredBucks">https://haveibeenpwned.com/Breach/WiredBucks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiredBucks">https://haveibeenpwned.com/Breach/WiredBucks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiredBucks">https://haveibeenpwned.com/Breach/WiredBucks</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone">https://haveibeenpwned.com/Breach/Wishbone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone">https://haveibeenpwned.com/Breach/Wishbone</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone">https://haveibeenpwned.com/Breach/Wishbone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone">https://haveibeenpwned.com/Breach/Wishbone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone">https://haveibeenpwned.com/Breach/Wishbone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone">https://haveibeenpwned.com/Breach/Wishbone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone">https://haveibeenpwned.com/Breach/Wishbone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone">https://haveibeenpwned.com/Breach/Wishbone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone">https://haveibeenpwned.com/Breach/Wishbone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone">https://haveibeenpwned.com/Breach/Wishbone</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone">https://haveibeenpwned.com/Breach/Wishbone</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone">https://haveibeenpwned.com/Breach/Wishbone</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone2020">https://haveibeenpwned.com/Breach/Wishbone2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone2020">https://haveibeenpwned.com/Breach/Wishbone2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone2020">https://haveibeenpwned.com/Breach/Wishbone2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone2020">https://haveibeenpwned.com/Breach/Wishbone2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone2020">https://haveibeenpwned.com/Breach/Wishbone2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone2020">https://haveibeenpwned.com/Breach/Wishbone2020</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone2020">https://haveibeenpwned.com/Breach/Wishbone2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone2020">https://haveibeenpwned.com/Breach/Wishbone2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone2020">https://haveibeenpwned.com/Breach/Wishbone2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone2020">https://haveibeenpwned.com/Breach/Wishbone2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone2020">https://haveibeenpwned.com/Breach/Wishbone2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wishbone2020">https://haveibeenpwned.com/Breach/Wishbone2020</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiziShop">https://haveibeenpwned.com/Breach/WiziShop</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiziShop">https://haveibeenpwned.com/Breach/WiziShop</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiziShop">https://haveibeenpwned.com/Breach/WiziShop</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiziShop">https://haveibeenpwned.com/Breach/WiziShop</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiziShop">https://haveibeenpwned.com/Breach/WiziShop</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiziShop">https://haveibeenpwned.com/Breach/WiziShop</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiziShop">https://haveibeenpwned.com/Breach/WiziShop</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiziShop">https://haveibeenpwned.com/Breach/WiziShop</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiziShop">https://haveibeenpwned.com/Breach/WiziShop</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiziShop">https://haveibeenpwned.com/Breach/WiziShop</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiziShop">https://haveibeenpwned.com/Breach/WiziShop</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WiziShop">https://haveibeenpwned.com/Breach/WiziShop</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wongnai">https://haveibeenpwned.com/Breach/Wongnai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wongnai">https://haveibeenpwned.com/Breach/Wongnai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wongnai">https://haveibeenpwned.com/Breach/Wongnai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wongnai">https://haveibeenpwned.com/Breach/Wongnai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wongnai">https://haveibeenpwned.com/Breach/Wongnai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wongnai">https://haveibeenpwned.com/Breach/Wongnai</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wongnai">https://haveibeenpwned.com/Breach/Wongnai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wongnai">https://haveibeenpwned.com/Breach/Wongnai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wongnai">https://haveibeenpwned.com/Breach/Wongnai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wongnai">https://haveibeenpwned.com/Breach/Wongnai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wongnai">https://haveibeenpwned.com/Breach/Wongnai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Wongnai">https://haveibeenpwned.com/Breach/Wongnai</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WoTLabs">https://haveibeenpwned.com/Breach/WoTLabs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WoTLabs">https://haveibeenpwned.com/Breach/WoTLabs</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WoTLabs">https://haveibeenpwned.com/Breach/WoTLabs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WoTLabs">https://haveibeenpwned.com/Breach/WoTLabs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WoTLabs">https://haveibeenpwned.com/Breach/WoTLabs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WoTLabs">https://haveibeenpwned.com/Breach/WoTLabs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WoTLabs">https://haveibeenpwned.com/Breach/WoTLabs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WoTLabs">https://haveibeenpwned.com/Breach/WoTLabs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WoTLabs">https://haveibeenpwned.com/Breach/WoTLabs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WoTLabs">https://haveibeenpwned.com/Breach/WoTLabs</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WoTLabs">https://haveibeenpwned.com/Breach/WoTLabs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WoTLabs">https://haveibeenpwned.com/Breach/WoTLabs</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPSandbox">https://haveibeenpwned.com/Breach/WPSandbox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPSandbox">https://haveibeenpwned.com/Breach/WPSandbox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPSandbox">https://haveibeenpwned.com/Breach/WPSandbox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPSandbox">https://haveibeenpwned.com/Breach/WPSandbox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPSandbox">https://haveibeenpwned.com/Breach/WPSandbox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPSandbox">https://haveibeenpwned.com/Breach/WPSandbox</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPSandbox">https://haveibeenpwned.com/Breach/WPSandbox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPSandbox">https://haveibeenpwned.com/Breach/WPSandbox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPSandbox">https://haveibeenpwned.com/Breach/WPSandbox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPSandbox">https://haveibeenpwned.com/Breach/WPSandbox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPSandbox">https://haveibeenpwned.com/Breach/WPSandbox</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPSandbox">https://haveibeenpwned.com/Breach/WPSandbox</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPT">https://haveibeenpwned.com/Breach/WPT</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPT">https://haveibeenpwned.com/Breach/WPT</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPT">https://haveibeenpwned.com/Breach/WPT</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPT">https://haveibeenpwned.com/Breach/WPT</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPT">https://haveibeenpwned.com/Breach/WPT</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPT">https://haveibeenpwned.com/Breach/WPT</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPT">https://haveibeenpwned.com/Breach/WPT</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPT">https://haveibeenpwned.com/Breach/WPT</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPT">https://haveibeenpwned.com/Breach/WPT</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPT">https://haveibeenpwned.com/Breach/WPT</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPT">https://haveibeenpwned.com/Breach/WPT</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/WPT">https://haveibeenpwned.com/Breach/WPT</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xat">https://haveibeenpwned.com/Breach/xat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xat">https://haveibeenpwned.com/Breach/xat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xat">https://haveibeenpwned.com/Breach/xat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xat">https://haveibeenpwned.com/Breach/xat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xat">https://haveibeenpwned.com/Breach/xat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xat">https://haveibeenpwned.com/Breach/xat</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xat">https://haveibeenpwned.com/Breach/xat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xat">https://haveibeenpwned.com/Breach/xat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xat">https://haveibeenpwned.com/Breach/xat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xat">https://haveibeenpwned.com/Breach/xat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xat">https://haveibeenpwned.com/Breach/xat</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xat">https://haveibeenpwned.com/Breach/xat</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox-Scene">https://haveibeenpwned.com/Breach/Xbox-Scene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox-Scene">https://haveibeenpwned.com/Breach/Xbox-Scene</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox-Scene">https://haveibeenpwned.com/Breach/Xbox-Scene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox-Scene">https://haveibeenpwned.com/Breach/Xbox-Scene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox-Scene">https://haveibeenpwned.com/Breach/Xbox-Scene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox-Scene">https://haveibeenpwned.com/Breach/Xbox-Scene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox-Scene">https://haveibeenpwned.com/Breach/Xbox-Scene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox-Scene">https://haveibeenpwned.com/Breach/Xbox-Scene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox-Scene">https://haveibeenpwned.com/Breach/Xbox-Scene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox-Scene">https://haveibeenpwned.com/Breach/Xbox-Scene</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox-Scene">https://haveibeenpwned.com/Breach/Xbox-Scene</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox-Scene">https://haveibeenpwned.com/Breach/Xbox-Scene</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox360ISO">https://haveibeenpwned.com/Breach/Xbox360ISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox360ISO">https://haveibeenpwned.com/Breach/Xbox360ISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox360ISO">https://haveibeenpwned.com/Breach/Xbox360ISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox360ISO">https://haveibeenpwned.com/Breach/Xbox360ISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox360ISO">https://haveibeenpwned.com/Breach/Xbox360ISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox360ISO">https://haveibeenpwned.com/Breach/Xbox360ISO</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox360ISO">https://haveibeenpwned.com/Breach/Xbox360ISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox360ISO">https://haveibeenpwned.com/Breach/Xbox360ISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox360ISO">https://haveibeenpwned.com/Breach/Xbox360ISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox360ISO">https://haveibeenpwned.com/Breach/Xbox360ISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox360ISO">https://haveibeenpwned.com/Breach/Xbox360ISO</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xbox360ISO">https://haveibeenpwned.com/Breach/Xbox360ISO</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xHamster">https://haveibeenpwned.com/Breach/xHamster</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xHamster">https://haveibeenpwned.com/Breach/xHamster</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xHamster">https://haveibeenpwned.com/Breach/xHamster</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xHamster">https://haveibeenpwned.com/Breach/xHamster</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xHamster">https://haveibeenpwned.com/Breach/xHamster</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xHamster">https://haveibeenpwned.com/Breach/xHamster</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xHamster">https://haveibeenpwned.com/Breach/xHamster</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xHamster">https://haveibeenpwned.com/Breach/xHamster</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xHamster">https://haveibeenpwned.com/Breach/xHamster</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xHamster">https://haveibeenpwned.com/Breach/xHamster</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xHamster">https://haveibeenpwned.com/Breach/xHamster</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/xHamster">https://haveibeenpwned.com/Breach/xHamster</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xiaomi">https://haveibeenpwned.com/Breach/Xiaomi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xiaomi">https://haveibeenpwned.com/Breach/Xiaomi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xiaomi">https://haveibeenpwned.com/Breach/Xiaomi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xiaomi">https://haveibeenpwned.com/Breach/Xiaomi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xiaomi">https://haveibeenpwned.com/Breach/Xiaomi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xiaomi">https://haveibeenpwned.com/Breach/Xiaomi</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xiaomi">https://haveibeenpwned.com/Breach/Xiaomi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xiaomi">https://haveibeenpwned.com/Breach/Xiaomi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xiaomi">https://haveibeenpwned.com/Breach/Xiaomi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xiaomi">https://haveibeenpwned.com/Breach/Xiaomi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xiaomi">https://haveibeenpwned.com/Breach/Xiaomi</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Xiaomi">https://haveibeenpwned.com/Breach/Xiaomi</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XKCD">https://haveibeenpwned.com/Breach/XKCD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XKCD">https://haveibeenpwned.com/Breach/XKCD</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XKCD">https://haveibeenpwned.com/Breach/XKCD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XKCD">https://haveibeenpwned.com/Breach/XKCD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XKCD">https://haveibeenpwned.com/Breach/XKCD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XKCD">https://haveibeenpwned.com/Breach/XKCD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XKCD">https://haveibeenpwned.com/Breach/XKCD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XKCD">https://haveibeenpwned.com/Breach/XKCD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XKCD">https://haveibeenpwned.com/Breach/XKCD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XKCD">https://haveibeenpwned.com/Breach/XKCD</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XKCD">https://haveibeenpwned.com/Breach/XKCD</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XKCD">https://haveibeenpwned.com/Breach/XKCD</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XPGameSaves">https://haveibeenpwned.com/Breach/XPGameSaves</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XPGameSaves">https://haveibeenpwned.com/Breach/XPGameSaves</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XPGameSaves">https://haveibeenpwned.com/Breach/XPGameSaves</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XPGameSaves">https://haveibeenpwned.com/Breach/XPGameSaves</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XPGameSaves">https://haveibeenpwned.com/Breach/XPGameSaves</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XPGameSaves">https://haveibeenpwned.com/Breach/XPGameSaves</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XPGameSaves">https://haveibeenpwned.com/Breach/XPGameSaves</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XPGameSaves">https://haveibeenpwned.com/Breach/XPGameSaves</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XPGameSaves">https://haveibeenpwned.com/Breach/XPGameSaves</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XPGameSaves">https://haveibeenpwned.com/Breach/XPGameSaves</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XPGameSaves">https://haveibeenpwned.com/Breach/XPGameSaves</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XPGameSaves">https://haveibeenpwned.com/Breach/XPGameSaves</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XSplit">https://haveibeenpwned.com/Breach/XSplit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XSplit">https://haveibeenpwned.com/Breach/XSplit</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XSplit">https://haveibeenpwned.com/Breach/XSplit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XSplit">https://haveibeenpwned.com/Breach/XSplit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XSplit">https://haveibeenpwned.com/Breach/XSplit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XSplit">https://haveibeenpwned.com/Breach/XSplit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XSplit">https://haveibeenpwned.com/Breach/XSplit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XSplit">https://haveibeenpwned.com/Breach/XSplit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XSplit">https://haveibeenpwned.com/Breach/XSplit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XSplit">https://haveibeenpwned.com/Breach/XSplit</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XSplit">https://haveibeenpwned.com/Breach/XSplit</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/XSplit">https://haveibeenpwned.com/Breach/XSplit</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yahoo">https://haveibeenpwned.com/Breach/Yahoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yahoo">https://haveibeenpwned.com/Breach/Yahoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yahoo">https://haveibeenpwned.com/Breach/Yahoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yahoo">https://haveibeenpwned.com/Breach/Yahoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yahoo">https://haveibeenpwned.com/Breach/Yahoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yahoo">https://haveibeenpwned.com/Breach/Yahoo</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yahoo">https://haveibeenpwned.com/Breach/Yahoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yahoo">https://haveibeenpwned.com/Breach/Yahoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yahoo">https://haveibeenpwned.com/Breach/Yahoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yahoo">https://haveibeenpwned.com/Breach/Yahoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yahoo">https://haveibeenpwned.com/Breach/Yahoo</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yahoo">https://haveibeenpwned.com/Breach/Yahoo</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yam">https://haveibeenpwned.com/Breach/Yam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yam">https://haveibeenpwned.com/Breach/Yam</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yam">https://haveibeenpwned.com/Breach/Yam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yam">https://haveibeenpwned.com/Breach/Yam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yam">https://haveibeenpwned.com/Breach/Yam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yam">https://haveibeenpwned.com/Breach/Yam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yam">https://haveibeenpwned.com/Breach/Yam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yam">https://haveibeenpwned.com/Breach/Yam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yam">https://haveibeenpwned.com/Breach/Yam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yam">https://haveibeenpwned.com/Breach/Yam</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yam">https://haveibeenpwned.com/Breach/Yam</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yam">https://haveibeenpwned.com/Breach/Yam</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yandex">https://haveibeenpwned.com/Breach/Yandex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yandex">https://haveibeenpwned.com/Breach/Yandex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yandex">https://haveibeenpwned.com/Breach/Yandex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yandex">https://haveibeenpwned.com/Breach/Yandex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yandex">https://haveibeenpwned.com/Breach/Yandex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yandex">https://haveibeenpwned.com/Breach/Yandex</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yandex">https://haveibeenpwned.com/Breach/Yandex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yandex">https://haveibeenpwned.com/Breach/Yandex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yandex">https://haveibeenpwned.com/Breach/Yandex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yandex">https://haveibeenpwned.com/Breach/Yandex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yandex">https://haveibeenpwned.com/Breach/Yandex</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yandex">https://haveibeenpwned.com/Breach/Yandex</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yatra">https://haveibeenpwned.com/Breach/Yatra</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yatra">https://haveibeenpwned.com/Breach/Yatra</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yatra">https://haveibeenpwned.com/Breach/Yatra</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yatra">https://haveibeenpwned.com/Breach/Yatra</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yatra">https://haveibeenpwned.com/Breach/Yatra</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yatra">https://haveibeenpwned.com/Breach/Yatra</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yatra">https://haveibeenpwned.com/Breach/Yatra</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yatra">https://haveibeenpwned.com/Breach/Yatra</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yatra">https://haveibeenpwned.com/Breach/Yatra</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yatra">https://haveibeenpwned.com/Breach/Yatra</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yatra">https://haveibeenpwned.com/Breach/Yatra</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yatra">https://haveibeenpwned.com/Breach/Yatra</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yonema">https://haveibeenpwned.com/Breach/Yonema</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yonema">https://haveibeenpwned.com/Breach/Yonema</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yonema">https://haveibeenpwned.com/Breach/Yonema</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yonema">https://haveibeenpwned.com/Breach/Yonema</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yonema">https://haveibeenpwned.com/Breach/Yonema</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yonema">https://haveibeenpwned.com/Breach/Yonema</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yonema">https://haveibeenpwned.com/Breach/Yonema</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yonema">https://haveibeenpwned.com/Breach/Yonema</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yonema">https://haveibeenpwned.com/Breach/Yonema</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yonema">https://haveibeenpwned.com/Breach/Yonema</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yonema">https://haveibeenpwned.com/Breach/Yonema</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Yonema">https://haveibeenpwned.com/Breach/Yonema</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoteprestoCom">https://haveibeenpwned.com/Breach/YoteprestoCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoteprestoCom">https://haveibeenpwned.com/Breach/YoteprestoCom</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoteprestoCom">https://haveibeenpwned.com/Breach/YoteprestoCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoteprestoCom">https://haveibeenpwned.com/Breach/YoteprestoCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoteprestoCom">https://haveibeenpwned.com/Breach/YoteprestoCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoteprestoCom">https://haveibeenpwned.com/Breach/YoteprestoCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoteprestoCom">https://haveibeenpwned.com/Breach/YoteprestoCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoteprestoCom">https://haveibeenpwned.com/Breach/YoteprestoCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoteprestoCom">https://haveibeenpwned.com/Breach/YoteprestoCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoteprestoCom">https://haveibeenpwned.com/Breach/YoteprestoCom</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoteprestoCom">https://haveibeenpwned.com/Breach/YoteprestoCom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoteprestoCom">https://haveibeenpwned.com/Breach/YoteprestoCom</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youku">https://haveibeenpwned.com/Breach/Youku</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youku">https://haveibeenpwned.com/Breach/Youku</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youku">https://haveibeenpwned.com/Breach/Youku</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youku">https://haveibeenpwned.com/Breach/Youku</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youku">https://haveibeenpwned.com/Breach/Youku</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youku">https://haveibeenpwned.com/Breach/Youku</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youku">https://haveibeenpwned.com/Breach/Youku</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youku">https://haveibeenpwned.com/Breach/Youku</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youku">https://haveibeenpwned.com/Breach/Youku</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youku">https://haveibeenpwned.com/Breach/Youku</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youku">https://haveibeenpwned.com/Breach/Youku</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youku">https://haveibeenpwned.com/Breach/Youku</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoungLivingEssentialOils">https://haveibeenpwned.com/Breach/YoungLivingEssentialOils</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoungLivingEssentialOils">https://haveibeenpwned.com/Breach/YoungLivingEssentialOils</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoungLivingEssentialOils">https://haveibeenpwned.com/Breach/YoungLivingEssentialOils</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoungLivingEssentialOils">https://haveibeenpwned.com/Breach/YoungLivingEssentialOils</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoungLivingEssentialOils">https://haveibeenpwned.com/Breach/YoungLivingEssentialOils</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoungLivingEssentialOils">https://haveibeenpwned.com/Breach/YoungLivingEssentialOils</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoungLivingEssentialOils">https://haveibeenpwned.com/Breach/YoungLivingEssentialOils</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoungLivingEssentialOils">https://haveibeenpwned.com/Breach/YoungLivingEssentialOils</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoungLivingEssentialOils">https://haveibeenpwned.com/Breach/YoungLivingEssentialOils</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoungLivingEssentialOils">https://haveibeenpwned.com/Breach/YoungLivingEssentialOils</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoungLivingEssentialOils">https://haveibeenpwned.com/Breach/YoungLivingEssentialOils</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YoungLivingEssentialOils">https://haveibeenpwned.com/Breach/YoungLivingEssentialOils</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouNow">https://haveibeenpwned.com/Breach/YouNow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouNow">https://haveibeenpwned.com/Breach/YouNow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouNow">https://haveibeenpwned.com/Breach/YouNow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouNow">https://haveibeenpwned.com/Breach/YouNow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouNow">https://haveibeenpwned.com/Breach/YouNow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouNow">https://haveibeenpwned.com/Breach/YouNow</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouNow">https://haveibeenpwned.com/Breach/YouNow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouNow">https://haveibeenpwned.com/Breach/YouNow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouNow">https://haveibeenpwned.com/Breach/YouNow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouNow">https://haveibeenpwned.com/Breach/YouNow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouNow">https://haveibeenpwned.com/Breach/YouNow</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouNow">https://haveibeenpwned.com/Breach/YouNow</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouPom">https://haveibeenpwned.com/Breach/YouPom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouPom">https://haveibeenpwned.com/Breach/YouPom</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouPom">https://haveibeenpwned.com/Breach/YouPom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouPom">https://haveibeenpwned.com/Breach/YouPom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouPom">https://haveibeenpwned.com/Breach/YouPom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouPom">https://haveibeenpwned.com/Breach/YouPom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouPom">https://haveibeenpwned.com/Breach/YouPom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouPom">https://haveibeenpwned.com/Breach/YouPom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouPom">https://haveibeenpwned.com/Breach/YouPom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouPom">https://haveibeenpwned.com/Breach/YouPom</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouPom">https://haveibeenpwned.com/Breach/YouPom</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouPom">https://haveibeenpwned.com/Breach/YouPom</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youthmanual">https://haveibeenpwned.com/Breach/Youthmanual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youthmanual">https://haveibeenpwned.com/Breach/Youthmanual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youthmanual">https://haveibeenpwned.com/Breach/Youthmanual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youthmanual">https://haveibeenpwned.com/Breach/Youthmanual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youthmanual">https://haveibeenpwned.com/Breach/Youthmanual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youthmanual">https://haveibeenpwned.com/Breach/Youthmanual</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youthmanual">https://haveibeenpwned.com/Breach/Youthmanual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youthmanual">https://haveibeenpwned.com/Breach/Youthmanual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youthmanual">https://haveibeenpwned.com/Breach/Youthmanual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youthmanual">https://haveibeenpwned.com/Breach/Youthmanual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youthmanual">https://haveibeenpwned.com/Breach/Youthmanual</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Youthmanual">https://haveibeenpwned.com/Breach/Youthmanual</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouveBeenScraped">https://haveibeenpwned.com/Breach/YouveBeenScraped</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouveBeenScraped">https://haveibeenpwned.com/Breach/YouveBeenScraped</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouveBeenScraped">https://haveibeenpwned.com/Breach/YouveBeenScraped</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouveBeenScraped">https://haveibeenpwned.com/Breach/YouveBeenScraped</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouveBeenScraped">https://haveibeenpwned.com/Breach/YouveBeenScraped</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouveBeenScraped">https://haveibeenpwned.com/Breach/YouveBeenScraped</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouveBeenScraped">https://haveibeenpwned.com/Breach/YouveBeenScraped</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouveBeenScraped">https://haveibeenpwned.com/Breach/YouveBeenScraped</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouveBeenScraped">https://haveibeenpwned.com/Breach/YouveBeenScraped</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouveBeenScraped">https://haveibeenpwned.com/Breach/YouveBeenScraped</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouveBeenScraped">https://haveibeenpwned.com/Breach/YouveBeenScraped</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/YouveBeenScraped">https://haveibeenpwned.com/Breach/YouveBeenScraped</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks">https://haveibeenpwned.com/Breach/Zacks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks">https://haveibeenpwned.com/Breach/Zacks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks">https://haveibeenpwned.com/Breach/Zacks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks">https://haveibeenpwned.com/Breach/Zacks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks">https://haveibeenpwned.com/Breach/Zacks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks">https://haveibeenpwned.com/Breach/Zacks</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks">https://haveibeenpwned.com/Breach/Zacks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks">https://haveibeenpwned.com/Breach/Zacks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks">https://haveibeenpwned.com/Breach/Zacks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks">https://haveibeenpwned.com/Breach/Zacks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks">https://haveibeenpwned.com/Breach/Zacks</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks">https://haveibeenpwned.com/Breach/Zacks</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks2024">https://haveibeenpwned.com/Breach/Zacks2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks2024">https://haveibeenpwned.com/Breach/Zacks2024</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks2024">https://haveibeenpwned.com/Breach/Zacks2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks2024">https://haveibeenpwned.com/Breach/Zacks2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks2024">https://haveibeenpwned.com/Breach/Zacks2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks2024">https://haveibeenpwned.com/Breach/Zacks2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks2024">https://haveibeenpwned.com/Breach/Zacks2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks2024">https://haveibeenpwned.com/Breach/Zacks2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks2024">https://haveibeenpwned.com/Breach/Zacks2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks2024">https://haveibeenpwned.com/Breach/Zacks2024</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks2024">https://haveibeenpwned.com/Breach/Zacks2024</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zacks2024">https://haveibeenpwned.com/Breach/Zacks2024</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZadigVoltaire">https://haveibeenpwned.com/Breach/ZadigVoltaire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZadigVoltaire">https://haveibeenpwned.com/Breach/ZadigVoltaire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZadigVoltaire">https://haveibeenpwned.com/Breach/ZadigVoltaire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZadigVoltaire">https://haveibeenpwned.com/Breach/ZadigVoltaire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZadigVoltaire">https://haveibeenpwned.com/Breach/ZadigVoltaire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZadigVoltaire">https://haveibeenpwned.com/Breach/ZadigVoltaire</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZadigVoltaire">https://haveibeenpwned.com/Breach/ZadigVoltaire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZadigVoltaire">https://haveibeenpwned.com/Breach/ZadigVoltaire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZadigVoltaire">https://haveibeenpwned.com/Breach/ZadigVoltaire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZadigVoltaire">https://haveibeenpwned.com/Breach/ZadigVoltaire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZadigVoltaire">https://haveibeenpwned.com/Breach/ZadigVoltaire</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZadigVoltaire">https://haveibeenpwned.com/Breach/ZadigVoltaire</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZAPHosting">https://haveibeenpwned.com/Breach/ZAPHosting</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZAPHosting">https://haveibeenpwned.com/Breach/ZAPHosting</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZAPHosting">https://haveibeenpwned.com/Breach/ZAPHosting</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZAPHosting">https://haveibeenpwned.com/Breach/ZAPHosting</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZAPHosting">https://haveibeenpwned.com/Breach/ZAPHosting</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZAPHosting">https://haveibeenpwned.com/Breach/ZAPHosting</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZAPHosting">https://haveibeenpwned.com/Breach/ZAPHosting</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZAPHosting">https://haveibeenpwned.com/Breach/ZAPHosting</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZAPHosting">https://haveibeenpwned.com/Breach/ZAPHosting</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZAPHosting">https://haveibeenpwned.com/Breach/ZAPHosting</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZAPHosting">https://haveibeenpwned.com/Breach/ZAPHosting</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZAPHosting">https://haveibeenpwned.com/Breach/ZAPHosting</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zhenai">https://haveibeenpwned.com/Breach/Zhenai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zhenai">https://haveibeenpwned.com/Breach/Zhenai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zhenai">https://haveibeenpwned.com/Breach/Zhenai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zhenai">https://haveibeenpwned.com/Breach/Zhenai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zhenai">https://haveibeenpwned.com/Breach/Zhenai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zhenai">https://haveibeenpwned.com/Breach/Zhenai</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zhenai">https://haveibeenpwned.com/Breach/Zhenai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zhenai">https://haveibeenpwned.com/Breach/Zhenai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zhenai">https://haveibeenpwned.com/Breach/Zhenai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zhenai">https://haveibeenpwned.com/Breach/Zhenai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zhenai">https://haveibeenpwned.com/Breach/Zhenai</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zhenai">https://haveibeenpwned.com/Breach/Zhenai</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZLib">https://haveibeenpwned.com/Breach/ZLib</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZLib">https://haveibeenpwned.com/Breach/ZLib</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZLib">https://haveibeenpwned.com/Breach/ZLib</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZLib">https://haveibeenpwned.com/Breach/ZLib</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZLib">https://haveibeenpwned.com/Breach/ZLib</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZLib">https://haveibeenpwned.com/Breach/ZLib</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZLib">https://haveibeenpwned.com/Breach/ZLib</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZLib">https://haveibeenpwned.com/Breach/ZLib</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZLib">https://haveibeenpwned.com/Breach/ZLib</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZLib">https://haveibeenpwned.com/Breach/ZLib</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZLib">https://haveibeenpwned.com/Breach/ZLib</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/ZLib">https://haveibeenpwned.com/Breach/ZLib</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zomato">https://haveibeenpwned.com/Breach/Zomato</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zomato">https://haveibeenpwned.com/Breach/Zomato</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zomato">https://haveibeenpwned.com/Breach/Zomato</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zomato">https://haveibeenpwned.com/Breach/Zomato</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zomato">https://haveibeenpwned.com/Breach/Zomato</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zomato">https://haveibeenpwned.com/Breach/Zomato</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zomato">https://haveibeenpwned.com/Breach/Zomato</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zomato">https://haveibeenpwned.com/Breach/Zomato</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zomato">https://haveibeenpwned.com/Breach/Zomato</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zomato">https://haveibeenpwned.com/Breach/Zomato</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zomato">https://haveibeenpwned.com/Breach/Zomato</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zomato">https://haveibeenpwned.com/Breach/Zomato</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoomcar">https://haveibeenpwned.com/Breach/Zoomcar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoomcar">https://haveibeenpwned.com/Breach/Zoomcar</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoomcar">https://haveibeenpwned.com/Breach/Zoomcar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoomcar">https://haveibeenpwned.com/Breach/Zoomcar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoomcar">https://haveibeenpwned.com/Breach/Zoomcar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoomcar">https://haveibeenpwned.com/Breach/Zoomcar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoomcar">https://haveibeenpwned.com/Breach/Zoomcar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoomcar">https://haveibeenpwned.com/Breach/Zoomcar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoomcar">https://haveibeenpwned.com/Breach/Zoomcar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoomcar">https://haveibeenpwned.com/Breach/Zoomcar</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoomcar">https://haveibeenpwned.com/Breach/Zoomcar</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoomcar">https://haveibeenpwned.com/Breach/Zoomcar</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk">https://haveibeenpwned.com/Breach/Zoosk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk">https://haveibeenpwned.com/Breach/Zoosk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk">https://haveibeenpwned.com/Breach/Zoosk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk">https://haveibeenpwned.com/Breach/Zoosk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk">https://haveibeenpwned.com/Breach/Zoosk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk">https://haveibeenpwned.com/Breach/Zoosk</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk">https://haveibeenpwned.com/Breach/Zoosk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk">https://haveibeenpwned.com/Breach/Zoosk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk">https://haveibeenpwned.com/Breach/Zoosk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk">https://haveibeenpwned.com/Breach/Zoosk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk">https://haveibeenpwned.com/Breach/Zoosk</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk">https://haveibeenpwned.com/Breach/Zoosk</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk2020">https://haveibeenpwned.com/Breach/Zoosk2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk2020">https://haveibeenpwned.com/Breach/Zoosk2020</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk2020">https://haveibeenpwned.com/Breach/Zoosk2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk2020">https://haveibeenpwned.com/Breach/Zoosk2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk2020">https://haveibeenpwned.com/Breach/Zoosk2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk2020">https://haveibeenpwned.com/Breach/Zoosk2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk2020">https://haveibeenpwned.com/Breach/Zoosk2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk2020">https://haveibeenpwned.com/Breach/Zoosk2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk2020">https://haveibeenpwned.com/Breach/Zoosk2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk2020">https://haveibeenpwned.com/Breach/Zoosk2020</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk2020">https://haveibeenpwned.com/Breach/Zoosk2020</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zoosk2020">https://haveibeenpwned.com/Breach/Zoosk2020</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zooville">https://haveibeenpwned.com/Breach/Zooville</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zooville">https://haveibeenpwned.com/Breach/Zooville</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zooville">https://haveibeenpwned.com/Breach/Zooville</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zooville">https://haveibeenpwned.com/Breach/Zooville</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zooville">https://haveibeenpwned.com/Breach/Zooville</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zooville">https://haveibeenpwned.com/Breach/Zooville</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zooville">https://haveibeenpwned.com/Breach/Zooville</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zooville">https://haveibeenpwned.com/Breach/Zooville</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zooville">https://haveibeenpwned.com/Breach/Zooville</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zooville">https://haveibeenpwned.com/Breach/Zooville</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zooville">https://haveibeenpwned.com/Breach/Zooville</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zooville">https://haveibeenpwned.com/Breach/Zooville</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zurich">https://haveibeenpwned.com/Breach/Zurich</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zurich">https://haveibeenpwned.com/Breach/Zurich</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zurich">https://haveibeenpwned.com/Breach/Zurich</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zurich">https://haveibeenpwned.com/Breach/Zurich</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zurich">https://haveibeenpwned.com/Breach/Zurich</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zurich">https://haveibeenpwned.com/Breach/Zurich</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zurich">https://haveibeenpwned.com/Breach/Zurich</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zurich">https://haveibeenpwned.com/Breach/Zurich</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zurich">https://haveibeenpwned.com/Breach/Zurich</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zurich">https://haveibeenpwned.com/Breach/Zurich</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zurich">https://haveibeenpwned.com/Breach/Zurich</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zurich">https://haveibeenpwned.com/Breach/Zurich</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zynga">https://haveibeenpwned.com/Breach/Zynga</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zynga">https://haveibeenpwned.com/Breach/Zynga</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zynga">https://haveibeenpwned.com/Breach/Zynga</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zynga">https://haveibeenpwned.com/Breach/Zynga</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zynga">https://haveibeenpwned.com/Breach/Zynga</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zynga">https://haveibeenpwned.com/Breach/Zynga</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zynga">https://haveibeenpwned.com/Breach/Zynga</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zynga">https://haveibeenpwned.com/Breach/Zynga</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zynga">https://haveibeenpwned.com/Breach/Zynga</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zynga">https://haveibeenpwned.com/Breach/Zynga</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zynga">https://haveibeenpwned.com/Breach/Zynga</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach/Zynga">https://haveibeenpwned.com/Breach/Zynga</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach?breach=Zynga">https://haveibeenpwned.com/Breach?breach=Zynga</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach?breach=Zynga">https://haveibeenpwned.com/Breach?breach=Zynga</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach?breach=Zynga">https://haveibeenpwned.com/Breach?breach=Zynga</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach?breach=Zynga">https://haveibeenpwned.com/Breach?breach=Zynga</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach?breach=Zynga">https://haveibeenpwned.com/Breach?breach=Zynga</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach?breach=Zynga">https://haveibeenpwned.com/Breach?breach=Zynga</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach?breach=Zynga">https://haveibeenpwned.com/Breach?breach=Zynga</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach?breach=Zynga">https://haveibeenpwned.com/Breach?breach=Zynga</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach?breach=Zynga">https://haveibeenpwned.com/Breach?breach=Zynga</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach?breach=Zynga">https://haveibeenpwned.com/Breach?breach=Zynga</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach?breach=Zynga">https://haveibeenpwned.com/Breach?breach=Zynga</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Breach?breach=Zynga">https://haveibeenpwned.com/Breach?breach=Zynga</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content">https://haveibeenpwned.com/Content</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content">https://haveibeenpwned.com/Content</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content">https://haveibeenpwned.com/Content</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content">https://haveibeenpwned.com/Content</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content">https://haveibeenpwned.com/Content</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content">https://haveibeenpwned.com/Content</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content">https://haveibeenpwned.com/Content</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content">https://haveibeenpwned.com/Content</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content">https://haveibeenpwned.com/Content</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content">https://haveibeenpwned.com/Content</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content">https://haveibeenpwned.com/Content</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content">https://haveibeenpwned.com/Content</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images">https://haveibeenpwned.com/Content/Images</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images">https://haveibeenpwned.com/Content/Images</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images">https://haveibeenpwned.com/Content/Images</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images">https://haveibeenpwned.com/Content/Images</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images">https://haveibeenpwned.com/Content/Images</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images">https://haveibeenpwned.com/Content/Images</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images">https://haveibeenpwned.com/Content/Images</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images">https://haveibeenpwned.com/Content/Images</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images">https://haveibeenpwned.com/Content/Images</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images">https://haveibeenpwned.com/Content/Images</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images">https://haveibeenpwned.com/Content/Images</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images">https://haveibeenpwned.com/Content/Images</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos">https://haveibeenpwned.com/Content/Images/PwnedLogos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos">https://haveibeenpwned.com/Content/Images/PwnedLogos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos">https://haveibeenpwned.com/Content/Images/PwnedLogos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos">https://haveibeenpwned.com/Content/Images/PwnedLogos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos">https://haveibeenpwned.com/Content/Images/PwnedLogos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos">https://haveibeenpwned.com/Content/Images/PwnedLogos</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos">https://haveibeenpwned.com/Content/Images/PwnedLogos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos">https://haveibeenpwned.com/Content/Images/PwnedLogos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos">https://haveibeenpwned.com/Content/Images/PwnedLogos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos">https://haveibeenpwned.com/Content/Images/PwnedLogos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos">https://haveibeenpwned.com/Content/Images/PwnedLogos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos">https://haveibeenpwned.com/Content/Images/PwnedLogos</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/000webhost.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/000webhost.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/000webhost.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/000webhost.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/000WebHost.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/000WebHost.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/000WebHost.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/000WebHost.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/000WebHost.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/000WebHost.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/000WebHost.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/000WebHost.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/000WebHost.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/000WebHost.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/000WebHost.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/000WebHost.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/000WebHost.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/000WebHost.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/000WebHost.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/000WebHost.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/000webhost.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/000webhost.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/000webhost.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/000webhost.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/123RF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/126.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17173.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/17Media.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/1win.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/2fast4u.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/500px.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/7k7k.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8fit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/8tracks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/9Lives.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Abandonia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ABFRL.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AbuseWithUs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AcneOrg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Activision.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ActMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adapt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adecco.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Adobe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdoptMeTradingValues.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFanFiction.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdultFriendFinder.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AdvanceAutoParts.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AerServ.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AquisQTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AquisQTorrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AquisQTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AquisQTorrents.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AgusiQTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AgusiQTorrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AgusiQTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AgusiQTorrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AgusiQTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AgusiQTorrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AgusiQTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AgusiQTorrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AgusiQTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AgusiQTorrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AgusiQTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AgusiQTorrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AgusiQTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AgusiQTorrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AgusiQTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AgusiQTorrents.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AgusiQTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AgusiQTorrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AgusiQTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AgusiQTorrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AhaShare.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aimware.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aipai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AIType.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ajam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AKP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AlpineReplay.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Altenen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AmartFurniture.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ancestry.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AndroidLista.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimalJam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeGame.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimeLeague.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AnimePlanet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Animoto.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/APKTW.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Apollo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appartoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Appen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aptoide.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmorGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ArmyForceOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artsy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Artvalue.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AshleyMadison.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AstroPID.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Aternos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/AtlasQuantum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Atmeltomo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ATT.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Audi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autocentrum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Autotrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avast.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Avito.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Awo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BabyNames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Badoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BannerBit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Banorte.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BattlefieldHeroes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Battlefy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BeautifulPeople.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bell.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Benchmark.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bestialitysextaboo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bhinneka.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/bigbasket.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BigMoneyJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BigMoneyJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BigMoneyJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BigMoneyJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BigMoneyJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BigMoneyJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BigMoneyJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BigMoneyJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BigMoneyJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BigMoneyJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BigMoneyJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BigMoneyJobs.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BinWeevils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BiohackMe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitcoinTalk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bitly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BitView.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackBerryFans.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackHatWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlackSpigotMC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlankMediaGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BleachAnime.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BloomsToday.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BlueSnapRegpack.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/boAt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bolt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BombujEu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bonobos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookchor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BookCrossing.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bookmate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BotOfLegends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boulanger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BourseDesVols.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Boxee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BrandNewTube.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Brazzers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BreachForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCAlpha.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTCE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BtoBet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BTSec.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BudTrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Bukalapak.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BulgarianNationalRevenueAgency.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/BusinessAcumen.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafeMom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CafePress.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CannabisForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Canva.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CapitalEconomics.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CardingMafia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CashCrate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Catho.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDEK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CDProjektRed.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CentralTickets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chatbooks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CheapAssGamer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chegg.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chess.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Chowbus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ChrisLeong.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityBee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CityJerks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CivilOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClashOfKings.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClearVoiceSurveys.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClickASnap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClixSense.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CloudPets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ClubPenguinRewritten.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coachella.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cocospy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Coinmama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinMarketCap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CoinTracker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColoCrossing.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ColorDating.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Comcast.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/COMELEC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CondoCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Convex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CouponMomAndArmorGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cowe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cowe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cowe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cowe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cowe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cowe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cowe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cowe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cowe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cowe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cowe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cowe.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cewe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cewe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cewe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cewe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cewe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cewe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cewe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cewe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cewe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cewe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Cewe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Cewe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackCommunity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackedTO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrackingForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CraftRise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Creative.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrimeAgencyVBulletin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CrossFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CTARS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CutoutPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/CyberServe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/D3scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaFont.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dailymotion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyObjects.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DailyQuiz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dangdang.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DaniWeb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DataCamp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DateHotBrunettes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DatPiff.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/dBforums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DCHealth.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DDO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DecoratingTheHouse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Deezer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemandScience.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DemonForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DennisKirk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Descomplica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DevilTorrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/devkitPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DietCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/digiDirect.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DiskUnion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Disqus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Disqus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Disqus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Disqus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Disqus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Disqus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Disqus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Disqus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Disqus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Disqus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Disqus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Disqus.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ Disqus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ Disqus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ Disqus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ Disqus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ Disqus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ Disqus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ Disqus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ Disqus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ Disqus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ Disqus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ Disqus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ Disqus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DivXSubTitles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DLH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dodonew.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dominos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doomworld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DoorDash.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dota2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Doxbin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DragonNest.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DriveSure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Drizly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dropbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dubsmash.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DucksUnlimited.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DuelingNetwork.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dunzo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duolingo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Duowan.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/DVDShopCH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Dymocks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Earth2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eatigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EatStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ECCIE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Edmodo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elance.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Elanic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ElSalvadorFlag.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Email.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Emuparadise.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicBot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EpicNPC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Epik.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eroticy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eskimi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EstanteVirtual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Estonia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwiniMunicipality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwiniMunicipality.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwiniMunicipality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwiniMunicipality.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwinMunicipality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwinMunicipality.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwinMunicipality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwinMunicipality.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwinMunicipality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwinMunicipality.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwinMunicipality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwinMunicipality.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwinMunicipality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwinMunicipality.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwinMunicipality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwinMunicipality.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwinMunicipality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwinMunicipality.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwinMunicipality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwinMunicipality.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwiMunicipality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwiMunicipality.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwiMunicipality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/eThekwiMunicipality.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ethereum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EuropaJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evermotion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EverybodyEdits.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evite.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Evony.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exactis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Experian.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ExploreTalent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Exvagos.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Eye4Fraud.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/EyeEm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facebook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Facepunch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FaceUP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Factual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FairVoteCanada.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Famm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fanpass.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FantasyFootballHub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FashionFantasyGame.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFR.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FFShrine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmailn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmailn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmailn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmailn.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmaln.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmaln.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmaln.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmaln.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmaln.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmaln.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmaln.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmaln.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmaln.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmaln.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmaln.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmaln.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmaln.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmaln.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmaln.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmaln.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmailn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmailn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmailn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Filmailn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Finsure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fitmart.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Flashback.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlashFlashRevolution.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlatEarthDave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlexBooker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fling.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FlipaClip.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FLVS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FNTECH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Foodora.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Forbes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ForumCommunity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fotolog.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FoxyBingo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FrameAndOptic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/France.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreedomHostingII.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreeMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FreshMenu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Fridae.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Funimation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FunnyGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/FurAffinity.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gaadi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gab.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamerzPlanet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSalad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamesBox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameSprite.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameTuts.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GameVN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gamigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GamingMonk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GateHub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gawker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeekedIn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gemplex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GenesisMarket.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GeniusU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GermanDonerKebab.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GetRevengeOnYourEx.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gett.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GFAN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GGCorp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiantTiger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GiveSendGo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GLAMIRA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Glofox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoldSilver.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GoNinja.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/gPotato.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GPSUnderground.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Gravatar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GSMHosting.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GTAGaming.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunAuction.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/GunsDotCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Guntrader.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HackingTeam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hakko.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HalloweenSpot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hathway.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hautelook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Havenly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HDBFinancialServices.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HealthNowNetworks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeatGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmakvall.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hemmelig.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfGaia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HeroesOfNewerth.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HIAPK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hjedd.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTLV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HomeChef.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HongFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HookersNL.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Horselsle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HotTopic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HoundDawgs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Houzz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTCMania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HTHStudios.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hub4Tech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuntStand.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Hurb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/HuskyOwners.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IDCGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDressup.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iDTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IGF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IIMJobs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ILikeCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ILikeCheats.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ILikeCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ILikeCheats.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IILikeCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IILikeCheats.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IILikeCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IILikeCheats.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IILikeCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IILikeCheats.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IILikeCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IILikeCheats.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IILikeCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IILikeCheats.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IILikeCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IILikeCheats.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IILikeCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IILikeCheats.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IILikeCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IILikeCheats.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ILikeCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ILikeCheats.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ILikeCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ILikeCheats.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Imavex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Imavex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Imavex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Imavex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Imavex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Imavex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Imavex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Imavex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Imavex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Imavex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Imavex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Imavex.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/lmavex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/lmavex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/lmavex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/lmavex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/lmavex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/lmavex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/lmavex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/lmavex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/lmavex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/lmavex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/lmavex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/lmavex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMenu360.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iMesh.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/imgur.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiaMART.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndianRailways.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/IndiHome.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InflateVids.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Insanelyi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstantCheckmate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InstitutoNacionalDeDeportesDeChile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/InternetArchive.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Interpals.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/iPmart.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ixigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/James.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JamTangan.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JD.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JDGroup.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jefit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobAndTalent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JobStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Jobzone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoomlArt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JoyGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JukinMedia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/JustDate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kaneva.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KasperskyClub.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kickstarter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kimsufi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KitchenPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KiwiFarms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KMRU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KnownCircle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Knuddels.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KodiFoundation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/KomplettFritid.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Kreditplus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ladies.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LandAirSea.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lanwar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LaPosteMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lastfm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lazada.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LBB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LDLC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeagueOfLegends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeakedReality.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeCoqSportif.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ledger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Leet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LegendasTV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LeSlipFrancais.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lexipol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Life360.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifebear.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lifeboat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LightsHope.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Liker.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LimeVPN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinkedIn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LinuxMint.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/List.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/List.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/List.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/List.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/List.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/List.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/List.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/List.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/List.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/List.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/List.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/List.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;List.png">https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;List.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;List.png">https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;List.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;List.png">https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;List.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;List.png">https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;List.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;List.png">https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;List.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;List.png">https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;List.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LittleMonsters.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveAuctioneers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LiveJournal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Livpure.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LizardSquad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Locally.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lolzteam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookbook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Lookiero.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LOTR.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LoungeBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuLu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LuminPDF.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Luxottica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/LyricsMania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mac-Torrents.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MacGeneration.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MailRu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MajorGeeks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MalindoAir.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MallCZ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MallCZ.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MallCZ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MallCZ.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MallCZ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MallCZ.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MallCZ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MallCZ.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MallCZ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MallCZ.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MallCZ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MallCZ.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MailCZ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MailCZ.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MailCZ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MailCZ.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MailCZ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MailCZ.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MailCZ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MailCZ.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MailCZ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MailCZ.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MailCZ.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MailCZ.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Malwarebytes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaDex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaFox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mangatoon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MangaTraders.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mappery.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MarketMoveis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mashable.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mastercard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MasterDeeds.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mate1.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mathway.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MCBans.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MDPI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MechoDownload.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MediaWorks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MeetMindful.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MemeChat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MEO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MGM.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Mindjolt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftPocketEditionForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MinecraftWorldMap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minefield.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minehut.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Minted.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MMGFusion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MobiFriends.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoDaCo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ModernBusinessSolutions.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ModernBusinessSolutions.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ModernBusinessSolutions.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ModernBusinessSolutions.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ModernBusinessSolutions.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ModernBusinessSolutions.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ModernBusinessSolutions.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ModernBusinessSolutions.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ModernBusinessSolutions.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ModernBusinessSolutions.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ModernBusinessSolutions.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ModernBusinessSolutions.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ModemBusinessSolutions.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ModemBusinessSolutions.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ModemBusinessSolutions.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ModemBusinessSolutions.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ModemBusinessSolutions.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ModemBusinessSolutions.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ModemBusinessSolutions.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ModemBusinessSolutions.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ModemBusinessSolutions.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ModemBusinessSolutions.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ModemBusinessSolutions.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ModemBusinessSolutions.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoneyBookers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Moneycontrol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MoreleNet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MortalOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieBoxPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MovieForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MPGH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrExcel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MrGreenGaming.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MSI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/mSpy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuahAI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MultiplayerIt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimDirectory.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MuslimMatch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFHA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyFitnessPal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyHeritage.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyPertamina.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/myRepoSpace.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MySpace.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/MyVidster.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NapsGear.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NaughtyAmerica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NeimanMarcus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NemoWeb.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neopets.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetEase.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Neteller.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetGalley.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netlog.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NetProspectus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Netshoes.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NextGenUpdate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NexusMods.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nihonomaru.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nitro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nival.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NonNudeGirls.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Nulled.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NulledCH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NurseryCam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/NVIDIA.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OGUsers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OMGPOP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnlineTrade.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OnRPG.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Onverse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenCSGO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OpenSubtitles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Orange.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrderSnapp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OrdineAvocatiDiRoma.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Otelier.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OVH.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/OwnedCore.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Oxfam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaddyPower.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pampling.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pandabuy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParagonCheats.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Parapa.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ParkMobile.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Patreon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayAsUGym.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PayHere.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PaySystemTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Paytm.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/pcTattletale.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Peatix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PeoplesEnergy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PetFlow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Phoenix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PhoneHouse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PHPFreaks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PipingRock.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PixelFederation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pixlr.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/piZap.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetCalypso.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlanetIce.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playbook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlayCyberGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Playgar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Plex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PlutoTV.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoinCampus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Pokebip.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonCreed.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PokemonNegro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PoliceOne.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PolishCredentials.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Poshmark.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Powerbot.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PPCGeeks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PreenMe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProctorU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ProgrammingForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Promofarma.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PropTiger.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Prottemps.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Prottemps.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Prottemps.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Prottemps.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Prottemps.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Prottemps.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Prottemps.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Prottemps.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Prottemps.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Prottemps.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Prottemps.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Prottemps.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Protemp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Protemp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Protemp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Protemp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Protemp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Protemp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Protemp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Protemp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Protemp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Protemp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Protemp.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Protemp.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PS3Hax.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSPISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/PSX-Scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QatarNationalBank.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QIP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Qraved.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuantumBooter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuestionPro.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Quidd.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/QuinStreet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/R2Games.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RaidForums.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RailYatri.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rambler.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rankwatch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rankwatch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rankwatch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rankwatch.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rankwatch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rankwatch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rankwatch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rankwatch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rankwatch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rankwatch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rankwatch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rankwatch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rankwatch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rankwatch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rankwatch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rankwatch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rankwatch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rankwatch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rankwatch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rankwatch.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Raychat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RbxRocks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ReadNovel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealDudesInc.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RealEstateMogul.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RedDoorz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reincubate.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RentoMojo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RepublicanPartyOfTexas.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaXpng">https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaXpng</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaXpng">https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaXpng</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaX.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RetinaX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Reverb-Nation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Rightbiz.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Robinhood.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roblox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Roll20.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Romwe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebutBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebutBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebutBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebutBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebutBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebutBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebutBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebutBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebutBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebutBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebutBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebutBoard.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebuttBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebuttBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebuttBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebuttBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebuttBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebuttBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebuttBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebuttBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebuttBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebuttBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebuttBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RosebuttBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RoyalEnfield.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/RussianAmerica.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Samsung.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scentbird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/schenkYOU.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Scholastic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SchoolDistrict42.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Seedpeer.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SeniorDating.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sephora.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ServerPact.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SevenRooms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shadow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShareThis.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SHEIN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shitexpress.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShockGore.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShoeZone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopBack.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShopperPlus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ShortEdition.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Shotbow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SIAE.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SirHurt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SitePoint.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SkTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Slickwraps.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SlideTeam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Smogon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snail.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Snapchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SoarGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SocialEngineered.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Solomid.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sonicbids.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sony.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Soundwave.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Speedio.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sphero.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpiroL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpiroL.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpiroL.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpiroL.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spirol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spirol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spirol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spirol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spirol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spirol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spirol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spirol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spirol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spirol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spirol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spirol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spirol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spirol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spirol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spirol.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spirol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spirol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spirol.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spirol.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sport2000.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spoutible.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spoutible.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spoutible.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spoutible.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spoutible.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spoutible.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spoutible.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spoutible.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spoutible.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spoutible.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spoutible.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spoutible.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spoutible.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spoutible.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spoutible.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spoutible.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spoutible.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spoutible.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spoutible.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spoutible.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sputible.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sputible.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Sputible.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Sputible.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SprashivaiRu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyFone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spytech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SpyX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Spyzie.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StalkerOnline.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Staminus.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarNet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Start.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StarTribune.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SterKinekor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StockX.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Storeny.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StoryBird.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Straffic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stratfor.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreamCraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StreetEasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Stripchat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/StrongholdKingdoms.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SubaGames.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SumoTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SundryFiles.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperDraft.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SuperVPNGeckoVPN.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SurveyLama.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SvenskaMagic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SweClockers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Switch.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/SwordFantasy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Swl.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/T2.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TacomaPierceCountyHealthDepartment.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TaiLieu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tamodo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tangerine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taobao.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TAPAirPortugal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tappware.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Taringa.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Technic.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teespring.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TehetsegKapu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Teracod.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Terravision.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tesco.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TGBUS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheCandidBoard.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheClubPenguinExperience.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFappening.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheFlyOnTheWall.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheGradCafe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheHeritageFoundation.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThePostMillennial.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheRealWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thermomix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TheTVDB.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Thingiverse.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ThisHabboForum.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tianya.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tibber.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketcounter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketek.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ticketfly.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tigo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TNAFlix.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tokopedia.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ToonDoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TorrentInvites.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Toumei.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tout.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tracki.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Traderie.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TRAI.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Travelio.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TravelOK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trello.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Trillian.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TroyHunt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruckersMP.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TrueFire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TruthFinder.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tumblr.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/TunedGlobal.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Tunngle.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Twitter.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ualabee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ubook.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UC.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Uiggy.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Ulmon.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnderworldEmpire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnicoCampania.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Universarium.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UnrealEngine.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Upstox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/UtahGunExchange.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uTorrent.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/uuu9.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vakinha.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vastaamo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VBulletin.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vedantu.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VerificationsIO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Verified.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vermillion.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vianet.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VictoryPhones.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ViewFines.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VimeWorld.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VivaAir.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VK.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VNG.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Vodafone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VoidTO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTech.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/VTightGel.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wakanim.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wanelo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warframe.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WarInc.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Warmane.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wattpad.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WedMeGood.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Weee.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeHeartIt.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WeLeakInfo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Welhof.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wendys.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Whitepages.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WhiteRoom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WHMCS.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WienerBuchereien.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WifeLovers.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiiUISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiiUISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiiUISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiiUISO.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WIIUISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WIIUISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WIIUISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WIIUISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WIIUISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WIIUISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WIIUISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WIIUISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WIIUISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WIIUISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WIIUISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WIIUISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WIIUISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WIIUISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WIIUISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WIIUISO.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiiUISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiiUISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiiUISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiiUISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WildStar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Win7Vista.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiredBucks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wishbone.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WiziShop.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Wongnai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WoTLabs.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPSandbox.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/WPT.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xat.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox-Scene.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xbox360ISO.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/xHamster.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Xiaomi.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XKCD.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XPGameSaves.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/XSplit.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yahoo.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yam.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yandex.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yatra.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Yonema.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoteprestoCom.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Youku.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YoungLivingEssentialOils.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouNow.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/YouPorn.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Youthmanual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Youthmanual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Youthmanual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Youthmanual.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;Youthmanual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;Youthmanual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;Youthmanual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;Youthmanual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;Youthmanual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;Youthmanual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;Youthmanual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;Youthmanual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;Youthmanual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;Youthmanual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;Youthmanual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;Youthmanual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;Youthmanual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;Youthmanual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;Youthmanual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos&gt;Youthmanual.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Youthmanual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Youthmanual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Youthmanual.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Youthmanual.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zacks.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZadigVoltaire.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZAPHosting.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zhenai.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/ZLib.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zomato.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoomcar.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zoosk.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zooville.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zurich.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png">https://haveibeenpwned.com/Content/Images/PwnedLogos/Zynga.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/css">https://haveibeenpwned.com/css</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/css">https://haveibeenpwned.com/css</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/css">https://haveibeenpwned.com/css</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/css">https://haveibeenpwned.com/css</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/css">https://haveibeenpwned.com/css</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/css">https://haveibeenpwned.com/css</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/css">https://haveibeenpwned.com/css</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/css">https://haveibeenpwned.com/css</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/css">https://haveibeenpwned.com/css</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/css">https://haveibeenpwned.com/css</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/css">https://haveibeenpwned.com/css</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/css">https://haveibeenpwned.com/css</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/css/main.css?v=ToSKRi-tMHqhKTVb7oZTq3CGIOqXpNsN7mnAsilliC4">https://haveibeenpwned.com/css/main.css?v=ToSKRi-tMHqhKTVb7oZTq3CGIOqXpNsN7mnAsilliC4</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/css/main.css?v=ToSKRi-tMHqhKTVb7oZTq3CGIOqXpNsN7mnAsilliC4">https://haveibeenpwned.com/css/main.css?v=ToSKRi-tMHqhKTVb7oZTq3CGIOqXpNsN7mnAsilliC4</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/css/main.css?v=ToSKRi-tMHqhKTVb7oZTq3CGIOqXpNsN7mnAsilliC4">https://haveibeenpwned.com/css/main.css?v=ToSKRi-tMHqhKTVb7oZTq3CGIOqXpNsN7mnAsilliC4</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard">https://haveibeenpwned.com/Dashboard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard">https://haveibeenpwned.com/Dashboard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard">https://haveibeenpwned.com/Dashboard</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard">https://haveibeenpwned.com/Dashboard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard">https://haveibeenpwned.com/Dashboard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard">https://haveibeenpwned.com/Dashboard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard">https://haveibeenpwned.com/Dashboard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard">https://haveibeenpwned.com/Dashboard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard">https://haveibeenpwned.com/Dashboard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard">https://haveibeenpwned.com/Dashboard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard">https://haveibeenpwned.com/Dashboard</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard">https://haveibeenpwned.com/Dashboard</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn">https://haveibeenpwned.com/Dashboard/SignIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn">https://haveibeenpwned.com/Dashboard/SignIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn">https://haveibeenpwned.com/Dashboard/SignIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn">https://haveibeenpwned.com/Dashboard/SignIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn">https://haveibeenpwned.com/Dashboard/SignIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn">https://haveibeenpwned.com/Dashboard/SignIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn">https://haveibeenpwned.com/Dashboard/SignIn</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn">https://haveibeenpwned.com/Dashboard/SignIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn">https://haveibeenpwned.com/Dashboard/SignIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn">https://haveibeenpwned.com/Dashboard/SignIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn">https://haveibeenpwned.com/Dashboard/SignIn</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn">https://haveibeenpwned.com/Dashboard/SignIn</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcrz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn? ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn? ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn? ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn? ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn? ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn? ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn? ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn? ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn? ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn? ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn? ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/DomainSearch">https://haveibeenpwned.com/DomainSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/DomainSearch">https://haveibeenpwned.com/DomainSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/DomainSearch">https://haveibeenpwned.com/DomainSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/DomainSearch">https://haveibeenpwned.com/DomainSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/DomainSearch">https://haveibeenpwned.com/DomainSearch</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/DomainSearch">https://haveibeenpwned.com/DomainSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/DomainSearch">https://haveibeenpwned.com/DomainSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/DomainSearch">https://haveibeenpwned.com/DomainSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/DomainSearch">https://haveibeenpwned.com/DomainSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/DomainSearch">https://haveibeenpwned.com/DomainSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/DomainSearch">https://haveibeenpwned.com/DomainSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/DomainSearch">https://haveibeenpwned.com/DomainSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Donate">https://haveibeenpwned.com/Donate</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Donate">https://haveibeenpwned.com/Donate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Donate">https://haveibeenpwned.com/Donate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Donate">https://haveibeenpwned.com/Donate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Donate">https://haveibeenpwned.com/Donate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Donate">https://haveibeenpwned.com/Donate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Donate">https://haveibeenpwned.com/Donate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Donate">https://haveibeenpwned.com/Donate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Donate">https://haveibeenpwned.com/Donate</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Donate">https://haveibeenpwned.com/Donate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Donate">https://haveibeenpwned.com/Donate</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Donate">https://haveibeenpwned.com/Donate</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/DPA">https://haveibeenpwned.com/DPA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/DPA">https://haveibeenpwned.com/DPA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/DPA">https://haveibeenpwned.com/DPA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/DPA">https://haveibeenpwned.com/DPA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/DPA">https://haveibeenpwned.com/DPA</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dpa">https://haveibeenpwned.com/Dpa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dpa">https://haveibeenpwned.com/Dpa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/DPA">https://haveibeenpwned.com/DPA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/DPA">https://haveibeenpwned.com/DPA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Dpa">https://haveibeenpwned.com/Dpa</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/DPA">https://haveibeenpwned.com/DPA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/DPA">https://haveibeenpwned.com/DPA</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/FAQs">https://haveibeenpwned.com/FAQs</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/FAQs">https://haveibeenpwned.com/FAQs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/FAQs">https://haveibeenpwned.com/FAQs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/FAQs">https://haveibeenpwned.com/FAQs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/FAQs">https://haveibeenpwned.com/FAQs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/FAQs">https://haveibeenpwned.com/FAQs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/FAQs">https://haveibeenpwned.com/FAQs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/FAQs">https://haveibeenpwned.com/FAQs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/FAQs">https://haveibeenpwned.com/FAQs</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/FAQs">https://haveibeenpwned.com/FAQs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/FAQs">https://haveibeenpwned.com/FAQs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/FAQs">https://haveibeenpwned.com/FAQs</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/favicon-96x96.png">https://haveibeenpwned.com/favicon-96x96.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/favicon-96x96.png">https://haveibeenpwned.com/favicon-96x96.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/favicon-96x96.png">https://haveibeenpwned.com/favicon-96x96.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/favicon.ico">https://haveibeenpwned.com/favicon.ico</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/favicon.ico">https://haveibeenpwned.com/favicon.ico</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/favicon.ico">https://haveibeenpwned.com/favicon.ico</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/favicon.svg">https://haveibeenpwned.com/favicon.svg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/favicon.svg">https://haveibeenpwned.com/favicon.svg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/favicon.svg">https://haveibeenpwned.com/favicon.svg</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/feed">https://haveibeenpwned.com/feed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/feed">https://haveibeenpwned.com/feed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/feed">https://haveibeenpwned.com/feed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/feed">https://haveibeenpwned.com/feed</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/feed">https://haveibeenpwned.com/feed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/feed">https://haveibeenpwned.com/feed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/feed">https://haveibeenpwned.com/feed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/feed">https://haveibeenpwned.com/feed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/feed">https://haveibeenpwned.com/feed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/feed">https://haveibeenpwned.com/feed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/feed">https://haveibeenpwned.com/feed</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/feed">https://haveibeenpwned.com/feed</a>
Method	GET

Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/feed/breaches">https://haveibeenpwned.com/feed/breaches</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/feed/breaches">https://haveibeenpwned.com/feed/breaches</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/feed/breaches">https://haveibeenpwned.com/feed/breaches</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/feed/breaches/">https://haveibeenpwned.com/feed/breaches/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/feed/breaches/">https://haveibeenpwned.com/feed/breaches/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/feed/breaches/">https://haveibeenpwned.com/feed/breaches/</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images">https://haveibeenpwned.com/Images</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images">https://haveibeenpwned.com/Images</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images">https://haveibeenpwned.com/Images</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images">https://haveibeenpwned.com/Images</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images">https://haveibeenpwned.com/Images</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images">https://haveibeenpwned.com/Images</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images">https://haveibeenpwned.com/Images</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images">https://haveibeenpwned.com/Images</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images">https://haveibeenpwned.com/Images</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images">https://haveibeenpwned.com/Images</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images">https://haveibeenpwned.com/Images</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images">https://haveibeenpwned.com/Images</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/404.jpeg">https://haveibeenpwned.com/Images/404.jpeg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/404.jpeg">https://haveibeenpwned.com/Images/404.jpeg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/404.jpeg">https://haveibeenpwned.com/Images/404.jpeg</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/CreativeCommons.png">https://haveibeenpwned.com/Images/CreativeCommons.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/CreativeCommons.png">https://haveibeenpwned.com/Images/CreativeCommons.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/CreativeCommons.png">https://haveibeenpwned.com/Images/CreativeCommons.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Hero.svg?v=ela4hSGcWyGSHm101pj3K0EHrDqdwhMAsD3G_hZAgA">https://haveibeenpwned.com/Images/Hero.svg?v=ela4hSGcWyGSHm101pj3K0EHrDqdwhMAsD3G_hZAgA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Hero.svg?v=ela4hSGcWyGSHm101pj3K0EHrDqdwhMAsD3G_hZAgA">https://haveibeenpwned.com/Images/Hero.svg?v=ela4hSGcWyGSHm101pj3K0EHrDqdwhMAsD3G_hZAgA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Hero.svg?v=ela4hSGcWyGSHm101pj3K0EHrDqdwhMAsD3G_hZAgA">https://haveibeenpwned.com/Images/Hero.svg?v=ela4hSGcWyGSHm101pj3K0EHrDqdwhMAsD3G_hZAgA</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/HibpLogo.svg?v=auCogWYBSS45qvj_t-GnJHpExqbnRtmvHRMe6QxZJE">https://haveibeenpwned.com/Images/HibpLogo.svg?v=auCogWYBSS45qvj_t-GnJHpExqbnRtmvHRMe6QxZJE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/HibpLogo.svg?v=auCogWYBSS45qvj_t-GnJHpExqbnRtmvHRMe6QxZJE">https://haveibeenpwned.com/Images/HibpLogo.svg?v=auCogWYBSS45qvj_t-GnJHpExqbnRtmvHRMe6QxZJE</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/HibpLogo.svg?v=auCogWYBSS45qvj_t-GnJHpExqbnRtmvHRMe6QxZJE">https://haveibeenpwned.com/Images/HibpLogo.svg?v=auCogWYBSS45qvj_t-GnJHpExqbnRtmvHRMe6QxZJE</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Logos">https://haveibeenpwned.com/Images/Logos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Logos">https://haveibeenpwned.com/Images/Logos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Logos">https://haveibeenpwned.com/Images/Logos</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Logos">https://haveibeenpwned.com/Images/Logos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Logos">https://haveibeenpwned.com/Images/Logos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Logos">https://haveibeenpwned.com/Images/Logos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Logos">https://haveibeenpwned.com/Images/Logos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Logos">https://haveibeenpwned.com/Images/Logos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Logos">https://haveibeenpwned.com/Images/Logos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Logos">https://haveibeenpwned.com/Images/Logos</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Logos">https://haveibeenpwned.com/Images/Logos</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Logos">https://haveibeenpwned.com/Images/Logos</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Logos/1PasswordLogoLight.svg">https://haveibeenpwned.com/Images/Logos/1PasswordLogoLight.svg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Logos/1PasswordLogoLight.svg">https://haveibeenpwned.com/Images/Logos/1PasswordLogoLight.svg</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Logos/1PasswordLogoLight.svg">https://haveibeenpwned.com/Images/Logos/1PasswordLogoLight.svg</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Logos/1PasswordLogoLight.svg?v=XkBm2ucG374VlX0dq_JDwP6eOx9sl7czpi49eT2QzU">https://haveibeenpwned.com/Images/Logos/1PasswordLogoLight.svg?v=XkBm2ucG374VlX0dq_JDwP6eOx9sl7czpi49eT2QzU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Logos/1PasswordLogoLight.svg?v=XkBm2ucG374VlX0dq_JDwP6eOx9sl7czpi49eT2QzU">https://haveibeenpwned.com/Images/Logos/1PasswordLogoLight.svg?v=XkBm2ucG374VlX0dq_JDwP6eOx9sl7czpi49eT2QzU</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Logos/1PasswordLogoLight.svg?v=XkBm2ucG374VlX0dq_JDwP6eOx9sl7czpi49eT2QzU">https://haveibeenpwned.com/Images/Logos/1PasswordLogoLight.svg?v=XkBm2ucG374VlX0dq_JDwP6eOx9sl7czpi49eT2QzU</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Images/Logos/CloudflareLogo.png?v=R89ulwEdTJdetvHxb8bW_mQPjWwWdfpSkj7s2qONMs">https://haveibeenpwned.com/Images/Logos/CloudflareLogo.png?v=R89ulwEdTJdetvHxb8bW_mQPjWwWdfpSkj7s2qONMs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Logos/CloudflareLogo.png?v=R89ulwEdTJdetvHxb8bW_mQPjWwWdfpSkj7s2qONMs">https://haveibeenpwned.com/Images/Logos/CloudflareLogo.png?v=R89ulwEdTJdetvHxb8bW_mQPjWwWdfpSkj7s2qONMs</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Logos/CloudflareLogo.png?v=R89ulwEdTJdetvHxb8bW_mQPjWwWdfpSkj7s2qONMs">https://haveibeenpwned.com/Images/Logos/CloudflareLogo.png?v=R89ulwEdTJdetvHxb8bW_mQPjWwWdfpSkj7s2qONMs</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Maps">https://haveibeenpwned.com/Images/Maps</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Maps">https://haveibeenpwned.com/Images/Maps</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Maps">https://haveibeenpwned.com/Images/Maps</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Maps">https://haveibeenpwned.com/Images/Maps</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Maps">https://haveibeenpwned.com/Images/Maps</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Maps">https://haveibeenpwned.com/Images/Maps</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Maps">https://haveibeenpwned.com/Images/Maps</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Maps">https://haveibeenpwned.com/Images/Maps</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Maps">https://haveibeenpwned.com/Images/Maps</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Maps">https://haveibeenpwned.com/Images/Maps</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Maps">https://haveibeenpwned.com/Images/Maps</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Maps">https://haveibeenpwned.com/Images/Maps</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Maps/CloudflareMap.svg?v=24vAsJEadaoQOjiw3HEFs6V4RgEGtJrtf8tOBeetE68">https://haveibeenpwned.com/Images/Maps/CloudflareMap.svg?v=24vAsJEadaoQOjiw3HEFs6V4RgEGtJrtf8tOBeetE68</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Maps/CloudflareMap.svg?v=24vAsJEadaoQQjiw3HEFs6V4RgEGtJrtf8tOBeetE68">https://haveibeenpwned.com/Images/Maps/CloudflareMap.svg?v=24vAsJEadaoQQjiw3HEFs6V4RgEGtJrtf8tOBeetE68</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/Maps/CloudflareMap.svg?v=24vAsJEadaoQQjiw3HEFs6V4RgEGtJrtf8tOBeetE68">https://haveibeenpwned.com/Images/Maps/CloudflareMap.svg?v=24vAsJEadaoQQjiw3HEFs6V4RgEGtJrtf8tOBeetE68</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/People">https://haveibeenpwned.com/Images/People</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/People">https://haveibeenpwned.com/Images/People</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/People">https://haveibeenpwned.com/Images/People</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/People">https://haveibeenpwned.com/Images/People</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/People">https://haveibeenpwned.com/Images/People</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/People">https://haveibeenpwned.com/Images/People</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Images/People">https://haveibeenpwned.com/Images/People</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/People">https://haveibeenpwned.com/Images/People</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/People">https://haveibeenpwned.com/Images/People</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/People">https://haveibeenpwned.com/Images/People</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/People">https://haveibeenpwned.com/Images/People</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/People">https://haveibeenpwned.com/Images/People</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/People/CharlotteHunt.webp">https://haveibeenpwned.com/Images/People/CharlotteHunt.webp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/People/CharlotteHunt.webp">https://haveibeenpwned.com/Images/People/CharlotteHunt.webp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/People/CharlotteHunt.webp">https://haveibeenpwned.com/Images/People/CharlotteHunt.webp</a>

Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/People/StefanJokullSigurdarson.webp">https://haveibeenpwned.com/Images/People/StefanJokullSigurdarson.webp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/People/StefanJokullSigurdarson.webp">https://haveibeenpwned.com/Images/People/StefanJokullSigurdarson.webp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/People/StefanJokullSigurdarson.webp">https://haveibeenpwned.com/Images/People/StefanJokullSigurdarson.webp</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/People/TroyHunt.webp">https://haveibeenpwned.com/Images/People/TroyHunt.webp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/People/TroyHunt.webp">https://haveibeenpwned.com/Images/People/TroyHunt.webp</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/People/TroyHunt.webp">https://haveibeenpwned.com/Images/People/TroyHunt.webp</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/QRCodes">https://haveibeenpwned.com/Images/QRCodes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/QRCodes">https://haveibeenpwned.com/Images/QRCodes</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/QRCodes">https://haveibeenpwned.com/Images/QRCodes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/QRCodes">https://haveibeenpwned.com/Images/QRCodes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/QRCodes">https://haveibeenpwned.com/Images/QRCodes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/QRCodes">https://haveibeenpwned.com/Images/QRCodes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/QRCodes">https://haveibeenpwned.com/Images/QRCodes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/QRCodes">https://haveibeenpwned.com/Images/QRCodes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/QRCodes">https://haveibeenpwned.com/Images/QRCodes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/QRCodes">https://haveibeenpwned.com/Images/QRCodes</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/QRCodes">https://haveibeenpwned.com/Images/QRCodes</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/QRCodes">https://haveibeenpwned.com/Images/QRCodes</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/QRCodes/BitcoinCashQRCode.png">https://haveibeenpwned.com/Images/QRCodes/BitcoinCashQRCode.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/QRCodes/BitcoinCashQRCode.png">https://haveibeenpwned.com/Images/QRCodes/BitcoinCashQRCode.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/QRCodes/BitcoinCashQRCode.png">https://haveibeenpwned.com/Images/QRCodes/BitcoinCashQRCode.png</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/QRCodes/BitcoinQRCode.png">https://haveibeenpwned.com/Images/QRCodes/BitcoinQRCode.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/QRCodes/BitcoinQRCode.png">https://haveibeenpwned.com/Images/QRCodes/BitcoinQRCode.png</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Images/QRCodes/BitcoinQRCode.png">https://haveibeenpwned.com/Images/QRCodes/BitcoinQRCode.png</a>
Method	GET
Parameter	Header User-Agent

Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js">https://haveibeenpwned.com/js</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js">https://haveibeenpwned.com/js</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js">https://haveibeenpwned.com/js</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js">https://haveibeenpwned.com/js</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js">https://haveibeenpwned.com/js</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js">https://haveibeenpwned.com/js</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js">https://haveibeenpwned.com/js</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js">https://haveibeenpwned.com/js</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js">https://haveibeenpwned.com/js</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js">https://haveibeenpwned.com/js</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js">https://haveibeenpwned.com/js</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js">https://haveibeenpwned.com/js</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js/bundle">https://haveibeenpwned.com/js/bundle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js/bundle">https://haveibeenpwned.com/js/bundle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js/bundle">https://haveibeenpwned.com/js/bundle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js/bundle">https://haveibeenpwned.com/js/bundle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js/bundle">https://haveibeenpwned.com/js/bundle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js/bundle">https://haveibeenpwned.com/js/bundle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js/bundle">https://haveibeenpwned.com/js/bundle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js/bundle">https://haveibeenpwned.com/js/bundle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js/bundle">https://haveibeenpwned.com/js/bundle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js/bundle">https://haveibeenpwned.com/js/bundle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js/bundle">https://haveibeenpwned.com/js/bundle</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js/bundle">https://haveibeenpwned.com/js/bundle</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js/bundle/bundle.js?v=x0cyZYYKQGxJh2YCc7SU5n9SBVLb0xMmSOw8BT4IryA">https://haveibeenpwned.com/js/bundle/bundle.js?v=x0cyZYYKQGxJh2YCc7SU5n9SBVLb0xMmSOw8BT4IryA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js/bundle/bundle.js?v=x0cyZYYKQGxJh2YCc7SU5n9SBVLb0xMmSOw8BT4IryA">https://haveibeenpwned.com/js/bundle/bundle.js?v=x0cyZYYKQGxJh2YCc7SU5n9SBVLb0xMmSOw8BT4IryA</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/js/bundle/bundle.js?v=x0cyZYYKQGxJh2YCc7SU5n9SBVLb0xMmSOw8BT4IryA">https://haveibeenpwned.com/js/bundle/bundle.js?v=x0cyZYYKQGxJh2YCc7SU5n9SBVLb0xMmSOw8BT4IryA</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe">https://haveibeenpwned.com/NotifyMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe">https://haveibeenpwned.com/NotifyMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe">https://haveibeenpwned.com/NotifyMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe">https://haveibeenpwned.com/NotifyMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe">https://haveibeenpwned.com/NotifyMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe">https://haveibeenpwned.com/NotifyMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe">https://haveibeenpwned.com/NotifyMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe">https://haveibeenpwned.com/NotifyMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe">https://haveibeenpwned.com/NotifyMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe">https://haveibeenpwned.com/NotifyMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe">https://haveibeenpwned.com/NotifyMe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe">https://haveibeenpwned.com/NotifyMe</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C">https://haveibeenpwned.com/NotifyMe%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C">https://haveibeenpwned.com/NotifyMe%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C">https://haveibeenpwned.com/NotifyMe%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C">https://haveibeenpwned.com/NotifyMe%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C">https://haveibeenpwned.com/NotifyMe%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C">https://haveibeenpwned.com/NotifyMe%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C">https://haveibeenpwned.com/NotifyMe%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C">https://haveibeenpwned.com/NotifyMe%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C">https://haveibeenpwned.com/NotifyMe%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/NotifyMe%5C">https://haveibeenpwned.com/NotifyMe%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C">https://haveibeenpwned.com/NotifyMe%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C">https://haveibeenpwned.com/NotifyMe%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe%5C?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/NotifyMe?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut">https://haveibeenpwned.com/OptOut</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut">https://haveibeenpwned.com/OptOut</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut">https://haveibeenpwned.com/OptOut</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut">https://haveibeenpwned.com/OptOut</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut">https://haveibeenpwned.com/OptOut</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/OptOut">https://haveibeenpwned.com/OptOut</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut">https://haveibeenpwned.com/OptOut</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut">https://haveibeenpwned.com/OptOut</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut">https://haveibeenpwned.com/OptOut</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut">https://haveibeenpwned.com/OptOut</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut">https://haveibeenpwned.com/OptOut</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut">https://haveibeenpwned.com/OptOut</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com">https://haveibeenpwned.com/OptOut?NotifyEmail=foo-bar%40example.com</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords">https://haveibeenpwned.com/Passwords</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords">https://haveibeenpwned.com/Passwords</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords">https://haveibeenpwned.com/Passwords</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords">https://haveibeenpwned.com/Passwords</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords">https://haveibeenpwned.com/Passwords</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Passwords">https://haveibeenpwned.com/Passwords</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords">https://haveibeenpwned.com/Passwords</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords">https://haveibeenpwned.com/Passwords</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords">https://haveibeenpwned.com/Passwords</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords">https://haveibeenpwned.com/Passwords</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords">https://haveibeenpwned.com/Passwords</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords">https://haveibeenpwned.com/Passwords</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords%5C">https://haveibeenpwned.com/Passwords%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/Passwords%5C">https://haveibeenpwned.com/Passwords%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords%5C">https://haveibeenpwned.com/Passwords%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords%5C">https://haveibeenpwned.com/Passwords%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords%5C">https://haveibeenpwned.com/Passwords%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords%5C">https://haveibeenpwned.com/Passwords%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords%5C">https://haveibeenpwned.com/Passwords%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords%5C">https://haveibeenpwned.com/Passwords%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords%5C">https://haveibeenpwned.com/Passwords%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords%5C">https://haveibeenpwned.com/Passwords%5C</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords%5C">https://haveibeenpwned.com/Passwords%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Passwords%5C">https://haveibeenpwned.com/Passwords%5C</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy.</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy.">https://haveibeenpwned.com/Privacy.</a>

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy.</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy.</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy.</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy.</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy.</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy.</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy.</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy.</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy.</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Privacy">https://haveibeenpwned.com/Privacy.</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/PwnedWebsites">https://haveibeenpwned.com/PwnedWebsites</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/PwnedWebsites">https://haveibeenpwned.com/PwnedWebsites</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/PwnedWebsites">https://haveibeenpwned.com/PwnedWebsites</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/PwnedWebsites">https://haveibeenpwned.com/PwnedWebsites</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/PwnedWebsites">https://haveibeenpwned.com/PwnedWebsites</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/PwnedWebsites">https://haveibeenpwned.com/PwnedWebsites</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/PwnedWebsites">https://haveibeenpwned.com/PwnedWebsites</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/PwnedWebsites">https://haveibeenpwned.com/PwnedWebsites</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/PwnedWebsites">https://haveibeenpwned.com/PwnedWebsites</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/PwnedWebsites">https://haveibeenpwned.com/PwnedWebsites</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/PwnedWebsites">https://haveibeenpwned.com/PwnedWebsites</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/PwnedWebsites">https://haveibeenpwned.com/PwnedWebsites</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/robots.txt">https://haveibeenpwned.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/robots.txt">https://haveibeenpwned.com/robots.txt</a>
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/robots.txt">https://haveibeenpwned.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/site.webmanifest?v=tI0w2W1Wz0FBvJhxLuYAn03PU1xmcNTNUNbCjw6Cg4">https://haveibeenpwned.com/site.webmanifest?v=tI0w2W1Wz0FBvJhxLuYAn03PU1xmcNTNUNbCjw6Cg4</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/site.webmanifest?v=tI0w2W1Wz0FBvJhxLuYAn03PU1xmcNTNUNbCjw6Cg4">https://haveibeenpwned.com/site.webmanifest?v=tI0w2W1Wz0FBvJhxLuYAn03PU1xmcNTNUNbCjw6Cg4</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/site.webmanifest?v=tI0w2W1Wz0FBvJhxLuYAn03PU1xmcNTNUNbCjw6Cg4">https://haveibeenpwned.com/site.webmanifest?v=tI0w2W1Wz0FBvJhxLuYAn03PU1xmcNTNUNbCjw6Cg4</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/sitemap.xml">https://haveibeenpwned.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/sitemap.xml">https://haveibeenpwned.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/sitemap.xml">https://haveibeenpwned.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription">https://haveibeenpwned.com/Subscription</a>
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription">https://haveibeenpwned.com/Subscription</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription">https://haveibeenpwned.com/Subscription</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription">https://haveibeenpwned.com/Subscription</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription">https://haveibeenpwned.com/Subscription</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription">https://haveibeenpwned.com/Subscription</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription">https://haveibeenpwned.com/Subscription</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription">https://haveibeenpwned.com/Subscription</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription">https://haveibeenpwned.com/Subscription</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription">https://haveibeenpwned.com/Subscription</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription">https://haveibeenpwned.com/Subscription</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription">https://haveibeenpwned.com/Subscription</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice">https://haveibeenpwned.com/Subscription/RedirectToPrice</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice">https://haveibeenpwned.com/Subscription/RedirectToPrice</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice">https://haveibeenpwned.com/Subscription/RedirectToPrice</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice">https://haveibeenpwned.com/Subscription/RedirectToPrice</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice">https://haveibeenpwned.com/Subscription/RedirectToPrice</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice">https://haveibeenpwned.com/Subscription/RedirectToPrice</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice">https://haveibeenpwned.com/Subscription/RedirectToPrice</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice">https://haveibeenpwned.com/Subscription/RedirectToPrice</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice">https://haveibeenpwned.com/Subscription/RedirectToPrice</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice">https://haveibeenpwned.com/Subscription/RedirectToPrice</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice">https://haveibeenpwned.com/Subscription/RedirectToPrice</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice">https://haveibeenpwned.com/Subscription/RedirectToPrice</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwiFze3ZX">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwiFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHAvEF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHKfEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/TermsOfUse">https://haveibeenpwned.com/TermsOfUse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/TermsOfUse">https://haveibeenpwned.com/TermsOfUse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/TermsOfUse">https://haveibeenpwned.com/TermsOfUse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/TermsOfUse">https://haveibeenpwned.com/TermsOfUse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/TermsOfUse">https://haveibeenpwned.com/TermsOfUse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/TermsOfUse">https://haveibeenpwned.com/TermsOfUse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/TermsOfUse">https://haveibeenpwned.com/TermsOfUse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/TermsOfUse">https://haveibeenpwned.com/TermsOfUse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/TermsOfUse">https://haveibeenpwned.com/TermsOfUse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/TermsOfUse">https://haveibeenpwned.com/TermsOfUse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/TermsOfUse">https://haveibeenpwned.com/TermsOfUse</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/TermsOfUse">https://haveibeenpwned.com/TermsOfUse</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch">https://haveibeenpwned.com/UnifiedSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch">https://haveibeenpwned.com/UnifiedSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch">https://haveibeenpwned.com/UnifiedSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch">https://haveibeenpwned.com/UnifiedSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch">https://haveibeenpwned.com/UnifiedSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch">https://haveibeenpwned.com/UnifiedSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch">https://haveibeenpwned.com/UnifiedSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch">https://haveibeenpwned.com/UnifiedSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch">https://haveibeenpwned.com/UnifiedSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch">https://haveibeenpwned.com/UnifiedSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch">https://haveibeenpwned.com/UnifiedSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch">https://haveibeenpwned.com/UnifiedSearch</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch/">https://haveibeenpwned.com/UnifiedSearch/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch/">https://haveibeenpwned.com/UnifiedSearch/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch/">https://haveibeenpwned.com/UnifiedSearch/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch/">https://haveibeenpwned.com/UnifiedSearch/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch/">https://haveibeenpwned.com/UnifiedSearch/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch/">https://haveibeenpwned.com/UnifiedSearch/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch/">https://haveibeenpwned.com/UnifiedSearch/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch/">https://haveibeenpwned.com/UnifiedSearch/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch/">https://haveibeenpwned.com/UnifiedSearch/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch/">https://haveibeenpwned.com/UnifiedSearch/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch/">https://haveibeenpwned.com/UnifiedSearch/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/UnifiedSearch/">https://haveibeenpwned.com/UnifiedSearch/</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe">https://haveibeenpwned.com/Unsubscribe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe">https://haveibeenpwned.com/Unsubscribe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe">https://haveibeenpwned.com/Unsubscribe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe">https://haveibeenpwned.com/Unsubscribe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe">https://haveibeenpwned.com/Unsubscribe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe">https://haveibeenpwned.com/Unsubscribe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe">https://haveibeenpwned.com/Unsubscribe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe">https://haveibeenpwned.com/Unsubscribe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe">https://haveibeenpwned.com/Unsubscribe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe">https://haveibeenpwned.com/Unsubscribe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe">https://haveibeenpwned.com/Unsubscribe</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe">https://haveibeenpwned.com/Unsubscribe</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe/">https://haveibeenpwned.com/Unsubscribe/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe/">https://haveibeenpwned.com/Unsubscribe/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe/">https://haveibeenpwned.com/Unsubscribe/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe/">https://haveibeenpwned.com/Unsubscribe/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe/">https://haveibeenpwned.com/Unsubscribe/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe/">https://haveibeenpwned.com/Unsubscribe/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe/">https://haveibeenpwned.com/Unsubscribe/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe/">https://haveibeenpwned.com/Unsubscribe/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe/">https://haveibeenpwned.com/Unsubscribe/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe/">https://haveibeenpwned.com/Unsubscribe/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe/">https://haveibeenpwned.com/Unsubscribe/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Unsubscribe/">https://haveibeenpwned.com/Unsubscribe/</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify">https://haveibeenpwned.com/Verify</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify">https://haveibeenpwned.com/Verify</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify">https://haveibeenpwned.com/Verify</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify">https://haveibeenpwned.com/Verify</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify">https://haveibeenpwned.com/Verify</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify">https://haveibeenpwned.com/Verify</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify">https://haveibeenpwned.com/Verify</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify">https://haveibeenpwned.com/Verify</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify">https://haveibeenpwned.com/Verify</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify">https://haveibeenpwned.com/Verify</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify">https://haveibeenpwned.com/Verify</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify">https://haveibeenpwned.com/Verify</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify/">https://haveibeenpwned.com/Verify/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify/">https://haveibeenpwned.com/Verify/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify/">https://haveibeenpwned.com/Verify/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify/">https://haveibeenpwned.com/Verify/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify/">https://haveibeenpwned.com/Verify/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify/">https://haveibeenpwned.com/Verify/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify/">https://haveibeenpwned.com/Verify/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify/">https://haveibeenpwned.com/Verify/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify/">https://haveibeenpwned.com/Verify/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	

Other Info	
URL	<a href="https://haveibeenpwned.com/Verify/">https://haveibeenpwned.com/Verify/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify/">https://haveibeenpwned.com/Verify/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/Verify/">https://haveibeenpwned.com/Verify/</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://youtube.com">https://youtube.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://youtube.com">https://youtube.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://youtube.com">https://youtube.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://youtube.com">https://youtube.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://youtube.com">https://youtube.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	

Other Info	
URL	<a href="https://youtube.com">https://youtube.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://youtube.com">https://youtube.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://youtube.com">https://youtube.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://youtube.com">https://youtube.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://youtube.com">https://youtube.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://youtube.com">https://youtube.com</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://youtube.com">https://youtube.com</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://youtube.com/">https://youtube.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	

Other Info	
URL	<a href="https://youtube.com/">https://youtube.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://youtube.com/">https://youtube.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://youtube.com/">https://youtube.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://youtube.com/">https://youtube.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://youtube.com/">https://youtube.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://youtube.com/">https://youtube.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://youtube.com/">https://youtube.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://youtube.com/">https://youtube.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://youtube.com/">https://youtube.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://youtube.com/">https://youtube.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://youtube.com/">https://youtube.com/</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://youtube.com/robots.txt">https://youtube.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://youtube.com/robots.txt">https://youtube.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://youtube.com/robots.txt">https://youtube.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://youtube.com/robots.txt">https://youtube.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://youtube.com/robots.txt">https://youtube.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://youtube.com/robots.txt">https://youtube.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://youtube.com/robots.txt">https://youtube.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://youtube.com/robots.txt">https://youtube.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://youtube.com/robots.txt">https://youtube.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://youtube.com/robots.txt">https://youtube.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://youtube.com/robots.txt">https://youtube.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://youtube.com/robots.txt">https://youtube.com/robots.txt</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://youtube.com/sitemap.xml">https://youtube.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	<a href="https://youtube.com/sitemap.xml">https://youtube.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://youtube.com/sitemap.xml">https://youtube.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://youtube.com/sitemap.xml">https://youtube.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://youtube.com/sitemap.xml">https://youtube.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://youtube.com/sitemap.xml">https://youtube.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://youtube.com/sitemap.xml">https://youtube.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://youtube.com/sitemap.xml">https://youtube.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://youtube.com/sitemap.xml">https://youtube.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	<a href="https://youtube.com/sitemap.xml">https://youtube.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://youtube.com/sitemap.xml">https://youtube.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://youtube.com/sitemap.xml">https://youtube.com/sitemap.xml</a>
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://haveibeenpwned.com/">https://haveibeenpwned.com/</a>
Method	POST
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
Instances	21480
Solution	
Reference	<a href="https://owasp.org/wstg">https://owasp.org/wstg</a>
CWE Id	
WASC Id	
Plugin Id	<a href="#">10104</a>

Informational	User Controllable HTML Element Attribute (Potential XSS)
Description	This check looks at user-supplied input in query string parameters and POST data to identify where certain HTML attribute values might be controlled. This provides hot-spot detection for XSS (cross-site scripting) that will require further review by a security analyst to determine exploitability.
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&ReturnUrl=%2FDashboard&returnUrl=%2FDashboard appears to include user input in: a(n) [a] tag [href] attribute The user input found was: ReturnUrl=/Dashboard The user-controlled value was: /dashboard
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&ReturnUrl=%2FDashboard&returnUrl=%2FDashboard appears to include user input in: a(n) [a] tag [href] attribute The user input found was: ReturnUrl=/Dashboard The user-controlled value was: /dashboard#/domains
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&ReturnUrl=%2FDashboard&returnUrl=%2FDashboard appears to include user input in: a(n) [input] tag [value] attribute The user input found was: ReturnUrl=/Dashboard The user-controlled value was: /dashboard,/dashboard
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&ReturnUrl=%2FDashboard&returnUrl=%2FDashboard&returnUrl=%2FDashboard%2C%2FDashboard appears to include user input in: a(n) [a] tag [href] attribute The user input found was: ReturnUrl=/Dashboard The user-controlled value was: /dashboard
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&ReturnUrl=%2FDashboard&returnUrl=%2FDashboard&returnUrl=%2FDashboard%2C%2FDashboard appears to include user input in: a(n) [a] tag [href] attribute The user input found was: ReturnUrl=/Dashboard The user-controlled value was: /dashboard#/domains

URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&ReturnUrl=%2FDashboard&returnUrl=%2FDashboard&returnUrl=%2FDashboard%2C%2FDashboard appears to include user input in: a(n) [input] tag [value] attribute The user input found was: ReturnUrl=/Dashboard The user-controlled value was: /dashboard,/dashboard,/dashboard,/dashboard
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	returnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&ReturnUrl=%2FDashboard&returnUrl=%2FDashboard&returnUrl=%2FDashboard%2C%2FDashboard appears to include user input in: a(n) [input] tag [value] attribute The user input found was: returnUrl=/Dashboard The user-controlled value was: returnUrl=/Dashboard,/Dashboard,/dashboard,/dashboard
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&ReturnUrl=%2FDashboard&returnUrl=%2FDashboard&returnUrl=%2FDashboard%2C%2FDashboard&returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard appears to include user input in: a(n) [a] tag [href] attribute The user input found was: returnUrl=/Dashboard The user-controlled value was: /dashboard
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&ReturnUrl=%2FDashboard&returnUrl=%2FDashboard&returnUrl=%2FDashboard%2C%2FDashboard&returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard appears to include user input in: a(n) [a] tag [href] attribute The user input found was: returnUrl=/Dashboard The user-controlled value was: /dashboard#domains
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&ReturnUrl=%2FDashboard&returnUrl=%2FDashboard&returnUrl=%2FDashboard%2C%2FDashboard&returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard appears to include user input in: a(n) [input] tag [value] attribute The user input found was: returnUrl=/Dashboard The user-controlled value was: /dashboard,/dashboard,/dashboard,/dashboard,/dashboard,/dashboard

URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	returnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&ReturnUrl=%2FDashboard&returnUrl=%2FDashboard&returnUrl=%2FDashboard%2C%2FDashboard&returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard appears to include user input in: a(n) [input] tag [value] attribute The user input found was: returnUrl=/Dashboard,/Dashboard The user-controlled value was: /dashboard,/dashboard,/dashboard,/dashboard,/dashboard,/dashboard
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FDashboard&amp;returnUrl=%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard&amp;returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard</a>
Method	GET
Parameter	returnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&ReturnUrl=%2FDashboard&returnUrl=%2FDashboard&returnUrl=%2FDashboard%2C%2FDashboard&returnUrl=%2FDashboard%2C%2FDashboard%2C%2FDashboard%2C%2FDashboard appears to include user input in: a(n) [input] tag [value] attribute The user input found was: returnUrl=/Dashboard,/Dashboard,/Dashboard The user-controlled value was: /dashboard,/dashboard,/dashboard,/dashboard,/dashboard,/dashboard
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF appears to include user input in: a(n) [input] tag [value] attribute The user input found was: ReturnUrl=/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF The user-controlled value was: /subscription/redirecttoprice/price_1rtgy8ef14jwlydw1f8wkff, /subscription/redirecttoprice/price_1rtgy8ef14jwlydw1f8wkff
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF appears to include user input in: a(n) [input] tag [value] attribute The user input found was: ReturnUrl=/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF The user-controlled value was: /subscription/redirecttoprice/price_1rtgy8ef14jwlydw1f8wkff, /subscription/redirecttoprice/price_1rtgy8ef14jwlydw1f8wkff, /subscription/redirecttoprice/price_1rtgy8ef14jwlydw1f8wkff
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF</a>

Method	GET
Parameter	returnUrl
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a dashboard="" haveibeenpwned.com="" href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF appears to include user input in: a(n) [input] tag [value] attribute The user input found was: returnUrl=/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF,/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF The user-controlled value was: /subscription/redirecttoprice/price_1rtgy8ef14jwlydw1f8wkff,/subscription/redirecttoprice/price_1rtgy8ef14jwlydw1f8wkff ,/subscription/redirecttoprice/price_1rtgy8ef14jwlydw1f8wkff,/subscription/redirecttoprice/price_1rtgy8ef14jwlydw1f8wkff&lt;/a&gt;&lt;/p&gt; &lt;/td&gt;&lt;/tr&gt; &lt;tr&gt; &lt;td&gt;URL&lt;/td&gt;&lt;td&gt;&lt;a href=" https:="" signin?accountcheck.account='foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC"'>https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a></p>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: ReturnUrl=/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC The user-controlled value was: /subscription/redirecttoprice/price_1rth85ef14jwlydws50aivzc,/subscription/redirecttoprice/price_1rth85ef14jwlydws50aivzc</p>
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: ReturnUrl=/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC The user-controlled value was: /subscription/redirecttoprice/price_1rth85ef14jwlydws50aivzc,/subscription/redirecttoprice/price_1rth85ef14jwlydws50aivzc,/subscription/redirecttoprice/price_1rth85ef14jwlydws50aivzc,/subscription/redirecttoprice/price_1rth85ef14jwlydws50aivzc</p>
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	returnUrl
Attack	
Evidence	

	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: returnUrl=/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC,/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC The user-controlled value was: /subscription/redirecttoprice/price_1rth85ef14jwlydws50aivzc,/subscription/redirecttoprice/price_1rth85ef14jwlydws50aivzc,/subscription/redirecttoprice/price_1rth85ef14jwlydws50aivzc,/subscription/redirecttoprice/price_1rth85ef14jwlydws50aiVzc
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: ReturnUrl=/Subscription/RedirectToPrice/price_1RTHAveF14jWIYDwliFze3ZX The user-controlled value was: /subscription/redirecttoprice/price_1rthavef14jwlydwifze3zx,/subscription/redirecttoprice/price_1rthavef14jwlydwifze3zx
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: ReturnUrl=/Subscription/RedirectToPrice/price_1RTHAveF14jWIYDwliFze3ZX The user-controlled value was: /subscription/redirecttoprice/price_1rthavef14jwlydwifze3zx,/subscription/redirecttoprice/price_1rthavef14jwlydwifze3zx,/subscription/redirecttoprice/price_1rthavef14jwlydwifze3zx
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX</a>
Method	GET
Parameter	returnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAveF14jWIYDwliFze3ZX</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: returnUrl=/Subscription/RedirectToPrice/price_1RTHAveF14jWIYDwliFze3ZX/Subscription/RedirectToPrice/price_1RTHAveF14jWIYDwliFze3ZX The user-controlled value was: /subscription/redirecttoprice/price_1rthavef14jwlydwifze3zx,/subscription/redirecttoprice/price_1rthavef14jwlydwifze3zx,/subscription/redirecttoprice/price_1rthavef14jwlydwifze3zx
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcz6Hwe</a>
Method	GET
Parameter	ReturnUrl

Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was:</p> <p>ReturnUrl=/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe The user-controlled value was: /subscription/redirecttoprice/price_1rthctef14jwlydwcryz6hwe,/subscription/redirecttoprice/price_1rthctef14jwlydwcryz6hwe</p>
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was:</p> <p>ReturnUrl=/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe The user-controlled value was: /subscription/redirecttoprice/price_1rthctef14jwlydwcryz6hwe,/subscription/redirecttoprice/price_1rthctef14jwlydwcryz6hwe,/subscription/redirecttoprice/price_1rthctef14jwlydwcryz6hwe</p>
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	returnUrl
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was:</p> <p>returnUrl=/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe,/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe The user-controlled value was:</p> <p>/subscription/redirecttoprice/price_1rthctef14jwlydwcryz6hwe,/subscription/redirecttoprice/price_1rthctef14jwlydwcryz6hwe,/subscription/redirecttoprice/price_1rthctef14jwlydwcryz6hwe</p>
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was:</p> <p>ReturnUrl=/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM The user-controlled value was: /subscription/redirecttoprice/price_1rthf6ef14jwlydw61ocfwsm,/subscription/redirecttoprice/price_1rthf6ef14jwlydw61ocfwsm</p>

URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: ReturnUrl=/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM The user-controlled value was: /subscription/redirecttoprice/price_1rthf6ef14jwlydw61ocfwsm,/subscription/redirecttoprice/price_1rthf6ef14jwlydw61ocfwsm,/subscription/redirecttoprice/price_1rthf6ef14jwlydw61ocfwsm,/subscription/redirecttoprice/price_1rthf6ef14jwlydw61ocfwsm
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	returnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: returnUrl=/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM,/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM The user-controlled value was: /subscription/redirecttoprice/price_1rthf6ef14jwlydw61ocfwsm,/subscription/redirecttoprice/price_1rthf6ef14jwlydw61ocfwsm,/subscription/redirecttoprice/price_1rthf6ef14jwlydw61ocfwsm
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: ReturnUrl=/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR The user-controlled value was: /subscription/redirecttoprice/price_1rthheef14jwlydwahon2pxr,/subscription/redirecttoprice/price_1rthheef14jwlydwahon2pxr
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	

	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a dashboard="" haveibeenpwned.com="" href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR appears to include user input in: a(n) [input] tag [value] attribute The user input found was: /subscription/redirecttoprice/price_1rthheef14jwlydwahon2pxr,/subscription/redirecttoprice/price_1rthheef14jwlydwah2pxr,/subscription/redirecttoprice/price_1rthheef14jwlydwahon2pxr,/subscription/redirecttoprice/price_1rthheef14jwlydwahon2pxr&lt;/a&gt;&lt;/td&gt;&lt;/tr&gt; &lt;tr&gt; &lt;td&gt;URL&lt;/td&gt;&lt;td&gt;&lt;a href=" https:="" signin?accountcheck.account='foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR"'>https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	returnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a dashboard="" haveibeenpwned.com="" href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR appears to include user input in: a(n) [input] tag [value] attribute The user input found was: returnUrl=/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR,/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR The user-controlled value was: /subscription/redirecttoprice/price_1rthheef14jwlydwahon2pxr,/subscription/redirecttoprice/price_1rthheef14jwlydwah2pxr,/subscription/redirecttoprice/price_1rthheef14jwlydwahon2pxr,/subscription/redirecttoprice/price_1rthheef14jwlydwahon2pxr&lt;/a&gt;&lt;/td&gt;&lt;/tr&gt; &lt;tr&gt; &lt;td&gt;URL&lt;/td&gt;&lt;td&gt;&lt;a href=" https:="" signin?accountcheck.account='foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d"'>https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: returnUrl=/Subscription/RedirectToPrice/price_1RTHKEF14jWIYDwQQxmPc8d The user-controlled value was: /subscription/redirecttoprice/price_1rthkfef14jwlydwqqxmpc8d,/subscription/redirecttoprice/price_1rthkfef14jwlydwqqxmpc8d
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: returnUrl=/Subscription/RedirectToPrice/price_1RTHKEF14jWIYDwQQxmPc8d The user-controlled value was: /subscription/redirecttoprice/price_1rthkfef14jwlydwqqxmpc8d,/subscription/redirecttoprice/price_1rthkfef14jwlydwqqxmpc8d,/subscription/redirecttoprice/price_1rthkfef14jwlydwqqxmpc8d
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKEF14jWIYDwQQxmPc8d</a>

Method	GET
Parameter	returnUrl
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a dashboard="" haveibeenpwned.com="" href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d%2C%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d appears to include user input in: a(n) [input] tag [value] attribute The user input found was: returnUrl=/Subscription/RedirectToPrice/price_1RTHKfef14jWIYDwQQxmPc8d,/Subscription/RedirectToPrice/price_1RTHKfef14jWIYDwQQxmPc8d The user-controlled value was: /subscription/redirecttoprice/price_1rthkfef14jwlydwqqxmpc8d,/subscription/redirecttoprice/price_1rthkfef14jwlydwqqxmpc8d,/subscription/redirecttoprice/price_1rthkfef14jwlydwqqxmpc8d,/subscription/redirecttoprice/price_1rthkfef14jwlydwqqxmpc8d&lt;/a&gt;&lt;/p&gt; &lt;/td&gt;&lt;/tr&gt; &lt;tr&gt; &lt;td&gt;URL&lt;/td&gt;&lt;td&gt;&lt;a href=" https:="" signin?accountcheck.account='foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ"'>https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a></p>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: ReturnUrl=/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ The user-controlled value was: /subscription/redirecttoprice/price_1rthmdef14jwlydworwagpoz,/subscription/redirecttoprice/price_1rthmdef14jwlydworwagpoz</p>
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: ReturnUrl=/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ The user-controlled value was: /subscription/redirecttoprice/price_1rthmdef14jwlydworwagpoz,/subscription/redirecttoprice/price_1rthmdef14jwlydworwagpoz,/subscription/redirecttoprice/price_1rthmdef14jwlydworwagpoz,/subscription/redirecttoprice/price_1rthmdef14jwlydworwagpoz</p>
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foo-bar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>
Method	GET
Parameter	returnUrl
Attack	
Evidence	

	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?AccountCheck.Account=foobar%40example.com&amp;ReturnUrl=%2FSubscription%2FRedirectToPrice%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ&amp;returnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: returnUrl=/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ The user-controlled value was: /subscription/redirecttoprice/price_1rthmdef14jwlydworwagpoz,/subscription/redirecttoprice/price_1rthmdef14jwlydworwagpoz,/subscription/redirecttoprice/price_1rthmdef14jwlydworwagpoz,/subscription/redirecttoprice/price_1rthmdef14jwlydworwagpoz
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard</a> appears to include user input in: a(n) [a] tag [href] attribute The user input found was: ReturnUrl=/Dashboard The user-controlled value was: /dashboard
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard</a> appears to include user input in: a(n) [a] tag [href] attribute The user input found was: ReturnUrl=/Dashboard The user-controlled value was: /dashboard##domains
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FDashboard</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: ReturnUrl=/Dashboard The user-controlled value was: /dashboard
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTGy8EF14jWIYDw1F8wKgFF</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: ReturnUrl=/Subscription/RedirectToPrice/price_1RTGy8EF14jWIYDw1F8wKgFF The user-controlled value was: /subscription/redirecttoprice/price_1rtgy8ef14jwlydw1f8wkff
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTH85EF14jWIYDws50alvzC</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: ReturnUrl=/Subscription/RedirectToPrice/price_1RTH85EF14jWIYDws50alvzC The user-controlled value was: /subscription/redirecttoprice/price_1rth85ef14jwlydws50alvzc

URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAxEF14jWIYDwlfze3ZX">https://haveibeenpwned.com/Dashboard/SignIn? ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAxEF14jWIYDwlfze3ZX</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://haveibeenpwned.com/Dashboard/SignIn?  ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHAxEF14jWIYDwlfze3ZX appears to include user input in: a(n) [input] tag [value] attribute The user input found was:  ReturnUrl=/Subscription/RedirectToPrice/price_1RTHAxEF14jWIYDwlfze3ZX The user-controlled value was:  /subscription/redirecttoprice/price_1rthavef14jwlydwlfze3zx</p>
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe">https://haveibeenpwned.com/Dashboard/SignIn? ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://haveibeenpwned.com/Dashboard/SignIn?  ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHCTEF14jWIYDwcryz6Hwe appears to include user input in: a(n) [input] tag [value] attribute The user input found was:  ReturnUrl=/Subscription/RedirectToPrice/price_1RTHCTEF14jWIYDwcryz6Hwe The user-controlled value was:  /subscription/redirecttoprice/price_1rthctef14jwlydwcryz6hwe</p>
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM">https://haveibeenpwned.com/Dashboard/SignIn? ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://haveibeenpwned.com/Dashboard/SignIn?  ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHF6EF14jWIYDw61oCFwsM appears to include user input in: a(n) [input] tag [value] attribute The user input found was:  ReturnUrl=/Subscription/RedirectToPrice/price_1RTHF6EF14jWIYDw61oCFwsM The user-controlled value was:  /subscription/redirecttoprice/price_1rthf6ef14jwlydw61ocfwsm</p>
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR">https://haveibeenpwned.com/Dashboard/SignIn? ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://haveibeenpwned.com/Dashboard/SignIn?  ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHHEEF14jWIYDwahOn2PXR appears to include user input in: a(n) [input] tag [value] attribute The user input found was:  ReturnUrl=/Subscription/RedirectToPrice/price_1RTHHEEF14jWIYDwahOn2PXR The user-controlled value was:  /subscription/redirecttoprice/price_1rthheef14jwlydwahon2pxr</p>
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d">https://haveibeenpwned.com/Dashboard/SignIn? ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d</a>
Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://haveibeenpwned.com/Dashboard/SignIn?  ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHKfef14jWIYDwQQxmPc8d appears to include user input in: a(n) [input] tag [value] attribute The user input found was:  ReturnUrl=/Subscription/RedirectToPrice/price_1RTHKfef14jWIYDwQQxmPc8d The user-controlled value was:  /subscription/redirecttoprice/price_1rthkfef14jwlydwqqxmmpc8d</p>
URL	<a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn? ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a>

Method	GET
Parameter	ReturnUrl
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ">https://haveibeenpwned.com/Dashboard/SignIn?ReturnUrl=%2FSubscription%2FRedirectToPrice%2Fprice_1RTHMDEF14jWIYDwOrwaGpoZ</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was:  ReturnUrl=/Subscription/RedirectToPrice/price_1RTHMDEF14jWIYDwOrwaGpoZ The user-controlled value was:  /subscription/redirecttoprice/price_1rthmdef14jwlydworwagpoz</p>
Instances	47
Solution	Validate all input and sanitize output it before writing to any HTML attributes.
Reference	<a href="https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html</a>
CWE Id	<a href="#">20</a>
WASC Id	20
Plugin Id	<a href="#">10031</a>

## Sequence Details

With the associated active scan results.